EAST CENTRAL RAILWAY

Rates Circular (Goods) No.01 of 2016

No-ECR/CRM/FMS/2/DHN Div. **Dated- 07.01.2016**

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR
Copy for information and necessary action to the:-
Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/
N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO & CPM/CRIS/NDLS
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - **Opening of Line No. 04 of Bhurkunda (BHKD) for inward traffic of COAL.**

Ref: - **i) Sr.DCM/DHN's lr. No. C.772/Misc/Goods/15 dated 16-12-2015.**
ii) This office Rates Circular (Goods) No. 21 of 2009 dated 24-06-09.
iii) This office Rates Circular (Goods) No. 29 of 2010 dated 02-12-10.

-oOo-

Line no. 04 of Bhurkunda (BHKD) station over DHN division of ECR had been opened for dealing with both inward and outward goods traffic vide Rates Circular (Goods) No. 21 of 2015 dated 24-06-09. The same (BHKD) had also opened for loading of Non-Programmed traffic of Coal vide Rates Circular (Goods) No. 29 of 2010 dated 02-12-10.

Now, on the recommendation of the division, the competent authority has accorded the approval for opening of Line no. 04 of Bhurkunda (BHKD) station for dealing with inward traffic of COAL also with immediate effect.

The above instruction will be valid till further advice.
All concerned to please note and act accordingly.

7/1/16

(M.A.I.Humayun)
Dy.CCM/FM
For Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 02 of 2016

No-ECR/CRM/FMS/04/KCW- MGS **HJP- Dt 12.01.2016**

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR
Sr.DCM/E. C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
CCM,CCM/FM,COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary action to the:-
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO&CPM/CRIS/NDLS, M/S Kalyanpur Cement Ltd/ Sonenager, Co- user M/S Shiv Shakti Khadya Pvt Ltd.
Director, Traffic Comml.(Rates)/Railway Board/New Delhi.

Sub: - Co-user permission of siding M/S Kalyanpur Cement Lltd served by Sonenager, (SEB) Railway station for Shiv Shakti Khadya Pvt Ltd over MGS division.

Ref.:-This office rates circular (Goods) No. 02 of 2015 Dated-09.01.15

***

The competent authority has accorded approval to permit to **M/s Shiv Shakti KhadyaPvt Ltd** to use the Kalyanpur Cements Ltd Siding as co- user for out ward loading only for period upto 30.06.2016 withimmediate effect provided all dues,if any, are cleared immediately. Booking by co-user is applicable on same terms and conditions as applicable to the siding Owner i.e. M/S Kalyanpur Cement Ltd. On account of failure of co- user in clearance of Railway dues, the siding owner will be liable to clear the same.

All other commercial formalities should be followed.
All concerned to please note and act accordingly.

(P.K. SINHA)
Dy.CCM/HW
for Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No.03 of 2016

No-ECR/CRM/FMS/04/MDCWPL-Sdg **HJP- 13.01.2016**

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR
Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.CRly/DHN.
CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims)
, COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli. E.D.R.M./Kolkatta
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary action to the:-
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO&CPM/CRIS/Chanakyapuri, New Delhi
Director, Traffic Comml.(Rates)/Railway Board/New Delhi
Copy to:-M/s Monnet Daniels Coal Washeries Pvt. Limited, K.D.H. Mines, P.O. Dokra Ranchi-829210 & Copy to:-CCL/Ranchi

Sub: -Co-user permission for siding KDH line no.2 (CODE-KASN) for Monnet Daniels Coal Washeries Pvt. Limited over DHN division of E.C.Railway.

Ref: This office Rate Circular (Goods) No 55 of 2015 dated 29.12.15

The competent authority has accorded approval to permit M/s Monnet Daniels Coal Washeries Pvt. Limited to use the KDH Line no 2 siding over DHN division as co-user up to 07.01.2018 on same term and condition as mentioned under above referred Rate Circular (Goods) no 55 of 2015 dtd 29.12.2015 with immediate effect. All precaution as per working rules must be followed in course of placement/withdrawal of rakes at the siding

All other Commercial formalities must be complied with. All concerned to please note & act accordingly.

(P.K. SINHA)
Dy.CCM/HW
for Chief Commercial Manager

EAST CENTRAL RAILWAY

Corrigendum to Rates Circular (Goods) No.03 of 2016

No-ECR/CRM/FMS/04/MDCWPL-Sdg **HJP- 13.01.2016**

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR
Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.CRly/DHN.
CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims)
, COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli. E.D.R.M./Kolkatta
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary action to the:-
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO&CPM/CRIS/Chanakyapuri, New Delhi
Director, Traffic Comml.(Rates)/Railway Board/New Delhi
Copy to:-M/s Monnet Daniels Coal Washeries Pvt. Limited, K.D.H. Mines, P.O. Dokra Ranchi-829210 & Copy to:-CCL/Ranchi

Sub: -Co-user permission for siding KDH line no.2 (CODE-KDSN) for Monnet Daniels Coal Washeries Pvt. Limited over DHN division of E.C.Railway.

Ref: This office Rate Circular (Goods) No 03 of 2016 dated 13.01.16

Please connect the above referred Rates Circular issued by this office regarding Co-user permission for KDH Siding line No 2 for Monnet Daniels Coal Washeries Pvt Ltd. In this regard, please read the Alpha Code of the KDH line No2 as 'KDSN' instead of KASN as mentioned under above referred Rates Circular.

This is for kind information.

All concerned to please note & act accordingly.

(P.K. SINHA)
Dy.CCM/HW
for Chief Commercial Manager

Distance of Patliputra Jn. (PPTA) – Pahlejaghat Jn. (PHLG), a newly constructed Railway Bridge BG line section over DNR Division.

Station Name स्टेशन का नाम	PPTA	PHLG	Numerical Code
Patliputra Jn. पाटलीपुत्र जं.	0		10210440
Pahlejaghat Jn. पहलेजाघाट जं.	11.46	0	10410341

Distance of Pahlejaghat Jn. (PHLG) – Sonepur Jn. (SEE), a newly constructed BG line section over SEE Division.

Station Name स्टेशन का नाम	PHLG	SEE	Numerical Code
Pahlejaghat Jn. पहलेजाघाट जं.	0		10410341
Sonepur Jn. सोनपुर जं.	3.81	0	10410174

Distance of Pahlejaghat Jn. (PHLG) – Parmanand Pur Jn. (PMU), a newly constructed BG line section over SEE Division.

Station Name स्टेशन का नाम	PHLG	PMU	Numerical Code
Pahlejaghat Jn. पहलेजाघाट जं.	0		10410341
Parmanand Pur Jn. परमानन्दपुर जं.	5.11	0	10410175

18/01/16

18/1/16

EAST CENTRAL RAILWAY
Rates Circular (Goods) No. 04 of 2016

No-ECR/CRM/FMS/04/Digha Bridge **Dated: 18 / 01 / 2016**

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerks/Weigh Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE & CAM/E.C.Rly/DHN.
CAO (TA), SAO(TA)E.C.Rly. FA&CAO, E.C.Rly, Dy.CCM (Claims), Dy.CCM/FM.
COM & CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO & CPM/CRIS/NDLS
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Notification of Patliputra Jn. (PPTA) – Pahlejaghat Jn. (PHLG), a newly constructed Railway Bridge BG line section over DNR division, Pahlejaghat Jn. (PHLG) - Sonepur Jn. (SEE) & Pahlejaghat Jn. (PHLG) – Parmanand Pur Jn. (PMU) a newly constructed BG line section over SEE division of ECR.

Consequent upon construction of a newly Railway Bridge (BG) known as Digha Bridge situated in Patliputra Jn. (PPTA) – Pahlejaghat Jn. (PHLG) section, over Danapur (DNR) division and Sonepur (SEE) division, the inter station distance is being notified and annexed hereby along with alphabetical code & numerical code for information & necessary action to all concerned. These distances may be incorporated at the last page of LDT No. I of E.C. Railway.

All concerned to please note & act accordingly.

Please acknowledge receipt.

D/A: As above.

(P.K.SINHA)
Dy. CCM/ HW
for Chief Commercial Manager

EAST CENTRAL RAILWAY
Rates Circular (Goods) No 05 of 2016

No-ECR/CRM/FMS/04/MTPS-Kanti

To, **HJP- Dt 28.01.2016**

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR
Sr.DCM/E. C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli. E.D.R.M./Kolkatta
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary action to the:-
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO&CPM/CRIS/Chanakyapuri, New Delhi
Director, Traffic Comml.(Rates)/Railway Board/New Delhi
Copy to : M/s MTPS/Kanti, Muzaffarpur & M/s Buffer Store Godown Siding/Narayanpur Anant

Sub: Withdrawal of Rates Circular(Goods) No.24 of 2013 dt 19.07.2013 & 25 of 2013 dt 19.07.2013 rgarding revision of siding charge at M/s MTPS/Kanti & M/s BSGS/ NRPA served by Muzaffarpur & Narayanpur respectively over E.C.Railway.

Above mentioned Rates Circular No.24 of 2013 dt 19/07/2013 and Rates Circular No. 25 of 2013 dt 19/07/2013 were issued earlier by this office regarding revision of siding charge at M/s MTPS/Kanti, Muzaffarpur & M/s Buffer Store Godown Siding/NRPA with instruction to collect siding charge including all under charges from the period 01.07.2008 to 01.07.2013. Both the said siding have already been notified for charging freight on through distance basis by N.E.Railway.

So, in light of decision taken with consent of Traffic Account, the competent authority has decided to withdraw the above mentioned Rates Circular No. 24 of 2013 dt 19.07.2013 & 25 of 2013 dt 19.07.2013 issued earlier by this office.

All concerned to please note and act accordingly.

(P.K. SINHA)
DyCCM/HW
for Chief Commercial Manager

Rates Circular (Goods) No. 06 of 2016

No-ECR/CRM/FMS/04/TTPS-DHN **HJP Dt 29.01.2016**

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR
Sr.DCM/E. C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli, E.D.R.M/Kolkatta
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary action to the:-
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO&CPM/CRIS/Chanakyapuri, New Delhi
Director, Traffic Comml.(Rates)/Railway Board/New Delhi

Sub:- Extension of Commercial notification of Tenughat Thermal Power Station Siding siding served by Dumri Bihar Station(DMBR) over Dhanbad division of E.C.Railway.
Ref:- This office Rates Circular(Goods) No.45 of 2015 dt 24.09.2015

A provisional approval (for a period of 04 months) for opening of Tenughat Thermal Power Station Siding served by Dumri Bihar Station over Dhanbad Division of E.C.Railway for handling of inward coal traffic having full rake capacity was accorded by the competent authority vide this office Rates Circular mentioned under reference.Now, in view of handling of coal traffic from the siding, it has been decided to extend the validity of commercial notification of siding for further 02(two) months on same terms & condition mentioned in the Rates Circular under reference above.

All other Commercial formalities must be complied with. All concerned to please note & act accordingly.

(P.K. SINHA)
Dy.CCM/HW
for Chief Commercial Manager

Rates Circular (Goods) No. 07 of 2016

No-ECR/CRM/FMS/04/TTPS-DHN **HJP Dt 11.02.2016**

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR
Sr.DCM/E. C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli, E.D.R.M/Kolkatta
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary action to the:-
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO&CPM/CRIS/Chanakyapuri, New Delhi
Director, Traffic Comml.(Rates)/Railway Board/New Delhi

Sub:- Commercial notification of Tenughat Thermal Power Station Siding (Alpha Code-TTPD & Numerical Code-10120466) served by Dumri Bihar Station(DMBR) over Dhanbad division of E.C.Railway.

Ref:- This office Rates Circular(Goods) No.45 of 2015 dt 24.09.2015 & Rates Circular(Goods) No. 06 of 2016 dt 29.01.2016

Opening of Tenughat Thermal Power Station Siding(Alpha Code- TTPD) served by Dumri Bihar Station over Dhanbad Division of E.C.Railway for handling of inward coal traffic having full rake capacity was accorded provisionally by the competent authority for 04 months & extended further for 02 months vide this office Rates Circular mentioned under reference. Now, based on average trip time arrived by fresh Time & Motion Study, the siding charge fixed earlier(Rs 69,342/- per trip per engine) has been modified and fixed as Rs 57,722 (Fifty seven thousand seven hundred twenty two) per trip per engine with immediate effect.

The rate of siding charge as notified herein is subject to revision from time to time on the basis of revision of Engine Hour Cost by Railway Board. Separate shunting charge is also leviable on account of shunting operation if any, on portion of siding.

All other Commercial formalities must be complied with. All concerned to please note & act accordingly.

(P.K. SINHA)
Dy.CCM/HW
for Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 08 of 2016

No-ECR/CRM/FMS/2/Int. W.B. **Dated-16-02-2016**

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - **Commercial Notification for opening of a privately owned electronic in-motion weighbridge on private land at Dudhichua Siding (on line No. 04 & 05) over DHN division.**

Ref: - **CAM/DHN's letter No.XG.NCL/Dudhichua Sdg/N-EIMWB/CAM/15 dated 12-01-16 & 29-01-2016.**

The competent authority has accorded the approval for opening of privately owned Electronic- in – Motion weighbridge on private land at Dudhichua Siding (on line No. 04 & 05) over DHN division of E.C.Railway. This weighbridge will be used for weighment of all load passing/going to/brought to Dudhichua Siding by Railway Administration on day to day basis and for special arrangement. The weighment should be supervised by Railway Staff.

This issue will come in force with immediate effect.

All concerned to please note and act accordingly.

(M.A.I Humayun)
Dy.CCM/FM
For Chief Commercial Manager

Distance of Monghyr Station (MGR) – Sabdalpur (SBDP) section, over Sonpur (SEE) division, a newly constructed BG line including Monghyr Railway Bridge over SEE Division.

Station Name स्टेशन का नाम	MGR	SBDP	Numerical Code
Monghyr मुंगेर	0		2210243
Sabdalpur Jn. सबदलपुर जं0	7.38 Kms	0	10410342

Distance of Sabdalpur (SBDP) - Sahibpur Kamal (SKJ), a newly constructed BG line section over SEE Division.

Station Name स्टेशन का नाम	SBDP	SKJ	Numerical Code
Sabdalpur सबदलपुर जं0	0		10410342
Sahibpur Kamal साहिबपुर कमाल	5.45	0	10410124

Distance of Sabdalpur (SBDP) - Umeshnagar (UMNR), a newly constructed BG line section over SEE Division.

Station Name स्टेशन का नाम	PHLG	PMU	Numerical Code
Sabdalpur सबदलपुर जं0	0		10410342
Umeshnagar उमेशनगर	4.53	0	10410123

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 09 of 2016

No-ECR/CRM/FMS/04/Munger Rly Bridge **Dated: 08 / 03 / 2016**

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerks/Weigh Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE & CAM/E.C.Rly/DHN.
CAO (TA), SAO(TA)E.C.Rly. FA&CAO, E.C.Rly, Dy.CCM (Claims), Dy.CCM/FM.
COM & CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO & CPM/CRIS/NDLS
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Notification of Monghyr Station-Sabdalpur Jn. (SBDP) including Monghyr Rly. Bridge a newly constructed Railway Bridge BG line section over SEE division of ECR, Sabdalpur (SBDP) - Sahibpur Kamal (SKJ) and Sabdalpur (SBDP) - Umeshnagar (UMNR) Sections, a newly constructed BG line section over SEE division over ECR.

Consequent upon construction of a newly Railway Bridge (BG) known as Monghyr Railway Bridge situated in Monghyr Station (MGR) – Sabdalpur Jn. (SBDP)) section over Sonpur (SEE) division, Sabdalpur(SBDP)-Sahibpur Kamal (SKJ) and Sabdalpur (SBDP)-Umeshnagar(UMNR) Sections, a newly constructed BG line section of SEE division over ECR and the inter station distances is being notified and annexed hereby along with alphabetical code & numerical code for information and necessary action to all concerned. These distances may be incorporated at the last page of LDT No. I of E.C. Railway.

All concerned to please note & act accordingly.

Please acknowledge receipt.

D/A: - As above.

(P.K.SINHA)
Dy. CCM/ HW
for Chief Commercial Manager

6. **Penal wharfage** would also have a graded structure, as follows:

No. of indents	No. of times of normal rate
1 – 20	First 2 Hrs. – Normal
	Next 2 Hrs. – 2 times
	Thereafter – 3 times
> 20	First 2 Hrs. – Normal
	Next 2 Hrs. – 2 times
	Next 2 Hrs. – 4 times
	Thereafter – 6 times

7. Clear and complete address of consignor as well as consignee should be mentioned on Forwarding Note / RRs as the case may be. In case consignments are meant for sale, Sales Tax Registration Number / Tin may be obtained from the consignor on Forwarding Note and the same should be endorsed on RR. Railway will not be responsible for:-

i) Authenticity of address of consignor or consignee as mentioned by the consignor in the Forwarding Note / details given by the party while booking the consignment.

ii) Declaration made by the consignor regarding applicability of Sales Tax / Trade Tax / VAT etc on a particular commodity.

iii) Registration Number / TIN of the consignor/consignee as mentioned by consignor in the Forwarding Note/declaration by consignor. For all these declarations, responsibility will rest with consignor/consignee.

The guidelines have been framed in order to streamline the indenting and loading process and to avoid complains. Present guidelines will not be changed unless it is again routed through and approved both by COM and CCM.

All concerned to please note and act accordingly.

(M.A.I.Humayun)
Dy.CCM/FM
for Chief Commercial Manager

EAST CENTRAL RAILWAY
Rates Circular (Goods) No. 10 of 2016

No-ECR/CRM/FMS/2/SEE Div. **Dated- 14.03 .2016**

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/
N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO & CPM/CRIS/NDLS
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - Policy guidelines regarding Maize loading in the year 2016 - 17.

In order to check the menace of fictitious indents during Maize loading season over SEE & SPJ divisions of ECR, the competent authority has accorded the approval for the following guidelines in order to streamline the indenting and loading process and to avoid complaints:-

1. The Wagon Registration Fee (WRF) for indenting rakes for loading of **all commodities including Maize will be Rs.50, 000/- only** and there will be no increase in it at the Maize loading stations.
2. Loading for long lead traffic under Preferential Traffic Schedule should be for six days in a week i.e. from Monday to Saturday. Short lead traffic may be taken up for loading on Sunday subject to indent priority.
3. Restrictions of inward loading for Semapur, Kursela, Mansi, Sonbarsa Kacheri, Hasanpur & Salauna would remain in force till further advice.
4. The stacking period will be governed by the number of indents available and its structure would be as follows:

No. of indents	Stacking period
1 – 5	48 Hrs.
5 – 10	24 Hrs.
10 – 20	08 Hrs.
> 20	02 Hrs.

5. **Penal demurrage** would remain in force at all loading points; the broad demurrage structure would be as follows:

No. of indents	No. of times of normal rate
1 – 20	First 2 Hrs. – Normal
	Next 2 Hrs. – 2 times
	Thereafter - 3 times
> 20	First 2 Hrs. – Normal
	Next 2 Hrs. – 2 times
	Next 2 Hrs. – 4 times
	Thereafter – 6 times

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 11 of 2016

No-ECR/CRM/FMS/04/Co-User/Coal siding **HJP- DT 15-03-2016**

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR
Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.CRly/DHN.
CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims)
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary action to the:-
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY, EDRM/Kolkatta
CAO&CPM/CRIS/NDLS, CCL/Darbhanga House, Ranchi, Jharkhand-834001,
M/s Lalitpur Power Generation Co. Limited.
Director, Traffic Comml. (Rates)/Railway Board/New Delhi

Sub: - Co-user permission to use K.D (Old) Siding with M/s Lalit Power Generation Company Ltd. over DHN division of E.C.Railway.

Ref:- CCL's representation dt 08.03.2016

The competent authority has accorded approval to permit M/s Lalit Power Generation Company Ltd. to use K.D.(Old) Siding of CCL over DHN division as Co-user upto 02.04.2016 with immediate effect. All Programmed traffic of coal rakes loaded at such sidings must be weighed at electronic in - motion weigh-bridges notified by Rly and RR be prepared accordingly.

It may be noted that in event of non-clearance of Rly dues or other-wise, the facility of Co-user may be withdrawn without giving any notice.

All precaution as per working rules must be followed in course of placement/withdrawal of rakes at the siding.

All other Commercial formalities must be complied with. All concerned to please note & act accordingly.

(P.K.Sinha)
Dy.CCM/HW
for Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 12 of 2016

No-ECR/CRM/FMS/2/SPJ Div. **Dated- 22.03.2016**

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Clerks of ECR
Copy for information and necessary action to the:-
Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/
N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO & CPM/CRIS/NDLS
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - Opening of HPO and SLNA Stations for Goods traffic.
Ref: - Sr.DCM/SPJ's letter No. C/412/Misc/Part-IV dated 14-03-2016.

-oOo-

The competent authority has accorded the approval for the following:-

i) Hasanpur Road Station (HPO) over SPJ division is opened for dealing with outward goods traffic in full rake handling capacity.
ii) Salauna Station (SLNA) over SPJ division is opened for dealing with outward goods traffic in half rake handling capacity.
iii) Opening of the stations HPO and SLNA will be valid with **immediate effect and up to March'17.**
iv) This office Rates Circular No. 10 of 2016 dated 14-03-2016 on Policy guidelines regarding Maize loading in the year 2016-17 is applicable at these stations.

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy.CCM/HW
for Chief Commercial Manager

EAST CENTRAL RAILWAY
Rates Circular (Goods) No 13 of 2016

No-ECR/CRM/FMS/04/MTPS-Kanti **HJP- Dt 30.03.2016**

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR
Sr.DCM/E. C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli. E.D.R.M./Kolkatta
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary action to the:-
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO&CPM/CRIS/Chanakyapuri, New Delhi
Director, Traffic Comml.(Rates)/Railway Board/New Delhi
Copy to : M/s MTPS/Kanti, Muzaffarpur, Dist- Muzaffarpur, PIN- 843130

Sub: Transfer of Kanti Thermal Power Station to Samastipur division

In view of transfer of operation of Kanti Thermal Power Station from Sonepur division to Samastipur division, it has been decided by the competent authority that all commercial function of Kanti Thermal Power Siding will be executed under administrative control of Samastipur division w.e.f. 01.04.2016.

In light of the above decision, concerned divisions (SEE & SPJ division) are advised to ensure transfer and handing over of commercial documents/records of siding. Sonepur division is also advised to transfer the details of station outstanding of siding to Samastipur division and Samastipur division take into accountal of his division.

All concerned to please note and act accordingly.

(P.K. SINHA)
DyCCM/HW
for Chief Commercial Manager

KIND ATTENTION : Sri K. K. Meshra DC1/SEE

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 14 of 2016

(Corrigendum to Rates Circular (Goods) No. 10 of 2016)

No-ECR/CRM/FMS/2/SEE Div. *Dated- 31.03 .2016*

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Policy guidelines regarding Maize loading in the year 2016 - 17.
Ref: This office Rates Circular (Goods) No. 10/ 2016 dated 14.03.2016.

In continuation of this office Rates Circular (Goods) No. 10/ 2016 dated 14.03.2016, the following are clarified in respect of stacking period for the Maize loading stations-

No. of indents (As notified earlier)	*No. of indents (as corrected/changed)*	*Stacking period*
1 - 5	1-5	*48 Hrs.*
5 - 10	6-10	*24 Hrs.*
10 - 20	11-20	*08 Hrs.*
> 20	>20	*02 Hrs.*

Detailed guidelines on Stacking rules is available in para no. 07 of Railway Board's Circular No.21 of 2007 dated 08-03-2007 will be applicable.

All other instructions issued vide this office Rates Circular (Goods) No. 10/ 2016 dated 14.03.2016 will remain unchanged.

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy.CCM/HW
for Chief Commercial Manager

EAST CENTRAL RAILWAY

Corrigendum to Rates Circular (Goods) No. 07 of 2016 dt 11.02.16

No-ECR/CRM/FMS/04/TTPS-DHN
To, **HJP Dt 04.04.2016**

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR
Sr.DCM/E. C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli, E.D.R.M/Kolkatta
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary action to the:-
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO&CPM/CRIS/Chanakyapuri, New Delhi
Director, Traffic Comml.(Rates)/Railway Board/New Delhi

Sub:- Commercial notification of Tenughat Thermal Power Station Siding (Alpha Code-TTPD & Numerical Code-10120466) served by Dumri Bihar Station(DMBR) over Dhanbad division of E.C.Railway.
Ref:- This office Rates Circular(Goods) No.07 2016 dt 11.02.2016

In reference to the above, the following sentence is added at the end of first para of the above referred Rates Circular –

"Henceforth the siding is allowed to operate on the said siding charge rate till further advice."

All concerned to note and act accordingly.

(P.K. SINHA)
Dy.CCM/HW
for Chief Commercial Manager

East Central Railway
Rate Circular (Goods) No. 15 of 2016

No. ECR/CRM/FMS/02/CRT **Dated: 12.04.2016**

To,

All station Manager/Parcel Superintendent/Goods Superintendent/Siding Clerk/Weigh Bridge Clerk of ECR.
Sr. DCM/ECR: DHN, DNR, MGS, SEE & SPJ and CAM/DHN
CAO (TA), SAO (TA)/ECR, FA &CAO/ECR, Dy. CCM/Claims/ECR, Comml. CNL/HJP
COM & CFTM/ECR/HJP, Principal ZTC/MFP/Bhulli.
The Principal Director of Audit/ HJP.
Copy for information and necessary action to the :
CCM: E. Rly./ S.E. Rly. / S. Rly./ N. Rly./ N.E. Rly./ N.F. Rly./ E. Co. Rly./ SECR/ W.Rly./C. Rly/ S.W. Rly./ N.C. Rly./ N.W. Rly./ S. C. Rly./W. C. Rly.
Director, Traffic Commercial (Rates)/ Railway Board, New Delhi.
CAO & CPM/CRIS, Chanakyapuri, New delhi-110021.

****

Sub: Updating of exception list of goods shed for notification as CRT

Ref: 1. Board's letter/ Rates Circular No. 59 of 2009 dated 23.10.2009.
2. Executive Director/TT(S)/Railway Board, letter No. 2011/TT- III/73/20 dated 16.02.2016.

In terms of Railway Board's letter under reference on the subject issue, the competent authority has accorded the approval of updated list of goods sheds notified as Container Rail Terminal (CRT) for Container Train Operation and updated exception list of goods sheds (exempted goods sheds/ non CRTs) , which are as under:

Updated list of goods sheds notified as CRT

DIV	Name/ Code of goods sheds	Remarks
DHN	DHN, PTRU, BHKD and MHDA (All Gr-III)	Group III goods sheds notified as CRT
MGS	MPO and NBG (Both Gr-III)	
SEE	MNE (Gr-III)	
SPJ	JYG and SBM (Both Gr-III)	
DNR	KIUL & FUT (Both Gr-II) and DNR (Gr-I)	Group-I/II goods sheds notified as CRT for chassis stuffing/de-stuffing
MGS	MGS and AUBR (Both Gr-I)	
SEE	NNA(Gr-I)	
SPJ	CAA, KTI and RXL (All Gr-I)	
Total	18 Goods sheds	

Updated exception list of goods sheds

DIV	Name/Code of goods sheds	Remarks
DHN	DDGA, KQR, BRKA, DTO, RHR, SGRL, TORI and KRSL (All Gr-I); HZD (Gr-II); BXLL, SLBN, MGME, PADH and KKAS (All Gr-III)	1. Non CRTs (Group I & II goods sheds) in terms of para 4.4 of the Board's Rates Circular under reference-1 and kept as non CRTs in Railway interest. 2. Group-III goods sheds not feasible for notification as CRT and kept as non CRTs location.
DNR	ARA and WRS (Both Gr-I); BXR and JMU (Both Gr-II); BEHS, SHK, TIA and JHD (All Gr-III)	
MGS	GAYA, SEB, DOS and SSM (All Gr-I); BBU, XBKJ, RFJ and, PSE (All Gr-III)	
SEE	SAI, NRPA, KPGM, BJU and BGS (All Gr-I); KGG (Gr-II), SMO, KHQ, NNNL, PMU, SEE and KUE (All Gr-III)	
SPJ	SHC, BTH, BMKI, LSI, DBG, SMI, JNR and DMH (All Gr-I), HIR and TRS (Both Gr-II), KJI, HPO, MHL, KVC, RIGA, MJL, SLNA and TLWA (All Gr-III)	

All concerned to please note and act accordingly.

(M.A.I. Humayun)
Dy. CCM/FM
for Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 16 of 2016

No-ECR/CRM/FMS/04/Co-User/Coal siding **HJP- DT 13-04-2016**

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR
Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.CRly/DHN.
CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims)
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary action to the:-
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY, EDRM/Kolkatta
CAO&CPM/CRIS/NDLS, CCL/Darbhanga House, Ranchi, Jharkhand-834001,
M/s Lalitpur Power Generation Co. Limited.
Director, Traffic Comml. (Rates)/Railway Board/New Delhi

Sub: - Co-user permission to use K.D (Old) Siding with M/s Lalitpur Power Generation Company Ltd. over DHN division of E.C.Railway.

Ref:- CCL's representation dt 13.04.2016

The competent authority has accorded approval to permit M/s Lalitpur Power Generation Company Ltd. to use K.D.(Old) Siding of CCL over DHN division as Co-user upto 30.04.2016 with immediate effect. All Programmed traffic of coal rakes loaded at such sidings must be weighed at electronic in - motion weigh-bridges notified by Rly and RR be prepared accordingly.

It may be noted that in event of non-clearance of Rly dues or other-wise, the facility of Co-user may be withdrawn without giving any notice.

All precaution as per working rules must be followed in course of placement/withdrawal of rakes at the siding.

All other Commercial formalities must be complied with. All concerned to please note & act accordingly.

(P.K.Sinha)
Dy.CCM/HW
for Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 17 of 2016

No-ECR/CRM/FMS/2/SEE Div. **Dated- 18.04.2016**

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR
Copy for information and necessary action to the:-
Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/
N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO & CPM/CRIS/NDLS
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - Declaration of KUE & SMO Goods sheds as Congested goods shed.
Ref: - i) Division's proposal dated 01.04.2016.
ii) Commercial Control / HJP message No. CCNL/ HQ/ HJP/ 13/ 2016 dated 13.04.2016.

-oOo-

In continuation to Commercial Control message mentioned under reference (ii) above, it is hereby confirmed that on the basis of recommendation of the Division, the competent authority (General Manager) has accorded the approval for declaration of **Goods sheds at Semapur (SMO) and Kursela (KUE)** over Sonpur division of East Central Railway as **Congested goods sheds** till further order.

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy.CCM/HW
for Chief Commercial Manager

Inter Station Distance of Banmankhi (BNKI) – Purnea (PRNA), a conversed line section from MG to BG of SHC – PRNA section over SPJ division of ECR.

Inter Stn. Dist.	Stations Name	BNKI	SRSI	ATX	KTNR	PRNC	PRNA	Numerical Code
0	Banmankhi	0						10510371
9.91	Sarsi	9.91	0					10510372
4.78	Ali Nagar Tola Halt	14.69	4.78	0				10510373
7.53	Krityanand Nagar	22.22	12.31	7.53	0			10510374
9.00	Purnea Court	31.22	21.31	16.53	9.00	0		10510375
5.13	Purnea	36.35	26.44	21.66	14.13	5.13	0	10510376

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 18 of 2016

No-ECR/CRM/FMS/04/JDT - LDT **Dated: 18 / 04 / 2016**

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerks/Weigh Clerks of ECR
Copy for information and necessary action to the:-
Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE & CAM/E.C.Rly/DHN.
CAO (TA), SAO(TA)E.C.Rly. FA&CAO, E.C.Rly, Dy.CCM (Claims), Dy.CCM/FM.
COM & CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO & CPM/CRIS/NDLS
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Notification of Banmankhi (BNKI) – Purnea (PRNA), a conversed line Section from MG to BG of SHC – PRNA section over SPJ division of ECR.

Consequent upon conversion of a BG line section Banmankhi (BNKI) – Purnea (PRNA) over Samastipur (SPJ) division of E.C.Railway, the inter station distance is being notified and annexed hereby along with alphabetical code & numerical code for information & necessary action to all concerned. These distances may be replaced at the appropriate page of LDT No. I of E.C. Railway.

All concerned to please note & act accordingly.

Please acknowledge receipt.

D/A: As above.

(P.K.SINHA)
Dy. CCM/ HW.
for Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 19 of 2016

No-ECR/CRM/FMS/2/SEE Div. **Dated- 22.04.2016**

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR
Copy for information and necessary action to the:-
Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/
N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO & CPM/CRIS/NDLS
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - Notifying NNA Goods shed as Congested goods shed.
Ref: - Division's proposal dated 18.04.2016.

-oOo-

On the recommendation of the Division, the competent authority (General Manager) has accorded the approval for declaration of **Goods shed at Naugachhia (NNA)** over Sonpur division of East Central Railway **as Congested goods shed** till further order.

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy.CCM/HW
for Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 20 of 2016

No-ECR/CRM/FMS/04/ KCI-Renukoot **HJP/ Date 28.04.2016**

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Sr.DCM/E C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims),

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C. RLY SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/NDLS,M/S Grasim Industries Limited.

Director, Traffic Comml. (Rates)/Railway Board/New Delhi

Sub:-Change of name from 'Aditya Birla Chemicals (India) Limited' to 'Grasim Industries Limited' served by RNQ station over Dhanbad division.

Ref: - Sr.DCM/DHN Letter no. – C.710/0/PKCI/ RNQ/16-17 dated 12.04.16

****

In pursuant to the order of the Hon'ble High Court of Jharkhand/Ranchi, Aditya Birla Chemicals(India) Limited/Renukoot has been amalgamated with Grasim Industries Limited. In view of above amalgamation, the competent Authority has accorded approval to change the name of siding Aditya Birla Chemicals(India) Limited,Renukoot, Chemical Division(ABCIL) served by Renukoot station to Grasim Industries Limited , Chemical Division,Renukoot(GIL) served by Renukoot station of Dhanbad division of this Railway. Existing Alfa code PKCI and numerical code 10109118 will be used for this siding. Sr.DCM/DHN is requested to enter into a fresh agreement with Grasim Industries Limited.

All concerned to please note and act accordingly.

(P.K. Sinha)
Dy.CCM/HW
for Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 21 of 2016

No-ECR/CRM/FMS/2/SPJ Div. **Dated- 28.04.2016**

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR
Copy for information and necessary action to the:-
Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/
N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO & CPM/CRIS/NDLS
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - **Notifying Purnea Court station (PRNC) for Inward & Outward loading/ Unloading of Goods traffic with full rake handling facility on permanent basis.**

Ref: - **Sr.DCM/ SPJ letter no. C/412/Misc/IV dated 18.04.2016.**

-oOo-

On the recommendation of the Division, the competent authority has accorded the approval for opening of **Purnea Court station (PRNC)** over Samastipur division of East Central Railway **for Inward & Outward loading/ Unloading of Goods traffic with full rake handling facility on permanent basis** till further order.

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy.CCM/HW
for Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 22 of 2016

No-ECR/CRM/FMS/2/SEE Div. **Dated- 03.05.2016**

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR
Copy for information and necessary action to the:-
Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/
N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO & CPM/CRIS/NDLS
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - **Closure of Parmanandpur (PMU) & Sonepur (SEE) Goods terminals.**

Ref: - **i) Sr.DCM/ SEE letter no. C/386/sdg./Misc/Son/2015 dated 16.02.2016.**
ii) This office Rates Circular (Goods) No. 15/2015 dated 20.04.2015.

-oOo-

The Competent authority has accorded the approval for closure of temporary Engg. Siding at Parmanandpur (PMU) and Sonepur (SEE) over Sonepur (SEE) division of ECR for dealing with inward goods traffic with immediate effect.

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy.CCM/HW
for Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 23 of 2016

No: ECR/CRM/FMS/2/DHN Divn. **Dated: 04 .05 .2016**

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR
Copy for information and necessary action to the:-
Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/
N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO & CPM/CRIS/NDLS
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Notification for the Round the Clock Working Hours of Line No. 04 of Bhurkunda (BHKD) station.
Ref: Sr.DCM/DHN letter no. C.772/O/wh/Pt.II/16 dated 19.04.2016.

-oOo-

The competent authority (General Manager/E.C.Railway) has accorded the approval for Round the Clock Working Hours of Line No. 04 of Bhurkunda (BHKD) station over DHN division of ECR with immediate effect.

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy.CCM/HW
for Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 24 of 2016

No-ECR/CRM/FMS/2/SEE Div. **Dated- 10 /05 /2016**

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR
Copy for information and necessary action to the:-
Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/
N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO & CPM/CRIS/NDLS
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - Notifying KGG Goods shed as Congested goods shed.
Ref: - Division's proposal dated 19.04.2016.

****

On the recommendation of the Division, the competent authority (General Manager /ECR) has accorded the approval for declaration of **Goods shed at Khagaria (KGG)** over Sonpur division of East Central Railway **as Congested goods shed** till further order.

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy.CCM/HW
for Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 25 of 2016

No-ECR/CRM/FMS/2/SPJ Div. **Dated- 12 /05 /2016**

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR
Copy for information and necessary action to the:-
Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/
N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO & CPM/CRIS/NDLS
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - Notifying Sonbarsa Kachhari (SBM) & Salauna (SLNA) Goods shed as Congested goods shed.

Ref: - Division's proposal dated 05.05.2016.

****

On the recommendation of the Division, the competent authority (General Manager /ECR) has accorded the approval for declaration of **Goods shed at Sonbarsa Kutcheri (SBM) & Salauna (SLNA) over** Samastipur division of East Central Railway **as Congested goods shed** till further order.

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy.CCM/HW
for Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 26 of 2016

No-ECR/CRM/FMS/04/RORO **Dated- 20 /05 /2016**

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR
Copy for information and necessary action to the:-
Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/
N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO & CPM/CRIS/NDLS
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Running of RO-RO services between PFT Bihta and Turki.
Ref: Railway Board vide RC 15 of 2016 dated 02-05-2016.

On getting in-principle approval for running of RO-RO services over the Ganga River over ECR. Accordingly ECR has formulated the guidelines with the approval of competent authority for running the RO-RO services between PFT Bihta and Turki initially for six months, which are as under:-

1. The charges for weighment upto 15 MT will be- Rs. 4000/- for loaded truck & Rs. 2650/- for empty trucks. An additional charge of Rs. 200/- per MT will be levied for weight over and above 15 MT.
2. Digha Bridge Surcharge and Service Tax as per rates applicable should be levied.
3. The parties, who are willing to load the trucks (loaded/empties) has to fill the declaration form on Non-Judicial Stamp Paper of Rs. 100/-, the validity of declaration form will be six months from the date of execution. The specimen format is enclosed herewith.
4. The normal working procedure for running of RO-RO services is enclosed herewith for broader guidelines; however, division may add/delete depending upon local condition under intimation to this office.
5. Divisions to keep a close watch on this service and give a detailed feedback on monthly basis so as to analyze the profitability of this scheme and Board may be apprised accordingly.

DA: As above.

(Md. Owais)
Chief Commercial Manager/FM

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 27 of 2016

No-ECR/CRM/FMS/02/Stacking **Dated- 23.05.2016**

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR
Copy for information and necessary action to the:-
Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/
N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO & CPM/CRIS/NDLS
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - Notifying Stations / Terminals as Zero Stacking Stations.
Ref: - This office Rates Circular (Goods) No. 10 / 2016 dated 14.03.2016 regarding Policy guidelines regarding Maize loading in the year 2016 - 17.

****

Considering heavy indents pending for maize loading, the competent authority has accorded the approval as Zero Stacking hour at following stations of SEE & SPJ division with immediate effect : NNA, KGG, MNE, KUE, SMO, SBM & SLNA.

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy.CCM/HW
for Chief Commercial Manager