

East Central Railway

Rates Circular (Goods) No. 1 of 2019

No-ECR/CRM/FM/Balumath/Line No.1/Sdg

HJP- Dt 14.01.2019

Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE & CAM/E.C.Rly/DHN.
 CAO (TA), SAO (TA) E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
 CCM,CCM/FM,COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
 The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
 SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/NDLS, Director, Traffic Comml.(Rates)/Railway Board/New Delhi.
 EDRM/Coal Movement, Kolkatta.


Copy to CCL, Darbangha House, Ranchi - 834001

Sub: - Co-user permission for Balumath Line No.1 CCL siding served by Balumath station for Barh Super Thermal Power Project(NTPC Barh) and Nabinagar Power Generating Company Private Ltd (NPGCL) over Dhanbad division of E.C.Railway.

Ref:- GM(M&S)/CCL's letter date 31.12.18

The competent authority has accorded approval to permit Barh Super Thermal Power Project (NTPC Barh) and M/s Nabinagar Power Generating Company Private Ltd (NPGCL) to use the Balumath Line No.1CCL siding as co-users for outward loading of coal for the period up to 30.04.2019. Booking by co-user is applicable on same terms and conditions as applicable to the siding owner. On account of failure of co-user in clearance of Railway dues, the siding owner will be liable to clear the same. All other commercial formalities must be complied with.

All concerned to please note and act accordingly.



(P.K.Sinha)
 Dy.CCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 04 of 2019

No-ECR/CRM/FMS/02/DHN

Dated- 28. 01. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Notification for opening of Goods shed at MHDA Line No. 5 in full rake handling capacity for outward traffic of Non-programmed Coal under Priority 'D' with Round-The-Clock Working hours over DHN division of ECR.

Ref: This office Rates Circular (Goods) No. 03/2019 dated 17.01.2019.


Please connect this office Rates Circular (Goods) No. 03/2019 dated 17.01.2019 as referred above wherein MHDA Line No. 5 has been notified with separate identity viz. alphabetical code as MDMD & numerical code as 10120507.

Now, the Competent authority has accorded the approval for opening of MHDA Line No.5 Goods Shed for Outward traffic of Non-Programmed Coal in full rake handling capacity with Round-The-Clock Working hours.

Rest all the instructions will remain same.

The above instructions will come in force with immediate effect.

All concerned to please note and act accordingly.


(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY
Corrigendum to Rates Circular (Goods) No. 04

No-ECR/CRM/FMS/02/DHN

Dated- 29. 01. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE & CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Notification for opening of Goods shed at MHDA Line No.5 in full rake hand ling capacity for outward traffic of Non-programmed Coal under Priority 'D' with Round-The-Clock Working hours over DHN division of ECR.

Ref: This office Rates Circular (Goods) No. 04 /2019 dated 28.01.2019.

Please connect this office Rates Circular (Goods) No. 04/2019 dated 28.01.2019 as referred above wherein MHDA Line No. 5 has been notified with separate identity viz. alphabetical code as MDMD & numerical code as 10120507. MHDA Line No. 4 is also given separate identity viz. alphabetical code as MLMD & numerical code as 10120506 and has been fed in Rates Branch System (RBS) accordingly. It is pointed out that MHDA Line No. 4 has already been notified earlier for Round-the-Clock working hours vide this office Rates Circular (Goods) No. 87/2018 dated 07.12.2018.

Rest all the instructions will remain same.

The above instructions will come in force with immediate effect.

All concerned to please note and act accordingly.


(P.K.Sinha)
Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 05 of 2019

No-ECR/CRM/FMS/02/SPJ

Dated- 01. 02. 2019

To,

All Station Managers/ Parcel Supervisors/ Goods Supervisors/ Siding Clerk/ Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/ Railway Board/New Delhi.

Sub: Commercial notification for opening of Goods shed at Ramgarhwa station (RGH) in full rake handling capacity for Outward as well as Inward traffic of all goods (Bags & Loose) consignments (except Clinker) over SPJ division of ECR.

Ref: Sr.DCM/ SPJ's proposal Dated 30.01.2019.

The Competent authority has accorded the approval for opening of goods shed at Ramgarhwa station (RGH) in full rake handling capacity for Outward as well as Inward traffic of all goods (Bagged & Loose) consignments except Clinker.

TMS facility available at Raxaul (RXL) will be used for generation of RRs on Nodal concept and SPJ will work as Proxy location for this terminal. Working & Business hours may be uniform working hours i.e. 06.00 hrs to 22.00 hrs.

The above instructions will come in force with immediate effect.

All concerned to please note and act accordingly.


(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 06 of 2019

No-ECR/CRM/FMS/02/SPJ

Dated- 08. 02. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for closure of Goods shed at TLWA, KKHT, KWC, GRH, CAO, ADX, NKU, PPRH (H), RPLY (H), NRPM (H), MBI, BGU, PPA, MJL, BUG & RUSD over SPJ division of ECR.

Ref: Sr.DCM/ SPJ's proposal Dated 28.01.2019.

The Competent authority has accorded the approval for closure of goods sheds at KKHT, KWC, GRH, CAO, ADX, NKU, MBI, BGU, PPA, BUG & RUSD over SPJ division of ECR.

Thalwara (TLWA) & Manjhaulia (MJL) have already been "DE-NOTIFIED" earlier vide this office Rates Circular (Goods) No. 42/2018 dated 28.06.2018.

The above instructions will come in force with immediate effect.

All concerned to please note and act accordingly.


(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

East Central Railway

Rates Circular (Goods) No.07 of 2019

Office of the
Pr.Chief Commercial Manager, 'B' Block, Hajipur-844101

No.: ECR/CRM/FM/02/Co - User/BCFG

Date: 13.02.2019

M/s Distribution Logistics Infrastructure Pvt. Ltd

Corporate Office: 3rd Floor, Tower B,

First India Place, M.G.Road, Gurgaon, Haryana. Fax - 0124 455 5900.

Sub: Temporary Permission for using Private Siding BCFG of M/s Grasim Industries Ltd,
Chemical Division Rehla by M/s Distribution Logistics Infrastructure Pvt. Ltd.

Ref: (i) Your request letter No. 2019/01/001 dated 07.01.2019.

(ii). Rly Board's letter no. 2009/TT-III/73/9 dated 10.12.2010 and 12.08.2014.

The competent authority has accorded the approval of temporary permission for handling and transportation of container traffic by your firm M/s DLI Ltd. at BCFG pvt. Siding of M/s Grasim Industries Ltd, Chemical Division Rehla, for a period from 16.02.2019 to 25.12.2020 and subject to fulfillment of all commercial & operational formalities as well as following terms and conditions in terms of Board's letter under reference:-

1. That the placement/withdrawal of wagons on account of your firm will be made alongwith the traffic of the siding holder of M/s Grasim Industries Ltd, Chemical Division Rehla over Dhanbad Division.
2. Any tollage liability (such as freight, demurrage, siding charges and other charges, if any) which will be accrued to the Railway due in the siding by your firm, as Co-user will be paid by you. In case of non-payment by your firm M/s Grasim Industries Ltd, Chemical Division Rehla as the siding owner shall pay the same to the railway.
3. That the Railway will not accept any claims for any wagons or materials wrongly loaded/unloaded from the siding either by you or by your customer or siding holder any dispute arising thereof should be mutually settled between you and siding holder.
4. That this Railway will not be responsible for any dispute between you and siding holder for use of siding.
5. That this Railway reserves the right to withdraw the temporary permission at any time without serving any prior notice.
6. The grant of this Co-users permission will be without prejudice and subject to the fulfillment of all terms and conditions mentioned in the siding agreement executed by M/s Grasim Industries Ltd, Chemical Division Rehla with the Railway administration and as per provision of MCA.
7. The Container train operators will carry traffic belonging to siding owner only. No third party Cargo (other than the cargo of siding owner) will be permitted on CTO's train. In case of violation of this permission, vide Board's letter under reference-2 above, access to private siding to the operator will be cancelled and future movement from any private siding by the operator will be restricted for one year.
8. For Rail movement of traffic from and to siding, preference will be given to the traffic in Railway owned wagons over Container train.
09. Railway Receipt for container traffic booked from BCFG Siding will be in the name of CTO, M/s Distribution Logistics Infrastructure Pvt. Ltd as per the concession agreement.

It may be noted that no such further extension of permission will be granted for use of the subject siding unless a request is made within currency of instant contract enclosing a fresh consent letter.

(P.K.Sinha)

Dy.CCM/FM

for Pr.Chief Commercial Manager

Copy forwarded for information and necessary action to:-

(1). Sr. DCM/ECR/DHN. (2). Sr. DOM/ECR/DHN. (3). Station Master/CGS/ECR, Garwa Road. (4). CPTM/CFTM/ECR/HJP. (5). M/s Aditya Birla Chemicals (India) Ltd., Garwa Road, Rehla-822124, Dist-Palamu (Jharkhand). (6). Executive Traffic Trans. (S)/Railway Board, New Delhi in reference to Board's letter No. 2002/TT-III/15/39 dated 15.02.2007 & 2009/TT-III/73/9-dated 10.12.2010. (7). CAO/FOIS/CRIS, Complex Chanakyapuri, New Delhi-110021. (8). CCM/FM/NR, Baroda House, New Delhi.

for Pr.Chief Commercial Manager

(09)
Hajipur
13/2

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 08 of 2019

No-ECR/CRM/FMS/02/DHN

Dated- 19. 02. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Notification for opening of Goods shed at Bes (BES) in full rake handling capacity for outward traffic of Non-programmed Coal under Priority 'D' with Round-The-Clock Working hours over DHN division of ECR.

Ref: Sr.DCM/ DHN's proposal Dated 06.02.2019.


The Competent authority has accorded the approval for the following:

- i) For opening of Bes (BES) Goods Shed for Outward traffic of Non-Programmed Coal in full rake handling capacity with Round-The-Clock Working hours.
- ii) All coal rakes loaded at this goods shed must be weighed and RRs to be issued on the basis of such weighment reports weighed at PTRU/CNPR as Associate weighbridge and MGME/MURI as Alternate weighbridge.
- iii) Environmental issues, if any, must be kept in mind.
- iv) Railway Board's instructions vide letter No. 2008/TT- V/25/Stations/ dated 04-08-08 for dealing with Non-Programmed Coal will continue to apply.
- v) TMS facility available at HZBN will be used for generation of RRs on Nodal concept and DHN will work as Proxy location for this terminal.

Loading of the above categories of coal will be under priority "D" only.

The above instructions will come in force with immediate effect.

All concerned to please note and act accordingly.


(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 09 of 2019

No-ECR/CRM/FMS/02/SPJ

Dated- 19. 02. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFIM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for opening of Goods shed at Hasanpur Road (HPO) & Sonbarsha Kacheri (SBM) station in full rake handling capacity for Inward goods traffic (except POL) on permanent basis over SPJ division of ECR.

Ref: Sr.DCM/ SPJ's proposal Dated 05.02.2019.

The Competent authority has accorded the approval for opening of goods shed at Hasanpur Road (HPO) & Sonbarsha Kacheri (SBM) station in full rake handling capacity for Inward goods traffic (except POL) on permanent basis over SPJ division of ECR.

The above instructions will come in force with immediate effect.

All concerned to please note and act accordingly.



(P.K.Sinha)
Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 10 of 2019

No-ECR/CRM/FMS/02/DHN/Misc

Dated- 19. 02. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFIM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Notification for opening of Goods shed at Biratoli ,Line No.1 with separate identity (alpha code/ numerical code viz. BLBT/ 10120508) in full rake handling capacity for outward traffic of Non-programmed Coal under Priority 'D' with Round-The-Clock Working hours over DHN division of ECR.

Ref: Sr. DCM/ DHN letter dated 16.01.2019.


The Competent authority has accorded the approval for the following:

- i) Goods Shed at Biratoli Line No.1 as separate identity viz. alpha code/numerical code as BLBT/10120508, opened for Outward traffic of Non-Programmed Coal in full rake handling capacity with Round-The-Clock Working hours.
- ii) All coal rakes loaded at this goods shed must be weighed and RRs to be issued on the basis of such weighment reports.
- iii) Environmental issues, if any, must be kept in mind.
- iv) Railway Board's instructions vide letter No. 2008/TT-V/25/Stations/ dated 04-08-08 for dealing with Non-Programmed Coal will continue to apply.

Loading of the above categories of coal will be under priority "D" only.

The above instructions will come in force with immediate effect.

All concerned to please note and act accordingly.



(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY
Rates Circular (Goods) No. 11 of 2019

No-ECR/CRM/FMS/04/RBS

Dated- 28. 02.2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ and SEE & CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA)/E.C.Rly. FA& CAO/E.C.Rly, Dy.CCM (Claims)

COM & CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY/

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

**Sub: Notification of Inter Station Distance of Saharsa (SHC) - Garhbaruari (GEB),
a conversed line section from MG to BG over SPJ division of ECR.**

Consequent upon gauge conversion from MG to BG of above said SHC - GEB section over Samastipur division of E.C.Railway, the inter station distances are being notified and shown here in table as under with fresh numerical code for information & necessary action to all concerned.

**Inter Station Distance of Saharsa (SHC) - Garhbaruari (GEB), a conversed line section
from MG to BG over SPJ division of ECR :**

Inter Station Distance	Station Name	SHC	SHKY	NDLH	PGC	GEB	Numerical Code
0	Saharsa	0					10510301
2.34	Saharsa Kacheri	2.34	0				10510411
3.73	Nandlalee Halt	6.07	3.73	0			10510412
4.62	Panchgachhia	10.69	8.35	4.62	0		10510413
5.51	Garhbaruari	16.20	13.86	10.13	5.51	0	10510410

All concerned to please note & act accordingly.

Please acknowledge receipt.

(P.K.SINHA)

Dy.CCM/FM

for Pr. Chief Commercial Manager.

28

EAST CENTRAL RAILWAYRates Circular (Goods) No. 12 of 2019

No-ECR/CRM/FMS/04/RBS

Dated- 05. 03.2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ and SEE & CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA)/E.C.Rly. FA& CAO/E.C.Rly, Dy.CCM (Claims)

COM & CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY/

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Notification of Inter Station Distance of Banmankhi (BNKI) - Barharakothi (BAKT), a converted line section from MG to BG over SPJ division of ECR.

Consequent upon gauge conversion from MG to BG of above said BNKI - BAKT section over Samastipur division of E.C.Railway, the inter station distances are being notified and shown here in table as under with fresh numerical code for information & necessary action to all concerned.

Inter Station Distance of Banmankhi (BNKI) – Barharakothi (BAKT), a converted line section from MG to BG over SPJ division of ECR :

Inter Station Distance	Station Name	BNKI	SKHK	AUI	SKEN	BAKT	Numerical Code
0	Banmankhi	0					10510371
5.97	Sukhasan Kothi Halt	5.97	0				10510414
3.39	Aurahi	9.36	3.39	0			10510415
3.66	Sukhsena Halt	13.02	7.05	3.66	0		10510416
2.82	Barharakothi	15.84	9.87	6.48	2.82	0	10510417

All concerned to please note & act accordingly.

Please acknowledge receipt.

(R.K.SINHA)
ACM/FM

for Pr. Chief Commercial Manager.

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 13 of 2019

No-ECR/CRM/FM/NGCK/Public Sdg/DHN

HJP- dtd 07/03/2019

Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE & CAM/E.C.Rly/DHN.
 CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
 ,COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli. E.D.R.M./Kolkatta
 The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
 SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/Chanakyapuri, New Delhi, EDRM/Coal Movement,Kolkatta.

Director, Traffic CommL.(Rates)/Railway Board/New Delhi

Copy to: - North Govindpur Public Siding served by Katrasgarh station.


Sub: - Commercial notification for opening of North Govindpur as Public Siding served by Katrasgarh Station over Dhanbad division of E.C.Railway for booking of outward Coal Traffic under priority 'D'.

Ref:- Sr.DCM/DHN's proposal dt 22.02.2019

The competent authority has accorded approval for opening of North Govindpur as Public Siding with immediate effect temporarily for 06(six) months for booking of outward Coal traffic under priority 'D' having full rake capacity. Freight will be charged on through distance basis. Details are as under-

1.	Name of Siding	North Govinpur Public Siding
2.	Serving station	Katrasgarh
3.	Numerical Code	10120386
4.	Alpha Code	NGCK
5.	TMS detail	Nodal - TMS/KDS
6.	Name of Weighbridge	Associate - KDS Alternate - GMO/ASN
7.	Distance to be added for charging freight on through distance basis	3.662 Km
8.	Working of Public Siding	Round the Clock Working

All other Commercial formalities must be complied with. All concerned to please note & act accordingly.


 (P.K.Sinha)
 Dy.CCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 14 of 2019

No-ECR/CRM/FM/GRRRA/Public Sdg/DHN

HJP- dtd 07/03/2019

Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE & CAM/E.C.Rly/DHN.
 CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
 ,COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli. E.D.R.M./Kolkatta
 The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
 SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/Chanakyapuri, New Delhi, EDRM/Coal Movement,Kolkatta.

Director, Traffic Commn.(Rates)/Railway Board/New Delhi

Copy to: - Gararia Public Siding served by KDS station.


Sub: - Commercial notification for opening of Gararia as Public Siding
 served by Kusunda Station over Dhanbad division of E.C.Railway for
 booking of outward Coal Traffic under priority 'D'.

Ref:- Sr.DCM/DHN's proposal dt 22.02.2019

The competent authority has accorded approval for opening of Gararia as Public Siding with immediate effect temporarily for 06(six) months for booking of outward Coal traffic under priority 'D' having full rake capacity. Freight will be charged on through distance basis. Details are as under-

1.	Name of Siding	Gararia Public Siding
2.	Serving station	Kusunda
3.	Numerical Code	10120382
4.	Alpha Code	GRRRA
5.	TMS detail	Nodal - TMS/KDS
6.	Name of Weighbridge	Associate - KDS Alternate - GMO/ASN
7.	Distance to be added for charging freight on through distance basis	3.575 Km
8.	Working of Public Siding	Round the Clock Working

All other Commercial formalities must be complied with. All concerned to please note & act accordingly.


 (P.K. Sinha)
 Dy.CCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 15 of 2019

Corrigendum to Rates Circular (Goods) No. 14 of 2019 dt 07.03.2019

No-ECR/CRM/FM/GRRA/Public Sdg/DHN

HJP- dtd 08.03.2019

Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.C.Rly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
,COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli. E.D.R.M./Kolkatta
The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/Chanakyapuri, New Delhi, EDRM/Coal Movement, Kolkatta.

Director, Traffic Comml.(Rates)/Railway Board/New Delhi

Copy to: - Gararia Public Siding served by KDS station.

Sub: - Commercial notification for opening of Gararia as Public Siding served by
Kusunda station over Dhanbad division of E.C.Railway for booking of outward
Coal Traffic under priority 'D'..

Ref:- This office Rates Circular(Goods) No.14 of 2019 dt 07.03.2019

Under column 4 of the above referred Rates Circular, alpha code of subject siding should
be read as GRRK instead of GRRA.

All concerned to please note and act accordingly.


(P.K.Sinha)

Dy.CCM/FM

for Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 16 of 2019

No-ECR/CRM/FMS/02/MGS

Dated- 15. 03. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly,FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for closure of Goods shed at Dehri-on-sone
(DOS) over MGS division of ECR.

Ref: Sr.DCM/ MGS's proposal Dated 05.12.2018.

The Competent authority has accorded the approval for closure of goods
shed at Dehri-on-sone (DOS) over MGS division of ECR.

The above instructions will come in force with immediate effect.

All concerned to please note and act accordingly.


(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAYRates Circular (Goods) No. 17 of 2019

No-ECR/CRM/FMS/04/RBS

Dated- 15. 03.2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ and SEE & CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA)/E.C.Rly. FA& CAO/E.C.Rly, Dy.CCM (Claims)

COM & CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY/

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS


Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Notification of newly constructed BG line section Bandhua (BNF) over DHN division – Paimar (PMI) over DNR division of E.C.Railway.

Competent authority has accorded the approval for opening of newly constructed BG line section Bandhua (BNF) over DHN division – Paimar (PMI) over DNR division of E.C. Railway. The inter station distance is being notified as 11.76 kms having same alphabetical code & numerical code for information & necessary action to all concerned.

All concerned to please note & act accordingly.

Please acknowledge receipt.


(P.K.SINHA)

Dy.CCM/FM

for Pr. Chief Commercial Manager.

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 18 of 2019

No-ECR/CRM/FMS/02/GS/Misc

Dated- 15. 03. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for opening of Thalwara (TLWA) station for inward Stone dust (RMC) materials in full rake handling capacity over SPJ division of ECR.

Ref: Sr.DCM/ SPJ's proposal Dated 08.03.2019.

The Competent authority has accorded the approval for opening of Thalwara (TLWA) station for inward Stone dust (RMC) materials in full rake handling capacity for the purpose of doubling of the section SPJ - DBG over SPJ division of ECR with immediate effect.

All concerned to please note and act accordingly.



(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

	Next 2 Hrs. - 3 times
	Thereafter - 4 times

6. Penal wharfage would also have a graded structure, as follows:

No. of indents	No. of times of normal rate
1 - 20	First 2 Hrs. - Normal
	Next 2 Hrs. - 2 times
	Thereafter - 3 times
> 20	First 2 Hrs. - Normal
	Next 2 Hrs. - 2 times
	Next 2 Hrs. - 3 times
	Thereafter - 4 times

7. Clear and complete address of consignor as well as consignee should be mentioned on Forwarding Note / RRs as the case may be. In case consignments are meant for sale, Sales Tax Registration Number / Tin may be obtained from the consignor on Forwarding Note and the same should be endorsed on RR. Railway will not be responsible for:-
- Authenticity of address of consignor or consignee as mentioned by the consignor in the Forwarding Note / details given by the party while booking the consignment.
 - Declaration made by the consignor regarding applicability of Sales Tax / Trade Tax / VAT etc on a particular commodity.
 - Registration Number / TIN of the consignor/consignee as mentioned by Consignor in the Forwarding Note/declaration by consignor. For all these declarations, responsibility will rest with consignor/consignee.
 - Application of GST on Maize while issuing E-Way Bill will be applicable as per extant rule.

The guidelines have been framed in order to streamline the indenting and loading process and to avoid complains. Present guidelines will not be changed unless it is again routed through and approved both by CFTM and CCM/FM.

Reference no.(ii) issued on 10.09.2018 has been kept in abeyance.

All concerned to please note and act accordingly.

(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 19 of 2019

No-ECR/CRM/FMS/02/GS/Misc

Dated- 18.03.2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - Policy guidelines regarding Maize loading in the year 2019-20

Ref: -i) CFTM/ ECR Note no. ECR/OPT/GDS/512/15/Maize dated 18.03.2019 & CCM/ FM Note of even no. dated 18.03.2019.

ii)The instruction issued vide letter of even no. dated 10.09.2018.

In order to check the menace of fictitious indents during Maize loading season over SEE & SPJ divisions of ECR, the competent authority has accorded the approval for the following guidelines in order to streamline the indenting and loading process and to avoid complaints:-

1. The Wagon Registration Fee (WRF) for indenting rakes for loading of **all commodities including Maize will be Rs.50, 000/- only** and there will be no increase in it at the Maize loading stations.
2. Loading for long lead traffic under Preferential Traffic Schedule should be for six days in a week i.e. from Monday to Saturday. Short lead traffic may be taken up for loading on Sunday subject to indent priority.
3. Restrictions of inward loading for Semapur, Kursela, Mansi, Sonbarsa Kacheri, Hasanpur & Salauna would remain in force till further advice.
4. The stacking period will be governed by the number of indents available and its structure would be as follows:

No. of indents	Stacking period
1 - 5	48 Hrs.
6 - 10	24 Hrs.
11 - 20	08 Hrs.
21 - 30	02 Hrs.
> 30	01 Hrs.

5. **Penal demurrage** would remain in force at all loading points; the broad demurrage structure would be as follows:

No. of indents	No. of times of normal rate
1 - 20	First 2 Hrs. - Normal
	Next 2 Hrs. - 2 times
	Thereafter - 3 times
> 20	First 2 Hrs. - Normal
	Next 2 Hrs. - 2 times

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 20 of 2019

No-ECR/CRM/FM/KSDK/Public Sdg/DHN

HJP- dtd: 27/03/2019

Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.C.Rly/DHN.
 CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
 ,COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli. E.D.R.M./Kolkatta
 The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
 SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/Chanakyapuri, New Delhi, EDRM/Coal Movement, Kolkatta.

Director, Traffic CommI.(Rates)/Railway Board/New Delhi

Copy to: - Kusunda II Public Siding served by KDS station.

Sub: - Commercial notification for opening of Kusunda II as Public Siding
 served by Kusunda Station over Dhanbad division of E.C.Railway for
 booking of outward Coal Traffic under priority 'D'.

Ref:- Sr.DOM/DHN's proposal dt 06.03.2019

The competent authority has accorded approval for opening of Kusunda II as Public Siding
 with immediate effect for booking of outward Coal traffic under priority 'D' having full rake
 capacity. Freight will be charged on through distance basis. Details are as under-

1.	Name of Siding	Kusunda II Public Siding
2.	Serving station	Kusunda
3.	Numerical Code	10120380
4.	Alpha Code	KSDK
5.	TMS detail	Nodal TMS- KDS
6.	Name of Weighbridge	Associate – KDS,Alternate- GMO/ASN
7.	Distance to be added for charging freight on through distance basis.	3.39Km
8.	Working of Public Siding	Round the Clock Working

All other commercial formalities must be complied with. All concerned to note and act
 accordingly.


 (P.K.Sinha)
 Dy.CCM/FM

for Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 21 of 2019

No-ECR/CRM/FMS/04/Dugda siding/DHN

HJP Dt 28.03 .2019

Sr.DCM/E. C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/Chanakyapuri, New Delhi, EDRM/Coal Movement, Kolkata.

Director, Traffic Comml.(Rates)/Railway Board/New Delhi


Sub:-Commercial notification for allocation of separate alpha & numerical code for Dugda public siding line no. 5 to provide independent status of public siding served by Chandrapura station (CRP) over Dhanbad division of E.C.Railway.

Ref:- Sr.DCM/DHN's proposal dt 07.03.2019

Separate alpha and numerical code has been allotted to Dugda Line no.5 by the competent authority to provide independent status of public siding having full rake capacity with serving station Chandrapura station over Dhanbad division of E.C.Railway.Freight will be charged on through distance basis.Details are indicated below:-

1.	Name of Siding	Dugda Line No-5 Public siding
2.	Serving station	Chandrapura(CRP)
3.	Alpha code	DPSC
4.	Numerical code	10120505
5.	Distance to be added for charging freight on through distance basis.	5.52 Km
6.	Traffic	Outward- Non-programmed Coal under priority 'D'.

All other commercial formalities must be complied with. All concerned to note and act accordingly.


(P.K.Sinha)
Dy.CCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No.22 of 2019

No-ECR/CRM/FMS/04/Dugda siding/DHN

HJP Dt 28.03 .2019

Sr.DCM/E. C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/Chanakyapuri, New Delhi, EDRM/Coal Movement, Kolkata.

Director, Traffic Comml.(Rates)/Railway Board/New Delhi


Sub:- Commercial notification for allocation of separate alpha & numerical code for Dugda line no. 3 of BOX Yard to provide independent status of public siding served by Chandrapura station (CRP) over Dhanbad division of E.C.Railway.

Ref:- Sr.DCM/DHN's proposal dt 07.03.2019

Separate alpha and numerical code has been allotted to Dugda Line no.3 of BOX Yard by the competent authority to provide independent status of public siding having full rake capacity with serving station Chandrapura station over Dhanbad division of E.C.Railway. Freight will be charged on through distance basis.Details are indicated below:-

1.	Name of Siding	Dugda Line No-3 BOX Yard Public siding
2.	Serving station	Chandrapura(CRP)
3.	Alpha code	DBYC
4.	Numerical code	10120504
5.	Distance to be added for charging freight on through distance basis.	5.63 Km
6.	Traffic	Outward- Non-programmed Coal under priority 'D'.

All other commercial formalities must be complied with. All concerned to note & act accordingly.


(P.K.Sinha)
Dy.CCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No.23 of 2019

No-ECR/CRM/FMS/04/Dugda siding/DHN

HJP Dt 28.03 .2019

Sr.DCM/E. C.Rly.DNR,MGS,DHN,SPJ,and SEE & CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/Chanakyapuri, New Delhi, EDRM/Coal Movement, Kolkata.

Director, Traffic Comml.(Rates)/Railway Board/New Delhi

Sub:-Commercial notification for allocation of separate alpha & numerical code for
Dugda public siding line no. 2 to provide independent status of public siding
served by Chandrapura station (CRP) over Dhanbad division of E.C.Railway.

Ref: - Sr.DCM/DHN's proposal dt 07.03.2019

Separate alpha and numerical code has been allotted to Dugda Line no.2 by the competent authority to provide independent status of public siding having full rake capacity with serving station Chandrapura station over Dhanbad division of E.C.Railway. Freight will be charged on through distance basis.Details are indicated below:-

1.	Name of Siding	Dugda Line No-2 Public siding
2.	Serving station	Chandrapura(CRP)
3.	Alpha code	DGSC
4.	Numerical code	10120443
5.	Distance to be added for charging freight on through distance basis.	5.52Km
6.	Traffic	Outward-Non-programmed Coal under priority 'D'.

All other commercial formalities must be complied with. All concerned to note and act accordingly.


(P.K.Sinha)
Dy.CCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAYRates Circular (Goods) No. 24 of 2019

No-ECR/CRM/FMS/04/RBS

Dated- 01 04.2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ and SEE & CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA)/E.C.Rly. FA& CAO/E.C.Rly, Dy.CCM (Claims)

COM & CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY/

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Notification of Inter Station Distance of Sakri (SKI) - Mandan Mishra (MNMA), a converted line section from MG to BG over SPJ division of ECR.


Consequent upon gauge conversion from MG to BG of above said SKI - MNMA section over Samastipur division of E.C.Railway, the inter station distances are being notified and shown here in table as under with fresh numerical code for information & necessary action to all concerned.

Inter Station Distance of Sakri (SKI) - Mandan Mishra (MNMA), a converted line section from MG to BG :

<i>Inter Station Distance</i>	<i>Station Name</i>	<i>SKI</i>	<i>MG</i>	<i>MNMA</i>	<i>Numerical Code</i>
0	SAKRI	0			10510315
7.00	MANIGACHHI	7.00	0		10510325
3.84	MANDAN MISHRA	10.84	3.84	0	10510291

All concerned to please note & act accordingly.

Please acknowledge receipt.


(R.K.SINHA)

ACM/FM

for Pr. Chief Commercial Manager.

Rates Circular (Goods) No. 23 of 2019

No-ECR/CRM/FMS/02/Static WB

Dated: 08.04.2019

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh
Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - Continuation of static weighbridges in certain locations.

Ref: - i) Railway Board's letter No. TC-I/2005/108/3 Pt-III dated 28-09-2018.

ii) Joint Note of CAM and Sr.DOM/DHN with approval of
DRM/DHN's No. XG.1180/82/PT-V/18 dated 02-04-19.

-oOo-

Railway Board, vide letter under reference (i) has empowered the Zonal Railways to take appropriate decision for continuation of static weighbridges. Accordingly the competent authority (GM/ECR) has accorded the approval for acceptance of validity of weighment at static weigh bridges of M/s CCL at Kathara (W), Kathara (M) and Giddi 'A' (W) for a further period of six months beyond 31-03-19 i.e. from 01-04-2019 to 30-09-2019.

It should be ensured that continuation of static weighbridges do not entail any additional detention of rakes for completion of weighment process.

Please note and notify to all concerned.

(P.K.Sinha)

DyCCM/FM

For Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 26 of 2019

No-ECR/CRM/FMS/02/GS/DHN

Dated- 15. 04. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFIM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for opening of Goods shed at Shunting Neck of Shivpoor (SVPO) station on through distance basis in full rake handling capacity for outward traffic of Non-programmed Coal under Priority 'D' over DHN division of ECR.

Ref: Sr.DCM / DHN's proposal dated 03.04.2019.

The Competent authority has accorded the approval for opening of Goods shed at Shunting Neck of Shivpoor (SVPO) station on through distance basis by adding 2.80 kms from Centre Line of station Building, Shivpoor in full rake handling capacity for outward traffic of Non-programmed Coal under Priority 'D' over DHN division of ECR with immediate effect.

The distance ex. PLBS to SVPO is 9.40 kms. Hence, total distance for said Goods shed would be $9.40 + 2.80 = 12.20$ kms.

All concerned to please note and act accordingly.



(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 27 of 2019

No-ECR/CRM/FMS/02/MGS

Dated- 29.04.2019.

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for opening of Pahleja (PHE) as Goods shed at Line No. 2 for outward & inward traffic for all commodities (Bagged & Loose) and CRWC at Line No.1 of Pahleja (PHE) over MGS division of ECR.

Ref: Sr.DCM / MGS's proposal Dated 15.04.2019.

The Competent authority has accorded the approval for opening of Pahleja (PHE) as Goods shed at Line No. 2 for Outward & Inward traffic for all commodities (Bagged & Loose) in full rake handling capacity with working hours 6.00 hrs to 22.00 hrs. Line No.1 of Pahleja (PHE) is notified for CRWC over MGS division of ECR with immediate effect.

All concerned to please note and act accordingly.


(P.K.Sinha)
Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 28 of 2019

No-ECR/CRM/FMS/02/SPJ

Dated: 02/05/2019.

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS


Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for opening of Sakri (SKI) station for inward & outward traffic for all types of Goods commodities in full rake handling capacity over SPJ division of ECR.

Ref: Sr.DCM/SPJ's proposal Dated 05.04.2019.

The Competent authority has accorded the approval for opening of Sakri (SKI) station for inward & outward traffic for all types of goods commodities in full rake handling capacity with working hours 6.00 hrs to 22.00 hrs. over SPJ division of ECR with immediate effect.

All concerned to please note and act accordingly.


 (P.R. Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

East Central Railway

Rates Circular (Goods) No. 29 of 2019

No-ECR/CRM/FM/Balumath/Line No.1/Sdg

HJP- Dt 02.05.2019

Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA) E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)

CCM,CCM/FM,COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/NDLS, Director, Traffic Comm.(Rates)/Railway Board/New Delhi.

EDRM/Coal Movement, Kolkatta.

Copy to CCL, Darbangha House, Ranchi - 834001

Sub: - Co-user permission for Balumath Line No.1 CCL siding served by Balumath station for Barh Super Thermal Power Project(NTPC Barh) and Nabinagar Power Generating Company Private Ltd (NPGCL) over Dhanbad division of E.C.Railway.

Ref:- GM(M&S)/CCL's letter date 30.04.2019

The competent authority has accorded approval to permit Barh Super Thermal Power Project (NTPC Barh) and M/s Nabinagar Power Generating Company Private Ltd (NPGCL) to use the Balumath Line No.1CCL siding as co-users for outward loading of coal for the period up to 31.08.2019. Booking by co-user is applicable on same terms and conditions as applicable to the siding owner. On account of failure of co-user in clearance of Railway dues, the siding owner will be liable to clear the same. All other commercial formalities must be complied with.

All concerned to please note and act accordingly.

(P.K.Sinha)

Dy.CCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No.30 of 2019

Corrigendum to Rates Circular (Goods) No. 21, 22 & 23 of 2019 dt 28.03.19

No-ECR/CRM/FMS/04/Dugda siding/DHN HJP- dtd 13.05.2019

Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE & CAM/E.C.Rly/DHN.
 CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
 ,COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli. E.D.R.M./Kolkatta
 The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
 SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/Chanakyapuri, New Delhi, EDRM/Coal Movement, Kolkatta.

Director, Traffic Comm. (Rates)/Railway Board/New Delhi

Copy to: - Dugda Public Siding served by Chandrapura station.

Sub: - Commercial notification for allocation of separate alpha & numerical code for
 Dugda Public siding line no. 2, Line No.5 and Line no.3 Box Yard to provide
 independent status of Public Siding served by Chandrapura station (CRP) over
 Dhanbad division of E.C.Railway.

Ref:- Sr.DCM/DHN's proposal dt 03.04.2019.

Dugda Line No.2, 5 and 3 Box Yard were notified as a Public Siding with separate alpha
 & numerical code vide this office Rates Circular(Goods) No.21,22 and 23 of 2019 dt
 28.03.19. Now, the competent authority has accorded approval for handling of inward
 coal, inward iron ore, outward sand and outward fly ash from above Public Sidings as under-

Sl.No	Dugda Public Siding Line No.	Commdity
1	Line No.2	Inward coal of all types.
2	Line No.5	Inward coal of all types.
3	Line No.3 Box Yard	Inward coal of all types and Iron ore(inward)

All concerned to please note and act accordingly.


 (P.K. Sinha)
 Dy.CCM/FM

for Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Corrigendum to Rates Circular (Goods) No. 30

No-ECR/CRM/FMS/04/Dugda siding/DHN

HJP- dtd

14.05.2019

Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE & CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)

,COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli. E.D.R.M./Kolkatta

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/Chanakyapuri, New Delhi, EDRM/Coal Movement, Kolkatta.

Director, Traffic Comm.(Rates)/Railway Board/New Delhi

Copy to: - Dugda Public Siding served by Chandrapura station.

Sub: - Commercial notification for allocation of separate alpha & numerical code for Dugda Public siding line no. 2, Line No.5 and Line no.3 Box Yard to provide independent status of Public Siding served by Chandrapura station (CRP) over Dhanbad division of E.C.Railway.

Ref:-1 Sr.DCM/DHN's proposal dt 03.04.2019.

2 Corrigendum to Rates Circular (Goods) No. 21, 22 & 23 of 2019 dt 28.03.19

In the above referred Rate circular, by typical mistake the commodity "outward sand and outward fly ash " was written but line- wise, same is not notified. Hence, the last line of the 1st para may be read as under-

Now, the competent authority has accorded approval for handling of inward coal, inward iron ore from above Public Sidings as under-

Sl.No	Dugda Public Siding Line No.	Commdity
1	Line No.2	Inward coal of all types.
2	Line No.5	Inward coal of all types.
3	Line No.3 Box Yard	Inward coal of all types and Iron ore(inward)

All concerned to please note and act accordingly.



(P.K.Sinha)

Dy.CCM/FM

for Pri. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No.31 of 2019

No-ECR/CRM/FM/Rajdhar/Lineno.2/Siding


HJP- Dt 13.05.2019

To,
 Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE & CAM/E.C.Rly/DHN.
 CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
 CCM,CCM/FM,COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
 The Principal Director of Audit/E.C.Rly/HJP.
 Copy for information and necessary action to the:-
 CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
 SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
 CAO&CPM/CRIS/NDLS, Director, Traffic CommL.(Rates)/Railway Board/New Delhi.
 EDRM/Coal Movement, Kolkatta.
 Copy to CCL, Darbangha House, Ranchi - 834001
 Copy to M/s LPGCL & M/s GVK Power Ltd

Sub: - Co-user permission for Rajdhar Silo line of CCL siding served by
 Mceluskieganj station for M/s Lalitpur Power Generation Co. Ltd. and M/s GVK
 Power Ltd. over Dhanbad division of E.C.Railway.
 Ref:- GM(M&S)/CCL's letter dt 09.05.2019

The competent authority has accorded approval to permit M/s Lalitpur Power Generation Co. Ltd. and M/s GVK Power Ltd. to use the Rajdhar Silo line of CCL siding as co-user for outward loading of coal for the period up to 31.08.2019 under RCR Mode. Booking by co-user is applicable on same terms and conditions as applicable to the siding owner. On account of failure of co-user in clearance of Railway dues, the siding owner will be liable to clear the same. All other commercial formalities must be complied with.

All concerned to please note and act accordingly.


 (P.K.Sinha)
 Dy.CCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY**Rates Circular (Goods) No.32 of 2019**

No-ECR/CRM/FM/Bukru Line no 4/Siding/

HJP- Dt 13.05.2019

To,

Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)

CCM,CCM/FM,COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/NDLS, Director, Traffic Comm.(Rates)/Railway Board/New Delhi.

EDRM/Coal Movement, Kolkatta.

Copy to CCL, Darbangha House, Ranchi - 834001

Copy to M/s LPGCL & M/s GVK Power Ltd

Sub: - Co-user permission for Bukru Line no 4 of CCL siding served by Bukru station for M/s Lalitpur Power Generation Co. Ltd. and M/s GVK Power Ltd. over Dhanbad division of E.C.Railway.

Ref:- GM(M&S)/CCL's letter dt 09.05.2019

The competent authority has accorded approval to permit M/s Lalitpur Power Generation Co. Ltd. and M/s GVK Power Ltd. to use the Bukru Line no 4 of CCL siding as co-user for outward loading of coal for the period up to 31.08.2019 under RCR Mode. Booking by co-user is applicable on same terms and conditions as applicable to the siding owner. On account of failure of co-user in clearance of Railway dues, the siding owner will be liable to clear the same. All other commercial formalities must be complied with.

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy.CCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 33 of 2019

No-ECR/CRM/FMS/02/DHN

Dated- 13. 05. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.


Sub: Notification for extension of validity period of Goods sheds at KUJU (inward & outward), MHDA Line No.5 (MDMD) (outward traffic), MHDA Line No.4 (MLMD) (inward & outward traffic) and KRSL Line No.7 & 8 (inward & outward respectively) over DHN division of ECR.

Ref: DHN division's proposal dated 10.05.2019.

The Competent authority has accorded the approval for extension of validity period of Goods sheds at KUJU (inward & outward), MHDA Line No.5 (MDMD) (outward traffic), MHDA Line No.4 (MLMD) (both for inward & outward traffic) and KRSL Line No.7 & 8 (inward & outward respectively) as on regular basis till further advice over DHN division of ECR.

The above instructions will come in force with immediate effect.

All concerned to please note and act accordingly.



(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 34 of 2019

No-ECR/CRM/FMS/02/MGS

Dated- 13. 05. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for opening of Haidarnagar (HDN) station as Ballast Depot for outward RMC materials in full rake handling capacity over MGS division of ECR.

Ref: Sr.DCM / MGS's proposal Dated 03.05.2019.

The Competent authority has accorded the approval for opening of Haidarnagar (HDN) station over MGS division of ECR as Ballast Depot for outward booking of RMC traffic of Ballast in full rake handling capacity with immediate effect.

The working hours of the Ballast depot at HDN will be from 6.00 hrs to 22.00 hrs.

All concerned to please note and act accordingly.

(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY**Rates Circular (Goods) No.35 of 2019**

No-ECR/CRM/FM/Phulbasia/ Line No1&4/CCL Sdg

HJP- Dt 20.05.2019

To,
 Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.C.Rly/DHN.
 CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
 CCM,CCM/FM,COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
 The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
 SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/NDLS, Director, Traffic Comm.(Rates)/Railway Board/New Delhi.
 EDRM/Coal Movement, Kolkatta.

Copy to CCL, Darbangha House, Ranchi - 834001

Copy to M/s Vedanta Limited, IPP Admin Office, Banjari, PO-Kalimandir Road, Orissa-768202

Sub: - Co-user permission for Phulbasia Line No. 1 CCL siding (PBLP) served by
 Phulbasia station for M/s Vedanta Limited over Dhanbad division of E.C.Railway.

Ref:- Sr.Manager(M&S/OP)/CCL's letter dt 17.05.2019

The competent authority has accorded approval to permit M/s Vedanta Limited. to use the Phulbasia Line No.1 CCL Siding(PBLP) as co-user for outward loading of coal for the period up to 31.08.2019 under RCR Mode. Booking by co-user is applicable on same terms and conditions as applicable to the siding owner. On account of failure of co-user in clearance of Railway dues, the siding owner will be liable to clear the same. All other commercial formalities must be complied with.

All concerned to please note and act accordingly.


 (P.K.Sinha)
 Dy.CCM/FM

For Principal Chief Commercial Manager

Annexure

Revised siding charge of Colliery siding over Dhanbad division w.e.f. 01.06.2019 as per Railway Board Rates Circular No.11 of 2019 dt 22.04.2019-

SNo	Name of colliery Sidings	Name of serving Station	Siding charges per Trip, per Engine in Rs.
1	Sayal	Patratu	30,013/-
2	Central Saunda	Patratu	47,897/-
3	Sounda B	Patratu	45,911/-
4	Giddi A (Raw)	Patratu	31,522/-
5	Giddi A Washery	Patratu	30,683/-
6	Patherdih	Patherdih	10,899/-
7	Dugda Washery	Chandrapura	25,810/-
8	Dhori (Line No 1&2)	Phusro	23,576/-
9	Kargali	Bermo	22,584/-
10	Swang	Gomia	27,299/-
11	Kathra	Jarandih	25,810/-
12	Jogta Coal Siding	Sijua	15,883/-
13	New Kusunda Siding	Kusunda	19,357/-



EAST CENTRAL RAILWAY**Rates Circular (Goods) No 36 of 2019**

No-ECR/CRM/FMS/04/Sayal-sdg

HJP- DT 20.05.2019

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Sr.DCM/E.C.Rly :DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)

, COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/Chanakyapuri, CRIS Complex, New Delhi

Director, Traffic Comm. (Rates)/Railway Board/New Delhi,

EDRM, Railway Board, at E.Railway, HQ. 17 Netaji Subhash Road, Kolkata

Sub: Revision of siding charge of 13 Colliery sidings w.e.f 01.06.2019 over Dhanbad division of E. C. Railway.

Ref: (i) This office Rates Circular (Goods) No.45 of 2018 dt 10.07.18
(ii) Railway Board's Rate circular No. 11 of 2019 dated 22.04.2019

Consequent upon the revision of All India Engine Hour Cost vide Board's above referred (ii) letter, the competent authority has given approval to revise the siding charge of 13 colliery sidings over Dhanbad division of E. C. Railway as indicated in Annexure w.e.f. 01.06.2019. The other terms and conditions as notified earlier shall remain unchanged.

All other commercial formalities must be complied with. All concerned are advised to note and act accordingly.

DA: As mentioned above (one page)

(P.K. Sinha)
DyCCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Corrigendum No. 01 to Rates Circular (Goods) No. 37 of 2019

No-ECR/CRM/FMS/02/GS/Misc.

Dated- 23.05.2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly,FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial Notification for opening of Badlaghat (BHB) station for loading of outward traffic of Maize in half rake handling capacity on temporary basis for two months.

Ref: i) Joint Note of Sr.DOM & Sr.DCM/SPJ (with approval of DRM/SPJ) No. T/277/ST/Loading dated 21.05.2019.
ii) This office Rates Circular (Goods) No. 37 of 2019 dated 22-05-19.

-oOo-


Vide this office Rates Circular (Goods) No. 37 of 2019 dated 22-05-19 the following were communicated:-

On the recommendation of the Division, the competent authority has accorded the approval for opening of Badlaghat (BHB) station for loading of outward traffic of Maize in half rake handling capacity on temporary basis for two (02) months with immediate effect.

The nodal point of BHB will be SHC TMS location on IP address 10.126.57.15.

The working hours of the Badlaghat (BHB) for maize loading will be 06.00 to 22.00 Hours.

All concerned to please note and act accordingly.



(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 37 of 2019

No-ECR/CRM/FMS/02/GS/Misc.

Dated- 22.05.2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial Notification for opening of Badlaghat (BHB) station for loading of outward traffic of Maize in half rake handling capacity on temporary basis for two months.

Ref: Joint Note of Sr.DOM & Sr.DCM/~~SPJ~~ (with approval of DRM/SPJ) No. T/277/ST/Loading dated 21.05.2019.

-oOo-

On the recommendation of the Division, the competent authority has accorded the approval for opening of Badlaghat (BHB) station for loading of outward traffic of Maize in half rake handling capacity on temporary basis for two (02) months with immediate effect.

The nodal point of BHB will be SHC TMS location on IP address 10.126.57.15.

All concerned to please note and act accordingly.


(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 38 of 2019

No: ECR/CRM/FMS/02/GS/02/DHN

Dated: 23.05.2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - Round the Clock Working Hours of Pipradih (PADH) Goods Shed over DHN division of ECR.

Ref: - Sr.DCM / DHN's letter no. C.772/ O/ Frt. Terminal/ DHN/19 dated 10.05.2019.

The Competent authority (General Manager/ECR) has accorded the approval for Round the Clock Working Hours of Pipradih (PADH) Goods Shed over DHN division of ECR, with immediate effect.

All concerned to please note and act accordingly.


(P.K.Sinha)
Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 39 of 2019

No: ECR/CRM/FMS/02/SEE

Dated: 29.05.2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - Closure of Sarai (SAI) Goods shed for Inward Loose Consignments over SEE division of ECR.

Ref: - Sr.DCM / SEE's letter no. C/386/R.C./Goods/Misc/2015/Loose dated 28.05.2019.

On the recommendation of the Division, the competent authority has accorded the approval for closure of Sarai (SAI) Goods shed for dealing of Inward Loose Consignments with immediate effect.

All concerned to please note and act accordingly.


(P.K.Sinha)
Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 40 of 2019

No-ECR/CRM/FMS/2/Int. W.B.

Dated-07-06-2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - Commercial Notification for opening of a Railway owned electronic in-motion weighbridge Barkakana (on line No. 06) over DHN division.

Ref: - CAM/DHN's letter No.XG.Rly/BRKA/EIMWB/18-19 dated 06-06-19.

The competent authority has accorded the approval for opening of Railway owned Electronic- in - Motion weighbridge of 140T at Barkakana (on line No. 06) over DHN division of E.C.Railway. This weighbridge will be used for weighment of all load passing/going to/brought to Barkakana Yard for weighment by Railway Administration on day to day basis and for special arrangement. The weighment should be supervised by Railway Staff.

This issue will come in force with immediate effect.

All concerned to please note and act accordingly.


(P.K.Sinha)

DyCCM/FM

For Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 41 of 2019

No-ECR/CRM/FM/NPGCL Sdg/MGS

HJP Dt 12 .06.2019

Sr.DCM/E. C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO (TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)

, COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/Chanakyapuri, New Delhi

Copy- NPGCL Siding, P.O.Ancorah,Dist- Aurangabad, Bihar,PIN-824303

Director, Traffic Comm.(Rates)/Railway Board, EDRM/Coal Movement Kolkata.

Sub:-Commercial notification of Nabinagar Power Generating Company Ltd.with serving station Ancorah of Mughalsarai division of E.C.Railway for handling of inward Coal.


Ref: Joint proposal from Sr.DOM/MGS & Sr.DCM/MGS dt 18.04.19

The competent authority has accorded approval for opening of Nabinagar Power Generating Company Ltd.(NPGCL) with serving station Ancorah of Mughalsarai division of E.C.Railway for handling of inward Coal having full rake capacity. Details of siding are as under-

1.	Name of Siding	Nabinagar Power Generating Company Ltd(NPGCL)
2.	Serving station	Ancorah
3.	Alpha code of siding	NPGA
4.	Numerical code	10310387
5.	Working Hour	Round the clock working
6.	TMS detail(Nodal in case of TMS not available)	Sone- Nagar station
7.	Siding Charge	Rs 53,072/- per round trip per engine.

The rate of siding charge as notified herein is vetted provisionally for one (01) month only subject to fresh Time & Motion Study with load and accuracy from division for final notification of siding charge. Siding charge will be revised from time to time on the basis of revision of All India Engine Hour Cost by Railway Board. Separate shunting charge is also leviable on account of shunting operation, if any, on portion of siding as per extant rule.

All concerned to please note & act accordingly. All other commercial formalities must be complied with.


(P.K.Sinha)
Dy.CCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY**Rates Circular (Goods) No. 42 of 2019**

No-ECR/CRM/FMS/04/Dalla

HJP/ Date 12.06.2019

Sr.DCM/E C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims),

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C. RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/NDLS,

Copy to Barauni Thermal Power Station Siding, NTPC Ltd.Barauni


Director, Traffic Comm. (Rates)/Railway Board/New Delhi

Sub:-Change of name from 'Barauni Thermal Power Station Siding served by Simaria station' to 'Barauni Thermal Power Station, NTPC Ltd. siding served by Simaria station over Sonepur division.

Ref: - CGM/NTPC/Barauni's request dt 31.05.2019

In pursuant to the Undertaking Transfer Scheme,2018 vide notification No.5 dated 27.06.2018 of Bihar Government, the existing Barauni Thermal Power Station siding(BTPS) served by Simaria station over Sonepur division has been transferred to NTPC Limited(A Govt of India Enterprises) w.e.f.15.12.2018. In view of above scheme, the competent Authority has accorded approval to change the name of Barauni Thermal Power Station Siding (alpha code-BTSS,numerical code-10410324) served by Simaria station to Barauni Thermal Power Station,NTPC Ltd.served by Simaria station of Sonepur division of this Railway. The Alpha Code and numerical code of siding will be same as notified earlier. Sr.DCM/SEE is requested to enter into a fresh agreement with new siding owner and clear all the railway dues of existing siding before execution of fresh agreement with siding owner.Existing siding charge w.e.f. 01.06.2019 is Rs 1293.00 per loaded 4-wheeled BG wagon.

All concerned to please note and act accordingly.


(P.K.Sinha)
Dy.CCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 43 of 2019

No-ECR/CRM/FMS/02/SPJ

Dated: 13/06/2019.

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS


Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for Closure of Darbhanga (DBG) Goods shed for Inward traffic of loose commodities i.e. Stone chips over SPJ division of ECR.

Ref: Sr.DCM / SPJ's proposal Dated 28.05.2019.

On recommendation of the division, the competent authority has accorded the approval for Closure of Darbhanga (DBG) Goods shed for Inward traffic of loose commodities i.e. Stone chips over SPJ division of ECR with immediate effect.

All concerned to please note and act accordingly.


(R.K.Sinha)
ACM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No.44 of 2019

No-ECR/CRM/FMS/2/Int. W.B.

Dated-20-06-2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.


Sub: - Commercial Notification for opening of a Privately owned electronic in-motion weighbridge at Kathara Washery over DHN division.

Ref: - CAM/DHN's Note No.XG.CCL/KATHARA/EIMWB/CAM/14/DHN dated 17-06-19.

The competent authority has accorded the approval for opening of privately owned (CCL's) Electronic- in - Motion weighbridge of 120T at Kathara Washery over DHN division of E.C.Railway. This weighbridge will be used for weighment of all rakes loaded at Kathara Washery Stabling Yard on day to day basis and will also weigh other load/empty passing/going to/brought to Kathara Washery for weighment by Railway Administration on special arrangement. The weighment should be supervised by Railway Staff.

This issue will come in force with immediate effect.

All concerned to please note and act accordingly.


(P.K.Sinha)

DyCCM/FM

For Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 45 of 2019
[Corrigendum No. 1 of Rates Circular (Goods) No. 54 of 2018]

No-ECR/CRM/FMS/2/W.B. (Misc.)

Dated-02-07-2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh
Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - Commercial Notification of Nomination of Associate and Alternate
Associate Weighbridges over E.C. Railway.

Ref: - i) This office Rates Circular (Goods) No. 54 of 2018 dated 07-08-18.


ii) PCOM/NFR's letter No. T/195/Weighbridge/Pt IV/TG dated 12-06-19.

In continuation of this office Rates Circular (Goods) No. 54 of 2018 dated 07-08-18,
PCOM/NFR has communicated his approval for weighbridges at Dalan (DLF),
Harishchandrapur (HCR) and Rangapani (RNI) of N.F.Railway as Alternate associate
Weighbridge for Semapur (SMO) over SEE Division of ECR.

It is further to intimate that PCOM of other Railways namely NR, NCR, ER, NER &
SER are/were being requested by Operating Department for confirmation of Alternate
Associate weighbridge of their jurisdiction. On receipt of communication of
approval/confirmation necessary corrigendum will be issued.

This issue will come in force with immediate effect.

All concerned to please note and act accordingly.


(P.R. Sinha)

Dy.CCM/FM

For Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 46 of 2019

No-ECR/CRM/FMS/02/SEE

Dated- 03. 07. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for opening of Ghoswar station (GWH) for inward RMC materials (Cinder, Ballast) in full rake handling capacity over SEE division of ECR.

Ref: Sr.DOM/SEE's proposal Dated 14.05.2019.

The Competent authority has accorded the approval for opening of Ghoswar station (GWH) for inward RMC materials (Cinder, Ballast) in full rake handling capacity over SEE division of ECR with immediate effect.

The working hours of Ghoswar station (GWH) will be from 6.00 hrs to 22.00 hrs. & Nodal TMS location will be at Sarai (SAI) with I.P. address 10.125.2004.11.

All concerned to please note and act accordingly.


(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 47 of 2019

No-ECR/CRM/FMS/02/SEE

Dated- 05. 07. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for opening of Tiltrath station (TIL) over SEE division of ECR for inward and outward traffic in full rake handling capacity.


Ref: Sr.DCM & Sr.DOM/ SEE's joint proposal and approval of DRM/SEE dated 02.07.2019.

The Competent authority has accorded the approval for opening of Tiltrath station (TIL) over SEE division of ECR for all inward and outward goods traffic (excluding POL) in full rake handling capacity with immediate effect.

The working hours of Tiltrath station (TIL) will be from 6.00 hrs to 22.00 hrs.

& Nodal TMS location will be at Begusrai (BGS) with I.P. address 10.211.40.1.

All concerned to please note and act accordingly.



(P.K.Sinha)
Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY**Rates Circular (Goods) No. 48 of 2019**

No-ECR/CRM/FMS/04/KCL/MGS

HJP/ Date 15.07.2019

Sr.DCM/E C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims),

COM&CFM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C. RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/NDLS, Director, Traffic Comm. (Rates)/Railway Board/New Delhi

EDFM/Coal Movement,Kolkata

Copy to Dalmia DSP limited Siding, P.O.Banjari, Dist-Rohtas, Bihar-821303

Sub:- Change of name from 'Kalyanpur Cement Limited' siding served by Sonnagar station' to 'Dalmia DSP Ltd' siding served by Sonnagar station over Mughalsarai division.

Ref:- Party's request dt 28-12-2018

In pursuant to resolution plan vide order of NCLT Kolkata dt 31.01.2018, the existing Kalyanpur Cement Limited Siding (KCLS) served by Sonnagar station over Mughalsarai division has been transferred to Dalmia Bharat Cement. In view of above scheme, the competent Authority has accorded approval to change the name of Kalyanpur Cement Limited Siding (alpha code-KCLS,numerical code-10310329) served by Sonnagar station to Dalmia DSP Limited siding served by Sonnagar station of Mughalsarai division of this Railway. The Alpha Code and numerical code of siding will be same as notified earlier. Sr.DCM/MGS is requested to enter into a fresh agreement with new siding owner and clear all the railway dues of existing siding before execution of fresh agreement with siding owner.

All concerned to please note and act accordingly.



(P.K.Sinha)

Dy.CCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 49 of 2019

No-ECR/CRM/FMS/2/Int. W.B.

Dated-24-07-2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - Commercial Notification for opening of a Railway owned electronic in-motion weighbridge Karaila Road (KRLR) (on line No. 03) over DHN division.

Ref: - CAM/DHN's letter No.XG.EIMWB/KRLR/18 dated 15-07-19.

The competent authority has accorded the approval for opening of Railway owned Electronic- in - Motion weighbridge of 140T at Karaila Road (KRLR) (on line No. 03) over DHN division of E.C.Railway. This weighbridge will be used for weighment of all load passing/going to/brought to Karaila Road (KRLR) for weighment by Railway Administration on day to day basis and for special arrangement. The weighment should be supervised by Railway Staff.

This issue will come in force with immediate effect.

All concerned to please note and act accordingly.


(P.K.Sinha)

DyCCM/FM

For Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 50 of 2019

No-ECR/CRM/FMS/02/GS/DHN

Dated- 01. 08. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS


Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for "De-notification" of Goods shed at Shunting Neck of Shivpoor over DHN division of ECR for outward traffic of Non-programmed Coal under Priority "D" in full rake handling capacity.

Ref: Sr.DCM/DHN's proposal dated 31.07.2019.

The Competent authority has accorded the approval for "De-notification" of Goods shed at Shunting Neck of Shivpoor over DHN division of ECR for outward traffic of Non-programmed Coal under Priority "D" in full rake handling capacity with immediate effect.

All concerned to please note and act accordingly.



(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY**Rates Circular (Goods) No. 51 of 2019****No-ECR/CRM/FMS/04/KCL/MGS****HJP Dt 20.08.2019**

Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE,CAM/E.C.Rly/DHN
 CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims)
 COM & CFTM/E.C.Rly/HJP, Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
 SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/Chanakyapuri, New Delhi, EDRM/Coal Movement, Kolkatta

Director, Traffic Comm. (Rates)/Railway Board/New Delhi,

Copy to – Dalmia DSP Ltd, Sone Naggar

Sub:-Commercial notification of Dalmia DSP Limited Siding served by Sone Nagar (SEB) station over Mughalsarai division of East Central Railway on through distance basis.

Competent authority has accorded approval for Dalmia DSP Limited Siding served by Sone Nagar station over Mughalsarai division of E.C.Railway for charging freight on through distance basis having full rake capacity. The distance from the centre of serving station to the buffer end of siding to be added for charging freight on through distance basis is **1.56 KM**. Other details are as under-

1.	Name of Siding	Dalmia DSP Limited Siding
2.	Serving station	Sone Nagar
3.	Alpha code	KCLS
4.	Numerical code	10310329
5.	Details of Weighbridge in case of outwrd traffic - Associate & Alternate	Up direction- DDU Dn direction- DHN
6.	Commodities handled	Coal,Gypsum,Slag,Clinker,Cement and other raw material

It should be ensured that no railway staff is exclusively assigned for shunting works in conformity with Rates Master Circular issued vide Board's letter No.TC-1/2014/214/3 dt 24.09.14.Track fitness must be ensured by division before starting the work of siding. All other commercial formalities must be complied with.

All concerned to please note & act accordingly.


 (P.K.Sinha)
 Dy.CCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 52 of 2019

No-ECR/CRM/FM/Shivpoor/Shtg-neck/Sdg/DHN

HJP Dt. 27.08.2019

Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.C.Rly/DHN.

CAO (TA), SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)

, COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/Chanakyapuri, New Delhi

Director, Traffic Comm.(Rates)/Railway Board, EDRM/Coal Movement Kolkata.

Copy- Shivpoor shunting neck CCL siding

Sub:-Commercial notification of Shivpoor Shunting Neck CCL siding with serving station Shivpoor of Dhanbad division of E.C.Railway for booking of Coal traffic on through distance basis.

Ref:-Sr.DOM/DHN's letter No.P1/Goodshed/SVPO/19 dtd 31.07.19

The competent authority has accorded approval for opening of Shivpoor Shunting Neck CCL Siding with serving station Shivpoor (SVPO) of Dhanbad division of E.C.Railway for outward booking of Coal traffic under priority 'C' on through distance basis having full rake capacity. The distance from the centre of serving station to the buffer end of siding to be added for charging freight on through distance basis is **2.80 Km.** Other details are as under-

1.	Name of Siding	Shivpoor Shunting Neck CCL Siding
2.	Serving station	Shivpoor
3.	Alpha code of siding	SSCS
4.	Numerical code	10120509
5.	Name of freight collection station	Tori
6.	Associate Weighbridge	Latehar
7.	Associate TMS Location	Tori

It should be ensured that no railway staff is exclusively assigned for shunting works in conformity with Rate Master Circular issued vide Board's letter No TC-I/2014/214/3 dt 24.09.14. All other commercial formalities must be complied with.

All concerned to please note & act accordingly


(P.K.Sinha)

Dy.CCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 53 of 2019

No-ECR/CRM/FMS/2/Int. W.B.

Dated-27-08-2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub:- Commercial Notification for opening of a Railway owned electronic in-motion weighbridge Koderma (KQR) (on line No. 07) over DHN division.

Ref:- CAM/DHN's letter No.XG.Rly/KQR/EIMWB/18 dated 20-08-19.

The competent authority has accorded the approval for opening of Railway owned Electronic- in - Motion weighbridge of 140T at Koderma (KQR) (on line No. 07) over DHN division of E.C.Railway. This en-route weighbridge will be used for weighment of all load passing/going to/brought to Koderma (KQR) for weighment by Railway Administration on day to day basis and for special arrangement. The weighment should be supervised by Railway Staff.

This issue will come in force with immediate effect.

All concerned to please note and act accordingly.


(P.K.Sinha)

DyCCM/FM

For Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 54 of 2019

No-ECR/CRM/FMS/2/Int. W.B.

Dated-27-08-2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - Commercial Notification for opening of a Railway owned electronic in-motion weighbridge Chopan (CPU) (on line No. 06) over DHN division.

Ref: - CAM/DHN's letter No.XG.Rly/CPU/EIMWB/18 dated 26-08-19.

The competent authority has accorded the approval for opening of Railway owned Electronic- in - Motion weighbridge of 140T at Chopan (CPU) (on line No. 06) over DHN division of E.C.Railway. This en-route weighbridge will be used for weighment of all load passing/going to/brought to Chopan (CPU) for weighment by Railway Administration on day to day basis and for special arrangement. The weighment should be supervised by Railway Staff.

This issue will come in force with immediate effect.

All concerned to please note and act accordingly.


(P.K.Sinha)

DyCCM/FM

For Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 55 of 2019

No-ECR/CRM/FMS/02/SPJ

Dated- 04. 09. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.


Sub: Commercial notification for opening of Kumarbagh station (KUMB) over SPJ division of ECR for inward and outward traffic for all Commodities (Loose & Bagged) in full rake handling capacity.

Ref: Sr.DCM/SPJ letter no. C/412/Misc/V/18 dated 01.09.2019.

The Competent authority has accorded the approval for opening of Kumarbagh station (KUMB) over SPJ division of ECR for inward and outward traffic for all Commodities (Loose & Bagged) in full rake handling capacity with immediate effect.

The working hours of Kumarbagh station (KUMB) will be from 6.00 hrs to 22.00 hrs. & Nodal TMS location will be at Bettiah (BTH) with I.P. address 10.126.209.15.

All concerned to please note and act accordingly.


(R.K.Sinha)
ACM/FM

for Pr. Chief Commercial Manager

East Central Railway
Rates Circular (Goods) No. 56 of 2019

Office of the,
Pr.Chief Commercial Manager, Rail Niketan,
'B' Block, Hajipur-844101

No.:ECR/CRM/FMS/02/Co-User/HACG

Date: 06.09.2019

Asst. Manager (C & O)
Container Corporation of India Ltd,
Easten Region, "Duckback House", 5th Floor,
41, Shakespeare Sarani, Kolkata-700017.

Sub:- Permission to CONCOR to Load/Unload Container rake from M/s Hindalco Industries Ltd. sdg. at HACG .

Ref:- (i). Your representation , vide letter No. CON/KOL/ERO/East Central Rly 2019 dated 30.08.2019.
(ii). Rly Board's letter no. 2009/TT-III/73/9 dated 10.12.2010.

The competent authority has conditionally accorded the approval for handling and transportation of container traffic by CONCOR at HACG Pvt. Siding, Renukut w.e.f. 12.09.2019 to 28.08.2020 subject to fulfillment vide above reference (i) that in event of further examination of old records at destination if any facts appear otherwise CONCOR will be liable to pay the same, observing all commercial and operational formalities as well as following terms and conditions:-

01. That the placement/withdrawal of wagons on account of your firm will be made along with the traffic of the siding holder, M/s Hindalco Industries Limited, Renukoot over DHN Division.
02. Any tollage liability (such as freight, demurrage, siding charges and other charges, if any) which will be accrued to the Railway dues in the siding by your firm, as Co-user will be paid by you. In case of non- payment by your firm; M/s Hindalco Industries Limited, Renukoot as the siding owner shall pay the same to the railway.
03. That the Railway will not accept any claims for any wagons or materials wrongly loaded/unloaded from the siding either by you or by your customer or siding holder, any dispute arising thereof should be mutually settled between you and siding holder.
04. That this Railway will not be responsible for any dispute between you and siding holder for use of siding.
05. That this Railway reserves the right to withdraw the permission at any time without serving any prior notice.
06. The grant of this Co-user permission will be without prejudice and subject to the fulfillment of all terms and conditions mentioned in the siding agreement executed by M/s Hindalco Industries Limited, Renukoot with the Railway administration and as per provision of MCA.
07. The Container train operators will carry traffic belonging to siding owner only. No third party Cargo (other than the cargo of siding owner) will be permitted on CONCOR's train.
08. For Rail movement of traffic from and to siding, preference will be given to the traffic in Railway owned wagons over Container train.
09. Railway Receipt will be issued in the name of CONCOR.

It may be noted that no such further extension of permission will be granted for use of the subject siding unless a request is made within currency of instant contract enclosing a fresh consent letter.

(P.K.Sinha)
Dy. Chief Comm. Manager/FM
for Pr. Chief Commercial Manager

Copy forwarded for information and necessary action to:-

(1). Sr.DCM/ECR/DHN (2).Sr.DOM/ECR/DHN (3).Station Master/CGS/ECR, Renukut (4). CFTM/ECR/HJP. (5). M/s Hindalco Industries Limited, Renukoot (6). EDTT (5)/Railway Board, New Delhi in reference to Board's letter No. 2002/TT-III/15/39 dated 15.02.2007 & 2009/TT-III/73/9 dated 10.12.2010. (7). CAO/FOIS, CRIS Complex Chanakyapuri, New Delhi-110021.

for Pr.Chief Commercial Manager

Received
Anurupa
06/09/19

07
Anurupa
06/9

O/C

Rates Circular (Goods) No. 57 of 2019

No-ECR/CRM/FMS/02/Static WB

Dated: 23.09.2019

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh
Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - De-notification of static weighbridges in certain locations over ECR.

Ref: - i) This office Rates Circular (Goods) No. 25 of 2019 dated 08-04-2019.

ii) CAM/DHN's Letter No. XG.1180/82/PT-VI/18 dated 26-08-19.

iii) CAM/DHN's Letter No. XG.1180/82/PT-VI/18 dated 17-09-19.

-oOo-

Over ECR, validity of acceptance of weighment at static weigh bridges of M/s CCL at Kathara (W), Kathara (M) and Giddi 'A' (W) has been issued vide letter under reference (i), which is acceptable upto 30-09-2019.

Consequent upon opening of an EIMWB at Kathara Washery {vide this office Rates Circular (Goods) No. 44 of 2019 dated 20-06-19}, the purpose of weighment of rakes at Kathara (W) and Kathra (W) static weighbridges will no longer be required.

Further, keeping a few rakes weighed per month at Giddi 'A' (W) in mind, the requirement of weighment of rakes has been proposed to be shifted to Patraru (PTRU). No communication for shifting of the static weighbridges into EIMWB has received from M/s CCL either.

Accordingly, based on the recommendation of the division, it is decided to de-notify the static weighbridges at Kathara (W), Kathara (M) and Giddi 'A' (W) over DHN division of ECR with effect from 01-10-2019.

Hence, weighment at these static weighbridges will not be accepted from 01-10-2019. The weighbridge at PTRU will be the associate weighbridge for Giddi 'A' (W).

Please note and notify to all concerned.

(P.K.Sinha)

Dy.CCM/FM

For Pr. Chief Commercial Manager

East Central Railway
Rates circular (Goods) No. 58 of 2019

Office of the,
Pr.Chief Commercial Manager,
Rail Niketan, 'B' Block, Hajipur-844101.
Date: 24.09.2019

No.: ECR/CRM/FMS/02/Co-User/PKCI

G.M.Logistics/Distribution Logistics Infrastructure Pvt. Ltd.
Corporate Office: 3rd Floor, Tower B,
First India Place, M.G. Road, Gurgaon, Haryana.
Fax-0124 455 59 00.

Sub: Extension of Co-user Permission for handling of Inward & Outward Container Rail
Traffic at PKCI siding of M/s Grasim Industries Ltd. Renukut over DHN Division of ECR.
Ref: (i). Your representation, vide your office letter No. DLI/PKCI/2019/08/002 dated 26.08.2019.
(ii). Rly Board's letter no. 2009/TT-III/73/9 dated 10.12.2010 & 07.06.2019.

The competent authority has accorded the extension of Co-user permission for handling and transportation of container rail traffic by your firm at PKCI siding, Renukut of M/s Grasim Industries Ltd. (under DHN division of ECR) for a period up to 07.08.2021 with immediate effect subject to fulfilment of all commercial and operational formalities as well as following terms and conditions:-

01. That the placement/withdrawal of wagons on account of your firm will be made along with the traffic of the siding holder, M/s Grasim Industries Ltd. Renukut over DHN Division of ECR.
02. Any tollage liability (such as freight, demurrage, siding charges and other charges), if any which will be accrued to the Railway dues in the siding by your firm, as Co-user will be paid by you. In case of non-payment by your firm, M/s Grasim Industries Ltd. Renukut as the siding owner shall pay the same to the Railway.
03. That the Railway will not accept any claims for any wagons or materials wrongly loaded/unloaded from the siding either by you or by your customer or siding holder, any dispute arising thereof should be mutually settled between you and siding holder.
04. That this Railway will not be responsible for any dispute between you and siding holder for use of siding.
05. That this Railway reserves the right to withdraw the permission at any time without serving any prior notice.
06. The grant of this Co-user permission will be without prejudice and subject to the fulfilment of all terms and conditions mentioned in the siding agreement executed by M/s, Grasim Industries Ltd. Renukut with the Railway administration and as per provision of MCA.
07. The Container train operators will carry traffic belonging to siding owner only. No third party Cargo (other than the cargo of siding owner) will be permitted on M/s DLI's container train.
08. For Rail movement of traffic from and to siding, preference will be given to the traffic in Railway owned wagons over Container train.
09. Railway Receipt for container traffic will be issued in the name of M/s DLI.
10. Railway will undertake periodical commercial audit once in a year and if any case of drop in rail co-efficient is detected or any case of movement of 3rd party cargo is detected, then such co-user permission given to the CTO to access private sidings will stand cancelled and further movement from any private siding by the concerned CTO will be restricted for one year.

It may be noted that no such further extension of permission will be granted for use of the subject siding unless a request is made within currency of instant contract enclosing a fresh consent letter.

(P.K.Sinha)

Dy. Chief Comm. Manager/FM
for Pr. Chief Commercial Manager

Copy forwarded for information and necessary action to:- (1). Sr.DCM/ECR/DHN (2).Sr.DOM/ECR/DHN (3).Station Master/CGS/ECR, Renukut (4). CFTM/ECR/HJP. (5). M/s Grasim Industries Ltd. Renukut over DHN Division of ECR. (6). EDTT (S)/Railway Board, New Delhi in reference to Board's letter No. 2002/TT-III/15/39 dated 15.02.2007 & 2009/TT-III/73/9 dated 10.12.2010. (7). CAO/FOIS, CRIS Complex Chanakyapuri, New Delhi-110021.

for Pr.Chief Commercial Manager

East Central Railway

Rates Circular (Goods) No.59 of 2019

No-ECR/CRM/FMS/04/MTPS-Kanti

HJP- Dt 30.09.2019

Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims)

CCM,CCM/FM,COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/NDLS, Thermal Power Station Siding (TPSM),


Director, Traffic Comml.(Rates)/Railway Board/New Delhi. EDRM/Coal Movement,
Kolkatta

Sub: - Round the Clock Working of Thermal Power Station Siding (TPSM).serving
station Kanti over Samastipur division of E.C.Railway.

Ref:- Sr. DCM/SPJ letter dated 28 08 2019

The competent authority (General Manager/ECR) has accorded approval for
Round the Clock Working of Thermal Power Station Siding (TPSM) with serving station
Kanti over Samastipur division of E.C.Railway with immediate effect.

All concerned to please note and act accordingly.


(P.K.Sinha)

Dy.CCM/FM

for Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 60 of 2019

No-ECR/CRM/FM/KSDK/Public Sdg/DHN

HJP- dtd: 21/10/2019

Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.C.Rly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
,COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli. E.D.R.M./Kolkatta
The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/Chanakyapuri, New Delhi, EDRM/Coal Movement, Kolkatta.

Director, Traffic Comml.(Rates)/Railway Board/New Delhi

Copy to: - Kusunda II Private Siding served by KDS station.

Sub: - Denotification of of Kusunda II Public Siding served by Kusunda station over
Dhanbad division of E.C.Railway.

Ref:- This office Rates Circular(Goods) No.20 of 2019 dt 27.03.2019

Based on consent of BCCL, Kusunda II private siding of BCCL was notified as a Public siding vide this office Rates Circular mentioned under reference.Now, after getting request from BCCL,it has been decided by the competent authority to denotify the Kusunda II Public siding and consequently, its earlier status as a private siding of BCCL will be hereby restored. All other commercial formalities must be complied with.

All concerned to please act accordingly.


(P.K.Sinha)

Dy.CCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAYRates Circular (Goods) No.61 of 2019

No-ECR/CRM/FM/UTCL/Daniyawar/17

HJP Dt 01.11.2019

Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE,CAM/E.CRly/DHN
 CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims)
 COM & CFTM/E.C.Rly/HJP, Principal ZTC/MFP/Bhuli.
 The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
 SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/Chanakyapuri, New Delhi, EDRM/CoalMovement,Kolkatta
 Director, Traffic Comm. (Rates)/Railway Board/New Delhi

Copy to Ultra Tech Cement Siding, Daniyawar

Sub:-Commercial notification of Ultra Tech Cement Ltd Unit:Patliputra Cement works
 over DNR division of E.C.Railway for charging freight on through distance
 basis.

Ref :- Division's proposal dt 04.10.2019

Competent authority has accorded approval for Ultra Tech Cement Ltd Unit:Patliputra
 Cement works served by Daniyawar Station over Danapur Division of E.C.Railway for charging
 freight on through distance basis having full rake capacity. The distance from the centre of
 serving station to the buffer end of siding to be added for charging freight on through distance
 basis is **4.14 Km.** Other details are as under-

1.	Name of Siding	Ultra Tech Cement Ltd Unit:Patliputra Cement Works.
2.	Serving station	Daniyawar
3.	Alpha code	UCPD
4.	Numerical code	10210457

It should be ensured that no railway staff is exclusively assigned for shunting works
 in conformity with Rates Master Circular issued vide Board's letter No.TC-I/2014/214/3 dt
 24.09.2014. All other commercial formalities must be complied with.

All concerned to please note and act accordingly.


 (P.K.Sinha)
 Dy CCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY**Rates Circular (Goods) No. 62 of 2019****No-ECR/CRM/FM/04/ACC-Sindri/DHN****HJP Dt 01.11..2019**

Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE,CAM/E.C.Rly/DHN
 CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims)
 COM & CFTM/E.C.Rly/HJP, Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
 SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/Chanakyapuri, New Delhi, EDRM/Coal Movement,Kolkatta

Director, Traffic Comm. (Rates)/Railway Board/New Delhi

Copy to ACC Sindri (SNFC)Sindri Dhanbad-828124

Sub:-Commercial notification of ACC Sindri Siding(SNFC) over Dhanbad division of
 E.C.Railway for charging freight on through distance basis.

Ref :- Division's proposal dt 18.03.2019 *322-10-19*

Competent authority has accorded approval for ACC Sindri Siding served by Sindri Marshaling Yard(SNMY) Station over Dhanbad Division of E.C.Railway for charging freight on through distance basis having full rake capacity. The distance from the centre of serving station to gate of the siding to be added for charging freight on through distance basis is **3.69 Km.** Other details are as under-

1.	Name of Siding	ACC Sindri Siding
2.	Serving station	Sindri Marshaling Yard (SNMY)
3.	Alpha code	SNFC
4.	Numerical code	10120307

It should be ensured that no railway staff is exclusively assigned for shunting works in conformity with Rates Master Circular issued vide Board's letter No.TC-I/2014/214/3 dt 24.09.2014. All other commercial formalities must be complied with.

All concerned to please note and act accordingly.

(P.K.Sinha)
 DyCCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 63 of 2019

No-ECR/CRM/FMS/2/Int. W.B.

Dated-11-11-2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - Commercial Notification for opening of two (2) Railway owned electronic in-motion weighbridge at Gomoh (GMO) over DHN division.

Ref: - CAM/DHN's letter No.XG.EIMWB/GMO/18 PT-I dated 07-11-19.

The competent authority has accorded the approval for opening of two (2) Railway owned Electronic- in - Motion weighbridge of 140T at Gomoh (GMO) over DHN division of E.C.Railway at the following locations:-

1. Newly installed weighbridge at new location SEC-CIC BNR line.
2. Newly installed weighbridge at same location at up yard of 140T machine in replacement account in place of 120T.

These two en-route weighbridges will be used for weighment of all loaded rakes Ex SER and CIC end or any load passing/going to/brought to for weighment by Railway Administration on day to day basis and for special arrangement. The weighment should be supervised by Railway Staff.

This issue will come in force with immediate effect.

All concerned to please note and act accordingly.


(P.K.Sinha)

DyCCM/FM

For Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 64 of 2019

No-ECR/CRM/FMS/2/Int. W.B.

Dated-14-11-2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly,FA&CAO-E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.


Sub: - Commercial Notification for opening of a privately owned electronic in-motion weighbridge on Railway land at Jhingurdah over DHN division.

Ref: - CAM/DHN's letter No.XG.10/New WB/JCZ/NCL/DHN dated 01-11-19.

The competent authority has accorded the approval for opening of a privately owned Electronic-in - Motion weighbridge of NCL capacity 140T at Jhingurdah over DHN division of E.C.Railway. This weighbridge will be used for weighment of all rakes loaded at Jhingurdah siding/brought to Singarauli for weighment by Railway Administration on day to day basis and for special arrangement. The weighment should be supervised by Railway Staff.

This issue will come in force with immediate effect.

All concerned to please note and act accordingly.


(P.K.Sinha)

DyCCM/FM

For Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 65 of 2019

No-ECR/CRM/FMS/04/RBS

Dated- 14. 11. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for revival / restoration of Sijua Siding (SSCK)
having serving station Sijua (SJA) over DHN division of ECR.

Ref: CAM/ DHN's letter no. XG.KDS/New WB/DN Line/DHN/17 dated 06.11.2019.

The Competent authority has accorded the approval for revival / restoration of
Sijua Siding (SSCK) having serving station Sijua (SJA) over DHN division of ECR with
immediate effect.

All concerned to please note and act accordingly.

(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAYRates Circular (Goods) No. 66 of 2019

No-ECR/CRM/FMS/04/RBS

Dated- 28. 11.2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ and SEE & CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA)/E.C.Rly. FA & CAO/E.C.Rly, Dy.CCM (Claims)

COM & CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY/

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Notification of Inter Station Distance of Mandan Mishra (MNMA) – Jhanjharpur (JJP) , a converted line section from MG to BG over SPJ division of ECR.

Consequent upon gauge conversion from MG to BG of above said MNMA – JJP section over Samastipur division of E.C.Railway, the inter station distances are being notified and shown here in table as under with fresh numerical code for information & necessary action to all concerned.

Inter Station Distance of Mandan Mishra (MNMA) – Jhanjharpur (JJP), a converted line section from MG to BG :

<i>Inter Station Distance</i>	<i>Station Name</i>	<i>MNMA</i>	<i>LNO</i>	<i>JJP</i>	<i>Numerical Code</i>
0	Mandan Mishra	0			10510291
4.63	Lohna Road	4.63	0		10510327
4.28	Jhanjharpur	8.91	4.28	0	10510328

All concerned to please note & act accordingly.

Please acknowledge receipt.

(P.K.SINHA)
Dy.CCM/ FM

for Pr. Chief Commercial Manager.

EAST CENTRAL RAILWAYRates Circular (Goods) No. 67 of 2019

No-ECR/CRM/FMS/04/RBS

Dated- 28. 11.2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ and SEE & CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA)/E.C.Rly. FA& CAO/E.C.Rly, Dy.CCM (Claims)

COM & CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY/

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Notification of Inter Station Distance of Garh Baruari (GEB) – Supaul (SOU) a converted line section from MG to BG over SPJ division of ECR.

Consequent upon gauge conversion from MG to BG of above said GEB – SOU section over Samastipur division of E.C.Railway, the inter station distances are being notified and shown here in table as under with fresh numerical code for information & necessary action to all concerned.

Inter Station Distance of Garh Baruari (GEB) – Supaul (SOU), a converted line section from MG to BG :

Inter Station Distance	Station Name					Numerical Code
0	Garh Baruari	0				10510410
4.0	Vinaekma	4.0	0			10510419
2.78	Sundarpur	6.78	2.78	0		10510420
4.27	Supaul	11.05	7.05	4.27		10510421

All concerned to please note & act accordingly.

Please acknowledge receipt.



(P.K.SINHA)

Dy.CCM/ FM

for Pr. Chief Commercial Manager.

EAST CENTRAL RAILWAY

Corrigendum to Rates Circular (Goods) No. 46 of 2015 dt 01.10.2015

No-ECR/CRM/FMS/04/Pristine- Bihta

HJP- Dt 28.11.2019

Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.C.Rly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
CCM,CCM/FM,COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/NDLS, Director, Traffic Comm.(Rates)/Railway Board/New Delhi.
EDRM/Coal Movement, Kolkatta.

Copy to M/s Pristine Magadh Infrastructure Pvt Ltd./Bihta

Sub: - Commercial Notification for the Greenfield PFT of M/s Pristine
Magadh Infrastructure Pvt Ltd. served by Bihta railway station
over Danapur division of E.C.Railway.

Ref:- Party's appeal dt 14.11.2019

Vide this office Rates Circular(Goods) No.46 of 2015 dt 01.10.2015, Greenfiled PFT of M/s Pristine Magadh Infrastructure Private Limited with serving station Bihta over Danapur division of E.C.Railway was notified to work on EOL concept. Now, based on party's appeal, it has been decided by the competent authority to amend the said notification by deleting the word 'EOL' under column no.5 of the above notification.

This is for information to all concerned to note and act accordingly.


(P.K.Sinha)
DyCCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 68 of 2019

No-ECR/CRM/FMS/02/SEE

Dated- 29. 11. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for opening of Nayagaon (NYO) over SEE division of ECR for inward traffic of Clinker.

Ref: Sr.DCM/SEE letter no. C/386/Misc/Sonpur/16 dated 09.10.2019.

The Competent authority has accorded the approval for opening of Nayagaon (NYO) over SEE division of ECR only for 03 months for inward traffic of Clinker with immediate effect.

All concerned to please note and act accordingly.

(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 69 of 2019

No-ECR/CRM/FMS/02/SPJ

Dated- 29. 11. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.


Sub: Commercial notification for opening of Narkatiaganj (NKE) for outward traffic in full rake handling capacity and Muktapur (MKPR) for inward traffic in full rake handling capacity over SPJ division of ECR.

Ref: Samastipur division proposal dated 27.11.2019.

The Competent authority has accorded the approval for opening of :

- i) Narkatiaganj (NKE) for outward traffic in full rake handling capacity for for Six (06) months on experimental basis.
- ii) Muktapur (MKPR) for inward traffic in full rake handling capacity over SPJ division of ECR with immediate effect.

All concerned to please note and act accordingly.


(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 70 of 2019

No-ECR/CRM/FMS/02/DHN

Dated- 03. 12. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for closure of Goods shed at Koderma (KQR) over DHN division of ECR.

Ref: Sr.DCM/ DHN's proposal Dated 09.09.2019.

The Competent authority has accorded the approval for closure of goods shed at Koderma (KQR) over DHN division of ECR with immediate effect.

All concerned to please note and act accordingly.

(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 71 of 2019

No-ECR/CRM/FMS/2/SEE Div.

Dated-06-12-2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM,

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - Temporary opening of goods shed at Sahdei Bujurg (SDG) over SEE division.

Ref: - i) PCOM/O/ECR's Note No. ECR/OPT/GDS/511/Notification of goods shed dated 29/11/19.

ii) Joint note of Sr.DOM, Sr.DCM & Sr.DEN/C/SEE and approval of DRM/SEE dated 27-11-19.

The competent authority has accorded the approval for temporary opening of goods shed at Sahdei Bujurg (SDG) over SEE division of ECR in full rake handling capacity for dealing with inward Railway construction materials ((Cinder, Ballast) for a period of six months with immediate effect.

The nodal TMS location will be Sarai (SAI).

All concerned to please note and act accordingly.


(R.K.Sinha)

ACM/FM

For Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 72 of 2019

No-ECR/CRM/FMS/02/GS/SPJ

Dated- 20. 12. 2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.


Sub: Commercial notification for opening of Kharpokhra (KPB) for inward construction materials (Cinder, Ballast, Stone Chips, Sand) in full rake handling capacity over SPJ division of ECR.

Ref: Sr.DCM / SPJ's proposal Dated 16.12.2019.

The Competent authority has accorded the approval for opening of Kharpokhra (KPB) for inward construction materials (Cinder, Ballast, Stone Chips, Sand) in full rake handling capacity over SPJ division of ECR with immediate effect.

The working hours of Kharpokhra (KPB) will be from 6.00 hrs to 22.00 hrs. as unified working hours.

All concerned to please note and act accordingly.


(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 73 of 2019

No: ECR/CRM/FMS/02/Round the clock working

Dated: 31.12.2019

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Notification for the Round the Clock Working Hours for three (03) months on experimental basis at Darbhanga (DBG), Sitamarhi (SMI), Bapudham Motihari (BMKI), Bettiah (BTH) & Dauram Madhepura (DMH) Goods Shed over SPJ Division of ECR.

Ref: Sr.DOM/SPJ's NOTE no. T/277/ST/Loading dated 26.11.2019.

-oOo-

The Competent authority has accorded the approval for Round the Clock Working Hours for three (03) months on experimental basis at following locations viz. Darbhanga (DBG), Sitamarhi (SMI), Bapudham Motihari (BMKI), Bettiah (BTH) & Dauram Madhepura (DMH) Goods Shed over SPJ division of ECR with immediate effect.

All concerned to please note and act accordingly.

(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager