195240/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 22 of 2020

No-ECR/CRM/FMS/04/RBS

To,

Dated- 24. 06.2020

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ and SEE & CAM/E.CRly/DHN.

CAO (TA), SAO (TA)/E.C.Rly. FA& CAO/E.C.Rly, Dy.CCM (Claims)

COM & CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY/ SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Notification of Inter Station Distance of Tilrath (TIL) – New Barauni Jn. (NBJU) - Garhara (GHX) a newly constructed B.G. line section over SEE division of ECR.

****

Consequent upon newly constructed B.G. line section over SEE division of E.C.Railway, the inter station distances are being notified and shown here in table as under with numerical code for information & necessary action to all concerned.

Inter Station Distance of Tilrath (TIL) – New Barauni Jn. (NBJU) - Garhara (GHX) a newly constructed B.G. line section:

Inter Station Distance	*Station Name*	*TIL*	*NBJU*	*GHX*	*Numerical Code*
0	Tilrath	0			10410130
6.05	New Barauni Jn.	6.05	0		10410345
3.30	Garhara	9.35	3.30	0	10410151

All concerned to please note & act accordingly.

Please acknowledge receipt.

(P.K.SINHA)
Dy. CCM / FM
for Pr. Chief Commercial Manager

Scanned with CamScanner

195240/2020/O/o Dy. CCM/FM/HQ/ECR

East Central Railway
Office of Principal Chief Commercial Manager
Rail Niketan, Hajipur-844101.

Rates Circular (Goods) No. 23/2020

No. ECR/CRM/FMS/02/SPJ

Date: 26.06.2020

All Station Mangers/Parcel Supervisors/Goods Supervisors/Siding Clerks/W.B Clerks of ECR.
Copy for information and necessary action to the –
Sr. DCMs/ECR & CAM/ECR/DHN
FA&CAO(T)/ECR
PCOM & CFTM/ECR
PCCMS/ Indian Railways
CAO & CPM/CRIS/NDLS
Director, Traffic Commercial/ Rates, Railway Board, New Delhi

Sub: Commercial Notification for opening of Saraygarh (SRGR) for inwards Construction materials (Boulder, Ballast, Stone dust, Stone chips, PSC Sleepers, Rail etc.) in full rake handling capacity over SPJ division of ECR.

The competent authority has accorded the approval for opening of Saraygarh (SRGR) for inwards Construction materials (Boulder, Ballast, Stone dust, Stone chips, PSC Sleepers, Rail etc.) in full rake handling capacity over SPJ division of ECR on temporary basis with TMS location at SHC having working hours 06:00 hrs to 22:00 hrs with immediate effect.

All concerned please note and act accordingly.

(P.K.Sinha)
Dy.CCM/FM
For P.Chief Commercial Manager

Scanned with CamScanner

195240/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 24 of 2020

No-ECR/CRM/FMS/04/Dugda siding/DHN HJP Dt 30.06 .2020

Sr.DCM/E. C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary action to the:-
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO&CPM/CRIS/Chanakyapuri, New Delhi, EDRM/Coal Movement, Kolkata.
Director, Traffic Comml.(Rates)/Railway Board/New Delhi

Sub:-Commercial notification for opening of Dugda Line No.3 Box Yard Public Siding served by by Chandrapura station (CRP) over Dhanbad division of E.C.Railway for handling of inward Dolomite and Maganese Traffic.

Ref: - (i) DyCCM/FM/W.C.Railway's proposal dt 29.05.2020
(ii)This office Rates Circular (Goods) No.30 of 2019 dt 13/05/19 and its corrigendum dt 14/05/19

The competent authority has accorded approval for opening of Dugda Line No3 Box Yard Public Siding with serving station Chandrapura(CRP) of Dhanbad division of E.C.Railway for handling of inward traffic of Dolomite and Maganese on through distance basis for six months on experimental basis. Other details are as under-

1.	Name of Siding	Dugda Line No-3 Box Yard Public Siding
2.	Serving station	Chandrapura(CRP)
3.	Alpha code	DBYC
4.	Numerical code	10120504
5.	Distance to be added for charging freight on through distance basis.	5.63 Km
6.	Traffic	**New traffic -** Dolomite and Maganese (Inward) **Existing traffic –** Inward coal of all types and inward iron ore

All other commercial formalities must be complied with. All concerned to note and act accordingly.

(P.K.Sinha)
Dy.CCM/FM
For Principal Chief Commercial Manager

Scanned with CamScanner

195240/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 25 of 2020

No.ECR/RA/RM(TMS)02/DDU Dated:- 30.06.2020

To,

All Station Managers/ Parcel Supervisors/ Goods Supervisors/ Siding Clerk/ Weigh Bridge Clerks of ECR.

Copy to all trade users and processing agents of ECR.

Sd/A.M.(C) Rly/DNR/MGS/DHN/SC and Sd/ Sr.AM(C) Rly/DHN

Copy to SAO/TA&C Rly/Estt./SO(C) Rly/W.C.M.(Claims)/Dy.CCM/TM

CCMs/CM/FC Rly/HQ/Principal ZTC/MLP/Bhub

The Principal Director of Audit/ECR/Hajipur

Copy to DY.CHIEF MECHANICAL ENGINEER/DDU

Copy to CHIEF SIGNAL & TELECOM ENGINEER/DDU

Copy to CPM/CRB/New Delhi

Director Traffic Commercial (Rates), Railway Board, New Delhi

Sub: Commercial notification for opening of a general goods shed at Kosiara (KVQ) over DDU division of ECR.

Ref: Sr.DCM/DDU letter no. ECR-DDU0COMM(GOOD)/2020 dated 19.06.2020.

.....

The competent authority has accorded the approval for opening of a general goods shed at Kosiara (KVQ) DN Goods line over DDU division of ECR for dealing with all loose consignment in full rake handling capacity for both inward and outward traffic on experimental basis for a period of six months.

The TMS location of Kosiara (KVQ) will be lapla and working hours will be 06.00 to 22.00 Hrs.

This goods shed will be in place of existing goods shed on UP line which is coming on the path of DFCCIL alignment.

This will come in force with immediate effect.

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy. CCM/FM
for Pr. Chief Commercial Manager

Scanned with CamScanner

195240/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No.26 of 2020

No-ECR/CRM/FMS/2/Weightometer Dated-30-06-2020

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR
Copy for information and necessary action to the:-
Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.C.Rly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO & CPM/CRIS/NDLS
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: - Approval for accepting the weightometer weight on MGR side & PR side of RLS, Silo-I of NCL at Dudhichua CHP.

Ref: - CAM/ECR/DHN's letter No. XG.77/Weightometer/PR side/DCH/20 dated 18-03-2020.

The proposal of Dhanbad division has been examined in the light of Railway Board's letter and on the basis of recommendations of the PHODs committee and with approval of GM/ECR; permission is communicated for acceptance of the weighment results of the weightometer weight on MGR side & PR side of RLS, Silo-I of NCL at Dudhichua CHP with immediate effect.

The approval is subject to compliance of these conditions:-

1. The weighment must be supervised by the Railway staff. The staff will also keep watch on locking/sealing arrangements to avoid any tampering with the system including software. A register/log book must be maintained for watching proper working of the system on daily basis.
2. Pre-weighing system of weight on MGR side & PR side of RLS, Silo-I of NCL at Dudhichua CHP has been calibrated and certified by Weight & Measurement Department on 22.02.2020. The validity of this certificate must be available there for time to time inspections by officers and inspectors.

Scanned with CamScanner

195240/2020/O/o Dy. CCM/FM/HQ/ECR

3. Procedure order between NCL & Railway authorities at divisional level (Operating, Mechanical & Commercial department) must be prepared within 03 days time and submitted to HQ for information.
4. The system i.e. Pre-weigh Hoper weighment would be the same as per the prevailing practice of weighment through EMWB and EPS will be submitted for recording and reference. Divisional authorities will ensure to interface the system with FOIS at the earliest to capture the data during transmission.
5. The team of divisional officers must inspect the weightometer periodically and submit its working report to HQs regularly.
6. Any irregularity, if noticed, must be brought to the knowledge of HQs for taking remedial measures in time.
7. Any other measures deemed fit by the divisional officers must be enforced to safeguard Railway's interest.

All concerned to please note and act accordingly.

(P.K.Sinha)
DyCCM/FM
For Pr. Chief Commercial Manager

C/- Secretaries to PCCM, PCOM, PCME & PCE/ECR for kind information to kind information to PCCM, PCOM, PCME & PCE/ECR, please.

C/- Chairman Cum Managing Director, Northern Coalfield Limited, Singarauli (MP)-486889 for information and necessary action at their end, please.

For Pr. Chief Commercial Manager

Scanned with CamScanner

195240/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 27 of 2020

No-ECR/CRM/FMS/02/JPO/Misc

Dated- 03.07.2020

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Biding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCMs/E.C.Rly. &CAM/ECRly/DHN.

FA&CAO (T),E.C.Rly,

PCOM&CFTM/E.C.Rly/HJP,

The Principal Director of Audit/E.C.Rly/HJP.

PCCMs/ Indian Railways, CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/ Railway Board/New Delhi.

Sub: Policy Guidelines to Incentivise Utilisation of Alternate Goods sheds.

Ref: Director Traffic Commercial (Rates)/Railway Board/ NDLS letter no. TCR/1078/2020/06 dated 27.06.2020.

****

The competent authority has accorded the approval the name of alternate Goods sheds instead of the busy Goods sheds for Incentivise Customers in Utilisation of alternative Goods sheds over ECR, are as follows:

Zonal Rlys.	Name of Busy Goods sheds	Name of Alternate Goods sheds
ECR	BMKI	RGH
Do	BTH	KUMB
Do	DBG	SKI
Do	LSI	MKPR
Do	SAI	NYO
Do	SHC	SBM
Do	SMI	RIGA
Do	BGS	TIL

The instructions will be for minimum period of one year and remain valid till further advice. The terminal charges which is presently @ Rs. 20/- per tonne shall not be levied when traffic is booked to and from these alternative Goods sheds.

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy. CCM/FM
for Pr. Chief Commercial Manager

Scanned with CamScanner

195240/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 28 of 2020

No-ECR/CRM/FMS/02/DHN Dated- 06.07.2020

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for extension of notification of New Gidih (NGRH) goods shed over DHN division of ECR on permanent basis.

Ref: i) This office Rates Circular No. 09/2020 dated 03-04-2020.

ii) Sr.DCM/DHN'S letter no. C.710/0/NGRH/DHN/20 dated 22-06-2020.

****

New Giridih (NGRH) goods shed over DHN division of ECR was opened on temporary basis for a period of three months for inward traffic in full rake handling capacity vide this office Rates Circular No. 09/2020 dated 03-04-2020.

Now based on the recommendations of the division, the competent authority has accorded the approval for extension of notification of New Giridih (NGRH) goods shed over DHN division of ECR on regular basis.

The TMS location of New Giridih (NGRH) will continue to be P3 location and Pipradih (PADH) I.P. address 10.167.189.12 will be the nodal TMS location and working hours will be 06.00 to 22.00 Hrs.

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy. CCM/FM
for Pr. Chief Commercial Manager

Scanned with CamScanner

195240/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 29 of 2020

No-ECR/CRM/FMS/02/SEE **Dated- 07.07.2020**

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for Temporary Denotification of Begusarai (BGS) goods shed over SEE division of ECR on permanent basis.

Ref: Representation of SEE division dated 25.06.2020.

****

Based on the recommendation of SEE division, the competent authority has accorded the approval for temporary Denotification of Begusarai (BGS) Goods shed over SEE division till further advice with immediate effect.

All concerned to please note and act accordingly.

P.K Sinha

(P.K.Sinha)
Dy. CCM/FM
for Pr. Chief Commercial Manager

Scanned with CamScanner

195240/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 30 of 2020

No-ECR/CRM/FMS/02/SEE Dated- 07.07.2020

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for opening of Chak Sikandar (CSR) goods shed, Line No.3 for inward Construction materials (Rail, Sleepers & Ballast) on temporary basis for six (06) months over SEE division of ECR.

Ref: Representation of SEE division dated 25.06.2020.

****

Based on the recommendation of SEE division, the competent authority has accorded the approval for opening of Chak Sikandar (CSR) Goods shed Line No.3 for inward Construction materials (Rail, Sleepers & Ballast) for doubling work on temporary basis for six (06) months over SEE division of ECR with immediate effect. Sarai (SAI) will be nodal TMS location for this Goods shed having working hours 6.00 hours to 22.00 hours.

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy. CCM/FM
for Pr. Chief Commercial Manager

Scanned with CamScanner

195240/2020/O/o Dy. CCM/FM/HQ/ECR

Rates Circular (Goods) No. 31 of 2020

No-ECR/CRM/FMS/Revision of siding charges **Date 09.07.2020**

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR
Sr.DCM/E C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.CRly/DHN.
CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims),
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary action to the:-
CCM: E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C. RLY
SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO&CPM/CRIS/NDLS
Director, Traffic Comml. (Rates) & Dy.Director Freight Marketing/Railway Board/New Delhi

Sub: - Revision of siding charges w.e.f 18.07.2020.

Ref:- Railway Board's Rates Circular No.13 of 2020 dt 17.06.2020

Consequent upon revision in the rate of All India Engine Hour Cost(AIEHC) vide Railway Board's above referred Rates Circular, the competent authority has given approval to revise the existing siding charges of sidings over ECR w.e.f **18.07.2020**. The revised siding charges have been enclosed herewith for information and guidance to all concerned. The rate of siding charges has been fixed on the basis of single engine operation. If multiple or more than one engine is utilized, the siding charge will be realized accordingly for actual number of engine utilized.

All concerned to note and act accordingly.

DA: As mentioned above

(P.K.Sinha)
Dy.CCM/FM
For Principal Chief Commercial Manager

Scanned with CamScanner

195240/2020/O/o Dy. CCM/FM/HQ/ECR

Revision of Siding Charges Over ECR. Per 4 Wheeled Wagons Basis.

Name of siding	Serving Stn.	Existing Rates of siding charges w.e.f			Revised Rates of siding charges w.e.f 12.07.2020		
		Diesel shunting Engine. (inRs) per 4 wheel wagon	Diesel Train Engine. (inRs) per 4 wheel wagon	Electric Engine (in Rs) per 4 wheel wagon	Diesel shunting Engine. (inRs) per 4 wheel wagon	Diesel Train Engine. (inRs) per 4 wheel wagon	Electric Engine (in Rs) per 4 wheel wagon
Grasim Industries/GHD	GHD		531/-	562/-		565/-	563/-
IOC/Jayant	Shaktinagar		1007/-			1071/-	
HPCL/PRIME	Ranchi Road			475/-			476/-
POL Siding	Dhanbad		1087/-			1156/-	
BPCL	MGS		707/-			1053/-	
BTPS/Simaria	Simaria			1293/-			1370/-

Scanned with CamScanner

	nj						
Jindal Steel Power LTD				34744/-			34837/-
CSD FCI	Dhanbad		14090/- (single engine) 30059(double Engine)		14990/- (single engine) 31979/-(double Engine)		
FCI/BXR	Buxor			40452/-			40560/-
FCI/PWS	Phulwarsharif		63405/-			67455/-	
FCI/MKA	Mokama			22584/-			22644/-
FCI/Dighaghat	Dighaghat		14090/-			14990/-	
HPCL Siding	Bihta			52364/-			52504/-
FCI/Gaya	Gaya			20102/-			20156/-
NPGCL	Ankorah		53072/-			53964/-	
BPCL/NRPA	NRPA		27711/-			29481/-	
IOC/Raxaul	Raxaul		14090/-			14990/-	

Scanned with CamScanner

195240/2020/O/o Dy. CCM/FM/HQ/ECR

Revision of Siding Charges Over ECR. Per Trip per Engine Basis.

Name of siding	Serving Stn.	Existing Rates of siding charges w.e.f 01.06.2019			Revised Rates of siding charges w.e.f 18.07.2020		
		Diesel shunting Engine. (inRs) per trip per engine	Diesel Train Engine. (inRs) per trip per engine	Electric Engine (in Rs) ; per trip per engine	Diesel shunting Engine. (inRs)) per trip per engine	Diesel Train Engine. (inRs) per trip per engine	Electric Engine (in Rs) per trip per engine
Sayal	Patratu	30013/-			31296/-		
Central Sonda	Patratu			47897/-			48025/-
Sounda B	Patratu			45911/-			46035/-
Giddi A (Raw Coal)	Patratu	31522/-			32869/-		
Giddi A (Washery)	Patratu	30683/-			31995/-		
Patherdih Coal Washery	Patherdih	10899/-			11365/-		
Dugda Washery	Chandrapura			25810/-			25879/-
Dhori line no.I &II	Phusro			23576/-			23640/-
Kargali Washery	Bermo			22584/-			22644/-
Swang	Gomiya			27299/-			27372/-
Kathra	Jarandih			25810/-			25879/-
Josta Coal Siding	Sijua			15833/-			15926/-
New Kusunda Sdg.	Kusunda			19357/-			19409/-
Kargali Washery PF-II				18613/-			18663/-
Tori Public Siding	Tori		14090/-			14990/-	
Rajdher Line no.II CCL Siding	Mccluskieganj		35225/-			37475/-	
Rajdhar Silo Line CCL Siding	Mccluskieganj		35225/-			37475/-	
Rajdhar	Mccluskiega		36869/-			39224/-	

Scanned with CamScanner

195240/2020/O/o Dy. CCM/FM/HQ/ECR

Rates Circular (Goods) No. 32 of 2020

No-ECR/CRM/FMS/04/Dugda siding/DHN

To, Date 09.07.2020

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR
Sr.DCM/E C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.CRly/DHN.
CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims),
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary action to the:-
CCM: E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C. RLY
SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO&CPM/CRIS/NDLS
Director, Traffic Comml. (Rates) & Dy.Director Freight Marketing/Railway Board/New Delhi

Sub: - Inclusion of a new route of DGD- CRP link Cabin – RJB in RBS for charging freight towards SER.

Ref:- Dhanbad division's proposal

Regarding above subject, the competent authority has sanctioned approval to include a new route of DGD – CRP link Cabin – RJB in R.B.S. for charging freight towards SER without touching Chandrapura station. Accordingly the distance from centre of RJB to the three sidings as an additional route is as under-

(i) DGSC (end point JNN) - 6.67 Km
(ii) DPSC (end point JNN) – 6.67 Km
(iii) DBYC (end point JNN) – 6.77 Km

All concerned to note and act accordingly.

(P.K.Sinha)
Dy.CCM/FM
For Principal Chief Commercial Manager

Scanned with CamScanner

195240/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 33 of 2020

No-ECR/CRM/FMS/04/RBS

To,

Dated- 17.07.2020

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,DDU,DHN,SPJ and SEE & CAM/E.CRly/DHN.

CAO (TA), SAO (TA)/E.C.Rly. FA& CAO/E.C.Rly, Dy.CCM (Claims)

COM & CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY/ SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Notification of Inter Station Distance of Saraygarh (SRGR) – Narpatganj (NPV) conversed from MG to BG, a part of SHC – FBG section over SPJ division of ECR.

****

Consequent upon newly constructed B.G. line section over SPJ division of E.C.Railway, the inter station distances are being notified and shown here in table as under with numerical code for information & necessary action to all concerned.

Inter Station Distance of SRGR – NPV, a conversed line from MG to B.G. line section:

Inter station distance	Station Name	SRGR	NRPM	RGY	RBQ	PPY	LLP	CTU	NPV	Numerical Code
0	Saraygarh	0								10510425
6.26	Narayanpur Murli Halt	6.26	0							10510426
4.61	Raghopur	10.87	4.61	0						10510427
4.22	Ram Bishanpur Halt	15.09	8.83	4.22	0					10510428
7.68	Pratapganj	22.77	16.51	11.90	7.68	0				10510429
7.53	Lalitgram	30.30	24.04	19.43	15.21	7.53	0			10510430
3.52	Chhatarpur Road Halt	33.82	27.56	22.95	18.73	11.05	3.52	0		10510431
8.09	Narpatganj	41.91	35.65	31.04	26.82	19.14	11.61	8.09	0	10510432

All concerned to please note & act accordingly.

Please acknowledge receipt.

(P.K.SINHA)
Dy. CCM / FM
for Pr. Chief Commercial Manager

Scanned with CamScanner

195240/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 34 of 2020

No-ECR/CRM/FMS/04/RBS Dated- 17.07.2020

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,DDU,DHN,SPJ and SEE & CAM/E.CRly/DHN.

CAO (TA), SAO (TA)/E.C.Rly. FA& CAO/E.C.Rly, Dy.CCM (Claims)

PCOM & CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

PCCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY/ SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Notification of Inter Station Distance of Saraygarh (SRGR) – Asanpur Kupha (APKH), a new BG line section over SPJ division of ECR.

****

Consequent upon newly constructed B.G. line section over SPJ division of E.C.Railway, the inter station distances are being notified and shown here in table as under with numerical code for information & necessary action to all concerned.

Inter Station Distance of SRGR – APKH, a new B.G. line section over SPJ division of ECR is as follows:

Inter Station Distance	Station Name	SRGR	APKH	Numerical Code
0	Saraygarh	0		10510425
13.07	Asanpur Kupha Halt	13.07	0	10510433

All concerned to please note & act accordingly.

Please acknowledge receipt.

(P.K.SINHA)
Dy. CCM / FM
for Pr. Chief Commercial Manager

Scanned with CamScanner

195240/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No.35 of 2020

No-ECR/CRM/FMS/04/NTPC- Rihand Nagar/DHN HJP- Dt 27.07.2020
Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
CCM,CCM/FM,COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary action to the:-
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
[redacted]Y/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO&CPM/CRIS/NDLS, Director, Traffic Comml.(Rates)/Railway Board/New Delhi.
EDRM/Coal Movement, Kolkatta.
Copy to NTPC Rihand Nagar Siding, Shaktinagar

Sub: - Co-user permission for use of NTPC Rihand Nagar siding served by Shaktinagar station by M/s ACC Limited over Dhanbad division of E.C.Railway.

Ref:- NTPC Rihand letter No.070/EMG/AU/2020 dt 25.07.2020

***

The competent authority has accorded approval to permit M/s ACC Limited to use the NTPC Siding Rihand(RINS) served by Shaktinahar station as co-user for outward loading of fly ash provisionally for the period of one year with immediate effect. Booking by co-user is applicable on same terms and conditions as applicable to the siding owner. On account of failure of co-user in clearance of Railway dues, the siding owner will be liable to clear the same. All other commercial formalities must be complied with.

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy.CCM/FM
For Principal Chief Commercial Manager

Scanned with CamS

Scanned with CamScanner

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 36 of 2020

No-ECR/CRM/FMS/02/JPO/Misc

Dated- 31.07.2020

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.

CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Review of TFA restrictions over Goods sheds in ECR and notifications thereof.

Ref: CFTM/ECR letter no. ECR/OPTG (GDSG)/43/2020 dated 29.07.2020.

****

The competent authority has accorded the approval for not dealing the commodities mentioned against each terminal with immediate effect till further advice:

1. Barauni (BJU): Stone, Sand, Clinker
2. Ara (ARA): Stone, Sand, Clinker
3. Darbhanga (DBG): Stone, Sand, Clinker, Ballast
4. Sarai (SAI): Stone, Sand, Clinker, Ballast, IS
5. Dauram Madhepura (DMH): Stone, Ballast
6. Khagaria (KGG): Stone, Ballast
7. Raxaul (RXL), Narayanpur Anant (NRPA), ICD Birganj (IDBR), Janakpur Road (JNR), Mahwal (MHL): Clinker
8. Semapur (SMO), Kursela (KUE), Sheikhpura (SHK): All Inward Bagged & Loose Consignments.
9. Tilrath (TIL): Stone, Sand, Clinker, Ballast

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy. CCM/FM
for Pr. Chief Commercial Manager

Scanned with CamScanner

195240/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY
Rates Circular (Goods) No. 37 of 2020

No-ECR/CRM/FM/Sounda B Line No.II/DHN **HJP Dt: 05/ 08/ 2020**

Sr.DCM/E. C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary action to the:-
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO&CPM/CRIS/Chanakyapuri, New Delhi, EDRM/Coal Movement, Kolkata.
Director, Traffic Comml.(Rates)/Railway Board/New Delhi

Sub:-Commercial notification for Sounda B Line No.II CCL siding served by Patratu station as an independent siding over Dhanbad division of E.C.Railway for charging freight on through distance basis.

Ref: - CCL's proposal dt 30.06.20

The competent authority has sanctioned approval for notification of Sounda B Line No.II CCL siding with separate identity having full rake capacity for outward booking of coal over Dhanbad division of E.C.Railway. Freight will be charged on through distance basis.Details are indicated below:-

1.	Name of Siding	Sounda B, Line No.II Siding CCL
2.	Serving station	Patratu
3.	Alpha code	SBLP
4.	Numerical code	10120515
5.	Traffic	Outward coal
6.	TMS location	Patratu
7.	Weighbridge	Associate – Patratu, Alternate - Up – MGME/LTHR, Dn- BRKA/CNPR
8.	Distance to be added for charging freight on through distance basis	5.910 Km

It should be ensured that no railway staff is exclusively assigned for shunting works in conformity with Rates Master Circular issued vide Board's letter No.TC-I/2014/214/3 dt 24.09.2014. All other commercial formalities must be complied with.

All concerned to note and act accordingly.

(P.K.Sinha)
Dy.CCM/FM
For Principal Chief Commercial Manager

Scanned with CamScanner

195240/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 39 of 2020

No-ECR/CRM/FMS/02/JPO/Misc Dated- 05.08.2020

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR

Copy for information and necessary action to the:-

Sr.DCMs/E.C.Rly. &CAM/E.CRly/DHN.
.FA&CAO (T),E.C.Rly,
PCOM&CFTM/E.C.Rly/HJP,
The Principal Director of Audit/E.C.Rly/HJP.
PCCMs/Indian Railways, CAO & CPM/CRIS/NDLS
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Policy Guidelines to Incentivise Utilisation of Alternate Goods sheds.

Ref: i) Director Traffic Commercial (Rates)/Railway Board/ NDLS letter no. TCR/1078/2020/06 dated 27.06.2020.

ii) This office Rates Circular (Goods) No. 27/2020 dated 03.07.2020

****

The competent authority has accorded the approval for one more name of alternate Goods shed instead of the busy Goods shed for Incentivise Customers in Utilisation of alternative Goods sheds over ECR, are as follows:

Zonal Rlys.	Name of Busy Goods sheds	Name of Alternate Goods shed
ECR	SGRL	KBJ

The instructions will be for minimum period of one year. The terminal charges which is presently @ Rs. 20/- per tonne shall not be levied when traffic is booked to and from this alternative Goods shed.

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy. CCM/FM
for Pr. Chief Commercial Manager

Scanned with CamScanner

195240/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 40/2020

No. ECR/CRM/FMS/02/DHN/Misc

Dated: 05/08/2020

To,

All Station Managers/ Parcel Supervisors/Goods Supervisors/ Siding Clerks/ Weigh Bridge Clerks of ECR.

Copy for information and necessary action to the:

Sr. DCMs/ ECR & CAM/ECR.

FA&CAO/T/ECR/HJP

PCOM & CFTM/ECR/HJP. PCCMs/ Indian Railways. CAO & CPM/ CRIS/NDLS.

Director,Traffic Commercial (Rates)/Railway Board/ NDLS.

Sub: Commercial notification of SNMY Goods shed for Outward traffic of Slag & Inward traffic of Cement over DHN division of ECR.

Ref: i) DCM/ DHN's proposal dated 27.07.2020.

ii) This office Rates Circular (Goods) No. 18/2017 dated 23.05.2017.

Based on proposal from DHN division, the competent authority has accorded the approval for Outward traffic of Slag & Inward traffic of Cement from Sindri Marshalling Yard (SNMY) Goods shed over DHN division of ECR with immediate effect.

It is pointed out that the said Goods shed is already notified vide reference (ii) for Inward & Outward traffic of Coal under Priority 'D' including Outward traffic of Fly ash in full rake handling capacity.

All concerned to please note & act accordingly.

(P.K.Sinha)
Dy.CCM/FM
for Pr.Chief Commercial Manager

Scanned with CamScanner

195245/2020/O/o Dy. CCM/FM/HQ/ECR

East Central Railway

Rates Circular (Goods) No. 41 of 2020

No. ECR/CRM/FMS/02/Warehouse Dated: 06.08.2020

Sr.DCM/E.C.Rly.DNR,DDUDHN,SPJand SEE & CAM/E.C Rly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims)
COM &CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary actionto the:-
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
SWRLY/NCRLY/NWRLY/SE RLY/WCRLY.
CAO & CPM/CRIS/Chanakyapuri,New Delhi ,EDRM/Coal Movement,Kolkata.
CRWC,DirectorTrafficCommercial(Rates)Railway Board /New Delhi

Sub: Alphabetical codes of CRWC locations of ECR.
Ref: (i) CRWC letter no. CRWC-II/RWC/Buss/2019-20/551 dated 07.06.2019.
(ii) Railway Board's letter no.2019/TC(FM)/23/06 dated 03.07.2020.

*****

In view of the Railway Board's instruction vide reference (ii) the alphabetical code for CRWC situated over ECR has been obtained from IRCA.

The details of CRWC Terminals are as under:-

1.	Name of Stations	PAHLEJA	FATUHA
2.	Alpha Code of Stations	PHE	FUT
3.	Numerical Code	10310212	10210243
4.	Location of CRWC good shed	Line no.II	DD-2
5.	Alpha Code of CRWC Shed	CRRP	CRWT

This is for your information and necessary action to all concerned.

(P.K.Sinha)
Dy. Chief Commercial Manager/FM
For PCCM

Scanned with CamScanner

239975/2020/O/o Dy. CCM/FM/HQ/ECR

East Central Railway

Corrigendum to Rates Circular (Goods) No. 41 of 2020 dt.06.08.2020

No. ECR/CRM/FMS/02/Warehouse

Dated: 10.08.2020

Sr.DCM/E.C.Rly.DNR,DDUDHN,SPJand SEE & CAM/E.C Rly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims)
COM &CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary actionto the:-
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
SWRLY/NCRLY/NWRLY/SE RLY/WCRLY.
CAO & CPM/CRIS/Chanakyapuri,New Delhi ,EDRM/Coal Movement,Kolkata.
CRWC,DirectorTrafficCommercial(Rates)Railway Board /New Delhi

Sub: Alphabetical codes of CRWC locations of ECR.
Ref: This office Rates Circular(Goods) No. 41 of 2020 dated 06.08.2020.

*****

Please connect the above referred Rate Circular wherein S.No. 4 there is need of rectification due to lack of information given by the division, the CRWC shed at Pahaleja is situated at Line no. I not at Line no. II, which is notified in the above referred circular. All concerned to please rectify the data accordingly.

This is for your information and necessary action.

(P.K.Sinha)
Dy. Chief Commercial Manager/FM
For PCCM

Copy to: GS/IRCA/New Delhi:- For information, he is also requested to do necessary correction in his record as mentioned above. It is also pointed out that on-formation of ECR, bifurcation from Eastern Railway we are finding the name of station "FATUHA" not PHATUHA as mentioned in your letter no.AL/181/C dated 27.07.2020.

(P.K.Sinha)
Dy. Chief Commercial Manager/FM
For PCCM

Scanned with CamScanner

239989/2020/O/o Dy. CCM/FM/HQ/ECR

East Central Railway

Corrigendum to Rates Circular (Goods) No. 41 of 2020 dt.06.08.2020

No. ECR/CRM/FMS/02/Warehouse **Dated: 31.08.2020**

Sr.DCM/E.C.Rly.DNR,DDUDHN,SPJand SEE & CAM/E.C Rly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims)
COM &CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary actionto the:-
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY SWRLY/NCRLY/NWRLY/SE RLY/WCRLY.
CAO & CPM/CRIS/Chanakyapuri,New Delhi ,EDRM/Coal Movement,Kolkata.
CRWC,DirectorTrafficCommercial(Rates)Railway Board /New Delhi

Sub: Withdrawl of separate Alpha codes for CRWC locations of ECR.

Ref: (i)Railway Board's letter no.2019/TC(FM)/23/06 dated 03.07.2020.
(ii) This office Rates Circular(Goods) No. 41 of 2020 dated 06.08.2020.
(iii)This office Corrigendum of Rates Circular (Goods) No.41 0f 2020 dated 10.08.2020.
(iv)Railway Board's letter no. 2019/TC(FM)/23/06 dated 14.08.2020.

*****

Based on the Board's letter dtd. 03.07.20 (Ref- (I)) allotment of separate alpha code for CRWC location was issued vide letter under reference (II),Later corrigendum was issued vide letter under reference (III).

Now Railway Board Vide letter under (IV) has instructed for withdrawal the alpha code of CRWC and accordingly the code CRPP allotted to Pahleja/CRWC & CRWT allotted to Fatuha/CRWC are withdrawn for all purposes.

All concerned of please note & act accordingly.

(P.K.Sinha)
Dy. Chief Commercial Manager/FM
For PCCM

Copy to: GS/IRCA/New Delhi:- For information and necessary action.

(P.K.Sinha)
Dy. Chief Commercial Manager/FM
For PCCM

Scanned with CamSca

240002/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 42 of 2020

No-ECR/CRM/FMS/04/RBS Dated- 10.08.2020

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerk of ECR

Copy for information and necessary action to the:-

Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ and SEE & CAM/E.CRly/DHN.

CAO (TA), SAO (TA)/E.C.Rly. FA& CAO/E.C.Rly, Dy.CCM (Claims)

COM & CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

CCM/E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY/ SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CFM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Notification of Inter Station Distance of Jhanjharpur (JJP) – Tamuria (TMA) a conversed line section from M.G. to B.G. line over SPJ division of ECR.

****

Consequent upon conversion of M.G. line section JJP – TMA into B.G. line section over SPJ division of E.C.Railway, the inter station distances are being notified and shown here in table as under with numerical code for information & necessary action to all concerned.

Inter Station Distance of Jhanjharpur (JJP) – Tamuria (TMA) a conversed line section from M.G. to B.G. line:

Inter Station Distance	*Station Name*	*JJP*	*MTLP*	*TMA*	*Numerical Code*
0	JHANJHARPUR	0			10510328
4.13	MITHILADEEP HALT	4.13	0		10510329
4.21	TAMURIA	8.34	4.21	0	10510330

All concerned to please note & act accordingly.

Please acknowledge receipt.

(P.K.SINHA)
Dy. CCM / FM
for Pr. Chief Commercial Manager

Scanned with CamScanner

240002/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY
Rates Circular (Goods) No.43 of 2020

No. ECR/CRM/FMS/02/CRT/SEE Date-11.08.2020

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding clerk/Weighbridge Clerks of ECR.
Copy for information and necessary actionto the :-
Sr.DCM/E.C.Rly.DNR,DDU,DHN,SEE,SEE & CAM/ECR/DHN
CAO(TA), SAO(TA) ECRly.FA&CAO:ECRaly.Dy.CCM(Claims)
COM & CFTM/E.C.Rly./HJP, Principal ZTC/MFP/Bhuli
The Principal Director of Audit/E.C.Rly./HJP.
Copy for information and necessary actionto the:-
PCCMs:- E.Co.Rly.SECR/N.Rly./N.F.Rly./E.Rly./S.Rly/W.Rly.N.E.Rly.C.Rly.
S.W.Rly./N.C.Rly./N.W.Rly./S.E.Rly./S.C.Rly. W.C.Rly.
CAO & CPM/CRIS/Chanakyapuri,New Delhi, EDRM/Coal Movement, Kolkata.
Director, Traffic Comml.(Rates)/Railway Board/New Delhi
Group General Manager(C&O) / Container Corp. of India Ltd./(Eastern Region) Duckback House, 5th Floor 41, Shakespeare sarani, Kolkata-700017.All CTOs

Sub: Notification of NAYAGAON (NYO) Goods shed in Sonepur division over E.C.Rly as a Container Rail Terminal (CRT) for chassis stuffing / de – stuffing.

Ref: Group General Manager(C&O) letter No. CON/KOL/CRT/2020/579 dated 02.03.2020.

*****

With the approval of the competent authority (GM), NAYAGAON (NYO) station in Sonepur division over East Central Railway is hereby notified for dealing of Container traffic (CRT)for chassis stuffing / de – stuffing by all CTOs in terms of Railway Board's instruction in this regard with immediate effect . Other traffic ,as notified earlier ,would also be dealt with

All concerned to note and act accordingly.

(P.K.Sinha)
Dy.Chief Comml.Manager/FM
for Pr. Chief Commercial Manager

Scanned with CamSc

Scanned with CamScanner

240002/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 44 of 2020

No.: ECR/CRM/FMS/02/SPJ Date: 12/08/2020

To,

All Station Managers/ Parcel Supervisors/ Goods Supervisors/ Siding Clerks/ Weigh Bridge Clerks of ECR.

Copy for information & necessary action to the:

Sr. DCMs/ ECR & CAM/ECR/DHN, Dy. CCM/Claims.

FA & CAO/TA, E.C. Railway,

PCOM/ ECR & CFTM/ ECR

PCCMs / Indian Railways,

CAO & CPM / CRIS/ NDLS,

Director, Traffic Commercial (Rates)/ Railway Board/ New Delhi.

Sub: Commercial notification for opening of Barhara Kothi Flag station (BAKT) for outward Maize traffic in Half rake handling capacity on temporary basis for six (06) months over SPJ division of ECR.

Ref: Sr. DCM/ SPJ/ ECR letter no. C/412/Misc/V/18 dated 10.08.2020.

Based on division proposal, the competent authority has accorded the approval for opening of Barhara Kothi Flag station (BAKT) for outward Maize traffic in Half rake handling capacity on temporary basis for six (06) months over SPJ division of ECR with immediate effect. Sarsi (SRSI) will be Nodal TMS location having IP address 10.126.183.15 and working hours will be 6.00 hours to 22.00 hours.

All concerned to please note & act accordingly.

(P.K.Sinha)

Dy.CCM/ FM

For Pr. Chief Commercial Manager.

Scanned with CamSc

Scanned with CamScanner

240002/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 46 of 2020

No-ECR/CRM/FMS/02/DNR Dated- 14.08.2020

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR
Copy for information and necessary action to the:-
Sr.DCM/E.C.Rly.DNR,MGS,DHN,SPJ,and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM(Claims) Dy.CCM/FM.
COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhull.
The Principal Director of Audit/E.C.Rly/HJP.
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/ N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO & CPM/CRIS/NDLS
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for opening of Mokama (MKA) goods shed for dealing of Outward traffic of Fly Ash in Half rake handling capacity over DNR division of ECR.
Ref: Danapur division's proposal dated 29.07.2020.

****

The competent authority has accorded the approval for opening of Mokama (MKA) goods shed for dealing of Outward traffic of Fly Ash in Half rake handling capacity working hours 6.00 to 22.00 over DNR division of ECR with immediate effect. Nodal TMS point will be Fatuha.

Regarding Environmental issues, division will obtain CTE/CTO as per prevailing system.

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy. CCM/FM
for Pr. Chief Commercial Manager

Scanned with CamS
Scanned with CamScanner

240002/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 47 of 2020

No-ECR/CRM/FMS/04VSTP - Vindhyachal/DHN HJP Dt 14.08.2020

To,

Sr.DCM/E. C.Rly.DNR,MGS,DHN,SPJ,and SRE &CAM/E.CRly/DHN.
CAO (TA),SAO(TA)E.C.Rly.FA&CAO;E.C.Rly,Dy.CCM (Claims)
, COM&CFTM/E.C.Rly/HJP,Principal ZTC/MPT/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary action to the:-
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO/ CPM/CORE/Chanakyapuri, New Delhi
Director, Traffic Comml.(Rates)/Railway Board, EDRM/Coal Movement Kolkata.
Copy to- VSTPP/Vindhyachal Siding

Sub:-Commercial notification for outward booking of Fly Ash traffic from VSTPP Siding with serving station Shaktinagar of Dhanbad division of East Central Railway.

Ref: AGM(FT)/NTPC/VSTP letter No.060/O&M/MGR/2020 dt 18.06.20

The competent authority has accorded approval for opening of Vindhyachal Super Thermal Power Plant with serving station Shaktinagar of Dhanbad division of E.C.Railway for outward booking of Fly Ash traffic on through distance basis in full rake capacity for all types of wagons permissible. Other details are as under-

1.	Name of Siding	Vindhyachal Super Thermal Power Plant Siding
2.	Serving station	Shaktinagar
3.	Alpha code of siding	VSTP
4.	Numerical code	10108125
5.	Generation of RR	TMS/DCSN
6.	Associate Weighbridge	KRLR
7.	Alternate Weighbridge	SGRL

All other commercial formalities must be complied with. Shunting charge will be realized as per rule if railway locomotives utilized for shunting inside the siding.

All concerned to please note & act accordingly.

(P.K.Sinha)
Dy.CCM/FM
For Principal Chief Commercial Manager

Scanned with CamScanner

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 48 of 2020

No-ECR/CRM/FMS/04/BTPS- Jarangdih/DHN HJP- Dt 14.08.2020

Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly,Dy.CCM (Claims)
CCM,CCM/FM,COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary action to the:-
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO&CPM/CRIS/NDLS, Director, Traffic Comml.(Rates)/Railway Board/New Delhi.
EDPM/Coal Movement, Kolkatta. Copy to BTPS Siding DVC/Dhanbad.

Sub: - Co-user permission for use of Bokaro Thermal Power Station siding served by Jarangdih station by M/s Shiv Shakti Enterprises over Dhanbad division of E.C.Railway

Ref:- Dy.CE(M)/BTPS letter No. BT/DCE(M)/EMPC/1012 dt 06.08.20.

•••

The competent authority has accorded approval to permit M/s Shiv Shakti Enterprises to use the Bokaro Thermal Power Station siding served by Jarangdih station as co-user for outward loading of Fly Ash provisionally for the period of one year with immediate effect. Booking by co-user is applicable on same terms and conditions as applicable to the siding owner. On account of [illegible] of co-user in clearance of Railway dues, the siding owner will be liable to clear the same. All other commercial formalities must be complied with.

All concerned to please note and act accordingly.

P.K.Sinha

(P.K.Sinha)
Dy.CCM/FM
For Principal Chief Commercial Manager

Scanned with CamScanner

240002/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 49 of 2020

No.: ECR/CRM/FMS/02/JPO/Misc Date: 17/08/2020.

To,

All Station Managers/ Parcel Supervisors/ Goods Supervisors/ Siding Clerks/ Weigh Bridge Clerks of ECR.

Copy for information & necessary action to the:

Sr. DCMs/ ECR & CAM/ECR/DHN, Dy. CCM/Claims.

FA & CAO/TA, E.C. Railway,

PCOM/ ECR & CFTM/ ECR

PCCMs / Indian Railways,

CAO & CPM / CRIS/ NDLS,

Director, Traffic Commercial (Rates)/ Railway Board/ New Delhi.

Sub: Policy Guidelines to Incentivise Utilisation of Alternate Goods shed.
Ref: Director Traffic Commercial (Rates)/ Railway Board/ NDLS letter no. TCR/1078/2020/06 dated 27.06.2020.

The competent authority has accorded approval for one more name of Alternate Goods shed instead of the busy Goods shed for Incentivise Customers in Utilisation of alternative Goods sheds over ECR, is as follows:

ECR	SINGRAULI (SGRL)	SKTN – SGRL OLD LINE (KBJ LINE) Numerica code 10109145 Alpha Code SLGS

The instructions will be for minimum period of one year. The terminal charges which are presently @ Rs. 20/- per tonne shall not be levied when traffic is booked to & from this alternative Goods shed.

All concerned to please note and act accordingly.

(P.K.SINHA)
Dy.CCM/FM
For Pr. Chief Commercial Manager

Scanned with CamS

Scanned with CamScanner

240002/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 51 of 2020

No.: ECR/CRM/FMS/02/DNR

Date: 20/08/2020.

To,

All Station Managers/ Parcel Supervisors/ Goods Supervisors/ Siding Clerks/ Weigh Bridge Clerks of ECR.

Copy for information & necessary action to the:

Sr. DCMs/ ECR & CAM/ICR/DHN, Dy. CCM/Claims.

FA & CAO/TA, E.C. Railway,

PCOM/ ECR & CFTM/ECR

PCCMs / Indian Railways,

CAO & CPM / CRIS/ NDLS,

Director, Traffic Commercial (Rates)/ Railway Board/ New Delhi.

Sub: Commercial notification of Sirari station (SRY) for Outward goods traffic in full rake handling capacity for six (06) months on experimental basis over DNR division of ECR.

Ref: Danapur division's proposal dated 07/08/2020.

Based on division's proposal, the competent authority has accorded approval for opening of Sirari station (SRY) for outward goods traffic in full rake handling capacity for six (06) months on experimental basis with immediate effect.

Sheikhpura (SHK) will be Nodal TMS location having I.P. address 10.165.198.10 & Proxy TMS location will be Danapur having I.P. address 10.165.207.12 and its working hours will be 6.00 hours to 22.00 hours.

All concerned to please note & act accordingly.

(P.K.Sinha)
Dy.CCM/ FM
for Pr. Chief Commercial Manager.

Scanned with CamS
Scanned with CamScanner

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 52 of 2020

No.: ECR/COML/FARE/II/DHN Date: 11/08/2020.

To,
All Station Managers/ Parcel Supervisors/ Goods Supervisors/ Siding Clerks/ Weigh Bridge Clerks of ECR.
Copy for information & necessary action to the:
Sr. DCM/ ECR & COM/ ECR/ DHN, Dy. CCM/ Claims,
FA & CAO/ TG, E.C. Railway,
CCM, ECR & CPM, ECR
CCMs / Indian Railways,
CAO & CPM / CRB/ NDLS,
Director, Traffic Commercial (Rates)/ Railway Board/ New Delhi.

Sub: Commercial notification for De-notification of (5) Goods sheds of DHN – KIII – CHP Line over DHN division of ECR.
Ref: Sr.DCM/ECR/DHN letter No. PL/De-No/GS/20 dated 03.08.2020.

Based on the request of DHN division, the competent authority has accorded approval for De-notification of (5 (five) Goods sheds viz. Kusunda North, Gaveria, North Govindpur, Katrasgarh Line No.10 & Tundu (INC) due to no traffic situated over DHN – KIII – CHP Line over DHN division of ECR with immediate effect.

All concerned to please note & act accordingly.

(P.K.SINHA)
Dy.CCM/FM
For Pr. Chief Commercial Manager

Scanned with CamS

Scanned with CamScanner

264884/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 56 of 2020

M/: ECR/CRAL/PARS/DM/RRS

Date: 08/09/2020

To
All Station Managers/ Parcel Supervisors/ Goods Supervisors/ Siding Clerks/ Weigh Bridge Clerks of ECR.
Copy for information & necessary action to the:
Sr. DCM/ ECR & CAM/ECR/DNR, Dy. CCM/Claims.
FA & CAO/TA, E.C. Railway.
ACMs/ ECR & CFTM/ ECR
PCCM / Indian Railways,
CAO & CPM / CRIS/ NDLS,
Director, Traffic Commercial (Rates)/ Railway Board/ New Delhi.

Sub: Commercial notification of Islampur (IPR) – Natesar (NES), a newly constructed BG line section over DNR division of ECR.

Consequent upon newly constructed B.G. line section over DNR division of E.C.Railway, the inter station distances are being notified and shown here in table as under with Numerical code for information & necessary action to all concerned.

Inter Station Distance of IPR – NES, a newly constructed B.G. line section:

Inter Station Distance	Station Name	IPR	KDJB	HRSG	KTRI	NES	Numerical Code
0	Islampur	0					10210229
5.97	Khudaganj Bazar	5.97	0				10210464
4.90	Harsingra Halt	10.87	4.90	0			10210465
6.03	Katari	16.90	10.93	6.03	0		10210466
4.11	Natesar	21.01	15.04	10.14	4.11	0	10210351

All concerned to please note & act accordingly.

Please acknowledge receipt.

(P.K.Sinha)
Dy.CCM/FM
For Pr. Chief Commercial Manager

Scanned with CamScanner

264884/2020/O/o Dy. CCM/FM/HQ/ECR

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 57 of 2020

No-ECR/CRM/FMS/04/NTPC – Rihand Nagar/DHN HJP- Dt 15.09.2020

Sr.DCM/E. C.Rly.DNR, DDU, DHN, SPJ, and SEE &CAM/E.CRly/DHN.
CAO(TA),SAO(TA)E.C.Rly.FA&CAO:E.C.Rly.Dy.CCM (Claims)
CCM,CCM/FM,COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
Copy for information and necessary action to the:-
CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO&CPM/CRIS/NDLS, Director, Traffic Comml.(Rates)/Railway Board/New Delhi. EDRM/Coal Movement, Kolkatta.
Copy to NTPC/Rihand Nagar Siding

Sub: - Co-user permission for use of NTPC Rihand Nagar siding served by Shaktinagar station by M/s Dalmia Cement (Bharat) Limited over Dhanbad division of E.C.Railway

Ref:- AGM(EMG)/NTPC/RINS letter No. 070/EMG/AU/2020 dt 04.09.20

***

The competent authority has accorded approval to permit M/s Dalmia Cement (Bharat) Limited to use the NTPC Siding Rihand(RINS) served by Shaktinagar station as co-user for outward loading of Fly Ash provisionally for the period of one year with immediate effect. Booking by co-user is applicable on same terms and conditions as applicable to the siding owner. On account of failure of co-user in clearance of Railway dues, the siding owner will be liable to clear the same. All other commercial formalities must be complied with.

All concerned to please note and act accordingly.

(P.K.Sinha)
Dy.CCM/FM
For Principal Chief Commercial Manager

Scanned with CamScanner