

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 27 of 2022

No. ECR/CRM/FMS/2/Int. W.B.

HJP Dt. 31.05.2022

Sr.DCM/E. C.Rly.DNR,DDU, DHN, SPJ, and SEE & CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims)

, COM & CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY, CAO&CPM/CRIS/Chanakyapuri,
New Delhi, Director, Traffic Comm. (Rates)/Railway Board, EDRM/Coal Movement
Kolkata.

Copy to- o/o the GM, Block-B Project, Post- Gorbi, Distt- Singrauli (MP), Pin- 486892

Sub:- Commercial notification of newly installed 140 MT Private
Electronic – in- Motion Weighbridge at shunting neck of Katni
end, Morwa siding on railway land by NCL.

Ref: CAM/DHN's e-office file No. ECR-DHN0CCOM (WEBG)/22/2020-
O/o CAM/DHN/ECR.

The competent authority has accorded the approval for opening of newly
installed 140 MT Private Electronic – in- Motion Weighbridge at shunting neck
of Katni end, Morwa siding on railway land by NCL over DHN division of
E.C.Railway with immediate effect.

There is already one weighbridge working with FOIS integration. This
notified weighbridge will be used as stand by and will work in case of failure of
the existing weighbridge. Division should devise a weighment mechanism to
avoid complaints on account of alternate use of both the weighbridges.
Weighment should be supervised by railway staff. All other commercial
formalities must be complied with.

ALL concerned to please note and act accordingly.

(P.K.Sinha)

Dy.Chief Comm. Manager/FM
for Pr.Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 28 of 2022

No-ECR/CRM/FM/Closure of Pvt Sdg/CCL/DHN

HJP Dt 31.05.2022

Sr.DCM/E. C.Rly.DNR, DDU, DHN, SPJ, SEE & CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims)

PCOM & CFTM/E.C.Rly/HJP, Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY, CAO&CPM/CRIS/Chanakyapuri, New Delhi

Director, Traffic Comm. (Rates)/Railway Board, EDRM/Coal Movement Kolkata.


Copy to- GM (M&S)/CCL, Darbhanga House, Ranchi - 834001

Sub:-Dis-connection of N.S.Dhori (DNCP) private siding of CCL over Dhanbad division of E.C.Railway.

Ref: GM (M&S)/CCL/Ranchi's request I.No.CCL/HQ/C4/Traffic/21-22/596 dt 22.03.2022

The competent authority has accorded approval for dis-connection of private siding N.S.Dhori (DNCP) of CCL of Dhanbad division of E.C.Railway with immediate effect. Henceforth, all concerned are hereby advised not to book any traffic to this siding (N.S.Dhori). The following conditions are applicable for the above dis-connected private siding of CCL-

1. Sr.DEN of concerned division shall initiate action to dis-connect the siding from railway and take over the railway land from siding owner.
2. The division concerned shall raise all bills for amount dues payable by the siding owner upto the date of issue of this notification for dis-connection.
3. After getting details from the concerned department regarding railway dues payable by the siding owner, division will take initiative for immediate payment of all dues lying against the siding owner.
4. On receipt of payment of all the dues from the siding owner, a final "Closure Notification of the siding will be issued.



(P.K.Sinha)

DyCCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 29 of 2022

No-ECR/CRM/FM/Closure of Pvt Sdg/CCL/DHN

HJP Dt 31.05.2022

Sr.DCM/E. C.Rly.DNR, DDU, DHN, SPJ, SEE & CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims)

PCOM & CFTM/E.C.Rly/HJP, Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY, CAO&CPM/CRIS/Chanakyapuri, New Delhi

Director, Traffic Comml. (Rates)/Railway Board, EDRM/Coal Movement Kolkata.


Copy to- Chief Manager (M&S)/CCL, Darbhanga House, Ranchi - 834001

Sub:-Dis-connection of North Ramgarh (NRCC) private siding of CCL over Dhanbad division of E.C.Railway.

Ref: Chief Manager (M&S)/CCL/Ranchi's L.No.CCL/HQ/C4/Traffic/21-22/1390 dt 22.07.2021

The competent authority has accorded approval for dis-connection of private siding North Ramgarh(NRCC) of CCL of Dhanbad division of E.C.Railway with immediate effect.Henceforth, all concerned are hereby advised not to book any traffic to this siding(NRCC).The following conditions are applicable for the above dis-connected private siding of CCL-

1. Sr.DEN of concerned division shall initiate action to dis-connect the siding from railway and take over the railway land from siding owner.
2. The division concerned shall raise all bills for amount dues payable by the siding owner upto the date of issue of this notification for dis-connection.
3. After getting details from the concerned department regarding railway dues payable by the siding owner, division will take initiative for immediate payment of all dues lying against the siding owner.
4. On receipt of payment of all the dues from the siding owner, a final "Closure Notification of the siding will be issued.



(P.K.Sinha)

DyCCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 30 of 2022

No-ECR/CRM/FM/Closure of Pvt Sdg/CCL/DHN

HJP Dt 31.05.2022

Sr.DCM/E. C.Rly.DNR, DDU, DHN, SPJ, SEE & CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims)

PCOM & CFTM/E.C.Rly/HJP, Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY, CAO&CPM/CRIS/Chanakyapuri, New Delhi

Director, Traffic Comm. (Rates)/Railway Board, EDRM/Coal Movement Kolkata.

Copy to- Chief Manager (M&S)/CCL, Darbhanga House, Ranchi - 834001

Sub:-Dis-connection of Tori (TAST) private siding of CCL over Dhanbad division of E.C.Railway.

Ref: GM (M&S)/CCL/Ranchi's request I.No.CCL/HQ/C4/Traffic/21-22/958 dt 27.05.2021

The competent authority has accorded approval for dis-connection of private siding Tori (TAST) of CCL of Dhanbad division of E.C.Railway with immediate effect. Henceforth, all concerned are hereby advised not to book any traffic to this siding(TAST). The following conditions are applicable for the above dis-connected private siding of CCL-

1. Sr.DEN of concerned division shall initiate action to dis-connect the siding from railway and take over the railway land from siding owner.
2. The division concerned shall raise all bills for amount dues payable by the siding owner upto the date of issue of this notification for dis-connection.
3. After getting details from the concerned department regarding railway dues payable by the siding owner, division will take initiative for immediate payment of all dues lying against the siding owner.
4. On receipt of payment of all the dues from the siding owner, a final "Closure Notification of the siding will be issued.



(P.K.Sinha)
DyCCM/FM

For Principal Chief Commercial Manager

EAST CENTRAL RAILWAY
Rates Circular (Goods) No. 31 of 2022

No. ECR/CRM/FMS/2/Int. W.B.

HJP Dt. 21.06.2022

Sr.DCM/E. C.Rly.DNR,DDU, DHN, SPJ, and SEE &CAM/E.C.Rly/DHN.
CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims),
COM & CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY
SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY, CAO&CPM/CRIS/Chanakyapuri,
New Delhi

Director, Traffic Comml. (Rates)/Railway Board, EDRM/Coal Movement Kolkata.


Sub:- Commercial notification of newly installed 140 MT Private
Electronic – in- Motion Weighbridges at Konar siding (B & K
area) on railway land by CCL.

Ref: CAM/DHN's e-office file No. ECR-DHN0CCOM (WEBG)/22/2020-
O/o CAM/DHN/ECR.

The competent authority has accorded the approval for opening of newly
installed 140 MT Private Electronic – in- Motion Weighbridges at Konar
siding (B & K area) on railway land by CCL over DHN division of E.C.Railway
with immediate effect.

This weighbridge will be used for weighment of all rakes loaded at /
brought to Konar siding for weighment by railway administration. Weighment
should be supervised by railway staff. All other commercial formalities must
be complied with.

ALL concerned to please note and act accordingly.


(P.K.Sinha)

Dy.Chief Comml.Manager/FM
for Pr.Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 32 of 2022

No-ECR/CRM/FMS/04/RBS

Dated- 28.06.2022

**To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Bridge Clerks of ECR**

Copy for information and necessary action to the:-

Sr.DCMs/E.C.Rly. &CAM/E.CRly/DHN.

.FA&CAO (T),E.C.Rly,

PCOM&CFTM/E.C.Rly/HJP,

The Principal Director of Audit/E.C.Rly/HJP.

PCCMs/Indian Railways, CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.


Sub: Commercial Notification of Khagaria (KGG) – Alauli (ALUH), a newly Constructed BG Line Section over SPJ division of ECR.

Ref: Sr.DCM/ECR/SPJ letter no. C/412/MISC/V/18 dated 18.05.2022.

Consequent upon construction of newly BG line section Khagaria (KGG/ 10610122) – Alauli (ALUH/ 10510439) over SPJ division, the inter distance as 18.65 kms is being notified for information & necessary action to all concerned.

All concerned to please note & act accordingly.

Please acknowledge receipt.



(P.R.SINHA)

Dy. CCM / FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 33 of 2022

Dated- 28 .06 .2022

No-ECR/CRM/FMS/02/SPJ

**To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Clerks
of ECR**

Copy for information and necessary action to:-

**Sr.DCM/E.C.Rly. DNR, MGS, DHN, SPJ, and SEE &CAM/E.C.Rly/DHN.
CAO (TA), SAO (TA) E.C.Rly.PFA: E.C.Rly/ HJP, Dy.CCM (Claims)/ECR/HJP.**

PCOM & CFTM/E.C.Rly/HJP, Principal, ZRTI/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

**PCCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/
N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.**

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

**Sub: Commercial notification for opening of ALAULI (ALUH) station as Goods terminal for
Outward Maize & General Goods traffic in full rake handling capacity in "One train only
system" over SPJ division of ECR.**


Ref: Sr.DCM/ECR/SPJ letter no. C/412/MISC/V/18 dated 18.05.2022.

**On request of the division, the competent authority has accorded approval for opening of
ALAULI (ALUH) station as goods terminal for dealing of Outward Maize & General Goods
traffic in full rake handling capacity in "One train only system" over SPJ division of ECR with
immediate effect.**

The details are as under:

Goods Shed	Alpha code	Numeric code
ALAULI	ALUH	10510439
Working Hours	6.00 hrs	22.00 hrs.
Weighment	UP Direction: STLR	DN Direction: SMO
Nodal TMS Location	Hasanpur Road (HPO) will be Nodal TMS location IP Address of SAI : 10.126.198.15	

All concerned to please note & act accordingly.


(P.K.Sinha)

**Dy. CCM/FM
for Pr. Chief Commercial Manager**

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 34 of 2022

No-ECR/CRM/FMS/02/SPJ

Dated- 28.06.2022

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Clerks of ECR

Copy for information and necessary action to:-

Sr.DCM/E.C.Rly. DNR, MGS, DHN, SPJ, and SEE &CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA) E.C.Rly.PFA: E.C.Rly/ HJP, Dy.CCM (Claims)/ECR/HJP.

PCOM & CFTM/E.C.Rly/HJP, Principal, ZRTI/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

PCCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for opening of Bhagwanpur Desua (BGDS) station as Goods terminal for Outward as well as Inward Loose & Bagged consignments traffic in full rake handling capacity over SPJ division of ECR.

Ref: Sr.DCM/ECR/SPJ letter no. C/412/MISC/V/18 dated 27.06.2022.

On request of the division, the competent authority has accorded approval for opening of Bhagwanpur Desua (BGDS) station as Goods terminal for Outward as well as Inward Loose & Bagged consignments traffic in full rake handling capacity over SPJ division of ECR with immediate effect.

The details are as under:

Goods Shed	Alpha code	Numeric code
Bhagwanpur Desua	BGDS	10710164
Working Hours	6.00 hrs	22.00 hrs.
Weighment	UP Direction: STLR	DN Direction: SMO
Nodal TMS Location	Hasanpur Road (HPO) will be Nodal TMS location IP Address of SAI : 10.126.198.15	

All concerned to please note & act accordingly.



(P.K.Sinha)

Dy. CCM/FM

for Pr. Chief Commercial Manager

Rates Circular (Goods) No. 35 of 2022

No-ECR/CRM/FMS/Revision of siding charges

Date 05.07.2022

Sr.DCM/E C.Rly.DNR, MGS, DHN, SPJ, and SEE & CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims),

COM & CFTM/E.C.Rly/HJP, Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM: E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C. RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY. CAO&CPM/CRIS/NDLS

Director, Traffic Comml. (Rates) & Dy.Director Freight Marketing/Railway Board/New Delhi

Sub: - Revision of siding charges w.e.f. 01.08.2022.

Ref:- Railway Board's Rates Circular No.16 of 2022 dt 30.06.2022

Consequent upon revision in the rate of All India Engine Hour Cost(AIEHC) vide Railway Board's above referred Rates Circular, the competent authority has given approval to revise the existing siding charges of sidings over ECR w.e.f. 01.08.2022. The revised siding charges have been enclosed herewith for information and guidance to all concerned. The rate of siding charges has been fixed on the basis of single engine operation. If multiple or more than one engine is utilized as per requirement of the siding, siding charge will be realized accordingly for actual number of engine utilized in siding.

All concerned to note and act accordingly.

DA: As mentioned above



(P.K.Sinha)

Dy.CCM/FM

For Principal Chief Commercial Manager

Revision of Siding Charges over ECR per Trip per Engine Basis

Ref: Railway Board's Rates Circular No. 16 of 2022 dt 30.06.2022

Name of Sidings	Alpha Code	Serving station	Existing rate of siding charges w. e .f. 01.08.2021			Revised rate of siding charges w. e .f. 01.08.2022		
			Diesel shunting Engine (in Rs) per trip per engine	Diesel Train Engine (in Rs) per trip per engine	Electric Engine (in Rs) per trip per engine	Diesel shunting Engine (in Rs) per trip per engine	Diesel Train Engine (in Rs) per trip per engine	Electric Engine (in Rs) per trip per engine
Sayal	SLCP	PTRU	31683/-			31683/-		
Giddi A (Raw Coal)	GCSP	PTRU	33276/-			33276/-		
Giddi A (Washery)	GCWP	PTRU	32391/-			32391/-		
Patherdih Coal Washery	PCCS	PEH	11505/-			11505/-		
Jogta Coal Siding	JCS	SIJUA			16470/-			16470/-
New Kusunda Sdg	KDSK	KDS			20072/-			20072/-
Kargali Washery PF II	KGWS	PUS			19300/-			19300/-
Tori Public Siding	TPST	Tori		15320/-			16990/-	
Rajdhar Line No.II CCL Siding	RLCM	MGME		38300/-			42475/-	
Rajdhar Silo Line CCL Siding	RSCM	MGME		38300/-			42475/-	
Rajdhar	RDML	MGME		40088/-			44458/-	
Jindal Steel Power Ltd	JSSP	PTRU			36027/-			36027/-
CSD FCI	FCD	DHN		15320/- (Single engine) 30640/- (Double engine)			16990/- (Single engine) 36246/- (Double engine)	
Nigahi Wharfwall NCL Siding	NWSN	SKTN		45705/-			50687/-	

5/7/22

Amlohri Wharfwall NCL Siding	AFSN	SKTN		52599/-			58333/-	
Gorbi Block B CHP NCL Siding	GCNM	MHDA		35492/-			39361/-	
Patherdih NLW Washery Siding	PNWP	PEH		28342/-			31432/-	
Kakri Wharfwall Siding	KWKL	KRSL		19405/-			21521/-	
FCI/BXR	FFSB	BXR			41946/-			41946/-
FCI/PWS	FCPD	DNR		68940/-				69480/-
FCI/MKA	FCMI	MKA			23418/-			23418/-
HPCL Siding	HPSB	Bihta			54298/-			54298/-
FCI/Gaya	OSFI	Gaya			20844/-			20844/-
NPGCL Siding	NPGA	Ankorah		55152/-			61164/-	
BPCL/NRPA	BPNA	NRPA		30130/-			33414/-	
IOC/Raxaul	IOSR	Raxaul		15320/-			16990/-	

Revision of Siding Charges over ECR Per 4 Wheeled Wagon Basis

Name of Sidings	Alpha Code	Serving station	Existing rate of siding charges w. e. f. 01.08.2021			Revised rate of siding charges w. e. f. 01.08.2022		
			Diesel shunting Engine (in Rs) per 4 wheel wagon	Diesel Train Engine (in Rs) per 4 wheel wagon	Electric Engine (in Rs) per 4 wheel wagon	Diesel shunting Engine (in Rs) per 4 wheel wagon	Diesel Train Engine (in Rs) per 4 wheel wagon	Electric Engine (in Rs) per 4 wheel wagon
Grasim Industries/GHD	BCFG	GHD		578/-	582/-		641/-	582/-
IOC/Jayant	PICS	SKTN		1095/-			1214/-	
HPCL/RRME	PHLR	RRME			493/-			493/-
POL Siding	PIDH	DHN		1181/-			1310/-	
BPCL	BPCM	DDU		1076/-			1193/-	
BTPS/Simaria	BTSS	Simaria			1417/-			1417/-

5/7/22

EAST CENTRAL RAILWAY
Rates Circular (Goods) No. 36 of 2022

No. ECR/CRM/FMS/2/Int. W.B.

HJP Dt. 19.07.2022

Sr.DCM/E. C.Rly.DNR,DDU, DHN, SPJ, and SEE &CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims),

COM & CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY, CAO&CPM/CRIS/Chanakyapuri,

New Delhi

Director, Traffic Comml. (Rates)/Railway Board, EDRM/Coal Movement Kolkata.

Sub:- Commercial notification of railway owned 140 MT EIMWB in line No. 14 of UP marshalling yard at Pt. Deen Dayal Upadhyaya (DDU) station over DDU division under replacement of old 120 MT EIMWB.

Ref:- DDU division's e-office file No. DDU0COMM/20/2022-O/o Sr. DCM/DDU/ECR.

The competent authority has accorded the approval for opening of railway owned 140 MT Electronic-In- Motion Weighbridge in line No. 14 of UP Marshalling yard at Pt. Deen Dayal Upadhyaya (DDU) station over DDU division under replacement of old 120 MT Electronic-In- Motion Weighbridge of E.C.Railway with immediate effect.

This newly notified weighbridge will be used for weighment of all rakes loaded at/brought to UP direction i.e UP (SEB-DDU). Weighment should be supervised by railway staff. All other commercial formalities must be complied with.

ALL concerned to please note and act accordingly.


(P.K.Sinha)

Dy.Chief Comml.Manager/FM
for Pr.Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 37 of 2022

Dated- 19.07.2022

No-ECR/CRM/FMS/02/SPJ

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Clerks
of ECR

Copy for information and necessary action to:-

Sr.DCM/E.C.Rly. DNR, MGS, DHN, SPJ, and SEE & CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA) E.C.Rly.PFA: E.C.Rly/ HJP, Dy.CCM (Claims)/ECR/HJP.

PCOM & CFTM/E.C.Rly/HJP, Principal, ZRTI/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

PCCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/

N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO & CPM/CRIS/NDLS

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for opening of Pipra (PPA) and Motipur (MTR) station as Goods terminal for Inward RMC consignments traffic in half rake handling capacity on temporary basis over SPJ division of ECR.


Ref: Sr.DCM/ECR/SPJ e-office proposal dated 07.07.2022.

On request of the division, the competent authority has accorded approval for opening of Pipra (PPA) and Motipur (MTR) station as Goods terminal for Inward RMC consignments traffic in half rake handling capacity on temporary basis over SPJ division of ECR with immediate effect.

The details are as under:

Goods Shed	Alpha code	Numeric code
Pipra (PPA) & Motipur (MTR)	PPA & MTR	10510248 & 10710221
Working Hours	6.00 hrs	22.00 hrs.
Weighment	UP Direction: GKC	DN Direction: STLR
Nodal TMS Location	BMKI will be Nodal TMS location IP Address : 10.126.206.15	

All concerned to please note & act accordingly.


(P.K.Sinha)

Dy. CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 38 of 2022

HJP Dt 28 .07.2022

No-ECR/CRM/FM/Balast Sdg/JAJ/DNR

Sr.DCM/E. C.Rly.DNR, DDU, DHN, SPJ, SEE & CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims)

PCOM & CFTM/E.C.Rly/HJP, Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY, CAO&CPM/CRIS/Chanakyapuri, New Delhi

Director, Traffic CommI. (Rates)/Railway Board, EDRM/Coal Movement Kolkata.

Copy to- Chief Manager (M&S)/CCL, Darbhanga House, Ranchi - 834001


Sub: Commercial notification of opening of Jhajha Balast Siding (JAJB) for outward Sand traffic in full rake handling capacity for six months on experimental basis over Danapur division of E.C.R.

Ref: (i) Sr.DCM/DNR's proposal dt 22.07.2022

(ii) This office Rates Circular (Goods) No.5 of 2022 dt 13.01.2022

Vide above referred Rates Circular of this office (ref ii), Jhajha Balast Siding (JAJB) was opened for outward booking of sand traffic in full rake handling capacity for six (06) months on experimental basis. Now, on request of Danapur division the, the competent authority has accorded approval for extension of Jhajha Balast Siding(JAJB) for booking of outward sand traffic in full rake handling capacity for further six(06) months with immediate effect. All commercial formalities must be complies with.

All concerned to please nnote and act accordingly.



(P.K.Sinha)

DyCCM/FM

for Princpal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 39 of 2022

No-ECR/CRM/FMS/02/DHN

Dated- 05.08.2022

**To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh
Clerks of ECR.**


Copy for information and necessary action to:-

**Sr.DCM/E.C.Rly. DNR, MGS, DHN, SPJ, and SEE & CAM/E.C.Rly/DHN.
CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly/ HJP, Dy.CCM (Claims)/ECR/HJP.
PCOM & CFTM/E.C.Rly/HJP, Principal, ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP.
PCCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/
N.E.RLY/C.RLY/SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.
CAO & CPM/CRIS/NDLS
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.**

**Sub: Commercial Notification for closure of Goods sheds at Mahadeiya Line No. 4
(MLMD), KRSL, Line/07 for all inward traffic over DHN Division of ECR.**

**The competent authority has accorded the approval for closure of all inward traffic at
Mahadeiya Line No. 4 (MLMD), KRSL, Line/07 Goods sheds over DHN division of ECR
with immediate effect.**

All concerned to please note & act accordingly.


(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

East Central Railway

Rates Circular (Goods) No. 40 of 2022

No-ECR/CRM/FM/BTPS/SAE/21

HJP Dt 05.08.2022

Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims)

COM&CFTM/E.C.Rly/HJP,Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/Chanakyapuri, New Delhi Copy to BTPS NTPC Ltd Siding.

Director, Traffic Commn.(Rates)/Railway Board, EDRM/Coal Movement Kolkata.

Sub:-Commercial notification of Barauni Thermal Power Station, NTPC Limited Siding with serving station Dinkargram Simaria of Sonapur division of E.C.Railway on through distance basis.

Ref: - Division's proposal dt 03.06.2022

The competent authority has accorded approval for opening of Barauni Thermal Power Station, NTPC Limited Siding with serving station Dinkargram Simaria of Sonapur division of E.C.Railway on through distance basis. The distance from the centre of serving station to the buffer end of siding to be added for charging freight on through distance basis is 3.28 Km. Other details of siding are as under-

1.	Name of Siding	Barauni Thermal Power Station NTPC Ltd.
2.	Serving station	Dinkargram Simaria (DKGS)
3.	Alpha code of siding	BTSS
4.	Numerical code	10410324

It should be ensured that no railway staff is exclusively assigned for shunting works in conformity with Rates Master Circular issued vide Board's letter No.TC-I/2014/214/3 dt 24.09.14. All other commercial formalities must be complied with.

All concerned to please note & act accordingly.



(P.K.Sinha)

Dy.CCM/FM

for Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 41 of 2022

No-ECR/CRM/FMS/02/DNR.

HJP, Dated- 18.08.2022

To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Clerks of ECR.

Copy for information and necessary action to:-

Sr.DCM/E.C.Rly. DNR, MGS, DHN, SPJ, SEE & CAM/E.C.Rly/DHN.

FA&CAO, CAO (TA), SAO (TA) E.C.Rly E.C.Rly/ HJP, Dy.CCM (Claims)/ECR/HJP.

Director, Traffic Commercial (Rates)/Railway Board/NDLS. Principal, ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP. CAO & CPM/CRIS/NDLS.

PCOM & CFTM/E.C.Rly/HJP,

PCCM/ Indian Railways.


Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial Notification for further extension of validity period of WZJ Goods Shed for six (06) months over DNR division of ECR.

On request of the DNR division, the competent authority has accorded the approval for further extension of validity period of WZJ Goods shed for six (06) months with immediate effect.

Name of Goods Shed / Alpha code & Numerical code	WAZER GANJ (WZJ / 10210286)	
Outward / Inward traffic alongwith commodities	Outward traffic	Inward traffic
	SAND	_____
Full / Half Rake Handling Capacity	Half Rake handling capacity	
Working Hours	6.00 hrs to 22.00 hrs.	
Weighment	UP Direction: DKGS DN Direction: MLDT / ASN	
Nodal TMS Location	WRS having I.P. Address 10.165.193.10	

All concerned to please note & act accordingly.


(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 42 of 2022

No-ECR/CRM/FMS/02/DHN.

HJP, Dated- 24 .08 .2022

**To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh
Clerks of ECR.**

Copy for information and necessary action to:-

Sr.DCM/E.C.Rly. DNR, MGS, DHN, SPJ, SEE & CAM/E.C.Rly/DHN.

FA&CAO, CAO (TA), SAO (TA) E.C.Rly E.C.Rly/ HJP, Dy.CCM (Claims)/ECR/HJP.

Director, Traffic Commercial (Rates)/Railway Board/NDLS. Principal, ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP. CAO & CPM/CRIS/NDLS.

PCOM & CFTM/E.C.Rly/HJP,

PCCM/ Indian Railways.


Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

**Sub: Commercial De-notification of Dugda, Line No. 02 Public Siding (DGSC), Dugda,
Line No. 05 Public Siding (DPSC), Tori Public Siding (TPST) and Salai Banwa Goods
shed (SLBN) for Inward traffic of Coal over DHN division of ECR.**

Ref: Sr.DCM/DHN letter no. C.710/O/De-noti/Goods Sheds/DHN dated 18.08.2022.

**On recommendation of DHN division, the competent authority has accorded the
approval for de-notification of Dugda, Line No. 02 Public Siding (DGSC), Dugda, Line No.
05 Public Siding (DPSC), Tori Public Siding (TPST) and Salai Banwa Goods shed (SLBN)
for Inward traffic of Coal over DHN division of ECR with immediate effect.**

All concerned to please note & act accordingly.


(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 43 of 2022

No-ECR/CRM/FMS/02/DDU.

HJP, Dated- 31 .08 .2022

**To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh
Clerks of ECR.**

Copy for information and necessary action to:-

Sr.DCM/E.C.Rly. DNR, MGS, DHN, SPJ, SEE & CAM/E.C.Rly/DHN.

FA&CAO, CAO (TA), SAO (TA) E.C.Rly E.C.Rly/ HJP; Dy.CCM (Claims)/ECR/HJP.

Director, Traffic Commercial (Rates)/Railway Board/NDLS. Principal, ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP. CAO & CPM/CRIS/NDLS.

PCOM & CFTM/E.C.Rly/HJP,

PCCM / Indian Railways.


Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

**Sub: Extension of notification period of Dehri-On-Sone (DOS) Goods shed over DDU
division.**

Ref: i) Sr.DCM/DDU letter no. Com/Goods-Notification/DOS/DDU/22 dated 16.08.2022.

**On recommendation of DDU division, the competent authority has accorded the approval
for further extension of period for six (06) months of Dehri-On-Sone (DOS) Goods shed over
DDU division of ECR with immediate effect.**

All concerned to please note & act accordingly.



(P.K.Sinha)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 44 of 2022

No-ECR/CRM/FMS/02/DDU.

HJP, Dated- 06 .09 .2022

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Clerks of ECR.

Copy for information and necessary action to:-

Sr.DCM/E.C.Rly. DNR, MGS, DHN, SPJ, SEE & CAM/E.C.Rly/DHN.

FA&CAO, CAO (TA), SAO (TA) E.C.Rly E.C.Rly/ HJP, Dy.CCM (Claims)/ECR/HJP.

Director, Traffic Commercial (Rates)/Railway Board/NDLS. Principal, ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP. CAO & CPM/CRIS/NDLS.

PCOM & CFTM/E.C.Rly/HJP,

PCCM / Indian Railways.

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification of Kosiara (KVQ) station as Engineering Ballast Siding over DDU division of ECR.

Ref: i) Sr.DCM/DDU e-file proposal dated 29.08.2022.

ii) This office Rates Circular (Goods) No. 04/2021 dated 12.01.2021.

In terms of reference (ii), Kosiara (KVQ) Goods shed was notified on permanent basis for outward as well as inward traffic of Sand & Paddy consignments in covered & open wagons.

Now, on recommendation of the division, the competent authority has accorded approval for utilization of Kosiara (KVQ) Goods shed as Engineering Ballast siding with immediate effect.

All concerned to please note and act accordingly.



(P.K.Sinha)

Dy.CCM/FM

for Pr.Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 45 of 2022

No-ECR/CRM/FMS/02/SPJ

HJP, Dated- 27 .09 .2022

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Clerks of ECR.

Copy for information and necessary action to:-

Sr.DCM/E.C.Rly. DNR, MGS, DHN, SPJ, SEE & CAM/E.C.Rly/DHN.

FA&CAO, CAO (TA), SAO (TA) E.C.Rly E.C.Rly/ HJP, Dy.CCM (Claims)/ECR/HJP.

Director, Traffic Commercial (Rates)/Railway Board/NDLS. Principal, ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP. CAO & CPM/CRIS/NDLS.

PCOM & CFTM/E.C.Rly/HJP,

PCCM/ Indian Railways.

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for opening of Narpatganj station (NPV) as Goods shed in half rake handling capacity for inward Ballast & other Construction Materials over SPJ division of ECR.

Ref: Sr.DCM/SPJ e-file proposal dated 16.09.2022.

On recommendation of the division, the competent authority has accorded approval for opening of Narpatganj station (NPV) as Goods shed in half rake handling capacity for inward Ballast & other Construction Materials like Sleeper, Rail Line etc over SPJ division of ECR with immediate effect.

The working hours of this terminal will be 6.00 hrs to 22.00 hrs & Nodal TMS location will be SHC goods shed having I.P. address 10.126.57.15 and its weighment location will be at DKGS/ DLF/ SMO.

All concerned to please note and act accordingly.

(P.R.P. Singh)

ACM/FM

for Pr.Chief Commercial Manager

Rates Circular (Goods) No. 46 of 2022

No-ECR/CRM/FM/HURL Sdg/Barauni/SEE

HJP Dt 27.09.2022

Sr.DCM/E. C.Rly.DNR, MGS, DHN, SPJ, and SEE &CAM/E.CRly/DHN.

CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims)

, PCOM & CFTM/E.C.Rly/HJP, Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/Chanakyapuri, New Delhi, Copy to HURL Siding Barauni

Director, Traffic Comm.(Rates)/Railway Board, EDRM/Coal Movement Kolkata.

Sub:-Commercial notification of Hindustan Urvarak & Rasayan Limited, Gati Shakti Multi Modal Cargo Terminal with serving station Garhara of Sonapur division of E.C.Railway for booking of Urea on through distance basis.

Ref:- Sr.DCM/SEE's proposal dt 07.07.2022

The competent authority has accorded approval for opening of Hindustan Urvarak & Rasayan Limited, Gati Shakti Multi Modal Cargo Terminal (HURL) with serving station Garhara of Sonapur division of E.C.Railway for outward booking of Urea on through distance basis. The distance from the centre of serving station to the buffer end of siding to be added for charging freight on through distance basis is **6.10 Km**. Other details are as under-

1.	Name of Siding	Hindustan Urvarak & Rasayan Limited, Gati Shakti Multi Modal Cargo Terminal (HURL)
2.	Serving station	Garhara (GHZ)
3.	Alpha code of siding	HUBG
4.	Numerical code	10410352
5.	Name of freight collection station	HURL
6.	Alternate Weighbridge	DKGS/STLR/SMO (To be notified)
7.	Associated TMS Location	HURL

It should be ensured that no railway staff is exclusively assigned for shunting works in conformity with Rates Master Circular issued vide Board's letter No.TC-I/2014/214/3 dt 14.09.14. All other commercial formalities must be complied with.

All concerned to please note & act accordingly.

(P.R.P.Singh)
ACM/FM

for Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 47 of 2022

No-ECR/CRM/FMS/02/SEE.

HJP, Dated- 12 .10 .2022

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Clerks of ECR.

Copy for information and necessary action to:-

Sr.DCM/E.C.Rly. DNR, MGS, DHN, SPJ, SEE & CAM/E.C.Rly/DHN.

FA&CAO, CAO (TA), SAO (TA) E.C.Rly E.C.Rly/ HJP, Dy.CCM (Claims)/ECR/HJP.

Director, Traffic Commercial (Rates)/Railway Board/NDLS. Principal, ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP. CAO & CPM/CRIS/NDLS.

PCOM & CFTM/E.C.Rly/HJP,

PCCM / Indian Railways.

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Extension of notification period of Harauli Fatepur (HUF) Goods shed over SEE division.

Ref: i) Sr.DCM/SEE e-office proposal dated 27.09.2022.


ii) This office Rates Circular (Goods) No. 16/2022 dated 08.03.2022.

Earlier vide Rates Circular under reference (ii), HUF Goods shed was notified for outward as well as inward for Loose & Bagged consignments in full rake handling capacity for 06 months on experimental basis.

Now, on request of SEE division, the competent authority has accorded the approval for opening of Harauli Fatepur (HUF) Goods shed on permanent basis over SEE division of ECR with immediate effect.

The working hours of this terminal will be 6.00 hrs to 22.00 hrs & Nodal TMS location will be SAI goods shed having I.P. address 10.125.204.11 and its weighment location will be SMO in UP direction & STLR in DN direction.

All concerned to please note & act accordingly.


(Subodh Kumar)

Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 48 of 2022

No-ECR/CRM/FMS/02/SPJ.

HJP, Dated- 12.10.2022

To,

All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Clerks of ECR.

Copy for information and necessary action to:-

**Sr.DCM/E.C.Rly. DNR, MGS, DHN, SPJ, SEE & CAM/E.C.Rly/DHN.
FA&CAO, CAO (TA), SAO (TA) E.C.Rly E.C.Rly/ HJP, Dy.CCM (Claims)/ECR/HJP.
Director, Traffic Commercial (Rates)/Railway Board/NDLS. Principal, ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP. CAO & CPM/CRIS/NDLS.
PCOM & CFTM/E.C.Rly/HJP,
PCCM / Indian Railways.
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.**

Sub: Opening of Alauli (ALUH) Goods terminal for Stone Commodity.

Ref: i) Sr.DCM/ECR/SPJ letter no. C/484/2014/G/Misc/IV dated 30.09.2022.

ii) This office Rates Circular (Goods) No. 33/2022 dated 28.06.2022.

Earlier vide Rates Circular under reference (ii), ALUH Goods shed was notified for outward Maize & other General Goods in full rake handling capacity in "One Train only System".

Now, on request of SPJ division, the competent authority has accorded the approval for opening of Alauli (ALUH) Goods terminal for inward Stone Commodity over SPJ division of ECR with immediate effect.

The working hours of this terminal will be 6.00 hrs to 22.00 hrs & Nodal TMS location will be HPO goods shed having I.P. address 10.126.198.15 and its weighment location will be SMO in DN direction & STLR in UP direction.

All concerned to please note & act accordingly.


(Subodh Kumar)
12/10/2022
Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 49 of 2022

No-ECR/CRM/FMS/02/DNR.

HJP, Dated- 01 .11 .2022

**To,
All Station Managers/Parcel Supervisors/Goods Supervisors/Siding Clerk/Weigh Clerks of
ECR.**

Copy for information and necessary action to:-

**Sr.DCM/E.C.Rly. DNR, MGS, DHN, SPJ, SEE & CAM/E.C.Rly/DHN.
FA&CAO, CAO (TA), SAO (TA) E.C.Rly E.C.Rly/ HJP, Dy.CCM (Claims)/ECR/HJP.
Principal, ZTC/MFP/Bhuli.
The Principal Director of Audit/E.C.Rly/HJP. CAO & CPM/CRIS/NDLS.
PCOM & CFTM/E.C.Rly/HJP,
PCCM / Indian Railways.
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.**

**Sub: Commercial notification for opening of Jhajha (JAJ) Goods terminal for all
Consignments including Sand for both as in inward as well as outward traffic over
DNR division of ECR.**

Ref: Sr.DCM/ECR/DNR e-office proposal dated 06.10.2022.

**On request of DNR division, the competent authority has accorded the approval for
opening of Jhajha (JAJ) Goods terminal for all Consignments including Sand for both in
inward as well as outward traffic over DNR division of ECR with immediate effect.**

**The working hours of this terminal will be 6.00 hrs to 22.00 hrs & Nodal TMS
location will be Jamui (JMU) goods shed having I.P. address 10.165.208.10.**

All concerned to please note & act accordingly.

**(P.R.P.Singh)
ACM/FM**

for Pr. Chief Commercial Manager

East Central Railway

Rates Circular (Goods) No. 50 of 2022

No-ECR/CRM/FM/HURL Sdg/SNDT/DHN

HJP Dt 10.11.2022

Sr.DCM/E. C.Rly.DHN, DDU, DNR, SPJ, and SEE & CAM/E.C.Rly/DHN.

CAO (TA), SAO (TA) E.C.Rly.FA&CAO: E.C.Rly, Dy.CCM (Claims)

PCOM & CFTM/E.C.Rly/HJP, Principal ZTC/MFP/Bhuli.

The Principal Director of Audit/E.C.Rly/HJP.

Copy for information and necessary action to the:-

CCM:-E.Co.RLY/SECR/N.RLY/N.F.RLY/E.RLY/S.RLY/W.RLY/N.E.RLY/C.RLY

SWRLY/NCRLY/NWRLY/SE RLY/SCRLY/WCRLY.

CAO&CPM/CRIS/Chanakyapuri, New Delhi, Copy to HURL Siding Sindri Town.

Director, Traffic Comml. (Rates)/Railway Board, EDRM/Coal Movement Kolkata.

Sub:-Commercial notification of Hindustan Urvarak & Rasayan Limited, Gati Shakti Multi Modal Cargo Terminal with serving station Sindri Town (SNDT) of Dhanbad division of E.C.Railway for booking of fertilizer on through distance basis.

Ref: - Sr.DCM/DHN's proposal dt 19.10.2022

The competent authority has accorded approval for opening of Hindustan Urvarak & Rasayan Limited, Gati Shakti Multi Modal Cargo Terminal (HURL) with serving station Sindri Town (SNDT) of Dhanbad division of E.C.Railway for outward booking of fertilizer on through distance basis. The distance from the centre of serving station to the buffer end of siding to be added for charging freight on through distance basis is **2.135 Km**. Other details are as under-

1.	Name of Siding	Hindustan Urvarak & Rasayan Limited, Gati Shakti Multi Modal Cargo Terminal (HURL)
2.	Serving station	Sindri Town
3.	Alpha code of siding	HUGS
4.	Numerical code	10120519
5.	Name of freight collection station	Sindri Town(SNDT)
6.	Alternate Weighbridge	Dn - ASN, Up - DHN
7.	Associated TMS Location	PEH

It should be ensured that no railway staff is exclusively assigned for shunting works in conformity with Rates Master Circular issued vide Board's letter No.TC-I/2014/214/3 dt 24.09.14. All other commercial formalities must be complied with.

All concerned to please note & act accordingly.

(Subodh Kumar)
DyCCM/FM

for Principal Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 51 of 2022

No. ECR/CRM/FMS/2/Int. W.B

HJP Date: 21.11.2022

CAM/DHN/ECR.

Sr.DCM/ECR-DHN, DDU, DNR, SEE & SPJ.

PFA/ECR, FA & CAO (TA)/ECR.

PCOM/ECR, CFTM/ECR, CCO/ECR, Principal, ZRTI/MFP/Bhuli.

Principal Director of Audit/ECR/HJP.

Copy for information and necessary action to:

PCCM: CR, ECoR, ER, NCR, NER, NFR, NR, NWR, SCR, SECR, SER, SR, SWR, WCR & WR.

Chief Administrative Officer/FOIS & Chief Project Manager/FOIS.

CRIS Complex Chankyapuri, New Delhi.

Director, Traffic Commercial (Rates)/Railway Board.

EDRM/Coal Movement/ Kolkata.

Sub:-Commercial Notification for 140 MT Private Electronic-In-Motion Weighbridge (EIMWB) of CCL on railway land at Phulbasia Line No. 01 siding and Phulbasia Line No. 04 siding over Dhanbad division of E.C.Railway.

Ref: -Dhanbad division's e-office file No. ECR-NOCOMM(WBEG)/12/2020-O/o CAM/DHN/ECR.

The competent authority has accorded the approval for opening of Two (02) newly installed private 140 MT Electronic-In-Motion Weighbridges (EIMWBs) of CCL on Railway land at Phulbasia line No. 01 siding and Phulbasia line No. 04 siding over Dhanbad division of E.C.Railway. All loaded rakes or any load passing/going to/brought to Phulbasia for weighment by the Railway Administration may be weighed at either of this weighbridge at L-1/L-4 of Phulbasia.

The weighment should be supervised by railway staff.

All other commercial formalities must be complied with.

This issue will come in force with immediate effect.

All concerned to please note and act accordingly.

21/11/22
(Priyaranjan Prasad Singh)
Asst.Commercial Manager/FM
for Pr.Chief Commercial Manager

EAST CENTRAL RAILWAY
Rates Circular (Goods) No. 52 of 2022

No: ECR/CRM/FMS/02/SEE

Dated- 28.11.2022

To

Sr. DCM/ ECR/ SEE.

All Station Managers /Station Superintendents / Parcel Supervisors / Goods Supervisors /
Siding Clerks /Weigh Clerks / ECR.

Copy for information and necessary action to:-

Sr.DCM /E.C.Rly. /DHN, DDU, DNR, SPJ & CAM/E.C.Rly/DHN.

Sr.DOM/E.C.Rly. / DHN, DDU, DNR, SEE & SPJ.

PFA, Dy.FA& CAO (TA), Sr.AFA (TA), E.C.Rly/ HJP,

CCM/FM, CCM/PS, CCO / ECR/HJP & COS/ Commercial/ HJP.

Principal Director of Audit/E.C.Rly/HJP.

Principal, ZRTI / MFP/ Bhuli.

Chief Administrative Officer / FOIS & Chief Project Manager/ FOIS / CRIS Complex /
Chankyapuri / New Delhi.

PCOM & CFTM/E.C.Rly/HJP, CCM/FM, CCM/PS/ECR/HJP.

All PCCMs / Indian Railways.

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

**Sub: Commercial de-notification of Harauli Fatepur (HUF) as an alternate Goods shed of
Sarai (SAI) over SEE division.**

Ref: i) This office Rates Circular (Goods) No. 23/2022 dated 27.04.2022.

ii) Sr. DCM/SEE e-office proposal dated 28.10.2022.

HUF over SEE division of ECR was made as an alternate Goods shed of SAI vide letter reference (i).

Based on the recommendation of division vide letter under reference, the competent authority has accorded the approval for de-notification of HUF Goods shed as an alternate Goods shed for SAI Goods shed with effect from 02/12/2022.

All concerned may be advised about the date of such effect. From 02/12/2022 HUF Goods shed would be an independent Goods shed, hence the terminal charge as applicable time to time (at present @ Rs. 20/-) will be levied as and when traffic is booked to and from this Goods shed.

All other conditions stipulated in RC (Goods) No. 23/2022 dated 27-04-2022 would stand applicable.

Please note and notify to all concerned accordingly.


(Subodh Kumar)
Dy.CCM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY
Corrigendum to Rates Circular (Goods) No. 53 of 2022

No: ECR/CRM/FMS/02/DNR

Dated- 07.12.2022

To

Sr. DCM/ ECR/ DNR.

All Station Managers /Station Superintendents / Parcel Supervisors / Goods Supervisors /
Siding Clerks /Weigh Clerks / ECR.

Copy for information and necessary action to:-

Sr.DCM /E.C.Rly. /DHN, DDU, SEE, SPJ & CAM/E.C.Rly/DHN.

Sr.DOM/E.C.Rly. / DHN, DDU, DNR, SEE & SPJ.

PFA, Dy.FA& CAO (TA), Sr.AFA (TA), E.C.Rly/ HJP,

CCM/FM, CCM/PS, CCO / ECR/HJP & COS/ Commercial/ HJP.

Principal Director of Audit/E.C.Rly/HJP.

Principal, ZRTI / MFP/ Bhuli.

Chief Administrative Officer / FOIS & Chief Project Manager/ FOIS / CRIS Complex /
Chankyapuri / New Delhi.

PCOM & CFTM/E.C.Rly/HJP, CCM/FM, CCM/PS/ECR/HJP.

All PCCMs / Indian Railways.

Director, Traffic Commercial (Rates)/Railway Board/New Delhi.

Sub: Commercial notification for opening of Sirari (SRY) Goods shed for outward Sand &
Stone chips consignments in full rake handling capacity over DNR division.

Ref: This office Rates Circular (Goods) No. 53/2022 dated 07.12.2022

Please connect this office Rates Circular referred above wherein the name/ spelling of the Sirary
(SRY) Goods shed should be read as "SIRARI (SRY)".

All other information will be the same.

All concerned to please note and act accordingly.

(P.R.P. Singh)

ACM/FM

for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY
Rates Circular (Goods) No. 53 of 2022

No: ECR/CRM/FMS/02/DNR

Dated- 07.12.2022

To
Sr. DCM/ ECR/ DNR.
All Station Managers /Station Superintendents / Parcel Supervisors / Goods Supervisors /
Siding Clerks /Weigh Clerks / ECR.
Copy for information and necessary action to:-
Sr.DCM /E.C.Rly. /DHN, DDU, SEE, SPJ & CAM/E.C.Rly/DHN.
Sr.DOM/E.C.Rly. / DHN, DDU, DNR, SEE & SPJ.
PFA, Dy.FA& CAO (TA), Sr.AFA (TA), E.C.Rly/ HJP,
CCM/FM, CCM/PS, CCO / ECR/HJP & COS/ Commercial/ HJP.
Principal Director of Audit/E.C.Rly/HJP.
Principal, ZRTI / MFP/ Bhuli.
Chief Administrative Officer / FOIS & Chief Project Manager/ FOIS / CRIS Complex /
Chankyapuri / New Delhi.
PCOM & CFTM/E.C.Rly/HJP, CCM/FM, CCM/PS/ECR/HJP.
All PCCMs / Indian Railways.
Director, Traffic Commercial (Rates)/Railway Board/New Delhi.


Sub: Commercial notification for opening of Sirary (SRY) Goods shed for outward Sand &
Stone chips consignments in full rake handling capacity over DNR division.
Ref: Sr. DCM/DNR e-office proposal dated 24.11.2022.

On recommendation of division vide letter under reference, the competent authority has
accorded the approval for opening of Sirary (SRY) Goods shed for outward Sand & Stone chips
consignments in full rake handling capacity over DNR division with immediate effect.

The working hours of this terminal will be 06.00 hrs to 22.00 hrs & Nodal TMS location will be
Sheikhpura (SHK) goods shed having I.P. address 10.165.198.10.

The weighment location will be SHK in case of outward traffic.

All concerned to please note and act accordingly.


(P.R.P. Singh)
ACM/FM
for Pr. Chief Commercial Manager

EAST CENTRAL RAILWAY

Rates Circular (Goods) No. 54 of 2022

No. ECR/CRM/FMS/2/Int.W.B

Date: 12.12.2022

Sr.DCM/DDU/ECR.

Sr.DCM/ECR-DHN, DNR, SEE, SPJ and CAM/DHN/ECR.

PFA/ECR, FA & CAO (TA)/ECR.

PCOM/ECR, CFTM/ECR, CCO/ECR, Principal, ZRTI/MFP/Bhuli.

Principal Director of Audit/ECR/HJP.

Copy for information and necessary action to:

PCCM: CR, ECoR, ER, NCR, NER, NFR, NR, NWR, SCR, SECR, SER, SR, SWR, WCR & WR.

Chief Administrative Officer/FOIS & Chief Project Manager/FOIS.

CRIS Complex Chankyapuri, New Delhi.

Director, Traffic Commercial (Rates)/Railway Board.

EDRM/Coal Movement/ Kolkata.

Sub:-Commercial Notification of 140 T Railway Electronic-In-Motion Weighbridge (EIMWB) at UP receiving line No.1 of Marshalling Yard/Gaya in DDU division over E.C.Railway.

Ref:-DDU division's e-office file No. ECR-DDU0COMM/26/2022-O/o Sr.DCM/DDU/ECR.

The competent authority has accorded the approval for opening of newly installed 140 T Electronic-In-Motion railway owned Weighbridge at UP receiving line No.1 of Marshalling Yard/Gaya in DDU division over E.C.Railway. This weighbridge will be used for weighment of loaded rakes in both UP and DN direction and as per requirement by Railway Administration.

The Up and Down direction is as under:-

Sl.No.	Direction of traffic	Alternate Weighbridge	Alternate Associate Weighbridge
1	UP direction load	SEB	DDU
2	DN direction load	GOMO	ASN

The weighment should be supervised by railway staff.

All other commercial formalities must be complied with.

This issue will come in force with immediate effect.

All concerned to please note and act accordingly.



(Subodh Kumar)

**Dy.Chief Comml.Manager/FM
for Pr.Chief Commercial Manager**