

Station		ANKORAH		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	ANH	FOB	0	(a) Per Day		574		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		27		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal	Enquiry Office	0	2011-12	12.81	2018-19	16.42	Tourist Facilation Center		N	
State	UPADHYAY	Public Address Sys.	Y	2019-20	39.49	2020-21	1.51	Touch Screen Enquiry System		N	
District	AURANGABAD	Clock	Y	2021-22	16.28	2022-23	19.49	Electronic Train Indication		N	
Section	BD	Wheel Chairs	Y	2023-24	17.42	2024-25		ATMs		0	
Km.	0395.90	Cloak Room	N	<div>MP Const. Karakat MP Name Singh, Shri Raja Ram MLA Const. Nabinagar MLA Name Vijay Kumar Singh Alias Dabloo</div>				Food Plaza		N	
Route	Dspl	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 0 P : 4	
Other Items	-							Station IInd Entry		N	
Remarks for	Needs to be improved by pucca surfacing.										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	60	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	400	Length(m)	20	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Cement Concrete	Surface	Other	Type	Hand Pump		Bore Wells (Nos)		2		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks	Required low capacity tube well with tank.						

Station ANKORAH

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
2&3	BG	N	440	7	84	MOR	303	5	12	1		0	192	2	0	4	12	0	0	0	0	0	N	0
1	BG	Y	440	9	84	MOR	228	3	8	1		0	110	0	2	6	14	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station ANKORAH

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	11	0	1.08	0	0	3			-	-
Actual	60	531	22	4	4	342	0	See platform details	1	YES
Shortage, if any	-	-	-	-	-	-	1		-	-

Station		BAGHOI KUSHA		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	BHKH	FOB	0	(a) Per Day		111		Developed As			
Station Category	HG2	Subway	0	(b) Max. at any		28		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal	Enquiry Office	0	2011-12	3.71	2018-19	3.89	Tourist Facilation Center		N	
State	UPADHYAY	Public Address Sys.	Y	2019-20	7.48	2020-21	2.84	Touch Screen Enquiry System		N	
District	AURANGABAD	Clock	N	2021-22	7.04	2022-23	1.52	Electronic Train Indication		N	
Section	GC	Wheel Chairs	N	2023-24	1.08	2024-25		ATMs		0	
Km.	0524.70	Cloak Room	N	<div>MP Const. Aurangabad</div> <div>MP Name Sinha, Shri Abhay Kumar</div> <div>MLA Const. Aurangabad</div> <div>MLA Name Anand Shankar Singh</div>				Food Plaza		N	
Route	A	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 1 P : 2	
Other Items	--							Station IInd Entry		N	
Remarks for	--										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		4 hand pump on PF					

Station

BAGHOI KUSHA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	246	4	0	OTH	0	2	0	1		0	60	0	3	0	5	0	0	0	0	0	N	0
UP	BG	N	252	4	0	OTH	0	6	0	1		0	60	0	2	0	5	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station

BAGHOI KUSHA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	18	0	1.12	0	0	5			-	-
Actual	0	0	2	0	5	120	0	See platform details	0	-
Shortage, if any	10	-	-	-	-	-	1		-	-

Station BARAW MORE HALT				No. of passengers dealt with:				Identified as Adarsh		N			
				(a) Per Day				26	Developed As				
				(b) Max. at any				14	Identified for MFC		N		
				Pass. Earnings/Year(Rs. in Lac.)									
Station Code	BMHT	FOB	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center				N	
Station Category	HG3	Subway	0	2019-20	0	2020-21	0.69	Touch Screen Enquiry System				N	
Railway	ECR	Booking Windows	0	2021-22	0.68	2022-23	0.72	Electronic Train Indication				N	
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2023-24	0.82	2024-25		ATMs				0	
State	BIHAR	Public Address Sys.	N	<div style="border: 1px solid black; padding: 5px;"> MP Const. Sasaram MP Name Kumar, Shri Manoj MLA Const. Sasaram MLA Name Rajesh Kumar Gupta </div>				Food Plaza				N	
District	ROHTAS	Clock	N					Budget Hotel				N	
Section	ARA-SSM	Wheel Chairs	N					Trains Halting				M: 0	P : 2
Km.	0085.42	Cloak Room	N					Station IInd Entry				N	
Route	E	Refreshment Room(sqm)											
Electrified	Y												
Other Items	-												
Remarks for	--												

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	8	Source	Railway Supply		Open Wells (Nos)		0
Surface	Other	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)		0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		-			

Station

BARAW MORE HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	300	1.5	0	OTH	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station

BARAW MORE HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	9	0	0.56	0	0	3			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Station		BARKISALAIYA		No. of passengers dealt with:				Identified as Adarsh		N
Station Code	BSYA	FOB	0	(a) Per Day		292		Developed As		
Station Category	NSG6	Subway	0	(b) Max. at any		25		Identified for MFC		N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	9.62	2018-19	10.42	Tourist Facilation Center		N
State	BIHAR	Public Address Sys.	Y	2019-20	18.52	2020-21	0.66	Touch Screen Enquiry System		N
District	AURANGABAD	Clock	Y	2021-22	10.35	2022-23	15.65	Electronic Train Indication		N
Section	GC	Wheel Chairs	N	2023-24	14.15	2024-25		ATMs		0
Km.	0389.23	Cloak Room	N	<div>MP Const. Karakat MP Name Singh, Shri Raja Ram MLA Const. Nabinagar MLA Name Vijay Kumar Singh Alias Dabloo</div>				Food Plaza		N
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N
Electrified	Y							Trains Halting		M: 0 P : 4
Other Items	--							Station IInd Entry		N
Remarks for	Needs to be improved by pucca surfacing.									
Resting Facility										
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM				
(a) Area(sqm.)	44	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0			
Circulating Area and Water										
Circulating Area		Approach Road		Water Supply						
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)		0	
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)		0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0				
Pay & Use Toilet				Remarks		4 hand pump on PF				

Station BARKISALAIYA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	Y	600	7	0	MOR	21	5	12	2		0	60	2	2	5	6	0	0	0	0	0	N	0
2/3	BG	Y	520	9	0	MOR	115	5	24	2		0	60	0	0	1	13	0	0	0	0	0	N	0
4&5	BG	Y	600	12	84	OPS	126	2	24	1		0	72	4	2	2	25	1	0	0	0	0	N	1
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station BARKISALAIYA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	150 sqm	6 tap/HP at stn	1	1	30	1	High level	0	-
As per Rec.	10	0	1	0	0	3			-	-
Actual	44	262	65	6	4	202	0	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Station BIKRAMGANJ				No. of passengers dealt with:				Identified as Adarsh N	
Station Code	XBKJ	FOB	0	(a) Per Day		824		Developed As	
Station Category	NSG6	Subway	0	(b) Max. at any		250		Identified for MFC N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	31.03	2018-19	111.23	Tourist Facilation Center N	
State	BIHAR	Public Address Sys.	Y	2019-20	194.71	2020-21	38.83	Touch Screen Enquiry System N	
District	ROHTAS	Clock	Y	2021-22	197.55	2022-23	291.64	Electronic Train Indication N	
Section	ARA-SSM	Wheel Chairs	Y	2023-24	302.4	2024-25			
Km.	0056.32	Cloak Room	N	Length of longest stopping train(m)				300	ATMs 0
Route	Espl	Refreshment Room(sqm)		MP Const. Karakat				Food Plaza N	
Electrified	Y			MP Name Singh, Shri Raja Ram				Budget Hotel N	
Other Items	-			MLA Const. Karakat				Trains Halting M: 1 P : 3	
Remarks for	-			MLA Name Arun Singh				Station IInd Entry N	

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	20	Area(sqm)	112	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	10	Seats(Nos.)	36	36	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	1	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	2	2	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	0			

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	1600	Length(m)	600	Source	Railway Supply		Open Wells (Nos)		0
Surface	Cement Concrete	Surface	Other	Type	Hand Pump		Bore Wells (Nos)		1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		4000			
Pay & Use Toilet				Remarks		-			

Station
BIKRAMGANJ
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	6.8	0	OPS	61	12	24	2		0	30	3	2	5	15	1	0	0	0	0	N	0
2	BG	N	650	11.7	0	OTH	0	2	16	1		0	0	0	0	5	34	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
BIKRAMGANJ
Summary
(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	105	0	10	0	0	30			-	-
Actual	20	61	43	5	6	112	0	See platform details	0	-
Shortage, if any	-	39	-	-	-	-	1		-	-

Station	CHANDALI MAJHWAR			No. of passengers dealt with:				Identified as Adarsh		Y
Station Code	CDMR	FOB	2	(a) Per Day		523		Developed As		Y
Station Category	NSG6	Subway	0	(b) Max. at any		126		Identified for MFC		N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	59.00	2018-19	59.56	Tourist Facilitation Center		N
State	UTTAR PRADESH	Public Address Sys.	Y	2019-20	313.8	2020-21	88.68	Touch Screen Enquiry System		N
District	CHANDALI	Clock	Y	2021-22	212.27	2022-23	232.05	Electronic Train Indication		N
Section	GC	Wheel Chairs	Y	2023-24	222.89	2024-25		ATMs		0
Km.	0657.45	Cloak Room	N	Length of longest stopping train(m)			450	Food Plaza		N
Route	A	Refreshment Room(sqm)		MP Const.	Chandali			Budget Hotel		N
Electrified	Y			MP Name	Shri Virendra Singh			Trains Halting		M: 0 P : 4
Other Items	-			MLA Const.	Mughalsarai			Station IInd Entry		Y
Remarks for	--			MLA Name	Shri Ramesh Jaiswal					

Resting Facility							
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	54	Area(sqm)		0	0	Area(sqm)	30
(b) Seats(Nos.)	14	Seats(Nos.)		0	0	Seats(Nos.)	15
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	1
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	1
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1
						Retiring Room	0
						Dormitory	0

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	100	Length(m)	100	Source	Railway Supply		Open Wells (Nos)
Surface	Kutchra	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	5000		
Pay & Use Toilet				Remarks	-		

Station CHANDAULI MAJHWAR

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	472	10	75	OTH	320	5	16	2		0	56	3	2	4	14	0	0	0	0	0	N	0		
2&3	BG	Y	251	7	75	OTH	0	2	7	1		0	40	0	0	4	12	0	0	0	0	0	N	0		
4&5	BG	N	590	7	75	OTH	240	11	3	1		0	220	4	4	3	10	0	0	0	0	0	N	0		
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																										

Station CHANDAULI MAJHWAR

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	150 sqm	6 tap/HP at stn	1	1	30	1	High level	0	-
As per Rec.	53	0	5.04	0	0	15			-	-
Actual	54	560	30	8	7	345	2	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Desired	Facility Available
Improvement in the facade of the station building	
Improvement in the circulating area so as to ensure proper entry and exit of	
A lighting tower at an appropriate place to be installed for proper illumination	
Improved modern, cost effective lighting arrangements at the platforms,	
Renovated water booths	
Renovated, modern, Pay & Use toilets	
Good Waiting and Retiring Rooms with modern furniture	
Good passenger guidance system including signages and coach indication	
Improvement to the passenger service	
Improvement of booking and enquiry offices to give them a facelift	
Lighting of booking offices, the queuing area in front of booking windows	
Engagement of reputed architects/consultants for beautification	

Station CHARPOKHARI HALT				No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	CRQ	FOB	0	(a) Per Day		77		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		18		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	2.95	2018-19	4.60	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	N	2019-20	0	2020-21	0.00	Touch Screen Enquiry System		N	
District	BHOJPUR	Clock	N	2021-22	0	2022-23	4.31	Electronic Train Indication		N	
Section	ARA-SSM	Wheel Chairs	N	2023-24	5.71	2024-25		ATMs		0	
Km.	0029.60	Cloak Room	N	Length of longest stopping train(m)				300	Food Plaza		N
Route	Espl	Refreshment Room(sqm)		MP Const.				Sasaram	Budget Hotel		N
Electrified	Y			MP Name				Kumar, Shri Manoj	Trains Halting		M: 0 P : 3
				MLA Const.				Sasaram	Station IInd Entry		N
				MLA Name				Rajesh Kumar Gupta			
Other Items	--										
Remarks for	--										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	16	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	15	Source	Railway Supply		Open Wells (Nos)		0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		-			

Station

CHARPOKHARI HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	300	5	0	OTH	121	0	0	1		0	84	0	0	0	0	0	0	0	0	0	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station

CHARPOKHARI HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	11	0	0.72	0	0	3			-	-
Actual	16	121	1	0	0	94	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Station	CHIRAILLA PAUTHU			No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	CPBH	FOB	0	(a) Per Day				73	Developed As		
Station Category	HG3	Subway	0	(b) Max. at any				20	Identified for MFC		N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	3.06	2018-19	3.09	Tourist Facilitation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	0	2020-21	0.00	Touch Screen Enquiry System		N	
District	AURANGABAD	Clock	Y	2021-22	0	2022-23	3.75	Electronic Train Indication		N	
Section	GC	Wheel Chairs	Y	2023-24	2.97	2024-25		ATMs		0	
Km.	0543.79	Cloak Room	N	Length of longest stopping train(m)				358	Food Plaza		N
Route	A	Refreshment Room(sqm)		MP Const.				Aurangabad	Budget Hotel		N
Electrified	Y			MP Name				Sinha, Shri Abhay Kumar	Trains Halting		M: 0 P : 6
Other Items	-			MLA Const.				Aurangabad	Station IInd Entry		N
Remarks for	-			MLA Name				Anand Shankar Singh			

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	78	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	48	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)		0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		-			

Station

CHIRAILLA PAUTHU

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	364	6	0	CC	0	3	0	1		0	48	0	3	2	18	0	0	0	0	0	N	0
UP	BG	N	341	6	0	CC	0	7	0	1		0	48	0	0	5	5	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

CHIRAILLA PAUTHU

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	13	0	0.8	0	0	4			-	-
Actual	78	0	2	0	3	144	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Station		DEHRI ON SON		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	DOS	FOB	2	(a) Per Day		7647		Developed As			
Station Category	NSG3	Subway	0	(b) Max. at any		368		Identified for MFC		N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	1	2011-12	1632.17	2018-19	1727.55	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	3223.73	2020-21	1071.95	Touch Screen Enquiry System		N	
District	ROHTAS	Clock	Y	2021-22	2913.92	2022-23	4019.36	Electronic Train Indication		Y	
Section	GC	Wheel Chairs	Y	2023-24	4358.55	2024-25		ATMs		0	
Km.	0554.80	Cloak Room	Y	<div>MP Const. Karakat MP Name Singh, Shri Raja Ram MLA Const. Dehri MLA Name Phate Bahadur Singh</div>				Food Plaza		N	
Route	A	Refreshment Room(sqm)	1500					Budget Hotel		N	
Electrified	Y							Trains Halting		M: 35	P : 6
Other Items	-							Station IInd Entry		N	
Remarks for	-										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	223	Area(sqm)		24	25	Area(sqm)	49	Retiring Room	1
(b) Seats(Nos.)	70	Seats(Nos.)		15	15	Seats(Nos.)	30	Dormitory	1
(c) Lav.(Nos.)	8	Lav.(Nos.)		1	1	Lav.(Nos.)	2		
(d) Urinals(Nos.)	4	Urinals(Nos.)		1	1	Urinals(Nos.)	2		
(e) Bathing Cubicals	3	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	2		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	3000	Length(m)	400	Source	Railway Supply		Open Wells (Nos)		0
Surface	WBM	Surface	Other	Type	Piped		Bore Wells (Nos)		3
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)		317800			
Pay & Use Toilet	Y			Remarks		-			

Station

DEHRI ON SON

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	298	8	84	OPS	200	6	16	0		0	156	2	2	3	56	1	2	1	0	0	Y	2		
2&3	BG	Y	588	18	84	OPS	1120	12	60	0		0	480	4	5	24	176	2	0	0	0	0	N	2		
4&5	BG	Y	570	9	84	OPS	1035	1	60	0		0	314	4	4	16	170	3	0	0	0	0	N	2		
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																										

Station

DEHRI ON SON

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	1200 sqm	60	10	10	375	1 With Cover	High level	6	YES
As per Rec.	154	309	14.72	1	1	44			-	-
Actual	223	2355	136	22	19	1080	2	See platform details	6	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Desired	Facility Available	Desired	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Tiolets on end platform & circulating	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Station	DEO ROAD			No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	DORD	FOB	0	(a) Per Day				48	Developed As		
Station Category	HG3	Subway	0	(b) Max. at any				18	Identified for MFC		N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	2.7	2020-21	0.31	Touch Screen Enquiry System		N	
District	AURANGABAD	Clock	Y	2021-22	2.36	2022-23	2.89	Electronic Train Indication		N	
Section	GC	Wheel Chairs	N	2023-24	2.53	2024-25		ATMs		0	
Km.	0514.00	Cloak Room	N	Length of longest stopping train(m)				358	Food Plaza		N
Route	A	Refreshment Room(sqm)		MP Const.				Aurangabad	Budget Hotel		N
Electrified	Y			MP Name				Sinha, Shri Abhay Kumar	Trains Halting		M: 0 P : 7
Other Items	--			MLA Const.				Rafiganj	Station IInd Entry		N
Remarks for	-			MLA Name				Mohammad Nehaluddin			

Resting Facility								
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sqm.)	21	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	22	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	15	Source	Railway Supply	Open Wells (Nos)	0
Surface	WBM	Surface	Kutchha	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	--		

Station DEO ROAD

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	301	6.5	0	OTH	36	2	0	0		0	72	0	0	4	26	0	0	0	0	0	N	0
UP	BG	N	340	7	0	OTH	60	0	0	1		0	72	0	0	0	12	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station DEO ROAD

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	11	0	0.72	0	0	3			-	-
Actual	21	96	1	0	0	166	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Station		DEORIA KURHMA NARESH HALT		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	DKMN	FOB	0	(a) Per Day		40		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		14		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	1.68	2020-21	0.23	Touch Screen Enquiry System		N	
District	AURANGABAD	Clock	Y	2021-22	1.78	2022-23	2.37	Electronic Train Indication		N	
Section	GC	Wheel Chairs	N	2023-24	1.77	2024-25		ATMs		0	
Km.	0533.48	Cloak Room	N	<div>MP Const. Aurangabad MP Name Sinha, Shri Abhay Kumar MLA Const. Aurangabad MLA Name Anand Shankar Singh</div>				Food Plaza		N	
Route	A	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0	P : 4
Other Items	-							Station IInd Entry		N	
Remarks for	--										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)		0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		-			

Station			DEORIA KURHMA NARESH										Platform Detail											
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	364	5	0	OTH	12	0	0	1		0	10	0	1	0	0	0	0	0	0	0	N	0
UP	BG	N	364	5	0	OTH	0	0	0	0		0	10	1	0	0	0	0	0	0	0	0	N	0
*Surface Type :			CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station	DEORIA KURHMA NARESH HALT				Summary						(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage	
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-	
As per Rec.	9	0	0.56	0	0	3			-	-	
Actual	0	12	1	1	1	20	0	See platform details	0	-	
Shortage, if any	-	-	-	-	-	-	1		-	-	

Station		DHANICHHA		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	DCX	FOB	0	(a) Per Day		113		Developed As				
Station Category	HG2	Subway	0	(b) Max. at any		46		Identified for MFC		N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	4.75	2018-19	4.83	Tourist Facilation Center		N		
State	BIHAR	Public Address Sys.	Y	2019-20	0	2020-21	0.49	Touch Screen Enquiry System		N		
District	KAIMUR	Clock	Y	2021-22	4.04	2022-23	4.83	Electronic Train Indication		N		
Section	(BHABUA) GC	Wheel Chairs	N	2023-24	3.71	2024-25	0	ATMs		0		
Km.	0634.40	Cloak Room	N	Length of longest stopping train(m)				358		Food Plaza		N
Route	A	Refreshment Room(sqm)		MP Const.		Buxar		Budget Hotel		N		
Electrified	Y			MP Name		Singh, Shri Sudhakar		Trains Halting		M: 0 P : 4		
				MLA Const.		Sasaram		Station IInd Entry		N		
				MLA Name		Rajesh Kumar Gupta						
Other Items	-											
Remarks for	--											

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	30	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	1	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	-				

Station DHANICHHA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	275	8	0	OPS	58	2	16	1		0	100	4	0	1	4	0	0	0	0	0	N	0
UP	BG	N	305	8	0	OPS	49	5	16	3		0	170	0	0	0	4	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station DHANICHHA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	29	0	1.84	0	0	8			-	-
Actual	30	107	36	4	0	290	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Station	DURGAUTI			No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	DGO	FOB	1	(a) Per Day		470		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		108		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	38.00	2018-19	32.12	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	37.94	2020-21	0.88	Touch Screen Enquiry System		N	
District	KAIMUR	Clock	Y	2021-22	8.91	2022-23	14.82	Electronic Train Indication		N	
Section	(BHABUA) GC	Wheel Chairs	Y	2023-24	14.76	2024-25	0	Length of longest stopping train(m)		448	
Km.	0629.20	Cloak Room	N	MP Const.				Buxar	ATMs		0
Route	A	Refreshment Room(sqm)		MP Name				Singh, Shri Sudhakar	Food Plaza		N
Electrified	Y			MLA Const.				Sasaram	Budget Hotel		N
Other Items	-			MLA Name				Rajesh Kumar Gupta	Trains Halting		M: 0 P : 4
Remarks for	-								Station IInd Entry		N

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	81	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	80	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	3	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	100	Length(m)	15	Source	Railway Supply		Open Wells (Nos)		0
Surface	WBM	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)		1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		-			

Station

DURGAUTI

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	246	7	750	OPS	300	4	20	1		0	130	0	2	5	14	0	0	0	0	0	N	0
UP	BG	Y	416	18	750	OTH	150	2	20	2		0	80	4	3	2	36	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

DURGAUTI

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	45	0	4.32	0	0	13			-	-
Actual	81	450	43	4	8	290	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Station	GANJ KHWAJA			No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	GAQ	FOB	0	(a) Per Day		31		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		10		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	1.31	2018-19	1.38	Tourist Facilation Center		N	
State	UTTAR PRADESH	Public Address Sys.	Y	2019-20	1.27	2020-21	1.41	Touch Screen Enquiry System		N	
District	CHANDAULI	Clock	Y	2021-22	1.05	2022-23	1.26	Electronic Train Indication		N	
Section	GC	Wheel Chairs	Y	2023-24	1.07	2024-25		ATMs		0	
Km.	0666.00	Cloak Room	N	Length of longest stopping train(m)				220	Food Plaza		N
Route	A	Refreshment Room(sqm)		MP Const.				Chandauli	Budget Hotel		Y
Electrified	Y			MP Name				Shri Virendra Singh	Trains Halting		M: 4 P : 3
Other Items	-			MLA Const.				Mughalsarai	Station IInd Entry		N
Remarks for	..			MLA Name				Shri Ramesh Jaiswal			

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	6	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)		0
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)		1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		-			

Station GANJ KHWAJA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
UP	BG	N	443	5.3	0	OTH	168	8	8	1		0	40	1	1	2	6	0	0	0	0	0	N	0
DN	BG	Y	351	6	0	OTH	36	0	8	0		0	20	0	0	8	11	0	0	0	0	0	N	0
UP	BG	Y	245	10.75	0	OTH	24	1	8	1		0	100	0	0	5	10	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others					

Station GANJ KHWAJA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	150 sqm	6 tap/HP at stn	1	1	30	1	High level	0	-
As per Rec.	4	0	0.4	0	0	1			-	-
Actual	15	228	26	1	1	166	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Station	GARHANI			No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	GQN	FOB	0	(a) Per Day		203		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		51		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	7.44	2018-19	10.12	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	19.74	2020-21	0.75	Touch Screen Enquiry System		N	
District	BHOJPUR	Clock	Y	2021-22	11.84	2022-23	24.39	Electronic Train Indication		N	
Section	ARA-SSM	Wheel Chairs	Y	2023-24	23.83	2024-25		ATMs		0	
Km.	0018.95	Cloak Room	N	Length of longest stopping train(m)				300	Food Plaza		N
Route	E	Refreshment Room(sqm)		MP Const.				Arrah	Budget Hotel		N
Electrified	Y			MP Name				Prasad, Shri Sudama	Trains Halting		M: 1 P : 3
Other Items	-			MLA Const.				Agiaon	Station IInd Entry		N
Remarks for	-			MLA Name				Shiv Prakash Ranjan			

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	130	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	32	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	6	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	3	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	2	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	620	Length(m)	400	Source	Railway Supply		Open Wells (Nos)		0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)		1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		2000			
Pay & Use Toilet				Remarks		-			

Station GARHANI

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	360	4.2	0	OPS	64	2	24	1		0	70	3	2	1	24	0	0	0	0	0	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station GARHANI

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	21	0	2.04	0	0	6			-	-
Actual	130	64	25	9	5	102	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Station	GARHNOKHA			No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	GNK	FOB	0	(a) Per Day				331	Developed As		
Station Category	NSG6	Subway	0	(b) Max. at any				74	Identified for MFC		N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	15.74	2018-19	21.32	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	37.67	2020-21	0.11	Touch Screen Enquiry System		N	
District	ROHTAS	Clock	Y	2021-22	16.04	2022-23	38.8	Electronic Train Indication		N	
Section	ARA-SSM	Wheel Chairs	Y	2023-24	44.79	2024-25		Length of longest stopping train(m)		301	
Km.	0077.52	Cloak Room	N	MP Const.				Karakat	ATMs		0
Route	E	Refreshment Room(sqm)		MP Name				Singh, Shri Raja Ram	Food Plaza		N
Electrified	Y			MLA Const.				Nokha	Budget Hotel		N
Other Items	-			MLA Name				Anita Devi	Trains Halting		M: 1 P : 3
Remarks for	--								Station IInd Entry		N

Resting Facility								
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sqm.)	130	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	2	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	2	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	630	Length(m)	55	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000		
Pay & Use Toilet				Remarks	-		

Station GARHNOKHA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	358	6.3	0	OPS	32	22	24	1		0	60	3	2	5	34	0	0	0	0	0	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station GARHNOKHA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	31	0	2.96	0	0	9			-	-
Actual	130	32	25	5	4	70	0	See platform details	0	-
Shortage, if any	-	18	-	-	-	-	1		-	-

Station	GAYA			No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	GAYA	FOB	3	(a) Per Day		24710		Developed As			
Station Category	NSG2	Subway	0	(b) Max. at any		1068		Identified for MFC		Y	
Railway	ECR	Booking Windows	13	Pass. Earnings/Year(Rs. in Lac.)				MFC Developed		Y	
Division	Pt. Deen Dayal	Enquiry Office	3	2011-12	6015.38	2018-19	6565.23	Tourist Facilation Center		Y	
State	Unadhyay	Public Address Sys.	Y	2019-20	5671.87	2020-21	13483.53	Touch Screen Enquiry System		Y	
District	GAYA	Clock	Y	2021-22	11481.61	2022-23	16872.95	Electronic Train Indication		Y	
Section	GC	Wheel Chairs	Y	2023-24	19453.52	2024-25		ATMs		2	
Km.	0469.64	Cloak Room	Y	<div>MP Const. Gaya MP Name Manjhi, Shri Jitan Ram MLA Const. Gaya Town MLA Name Prem Kumar</div>				Food Plaza		Y	
Route	A	Refreshment	71					Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 55	P : 18
Other Items	-							Station IInd Entry		Y	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	555	Area(sqm)		140	120	Area(sqm)	145	Retiring Room	7		
(b) Seats(Nos.)	250	Seats(Nos.)		95	60	Seats(Nos.)	35	Dormitory	2		
(c) Lav.(Nos.)	10	Lav.(Nos.)		4	3	Lav.(Nos.)	1				
(d) Urinals(Nos.)	6	Urinals(Nos.)		2	0	Urinals(Nos.)	1				
(e) Bathing Cubicals	6	Bathing Cubicals(Nos.)		2	2	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	7500	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	2			
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	93495						
Pay & Use Toilet	Y			Remarks	-						

Station

GAYA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	729	12.3	80	OTH	1152	0	44	0	625	0	280	2	4	87	340	10	0	0	0	0	Y	0	
2 & 3	BG	Y	603	9.2	84	CC	1863	1	68	0	615/615	0	228	4	1	14	214	6	0	0	0	0	Y	0	
4 & 5	BG	Y	459	10.2	80	CC	1782	2	30	0		478	284	4	5	21	177	5	0	0	0	0	Y	0	
1 A	BG	N	341	12.3	80	CC	390	0	0	0		307	0	0	0	26	151	0	0	0	0	0	N	0	
1 B	BG	N	327	5.2	0	CC	165	1	0	0		307	110	0	3	5	14	0	0	0	0	0	N	0	
COACHING	BG	Y	51.5	6.3	81	OTH	10	0	0	0		58	0	0	0	0	0	0	0	0	0	0	N	0	
PILGRIM	BG	N	600	13.1	76	CC	500	1	16	0		500	114	0	0	0	0	0	0	0	0	0	N	0	
6 & 7	BG	N	610	11.3	84	CC	3390	1	24	1		450	267	5	2	4	68	4	2	0	0	0	Y	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station	Summary									
(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.										
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	4000 sqm	160	12	12	1200	1 With Cover	High level	16	YES
As per Rec.	447	2392	42.72	2	2	128			-	-
Actual	555	9252	183	33	24	1723	3	See platform details	8	YES
Shortage, if any	-	-	-	-	-	-	-		8	-

Station

GAYA

Summary As per Model Station

Desired	Facility Available	Desired	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Tiolets on end platform & circulating	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Station	GHUSIA KALAN HALT			No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	GSK	FOB	0	(a) Per Day				32	Developed As		
Station Category	HG3	Subway	0	(b) Max. at any				21	Identified for MFC		N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	2.46	2018-19	1.49	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	N	2019-20	1.3	2020-21	0.09	Touch Screen Enquiry System		N	
District	ROHTAS	Clock	N	2021-22	0.97	2022-23	1.24	Electronic Train Indication		N	
Section	ARA-SSM	Wheel Chairs	N	2023-24	1.16	2024-25		ATMs		0	
Km.	0061.70	Cloak Room	N	Length of longest stopping train(m)				298	Food Plaza		N
Route	E	Refreshment Room(sqm)		MP Const.				Sasaram	Budget Hotel		N
Electrified	Y			MP Name				Kumar, Shri Manoj	Trains Halting		M: 0 P : 2
Other Items	--			MLA Const.				Sasaram	Station IInd Entry		N
Remarks for	--			MLA Name				Rajesh Kumar Gupta			

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)		0
Surface	Other	Surface	Other	Type	Hand Pump		Bore Wells (Nos)		0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		--			

Station			GHUSIA KALAN HALT										Platform Detail											
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	2	0	OPS	0	0	0	1		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type :			CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others					

Station	GHUSIA KALAN HALT			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage	
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-	
As per Rec.	13	0	0.84	0	0	4			-	-	
Actual	0	0	1	0	0	0	0	See platform details	0	-	
Shortage, if any	-	-	-	-	-	-	1		-	-	

Station	GURARU			No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	GRRU	FOB	1	(a) Per Day		1301		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		118		Identified for MFC		N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	73.36	2018-19	87.46	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	209.02	2020-21	44.58	Touch Screen Enquiry System		N	
District	GAYA	Clock	Y	2021-22	175.57	2022-23	267.11	Electronic Train Indication		N	
Section	GC	Wheel Chairs	Y	2023-24	284.26	2024-25		ATMs		0	
Km.	0491.17	Cloak Room	N	Length of longest stopping train(m)				560	Food Plaza		N
Route	A	Refreshment Room(sqm)		MP Const.				Aurangabad	Budget Hotel		N
Electrified	Y			MP Name				Sinha, Shri Abhay Kumar	Trains Halting		M: 6 P : 3
Other Items	-			MLA Const.				Gurua	Station IInd Entry		N
Remarks for	-			MLA Name				Vinay Kumar			

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	63	Area(sqm)	63	45	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	25	Seats(Nos.)	30	20	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	2	2	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	2	2	Urinals(Nos.)	0			
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)	1	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	300	Length(m)	100	Source	Railway Supply		Open Wells (Nos)		0
Surface	Other	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)		1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		10000			
Pay & Use Toilet				Remarks		-			

Station			GURARU																						
Platform Detail																									
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
2&3	BG	Y	366	10.5	84	OTH	227	1	8	2		0	96	0	8	2	20	0	0	0	0	1	N	1	
1	BG	N	536	6.5	55	OTH	278	5	8	2		0	92	2	8	6	20	0	0	0	0	1	N	1	
*Surface Type			:	CC-Cement Concrete				PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station	GURARU			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-		
As per Rec.	49	0	4.72	0	0	14			-	-		
Actual	63	505	20	6	20	263	1	See platform details	1	YES		
Shortage, if any	-	-	-	-	-	-	-		1	-		

StationHAIDARNAGAR				No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	HDN	FOB	1	(a) Per Day		1004		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		57		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	61.23	2018-19	112.11	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	172.74	2020-21	41.03	Touch Screen Enquiry System		N	
District	PALAMU	Clock	Y	2021-22	174.11	2022-23	228.47	Electronic Train Indication		N	
Section	BD	Wheel Chairs	Y	2023-24	244.4	2024-25		ATMs		0	
Km.	0358.90	Cloak Room	N	MP Const. Palamu MP Name Ram, Shri Vishnu Dayal MLA Const. Palamau MLA Name Alok Chaurasia				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 2P : 4	
								Station IInd Entry		N	
Other Items	-										
Remarks for	Needs to be improve pucca surface.										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	36	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	3	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	268	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	WBM	Type	Piped and Hand Pump		Bore Wells (Nos)	1	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	10000				
Pay & Use Toilet				Remarks	.				

Station

Haidarnagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
2&3	BG	N	600	8	84	MOR	250	2	16	1		0	120	2	2	0	10	0	0	0	0	0	N	0
1	BG	Y	600	10	84	OTH	272	2	8	0		0	152	0	2	2	10	0	0	0	0	0	N	0
4&5	BG	N	600	12	84	CC	84	1	8	1		0	32	2	2	0	14	1	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Haidarnagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	150 sqm	24	4	4	150	0	High level	3	-
As per Rec.	24	0	2.28	0	0	7			-	-
Actual	36	606	34	7	6	314	1	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	-		3	-

Desired	Facility Available
Improvement in the facade of the station building	
Improvement in the circulating area so as to ensure proper entry and exit of	
A lighting tower at an appropriate place to be installed for proper illumination	
Improved modern, cost effective lighting arrangements at the platforms,	
Renovated water booths	
Renovated, modern, Pay & Use toilets	
Good Waiting and Retiring Rooms with modern furniture	
Good passenger guidance system including signages and coach indication	
Improvement to the passenger service	
Improvement of booking and enquiry offices to give them a facelift	
Lighting of booking offices, the queuing area in front of booking windows	
Engagement of reputed architects/consultants for beautification	

Station HASAN BAZAR STATION HALT				No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	HBSH	FOB	0	(a) Per Day		118		Developed As			
Station Category	HG2	Subway	0	(b) Max. at any		58		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	7.25	2018-19	7.15	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	N	2019-20	7.52	2020-21	0.19	Touch Screen Enquiry System		N	
District	BHOJPUR	Clock	N	2021-22	4.67	2022-23	10.3	Electronic Train Indication		N	
Section	ARA-SSM	Wheel Chairs	N	2023-24	14.17	2024-25		ATMs		0	
Km.	0047.25	Cloak Room	N	Length of longest stopping train(m)				298	Food Plaza		N
Route	E	Refreshment Room(sqm)		MP Const.				Sasaram	Budget Hotel		N
Electrified	Y			MP Name				Kumar, Shri Manoj	Trains Halting		M: 0 P : 2
Other Items	-			MLA Const.				Sasaram	Station IInd Entry		N
Remarks for	--			MLA Name				Rajesh Kumar Gupta			

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)		0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		-			

Station

HASAN BAZAR STATION HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	306	4	0	OTH	0	2	0	1		0	50	0	0	0	0	0	0	0	0	0	N	0		
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																										

Station

HASAN BAZAR STATION HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	36	0	2.32	0	0	10			-	-
Actual	0	0	1	0	0	50	0	See platform details	0	-
Shortage, if any	10	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Danapur

Station		Islampur		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	IPR	FOB	1	(a) Per Day		980		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		190		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Danapur	Enquiry Office	0	2011-12	300.26	2018-19	301.22	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	525.14	2020-21	91.08	Touch Screen Enquiry System		N	
District	NALANDA	Clock	Y	2021-22	276.09	2022-23	492.9	Electronic Train Indication		N	
Section	FUT-IPR	Wheel Chairs	N	2023-24	535.6	2024-25		ATMs		0	
Km.	42.67	Cloak Room	N	<div>MP Const. Nalanda MP Name Kumar, Shri Kaushalendra MLA Const. Islampur MLA Name Rakesh Kumar Roushan</div>				Food Plaza		N	
Route	D	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 6 P : 4	
Other Items	0							Station IInd Entry		N	
Remarks for	0										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	24	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	24	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	274	Length(m)	400	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Kutchra	Type	Piped		Bore Wells (Nos)		1		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		100000					
Pay & Use Toilet	N			Remarks		-					

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	24	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	24	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	274	Length(m)	400	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Piped	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	100000		
Pay & Use Toilet	N			Remarks	-		

Station

Islampur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	495	6	84	CC	135	0	18	0		0	146	6	2	0	0	0	0	0	0	0	N	0
2&3	BG	Y	540	9	84	CC	0	2	18	0	250	1	114	0	0	0	0	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

Islampur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	79	0	7.6	0	0	23			-	-
Actual	24	135	36	6	2	284	1	See platform details	0	-
Shortage, if any	6	-	-	-	2	-	-		2	-

Station		JAKHIM		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	JHN	FOB	0	(a) Per Day		446		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		92		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal	Enquiry Office	0	2011-12	27.72	2018-19	36.66	Tourist Facilation Center		N	
State	UPADHYAY	Public Address Sys.	Y	2019-20	47.7	2020-21	4.34	Touch Screen Enquiry System		N	
District	AURANGABAD	Clock	Y	2021-22	21.73	2022-23	37.19	Electronic Train Indication		N	
Section	GC	Wheel Chairs	Y	2023-24	36.42	2024-25		ATMs		0	
Km.	0518.30	Cloak Room	N	<div>MP Const. Aurangabad</div> <div>MP Name Sinha, Shri Abhay Kumar</div> <div>MLA Const. Aurangabad</div> <div>MLA Name Anand Shankar Singh</div>				Food Plaza		N	
Route	A	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 2 P : 3	
Other Items	-							Station IInd Entry		N	
Remarks for	-										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	68	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	1000	Length(m)	12	Source	Railway Supply		Open Wells (Nos)		0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		6
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		-			

Station JAKHIM

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	340	12	75	OTH	270	2	16	2		0	110	1	2	2	9	0	0	0	0	0	N	0
UP	BG	N	502	6	75	OTH	10	1	16	2		0	100	1	2	4	57	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station JAKHIM

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	38	0	3.68	0	0	11			-	-
Actual	68	280	36	3	4	250	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Station		JAPLA		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	JPL	FOB	1	(a) Per Day		2262		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		200		Identified for MFC		N	
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal	Enquiry Office	1	2011-12	283.37	2018-19	317.45	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	478.74	2020-21	95.60	Touch Screen Enquiry System		N	
District	PALAMU	Clock	Y	2021-22	479.78	2022-23	601.41	Electronic Train Indication		Y	
Section	BD	Wheel Chairs	Y	2023-24	604.89	2024-25		ATMs		0	
Km.	0366.01	Cloak Room	N	<div>MP Const. Palamu MP Name Ram, Shri Vishnu Dayal MLA Const. Palamau MLA Name Alok Chaurasia</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 5 P : 4	
Other Items	-							Station IInd Entry		N	
Remarks for											
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	40	Area(sqm)		0	0	Area(sqm)	20	Retiring Room		0	
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	6	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	1				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	1400	Length(m)	65	Source	Railway Supply		Open Wells (Nos)		0		
Surface	WBM	Surface	Black Topped	Type	Piped		Bore Wells (Nos)		2		
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)		104557					
Pay & Use Toilet				Remarks		Satisfactory but needed one tube well with storage					

Station			JAPLA																						
Platform Detail																									
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
2&3	BG	Y	450	9	78	CC	360	9	12	0		0	90	5	2	0	23	2	0	0	0	0	Y	0	
1	BG	Y	474	7	50	OTH	426	10	12	0		0	108	0	2	4	21	0	0	0	0	0	Y	0	
*Surface Type			:	CC-Cement Concrete				PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station	JAPLA			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-		
As per Rec.	84	0	8	0	0	24			-	-		
Actual	40	786	24	6	4	234	1	See platform details	1	YES		
Shortage, if any	-	-	-	-	-	-	-		1	-		

Desired	Facility Available
Improvement in the facade of the station building	
Improvement in the circulating area so as to ensure proper entry and exit of	
A lighting tower at an appropriate place to be installed for proper illumination	
Improved modern, cost effective lighting arrangements at the platforms,	
Renovated water booths	
Renovated, modern, Pay & Use toilets	
Good Waiting and Retiring Rooms with modern furniture	
Good passenger guidance system including signages and coach indication	
Improvement to the passenger service	
Improvement of booking and enquiry offices to give them a facelift	
Lighting of booking offices, the queuing area in front of booking windows	
Engagement of reputed architects/consultants for beautification	

Station	KAJRAT NAWADIH			No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	KYF	FOB	0	(a) Per Day				419	Developed As		
Station Category	NSG6	Subway	0	(b) Max. at any				23	Identified for MFC		N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	16.04	2018-19	19.25	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	31.79	2020-21	0.98	Touch Screen Enquiry System		N	
District	PALAMU	Clock	Y	2021-22	14.3	2022-23	23.63	Electronic Train Indication		N	
Section	BD	Wheel Chairs	Y	2023-24	22.18	2024-25		ATMs		0	
Km.	0373.40	Cloak Room	N	Length of longest stopping train(m)				313	Food Plaza		N
Route	Dspl	Refreshment Room(sqm)		MP Const.				Palamu	Budget Hotel		N
Electrified	Y			MP Name				Ram, Shri Vishnu Dayal	Trains Halting		M: 0 P : 4
Other Items	-			MLA Const.				Palamau	Station IInd Entry		N
Remarks for				MLA Name				Alok Chaurasia			

Resting Facility								
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sqm.)	44	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	10	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Requires low cap deep tube well store tank.		

Station

KAJRAT NAWADIH

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	348	7	0	OTH	21	3	0	1		0	32	2	2	0	10	0	0	0	0	0	N	0
UP	BG	Y	348	9	0	OTH	45	5	0	2		0	56	0	0	4	20	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

KAJRAT NAWADIH

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	10	0	0.92	0	0	3			-	-
Actual	44	66	3	2	2	103	0	See platform details	0	-
Shortage, if any	-	34	1	-	-	-	1		-	-

Station KARAMNASA				No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	KMS	FOB	1	(a) Per Day		343		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		55		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	13.85	2018-19	23.22	Tourist Facilitation Center			N
State	BIHAR	Public Address Sys.	Y	2019-20	27.67	2020-21	242.52	Touch Screen Enquiry System			N
District	KAIMUR	Clock	Y	2021-22	7.78	2022-23	11.94	Electronic Train Indication			N
Section	(BHABUA) GC	Wheel Chairs	Y	2023-24	10.68	2024-25	0	Length of longest stopping train(m)		448	
Km.	0640.73	Cloak Room	N	MP Const. Buxar				ATMs		0	
Route	A	Refreshment Room(sqm)		MP Name Singh, Shri Sudhakar				Food Plaza		N	
Electrified	Y			MLA Const. Sasaram				Budget Hotel		N	
Other Items	-			MLA Name Rajesh Kumar Gupta				Trains Halting		M: 0 P : 4	
Remarks for	--							Station IInd Entry		N	

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	69	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	36	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)		0
Surface	WBM	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)		1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		90800			
Pay & Use Toilet				Remarks		-			

Station

KARAMNASA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	448	8	75	OTH	133	4	4	1		0	240	0	2	5	2	0	0	0	0	0	N	0
UP	BG	Y	401	18	75	OPS	18	3	4	2		0	110	6	3	5	3	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

KARAMNASA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	23	0	2.2	0	0	7			-	-
Actual	69	151	11	7	5	386	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Station		KARKATTA		No. of passengers dealt with:				Identified as Adarsh		N			
Station Code	KRTA	FOB	0	(a) Per Day		162		Developed As					
Station Category	NSG6	Subway	0	(b) Max. at any		21		Identified for MFC		N			
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)									
Division	Pt. Deen Dayal	Enquiry Office	0	2011-12	3.83	2018-19	4.21	Tourist Facilation Center		N			
State	JHARKHAND	Public Address Sys.	Y	2019-20	6.6	2020-21	0.51	Touch Screen Enquiry System		N			
District	PALAMU	Clock	Y	2021-22	5.93	2022-23	8.03	Electronic Train Indication		N			
Section	BD	Wheel Chairs	Y	2023-24	7.49	2024-25		ATMs		0			
Km.	0329.10	Cloak Room	N	Length of longest stopping train(m)				313		Food Plaza		N	
Route	Dspl	Refreshment		MP Const.				Palamu		Budget Hotel		N	
Electrified	Y	Room(sqm)		MP Name				Ram, Shri Vishnu Dayal		Trains Halting		M: 0	P : 4
Other Items	-			MLA Const.				Bishrampur		Station IInd Entry		N	
Remarks for	Needs to be improve by pucca surfacing.			MLA Name				Sri Naresh Prasad Singh					

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)		0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	Needs low cap deep tube well with storage tank.				

Station KARKATTA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	350	9	0	MOR	21	7	1	1		0	65	0	0	0	9	0	0	0	0	0	N	0
UP	BG	N	350	9	0	MOR	21	1	1	2		0	60	2	2	4	19	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station KARKATTA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	9	0	0.84	0	0	3			-	-
Actual	15	42	5	2	2	135	0	See platform details	0	-
Shortage, if any	-	58	-	-	-	-	1		-	-

Station	Karwandiya			No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	KWD	FOB	0	(a) Per Day		116		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		36		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	9.79	2018-19	9.88	Tourist Facilation Center			N
State	BIHAR	Public Address Sys.	Y	2019-20	7.7	2020-21	0.65	Touch Screen Enquiry System			N
District	ROHTAS	Clock	Y	2021-22	6.31	2022-23	9.98	Electronic Train Indication			N
Section	GC	Wheel Chairs	Y	2023-24	9.02	2024-25		Length of longest stopping train(m)		358	
Km.	0564.27	Cloak Room	N	MP Const. Sasaram				ATMs		0	
Route	A	Refreshment Room(sqm)		MP Name Kumar, Shri Manoj				Food Plaza		N	
Electrified	Y			MLA Const. Sasaram				Budget Hotel		N	
Other Items	-			MLA Name Rajesh Kumar Gupta				Trains Halting		M: 0 P : 4	
Remarks for	--							Station IInd Entry		N	

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	45	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	20	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	2	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	2	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	18	Source	Railway Supply		Open Wells (Nos)		0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		-			

Station

Karwandiya

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	250	12	0	OTH	21	3	16	0		0	92	0	2	0	8	0	0	0	0	0	N	0
UP	BG	N	462	8	0	OTH	0	0	16	1		0	126	1	0	2	15	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

Karwandiya

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	15	0	1.44	0	0	4			-	-
Actual	45	21	33	3	4	238	0	See platform details	0	-
Shortage, if any	-	79	-	-	-	-	1		-	-

Station		KASTHA		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	KSTA	FOB	1	(a) Per Day		64		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		25		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	2.35	2018-19	2.65	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	2.92	2020-21	2.58	Touch Screen Enquiry System		N	
District	GAYA	Clock	Y	2021-22	2.51	2022-23	4.55	Electronic Train Indication		N	
Section	GC	Wheel Chairs	Y	2023-24	4.16	2024-25		ATMs		0	
Km.	0478.08	Cloak Room	N	Length of longest stopping train(m)				358			
Route	A	Refreshment Room(sqm)		MP Const. Aurangabad				Food Plaza		N	
Electrified	Y			MP Name Sinha, Shri Abhay Kumar				Budget Hotel		N	
Other Items	-			MLA Const. Gurua				Trains Halting		M: 2 P : 3	
Remarks for	-			MLA Name Vinay Kumar				Station IInd Entry		N	

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	16	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	18	Source	Railway Supply		Open Wells (Nos)		0
Surface	WBM	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)		1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		2000			
Pay & Use Toilet	N			Remarks		-			

Station KASTHA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	Y	304	8	0	OTH	120	1	16	1		0	84	0	0	2	22	0	0	0	0	0	N	0
DN	BG	N	304	7	0	OTH	126	0	16	1		0	84	2	4	2	10	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station KASTHA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	10	0	1	0	0	3			-	-
Actual	16	246	34	2	4	183	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Station		KHURMABAD ROAD		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	KVD	FOB	0	(a) Per Day		56		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		20		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	1.86	2018-19	1.97	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	0	2020-21	0.00	Touch Screen Enquiry System		N	
District	ROHTAS	Clock	Y	2021-22	1.36	2022-23	2.65	Electronic Train Indication		N	
Section	GC	Wheel Chairs	N	2023-24	2.57	2024-25		ATMs		0	
Km.	0606.70	Cloak Room	N	<div>MP Const. Sasaram MP Name Kumar, Shri Manoj MLA Const. Chenari MLA Name Murari Prasad Gautam</div>				Food Plaza		N	
Route	A	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0	P : 4
Other Items	-							Station IInd Entry		N	
Remarks for	--										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	42	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	28	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		1		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		-					

Station

KHURMABAD ROAD

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	303	5	0	OTH	6	0	0	2		0	10	0	0	3	4	0	0	0	0	0	N	0
UP	BG	N	318	5	0	OTH	40	0	0	1		0	30	0	0	1	7	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others					

Station

KHURMABAD ROAD

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	13	0	0.8	0	0	4			-	-
Actual	42	46	3	1	0	68	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Station		KOSIARA		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	KVQ	FOB	0	(a) Per Day		320		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		37		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal	Enquiry Office	0	2011-12	8.97	2018-19	11.12	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	17.14	2020-21	1.21	Touch Screen Enquiry System		N	
District	PALAMU	Clock	Y	2021-22	16.88	2022-23	23.37	Electronic Train Indication		N	
Section	GC	Wheel Chairs	Y	2023-24	31.12	2024-25		ATMs		0	
Km.	0352.92	Cloak Room	N	<div>MP Const. Palamu MP Name Ram, Shri Vishnu Dayal MLA Const. Silli MLA Name Sri Sudesh Kumar Mahto</div>				Food Plaza		N	
Route	Dspl	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 0 P : 4	
Other Items	-							Station IInd Entry		N	
Remarks for	.										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	40	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	45	Length(m)	10	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		Require low cap deep tube well & storage tank.					

Station KOSIARA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	351	8	0	CC	0	8	0	2		0	60	3	2	3	9	0	0	0	0	0	N	0
UP	BG	Y	361	10	0	OTH	70	4	0	1		0	32	0	2	2	17	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station KOSIARA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	15	0	1.48	0	0	4			-	-
Actual	40	70	3	3	4	122	0	See platform details	0	-
Shortage, if any	-	30	1	-	-	-	1		-	-

Station		KUDRA		No. of passengers dealt with:				Identified as Adarsh		N			
Station Code	KTQ	FOB	1	(a) Per Day		1550		Developed As					
Station Category	NSG5	Subway	0	(b) Max. at any		170		Identified for MFC		N			
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)									
Division	Pt. Deen Dayal	Enquiry Office	1	2011-12	137.48	2018-19	260.55	Tourist Facilation Center		N			
State	Unadhyay	Public Address Sys.	Y	2019-20	403.4	2020-21	85.97	Touch Screen Enquiry System		N			
District	KAIMUR	Clock	Y	2021-22	298	2022-23	458.24	Electronic Train Indication		N			
Section	(BHABUA)	Wheel Chairs	Y	2023-24	464.67	2024-25		ATMs		0			
Km.	0597.91	Cloak Room	N	Length of longest stopping train(m)550				Food Plaza		N			
Route	A	Refreshment						MP Const.		Sasaram	Budget Hotel		N
Electrified	Y	Room(sqm)						MP Name		Kumar, Shri Manoj	Trains Halting		M: 6
								MLA Const.		Bhabua	Station IInd Entry		N
Other Items	--			MP NameBharat Bind									
Remarks for	-												

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	104	Area(sqm)		0	0	Area(sqm)	30	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	15	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	WBM	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)	2	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	108840				
Pay & Use Toilet				Remarks	5 hand pumps on PF				

Station

KUDRA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
2&3	BG	Y	443	10	75	CC	238	4	8	2		0	96	0	2	0	18	0	0	0	0	0	N	1
1&2	BG	Y	561	20	75	CC	355	3	16	2		0	261	4	1	1	24	1	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

KUDRA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	71	0	6.8	0	0	20			-	-
Actual	104	593	28	6	4	402	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Station		KUMAHU		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	KMGE	FOB	0	(a) Per Day		66		Developed As				
Station Category	NSG6	Subway	0	(b) Max. at any		23		Identified for MFC		N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	3.19	2018-19	3.33	Tourist Facilation Center		N		
State	BIHAR	Public Address Sys.	Y	2019-20	4.62	2020-21	0.40	Touch Screen Enquiry System		N		
District	KAIMUR	Clock	Y	2021-22	3.6	2022-23	5.66	Electronic Train Indication		N		
Section	(BHABUA) GC	Wheel Chairs	Y	2023-24	5.05	2024-25		ATMs		0		
Km.	0580.23	Cloak Room	N	Length of longest stopping train(m)				358		Food Plaza		N
Route	A	Refreshment Room(sqm)		MP Const.		Sasaram		Budget Hotel		N		
Electrified	Y			MP Name		Kumar, Shri Manoj		Trains Halting		M: 0 P : 4		
				MLA Const.		Sasaram		Station IInd Entry		N		
				MLA Name		Rajesh Kumar Gupta						
Other Items	-											
Remarks for	-											

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	3
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	1
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	1	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		-			

Station KUMAHU

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	234	9	0	OTH	5	1	1	2		0	60	0	0	3	5	0	0	0	0	0	N	0
UP	BG	N	236	6	0	OTH	5	1	1	1		0	58	1	2	3	9	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station KUMAHU

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	10	0	0.92	0	0	3			-	-
Actual	0	10	5	1	2	118	0	See platform details	0	-
Shortage, if any	15	90	-	-	-	-	1		-	-

Station	MANI HALT			No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	MANI	FOB	0	(a) Per Day		20		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		15		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	1.70	2018-19	1.18	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	N	2019-20	0.68	2020-21	0.00	Touch Screen Enquiry System		N	
District	ROHTAS	Clock	N	2021-22	0.29	2022-23	0.52	Electronic Train Indication		N	
Section	ARA-SSM	Wheel Chairs	N	2023-24	0	2024-25		ATMs		0	
Km.	0064.45	Cloak Room	N	Length of longest stopping train(m)				300	Food Plaza		N
Route	E	Refreshment Room(sqm)		MP Const.				Sasaram	Budget Hotel		N
Electrified	Y			MP Name				Kumar, Shri Manoj	Trains Halting		M: 0 P : 2
Other Items	-			MLA Const.				Sasaram	Station IInd Entry		N
Remarks for	--			MLA Name				Rajesh Kumar Gupta			

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)		0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		-			

Station MANI HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	300	2.5	0	OTH	42	0	0	1		0	40	0	0	0	0	0	0	0	0	0	N	0		
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																										

Station MANI HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	9	0	0.6	0	0	3			-	-
Actual	0	42	1	0	0	40	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Station		MANPUR JN.		No. of passengers dealt with:				Identified as Adarsh		N			
Station Code	MPO	FOB	1	(a) Per Day		119		Developed As					
Station Category	NSG6	Subway	0	(b) Max. at any		16		Identified for MFC		N			
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)									
Division	Pt. Deen Dayal	Enquiry Office	0	2011-12	14.03	2018-19	15.78	Tourist Facilation Center		N			
State	Unadhyay	Public Address Sys.	Y	2019-20	13.44	2020-21	0.34	Touch Screen Enquiry System		N			
District	BIHAR	Clock	Y	2021-22	14.74	2022-23	23.62	Electronic Train Indication		N			
Section	GAYA	Wheel Chairs	Y	2023-24	22.56	2024-25		ATMs		0			
Km.	GC	Cloak Room	N	Length of longest stopping train(m)				358		Food Plaza		N	
Route	0464.40	Refreshment		MP Const.				Gaya		Budget Hotel		N	
Electrified	A	Room(sqm)		MP Name				Manjhi, Shri Jitan Ram		Trains Halting		M: 0	P : 10
Other Items	Y			MLA Const.				Wazirganj		Station IInd Entry		N	
Remarks for				MLA Name				Birendra Singh					
	-												
	-												
Resting Facility													
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM							
(a) Area(sqm.)	70	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0			
(b) Seats(Nos.)	25	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0			
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0						
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0						
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0						
Circulating Area and Water													
Circulating Area		Approach Road		Water Supply									
Area (sqm)	75	Length(m)	10	Source	Railway Supply		Open Wells (Nos)		0				
Surface	Kutchra	Surface	WBM	Type	Piped and Hand Pump		Bore Wells (Nos)		1				
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		20000							
Pay & Use Toilet				Remarks		-							

Station			MANPUR JN.																						
Platform Detail																									
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
DN	BG	Y	395	12.5	84	MOR	80	3	12	0		0	42	0	4	5	31	0	0	0	0	1	N	0	
UP	BG	Y	395	9	0	MOR	135	4	12	0		0	48	2	4	7	40	0	0	0	0	1	N	0	
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station	MANPUR JN.			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-		
As per Rec.	7	0	0.64	0	0	2			-	-		
Actual	70	215	24	2	8	115	1	See platform details	0	YES		
Shortage, if any	-	-	-	-	-	-	-		-	-	-	

Station	MUTHANI			No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	MTGE	FOB	0	(a) Per Day				77	Developed As		
Station Category	NSG6	Subway	0	(b) Max. at any				15	Identified for MFC		N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	4.12	2018-19	4.22	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	3.48	2020-21	0.38	Touch Screen Enquiry System		N	
District	KAIMUR	Clock	Y	2021-22	3.33	2022-23	4.34	Electronic Train Indication		N	
Section	(BHABUA) GC	Wheel Chairs	Y	2023-24	3.55	2024-25		Length of longest stopping train(m)		220	
Km.	0614.70	Cloak Room	N	MP Const.				Sasaram	ATMs		0
Route	A	Refreshment Room(sqm)		MP Name				Kumar, Shri Manoj	Food Plaza		N
Electrified	Y			MLA Const.				Sasaram	Budget Hotel		N
Other Items	--			MLA Name				Rajesh Kumar Gupta	Trains Halting		M: 0 P : 3
Remarks for	--								Station IInd Entry		N

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	25	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	12	Source	Railway Supply		Open Wells (Nos)		0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		5
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		--			

Station			MUTHANI																					
Platform Detail																								
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	301	7	750	OPS	6	3	16	2		0	34	0	2	5	6	0	0	0	0	0	N	0
UP	BG	N	294	6	50	OPS	60	3	16	2		0	92	1	0	1	6	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station	MUTHANI			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-		
As per Rec.	6	0	0.6	0	0	2			-	-		
Actual	25	66	36	1	2	141	0	See platform details	0	-		
Shortage, if any	-	34	-	-	-	-	1		-	-		

Station NABINAGAR ROAD				No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	NBG	FOB	1	(a) Per Day		1207		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		96		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	1	2011-12	68.13	2018-19	122.74	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	219.65	2020-21	41.93	Touch Screen Enquiry System		N	
District	AURANGABAD	Clock	Y	2021-22	206.87	2022-23	276.61	Electronic Train Indication		N	
Section	BD	Wheel Chairs	Y	2023-24	303.84	2024-25		ATMs		0	
Km.	0381.80	Cloak Room	N	Length of longest stopping train(m)				380	Food Plaza		N
Route	Dspl	Refreshment Room(sqm)		MP Const.				Karakat	Budget Hotel		N
Electrified	Y			MP Name				Singh, Shri Raja Ram	Trains Halting		M: 4 P : 3
Other Items	--			MLA Const.				Nabinagar	Station IInd Entry		N
Remarks for	--			MLA Name				Vijay Kumar Singh Alias Dabloo			

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	41	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		4	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	348	Length(m)	12	Source	Railway Supply		Open Wells (Nos)		0
Surface	Other	Surface	Kutchra	Type	Piped		Bore Wells (Nos)		5
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		10000			
Pay & Use Toilet				Remarks					

Station

NABINAGAR ROAD

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	432	8	84	OPS	72	6	2	2		0	80	2	2	0	27	0	0	0	0	0	N	1
2/3	BG	Y	400	10	84	OPS	192	5	6	1		0	136	2	2	1	27	0	0	0	0	0	N	1
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

NABINAGAR ROAD

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	40	0	3.84	0	0	12			-	-
Actual	41	264	11	4	8	226	1	See platform details	1	YES
Shortage, if any	-	-	5	-	-	-	-		1	-

Station		NAGRI GRAM		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	NGIM	FOB	0	(a) Per Day		20		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		10		Identified for MFC		N	
Railway	ECR	Booking Windows	0	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	0.10	2018-19	0.00	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	N	2019-20	2.2	2020-21	0.00	Touch Screen Enquiry System		N	
District	BHOJPUR	Clock	Y	2021-22	1.4	2022-23	1.5	Electronic Train Indication		N	
Section	ARA-SSM	Wheel Chairs	N	2023-24	5.28	2024-25		ATMs		0	
Km.	0033.07	Cloak Room	N	Length of longest stopping train(m)				350			
Route	E	Refreshment Room(sqm)		MP Const. Arrah				Food Plaza		N	
Electrified	Y			MP Name Prasad, Shri Sudama				Budget Hotel		N	
Other Items	00			MLA Const. Agiaon				Trains Halting		M: 0 P : 2	
Remarks for				MLA Name Shiv Prakash Ranjan				Station IInd Entry		N	

Resting Facility							
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	0	Area(sqm)	0	0	0	Area(sqm)	0
(b) Seats(Nos.)	5	Seats(Nos.)	0	0	0	Seats(Nos.)	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0
						Retiring Room	0
						Dormitory	0

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	50	Length(m)	25	Source	Railway Supply		Open Wells (Nos)
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	00		

Station NAGRI GRAM

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
UP & DN	BG	N	340	4	340	OTH	50	2	1	1		0	5	0	0	0	2	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station NAGRI GRAM

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	6	0	0.4	0	0	2			-	-
Actual	0	50	2	0	0	10	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Station	NONAR HALT			No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	NON	FOB	0	(a) Per Day		30		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		29		Identified for MFC		N	
Railway	ECR	Booking Windows	0	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	0.65	2018-19	1.78	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	N	2019-20	0.32	2020-21	0.04	Touch Screen Enquiry System		N	
District	BHOJPUR	Clock	N	2021-22	0.28	2022-23	1.18	Electronic Train Indication		N	
Section	ARA-SSM	Wheel Chairs	N	2023-24	2.4	2024-25		ATMs		0	
Km.	0043.35	Cloak Room	N	Length of longest stopping train(m)				245	Food Plaza		N
Route	E	Refreshment Room(sqm)		MP Const.				Sasaram	Budget Hotel		N
Electrified	Y			MP Name				Kumar, Shri Manoj	Trains Halting		M: 0 P : 2
Other Items	-			MLA Const.				Sasaram	Station IInd Entry		N
Remarks for	--			MLA Name				Rajesh Kumar Gupta			

Resting Facility							
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	0	Area(sqm)	0	0	0	Area(sqm)	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0
						Retiring Room	0
						Dormitory	0

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	-		

Station

NONAR HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	300	4	0	OTH	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0		
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																										

Station

NONAR HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	18	0	1.16	0	0	5			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Station	PARAIYA			No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	PRY	FOB	1	(a) Per Day		322		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		34		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	12.44	2018-19	15.54	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	14.24	2020-21	1.49	Touch Screen Enquiry System		N	
District	GAYA	Clock	Y	2021-22	9.59	2022-23	17	Electronic Train Indication		N	
Section	GC	Wheel Chairs	Y	2023-24	14.91	2024-25		ATMs		0	
Km.	0485.22	Cloak Room	N	Length of longest stopping train(m)				358	Food Plaza		N
Route	A	Refreshment Room(sqm)		MP Const. Gaya				Budget Hotel		N	
Electrified	Y			MP Name Manjhi, Shri Jitan Ram				Trains Halting		M: 2 P : 3	
Other Items	--			MLA Const. Gurua				Station IInd Entry		N	
Remarks for	--			MLA Name Vinay Kumar							

Resting Facility							
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	108	Area(sqm)		0	0	Area(sqm)	0
(b) Seats(Nos.)	60	Seats(Nos.)		0	0	Seats(Nos.)	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0
						Retiring Room	0
						Dormitory	0

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	25	Source	Railway Supply		Open Wells (Nos)
Surface	WBM	Surface	WBM	Type	Piped and Hand Pump		Bore Wells (Nos)
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000		1
Pay & Use Toilet				Remarks	--		

Station			PARAIYA																					
Platform Detail																								
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	300	5.75	76	OTH	120	6	8	2		0	59	2	4	2	17	0	0	0	0	1	N	0
UP	BG	Y	464	8.4	80	OTH	120	3	16	0		0	70	0	0	5	43	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station	PARAIYA			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.		
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-			
As per Rec.	14	0	1.36	0	0	4			-	-			
Actual	108	240	26	2	4	189	1	See platform details	0	-			
Shortage, if any	-	-	-	-	-	-	-		-	-			

Station	PHE SAR			No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	PES	FOB	1	(a) Per Day		386		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		62		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	17.95	2018-19	21.56	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	40.04	2020-21	3.07	Touch Screen Enquiry System		N	
District	AURANGABAD	Clock	Y	2021-22	23	2022-23	49.14	Electronic Train Indication		N	
Section	GC	Wheel Chairs	Y	2023-24	47.67	2024-25		ATMs		0	
Km.	0529.29	Cloak Room	N	Length of longest stopping train(m)				448	Food Plaza		N
Route	A	Refreshment Room(sqm)		MP Const.				Aurangabad	Budget Hotel		N
Electrified	Y			MP Name				Sinha, Shri Abhay Kumar	Trains Halting		M: 2 P : 4
				MLA Const.				Aurangabad	Station IInd Entry		N
				MLA Name				Anand Shankar Singh			
Other Items	--										
Remarks for	--										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	90	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	39	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	3	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	12	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Black Topped	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)	5	
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	10000				
Pay & Use Toilet				Remarks	--				

Station			PHESAR																					
			Platform Detail																					
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	576	6.5	84	OTH	50	12	36	1		0	128	1	1	5	18	0	0	0	0	0	N	0
UP	BG	Y	415	20	0	OTH	180	15	36	1		0	120	2	2	13	47	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station	PHESAR			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.		
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-			
As per Rec.	26	0	2.48	0	0	7			-	-			
Actual	90	230	74	6	5	287	1	See platform details	0	-			
Shortage, if any	-	-	-	-	-	-	-		-	-			

Station	PIRO	No. of passengers dealt with:				Identified as Adarsh	N
Station Code	PIRO	FOB	0	(a) Per Day	824	Developed As	
Station Category	NSG6	Subway	0	(b) Max. at any	250	Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)			
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	31.03	2018-19	27.35
State	BIHAR	Public Address Sys.	Y	2019-20	194.71	2020-21	38.83
District	ROHTAS	Clock	Y	2021-22	197.55	2022-23	291.64
Section	ARA-SSM	Wheel Chairs	Y	2023-24	302.4	2024-25	
Km.	0056.32	Cloak Room	N	Length of longest stopping train(m) 300			
Route	Espl	Refreshment Room(sqm)		MP Const.	Karakat	Food Plaza	N
Electrified	Y			MP Name	Singh, Shri Raja Ram	Budget Hotel	N
Other Items	-			MLA Const.	Karakat	Trains Halting	M: 1 P : 3
Remarks for	-			MLA Name	Arun Singh	Station IInd Entry	N

Resting Facility							
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	130	Area(sqm)	112	0	Area(sqm)	0	Retiring Room 0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory 0
(c) Lav.(Nos.)	3	Lav.(Nos.)	0	0	Lav.(Nos.)	0	
(d) Urinals(Nos.)	3	Urinals(Nos.)	0	0	Urinals(Nos.)	0	
(e) Bathing Cubicals	2	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	700	Length(m)	250	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000		
Pay & Use Toilet				Remarks	-		

Station

PIRO

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	600	7	84	OPS	0	0	8	3		0	0	3	0	5	26	0	0	0	0	0	N	0		
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																										

Station

PIRO

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	105	0	10	0	0	30			-	-
Actual	130	0	11	6	3	10	0	See platform details	0	-
Shortage, if any	-	50	-	-	-	-	1		-	-

Station		PT. DEEN DAYAL UPADHYAYA JUNCTION			No. of passengers dealt with:				Identified as Adarsh		Y
Station Code	DDU	FOB	3	(a) Per Day		12025		Developed As		Y	
Station Category	NSG2	Subway	0	(b) Max. at any		608		Identified for MFC		N	
Railway	ECR	Booking Windows	10	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal	Enquiry Office	2	2011-12	3572.07	2018-19	0.00	Tourist Facilation Center		N	
State	UPADHYAY	Public Address Sys.	Y	2019-20	7138.26	2020-21	2808.03	Touch Screen Enquiry System		Y	
District	UPPRADESH	Clock	Y	2021-22	4774.95	2022-23	9219.35	Electronic Train Indication		Y	
Section	GC	Wheel Chairs	Y	2023-24	10795.74	2024-25		ATMs		4	
Km.	0672.65	Cloak Room	Y	<div>MP Const. Chandauli</div> <div>MP Name Shri Virendra Singh</div> <div>MLA Const. Mughalsarai</div> <div>MLA Name Shri Ramesh Jaiswal</div>				Food Plaza		Y	
Route	B	Refreshment	25					Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 142	P : 8
Other Items	-							Station IInd Entry		Y	
Remarks for	-										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	942	Area(sqm)		363	35	Area(sqm)	220	Retiring Room	6
(b) Seats(Nos.)	247	Seats(Nos.)		190	57	Seats(Nos.)	167	Dormitory	1
(c) Lav.(Nos.)	9	Lav.(Nos.)		6	3	Lav.(Nos.)	5		
(d) Urinals(Nos.)	4	Urinals(Nos.)		4	0	Urinals(Nos.)	4		
(e) Bathing Cubicals	3	Bathing Cubicals(Nos.)		2	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	12747	Length(m)	20	Source	Railway Supply		Open Wells (Nos)		0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)		6
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)		1448100			
Pay & Use Toilet	Y			Remarks		-			

Station		PT. DEEN DAYAL UPADHYAYA										Platform Detail												
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1 & 2	BG	Y	571	25.3	84	PS	2867	2	105	0		580	564	10	4	80	227	29	18	1	0	0	Y	1
3 & 4	BG	Y	540	21	84	PS	2734	2	54	0		602	617	12	5	68	189	15	15	1	0	0	Y	1
5 & 6	BG	Y	456	14	84	PS	2014	1	54	0		485	163	1	1	54	173	11	9	1	0	0	Y	1
7 & 8	BG	Y	605	10	84	PS	3390	0	54	0	605	635	216	2	2	56	194	9	5	0	0	0	Y	1
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station	PT. DEEN DAYAL UPADHYAYA				Summary						(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.				
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage					
Min. Facility	250	2000 sqm	80	12	12	600	1 With Cover	High level	8	YES					
As per Rec.	254	681	24.32	1	1	73			-	-					
Actual	942	11005	267	48	24	2221	3	See platform details	11	YES					
Shortage, if any	-	-	-	-	-	-	-		-	-	-				

Desired	Facility Available	Desired	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Tiolets on end platform & circulating	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Station		PUSAULI		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	PSE	FOB	0	(a) Per Day		218		Developed As				
Station Category	NSG6	Subway	0	(b) Max. at any		23		Identified for MFC		N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	9.51	2018-19	10.44	Tourist Facilation Center		N		
State	BIHAR	Public Address Sys.	Y	2019-20	18.47	2020-21	1.07	Touch Screen Enquiry System		N		
District	KAIMUR	Clock	Y	2021-22	9.58	2022-23	14.02	Electronic Train Indication		N		
Section	(BHABUA) GC	Wheel Chairs	Y	2023-24	14.4	2024-25		ATMs		0		
Km.	0606.70	Cloak Room	N	Length of longest stopping train(m)				358		Food Plaza		N
Route	A	Refreshment Room(sqm)		MP Const.		Sasaram		Budget Hotel		N		
Electrified	Y			MP Name		Kumar, Shri Manoj		Trains Halting		M: 0 P : 4		
Other Items	--			MLA Const.		Bhabua		Station IInd Entry		N		
Remarks for	--			MLA Name		Bharat Bind						
Resting Facility												
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM						
(a) Area(sqm.)	70	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0		
(b) Seats(Nos.)	15	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0		
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0					
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0					
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0					
Circulating Area and Water												
Circulating Area		Approach Road		Water Supply								
Area (sqm)	1	Length(m)	12	Source	Railway Supply		Open Wells (Nos)		0			
Surface	Black Topped	Surface	Other	Type	Hand Pump		Bore Wells (Nos)		3			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		90800						
Pay & Use Toilet				Remarks		--						

Station PUSAULI

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	307	10	0	OTH	6	5	7	1		0	46	0	2	2	11	0	0	0	0	0	N	0
UP	BG	Y	395	19	0	OTH	120	0	8	2		0	84	0	0	2	20	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station PUSAULI

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	10	0	0.92	0	0	3			-	-
Actual	70	126	18	1	2	145	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Station		RAFIGANJ		No. of passengers dealt with:				Identified as Adarsh		Y	
Station Code	RFJ	FOB	1	(a) Per Day		2530		Developed As		Y	
Station Category	NSG5	Subway	0	(b) Max. at any		255		Identified for MFC		N	
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	1	2011-12	273.99	2018-19	366.45	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	624.63	2020-21	153.52	Touch Screen Enquiry System		N	
District	GAYA	Clock	Y	2021-22	472.22	2022-23	736.01	Electronic Train Indication		Y	
Section	GC	Wheel Chairs	Y	2023-24	767.71	2024-25		ATMs		0	
Km.	0507.12	Cloak Room	N	<div>MP Const. Aurangabad MP Name Sinha, Shri Abhay Kumar MLA Const. Rafiganj MLA Name Mohammad Nehaluddin</div>				Food Plaza		N	
Route	A	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 11	P : 3
Other Items	--							Station IInd Entry		N	
Remarks for	--										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	69	Area(sqm)		21	21	Area(sqm)	42	Retiring Room	1
(b) Seats(Nos.)	52	Seats(Nos.)		9	9	Seats(Nos.)	9	Dormitory	1
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	1	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)		1	1	Urinals(Nos.)	1		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	2		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	1064	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	1	
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	90800				
Pay & Use Toilet				Remarks	-				

Station
RAFIGANJ

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
3&4	BG	Y	615	14.5	84	OPS	261	8	11	0		0	410	4	4	13	46	0	0	0	0	1	N	1
1&2	BG	Y	619	10.7	84	OPS	1408	7	32	0		0	437	0	8	26	69	0	0	0	0	1	N	1
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others							

Station
RAFIGANJ

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	107	0	10.2	0	0	31			-	-
Actual	69	1669	43	7	15	926	1	See platform details	2	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Desired	Facility Available
Improvement in the facade of the station building	
Improvement in the circulating area so as to ensure proper entry and exit of	
A lighting tower at an appropriate place to be installed for proper illumination	
Improved modern, cost effective lighting arrangements at the platforms,	
Renovated water booths	
Renovated, modern, Pay & Use toilets	
Good Waiting and Retiring Rooms with modern furniture	
Good passenger guidance system including signages and coach indication	
Improvement to the passenger service	
Improvement of booking and enquiry offices to give them a facelift	
Lighting of booking offices, the queuing area in front of booking windows	
Engagement of reputed architects/consultants for beautification	

Station		SAIDRAJA		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	SYJ	FOB	2	(a) Per Day		368		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		111		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	18.22	2018-19	68.25	Tourist Facilation Center		N	
State	UTTAR PRADESH	Public Address Sys.	Y	2019-20	140.05	2020-21	31.12	Touch Screen Enquiry System		N	
District	CHANDAULI	Clock	Y	2021-22	102.89	2022-23	145.11	Electronic Train Indication		N	
Section	GC	Wheel Chairs	Y	2023-24	145.26	2024-25		ATMs		0	
Km.	0649.02	Cloak Room	N	<div>MP Const. Chandauli MP Name Shri Virendra Singh MLA Const. Saiyadraja MLA Name Sri Shushil Singh</div>				Food Plaza		N	
Route	A	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 2 P : 4	
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	60	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	200	Length(m)	10	Source	Railway Supply		Open Wells (Nos)		3		
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		-					

Station SAIDRAJA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	484	10	75	OPS	168	0	1	2		0	90	4	3	4	15	0	0	0	0	0	N	0
2&3	BG	Y	385	7	75	OPS	32	1	1	1		0	80	1	1	4	12	0	0	0	0	0	N	0
3&4	BG	Y	545	8	75	OPS	140	6	1	1		0	112	2	2	3	13	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others					

Station SAIDRAJA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	150 sqm	6 tap/HP at stn	1	1	30	1	High level	0	-
As per Rec.	46	0	4.44	0	0	13			-	-
Actual	60	340	7	7	6	302	2	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Station				SAJHAULI HALT				No. of passengers dealt with:				Identified as Adarsh		N					
Station Code		SJV		FOB		0		(a) Per Day		105		Developed As							
Station Category		HG2		Subway		0		(b) Max. at any		37		Identified for MFC		N					
Railway		ECR		Booking Windows		2		Pass. Earnings/Year(Rs. in Lac.)											
Division		Pt. Deen Dayal Upadhyay		Enquiry Office		0		2011-12		6.13		2018-19		6.98		Tourist Facilation Center		N	
State		BIHAR		Public Address Sys.		N		2019-20		6.7		2020-21		0.00		Touch Screen Enquiry System		N	
District		ROHTAS		Clock		N		2021-22		4.72		2022-23		10.21		Electronic Train Indication		N	
Section		ARA-SSM		Wheel Chairs		N		2023-24		8.72		2024-25				ATMs		0	
Km.		0068.75		Cloak Room		N		Length of longest stopping train(m)				312		Food Plaza		N			
Route		E		Refreshment Room(sqm)				MP Const.		Sasaram				Budget Hotel		N			
Electrified		Y						MP Name		Kumar, Shri Manoj				Trains Halting		M: 0		P : 3	
								MLA Const.		Sasaram				Station IInd Entry		N			
								MLA Name		Rajesh Kumar Gupta									
Other Items		-																	
Remarks for		-																	

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	16	Area(sqm)		112	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		35	35	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		2	2	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	344	Length(m)	45	Source	Railway Supply		Open Wells (Nos)		0
Surface	Cement Concrete	Surface	Other	Type	Hand Pump		Bore Wells (Nos)		0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		-			

Station
SAJHAULI HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	300	2.3	0	OTH	60	13	0	1		0	30	0	1	0	0	0	0	0	0	0	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station
SAJHAULI HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	23	0	1.48	0	0	7			-	-
Actual	16	60	1	2	5	100	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Station	SASARAM			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	SSM	FOB	2	(a) Per Day		6418		Developed As	Y	
Station Category	NSG3	Subway	0	(b) Max. at any		452		Identified for MFC	Y	
Railway	ECR	Booking Windows	6	Pass. Earnings/Year(Rs. in Lac.)				MFC Developed	N	
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	1	2011-12	1411.48	2018-19	0.00	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2019-20	3152.85	2020-21	1340.42	Touch Screen Enquiry System	N	
District	ROHTAS	Clock	Y	2021-22	2774.16	2022-23	3845.19	Electronic Train Indication	Y	
Section	GC	Wheel Chairs	Y	2023-24	4290.38	2024-25		ATMs	1	
Km.	0572.64	Cloak Room	Y	Length of longest stopping train(m)				560	Food Plaza	N
Route	A	Refreshment Room(sqm)	1200	MP Const.	Sasaram			Budget Hotel	N	
Electrified	Y			MP Name	Kumar, Shri Manoj			Trains Halting	M: 40 P : 6	
Other Items	--			MLA Const.	Sasaram			Station IInd Entry	Y	
Remarks for	--			MLA Name	Rajesh Kumar Gupta					

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	166	Area(sqm)		30	28	Area(sqm)	58	Retiring Room	3
(b) Seats(Nos.)	72	Seats(Nos.)		25	18	Seats(Nos.)	43	Dormitory	1
(c) Lav.(Nos.)	8	Lav.(Nos.)		1	1	Lav.(Nos.)	2		
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals	4	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	2		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	2500	Length(m)	89.54	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Other	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)	3	
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	299640				
Pay & Use Toilet				Remarks	-				

Station		SASARAM						Platform Detail																
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	560	24	84	CC	160	11	32	1		0	443	8	4	42	165	0	2	0	0	0	Y	2
3&4	BG	Y	549.4	12	84	CC	1845	7	40	0		516	526	8	8	31	140	2	5	0	0	0	Y	2
6 & 7	BG	Y	650	14.5	84	OPS	140	0	32	0		600	450	4	4	28	152	1	8	0	0	0	Y	1
*Surface Type		:	CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others					

Station	SASARAM			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.		
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility	125	1200 sqm	60	10	10	375	1 With Cover	High level	6	YES			
As per Rec.	189	380	18.08	1	1	54			-	-			
Actual	166	2145	105	32	19	1577	2	See platform details	6	YES			
Shortage, if any	-	-	-	-	-	-	-		-	-			

Desired	Facility Available	Desired	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Tiolets on end platform & circulating	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Station		SATBAHINI		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	SZF	FOB	0	(a) Per Day		183		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		21		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	4.94	2018-19	7.44	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	8.97	2020-21	0.56	Touch Screen Enquiry System		N	
District	PALAMU	Clock	Y	2021-22	7.61	2022-23	10.71	Electronic Train Indication		N	
Section	BD	Wheel Chairs	Y	2023-24	10.47	2024-25		ATMs		0	
Km.	0340.24	Cloak Room	N	<div>MP Const. Palamu MP Name Ram, Shri Vishnu Dayal MLA Const. Bishrampur MLA Name Sri Naresh Prasad Singh</div>				Food Plaza		N	
Route	D	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 2 P : 4	
Other Items	--							Station IInd Entry		N	
Remarks for	...										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	21	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)		0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks	Needs low cap deep tube well.				

Station			SATBAHINI																						
Platform Detail																									
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
DN	BG	N	352	9	0	CC	21	4	0	2		0	40	2	2	0	6	0	0	0	0	0	N	0	
UP	BG	Y	352	9.6	0	OTH	21	2	0	1		0	44	0	0	1	10	0	0	0	0	0	N	0	
*Surface Type :			CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station	SATBAHINI			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-		
As per Rec.	9	0	0.84	0	0	3			-	-		
Actual	21	42	3	2	2	94	0	See platform details	0	-		
Shortage, if any	-	58	1	-	-	-	1		-	-		

Station		SIGSIGI		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	SQS	FOB	0	(a) Per Day		145		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		21		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	0	2011-12	3.27	2018-19	6.23	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	0.45	2020-21	0.45	Touch Screen Enquiry System		N	
District	PALAMU	Clock	Y	2021-22	5.45	2022-23	9.54	Electronic Train Indication		N	
Section	BD	Wheel Chairs	Y	2023-24	8.89	2024-25		ATMs		0	
Km.	0324.84	Cloak Room	N	<div>MP Const. Palamu MP Name Ram, Shri Vishnu Dayal MLA Const. Bishrampur MLA Name Sri Naresh Prasad Singh</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 4	
Other Items	--							Station IInd Entry		N	
Remarks for	Needs to be improve by pucca surfacing.										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	20	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	12	Source	Railway Supply		Open Wells (Nos)		0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks	Needs water supply by deep tube				

Station			SIGSIGI																					
			Platform Detail																					
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	350	9	0	OPS	27	4	0	2		0	16	2	2	0	9	0	0	0	0	0	N	0
UP	BG	Y	350	9	0	MOR	45	0	0	2		0	30	0	0	0	16	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station	SIGSIGI			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.		
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-			
As per Rec.	9	0	0.84	0	0	3			-	-			
Actual	20	72	4	2	2	56	0	See platform details	0	-			
Shortage, if any	-	28	-	-	-	-	1		-	-			

Station		SON NAGAR JN.		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	SEB	FOB	1	(a) Per Day		1010		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		96		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Pt. Deen Dayal Upadhyay	Enquiry Office	1	2011-12	123.60	2018-19	166.35	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	190.45	2020-21	22.43	Touch Screen Enquiry System		N	
District	AURANGABAD	Clock	Y	2021-22	101.49	2022-23	171.62	Electronic Train Indication		N	
Section	GC	Wheel Chairs	Y	2023-24	157.27	2024-25		ATMs		0	
Km.	0549.30	Cloak Room	N	<div>MP Const. Aurangabad MP Name Sinha, Shri Abhay Kumar MLA Const. Aurangabad MLA Name Anand Shankar Singh</div>				Food Plaza		N	
Route	A	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 6	P : 2
Other Items	-							Station IInd Entry		N	
Remarks for	--										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	70	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	200	Length(m)	18	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Black Topped	Surface	Kutchra	Type	Piped and Hand Pump		Bore Wells (Nos)	1	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	300000				
Pay & Use Toilet				Remarks	-				

Station SON NAGAR JN.

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
3&4	BG	Y	579	22	75	OPS	210	10	22	0		0	180	6	4	4	48	1	0	0	0	0	N	0
1&2	BG	Y	563	11	75	OPS	410	6	32	1		0	247	5	1	5	17	1	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station SON NAGAR JN.

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	40	0	3.84	0	0	12			-	-
Actual	70	620	55	12	6	467	1	See platform details	2	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Division : Pt. Deen Dayal Upadhyay

Report Run Date : 01/08/2025 12:00:58 PM

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	236	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	3
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	--		

Station			UNTARI ROAD							Platform Detail															
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	600	8	84	MOR	30	5	0	1		0	80	2	2	0	10	0	0	0	0	0	N	0	
2&3	BG	Y	600	8	84	OPS	48	4	0	2		0	76	2	2	4	22	0	0	0	0	0	N	0	
*Surface Type :			CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station	UNTARI ROAD		Summary				(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.			
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	13	0	1.28	0	0	4			-	-
Actual	36	78	3	4	4	160	0	See platform details	0	-
Shortage, if any	-	22	1	-	-	-	1		-	-