

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station	AKSHAYAWAT RAI NAGAR			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	AYRN	FOB	1	(a) Per Day	600	Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any	187	Identified for MFC			N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	40.89	2018-19	199.99	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2019-20	264.06	2020-21	50.60	Touch Screen Enquiry System	N
District	VAISHALI	Clock	Y	2021-22	218.26	2022-23	273.08	Electronic Train Indication	N
Section	HJP-BCA	Wheel Chairs	Y	2023-24	252.12	2024-25		ATMs	0
Km.	0256.36	Cloak Room	N	Length of longest stopping train(m)			593	Food Plaza	N
Route	Dspl	Refreshment Room(sqm)		MP Const.	Hajipur			Budget Hotel	N
Electrified	Y			MP Name	Paswan, Shri Chirag			Trains Halting	M: 2 P : 10
Other Items	-			MLA Const.	Hajipur			Station IInd Entry	N
Remarks for	-			MLA Name	Awadhesh Singh				

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	113	Area(sqm)		0	66	Area(sqm)	26	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	57	Seats(Nos.)	12	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	2		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	584.2	Length(m)	400	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2500		
Pay & Use Toilet				Remarks	06 Nos. Hand Pump provided.		

Station			AKSHAYAWAT RAI NAGAR										Platform Detail											
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	11	84	PS	1184	2	8	3		0	160	7	7	12	64	1	0	0	0	1	N	0
2 & 3	BG	Y	600	11	84	PS	894	0	16	3		0	100	0	10	2	39	0	0	0	0	1	N	0
*Surface Type			:	CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others				

Station	AKSHAYAWAT RAI NAGAR						Summary				(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage	
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-	
As per Rec.	78	0	7.48	0	0	22			-	-	
Actual	113	2078	30	9	17	329	1	See platform details	0	-	
Shortage, if any	-	-	-	-	-	-	-		-	-	

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		AWATARNAGAR		No. of passengers dealt with:				Identified as Adarsh		N
Station Code	ATNR	FOB	1	(a) Per Day		93		Developed As		
Station Category	NSG6	Subway	0	(b) Max. at any		48		Identified for MFC		N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	9.09	2018-19	8.34	Tourist Facilation Center		N
State	BIHAR	Public Address Sys.	N	2019-20	11.18	2020-21	0.37	Touch Screen Enquiry System		N
District	SARAN	Clock	N	2021-22	3.07	2022-23	4.75	Electronic Train Indication		N
Section	CI-SEE	Wheel Chairs	N	2023-24	4.06	2024-25				
Km.	0301.41	Cloak Room	N	Length of longest stopping train(m)			593	ATMs		0
Route	Dspl	Refreshment Room(sqm)		MP Const.	Chhapra			Food Plaza		N
Electrified	Y			MP Name	Shri Rajiv Pratap Rudhi			Budget Hotel		N
				MLA Const.	Garkha			Trains Halting		M: 2
				MLA Name	Surendra Ram			Station IInd Entry		N
Other Items	-									
Remarks for	-									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	69	Area(sqm)	20	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	25	Seats(Nos.)	40	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	346.1	Length(m)	0	Source	Railway Supply		Open Wells (Nos)		0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)		0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided.				

Station

AWATARNAGAR

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	256.85	5	65	OTH	215	5	0	2		0	100	2	2	2	7	0	0	0	0	1	N	0
2	BG	N	309	8	50	CC	114	11	0	2		0	69	2	1	0	3	0	0	0	0	1	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

AWATARNAGAR

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	20	0	1.92	0	0	6			-	-
Actual	69	329	4	4	3	234	1	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station	BACHWARA JN.			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	BCA	FOB	2	(a) Per Day	2122	Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any	409	Identified for MFC			N
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	1	2011-12	133.53	2018-19	235.14	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2019-20	295.18	2020-21	62.27	Touch Screen Enquiry System	N
District	BEGUSARAI	Clock	N	2021-22	214.43	2022-23	311.27	Electronic Train Indication	N
Section	BJU-SPJ	Wheel Chairs	Y	2023-24	305.92	2024-25		ATMs	0
Km.	0195.62	Cloak Room	N	Length of longest stopping train(m)			428	Food Plaza	N
Route	Dspl	Refreshment Room(sqm)		MP Const.	Begusarai			Budget Hotel	N
Electrified	Y			MP Name	Singh, Shri Giriraj			Trains Halting	M: 16 P : 26
Other Items	-			MLA Const.	Bachhwara			Station IInd Entry	Y
Remarks for	-			MLA Name	Surendra Mehata				

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	227	Area(sqm)		0	0	Area(sqm)	70	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	4	Lav.(Nos.)		0	0	Lav.(Nos.)	5		
(d) Urinals(Nos.)	4	Urinals(Nos.)		0	0	Urinals(Nos.)	2		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	672	Length(m)	200	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump	Bore Wells (Nos)	3
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	10000		
Pay & Use Toilet				Remarks	06 Nos. Hand Pump provided.		

Station BACHWARA JN.

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	650	11.2	84	OTH	160	0	12	2		0	104	0	1	7	45	0	0	0	0	0	N	0
2 & 3	BG	Y	650	18.65	84	OTH	863	10	16	3		0	76	3	1	9	59	1	0	0	0	0	N	0
4 & 5	BG	Y	450	10	84	OTH	320	0	0	2		0	136	0	0	2	17	1	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others					

Station BACHWARA JN.

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	150 sqm	24	4	4	150	0	High level	3	-
As per Rec.	171	0	16.36	1	1	49			-	-
Actual	227	1343	35	12	8	316	2	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		3	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station BAGNIGRAM HALT				No. of passengers dealt with:				Identified as Adarsh N	
				(a) Per Day 17				Developed As	
				(b) Max. at any 21				Identified for MFC N	
				Pass. Earnings/Year(Rs. in Lac.)					
Station Code	BIGH	FOB	0	2011-12	0.54	2018-19	0.09	Tourist Facilation Center N	
Station Category	HG3	Subway	0	2019-20	0.33	2020-21	0.00	Touch Screen Enquiry System N	
Railway	ECR	Booking Windows	1	2021-22	0.05	2022-23	0.28	Electronic Train Indication N	
Division	Sonapur	Enquiry Office	0	2023-24	0.95	2024-25			
State	BIHAR	Public Address Sys.	N	Length of longest stopping train(m) 356				ATMs 0	
District	BHAGALPUR	Clock	N	<div style="border: 1px solid black; padding: 5px;"> MP Const. Bhagalpur MP Name Shri Ajay Kumar Mandal MLA Const. Bihpur MLA Name Kumar Shailendra </div>				Food Plaza N	
Section	BJU-KIR	Wheel Chairs	N					Budget Hotel N	
Km.	0068.10	Cloak Room	N					Trains Halting M: 0 P : 3	
Route	Dspl	Refreshment Room(sqm)						Station IInd Entry N	
Electrified	Y								
Other Items -									
Remarks for -									

Resting Facility							
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	33	Area(sqm)		0	0	Area(sqm)	0
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0
						Retiring Room	0
						Dormitory	0

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	35	Source	Railway Supply		Open Wells (Nos) 0
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos) 0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided.		

Station

BAGNIGRAM HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	3	0	OTH	0	0	0	1		0	10	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	250	3	0	OTH	0	0	0	1		0	10	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

BAGNIGRAM HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	13	0	0.84	0	0	4			-	-
Actual	33	0	2	0	0	60	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		BAKHRI		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	BKHR	FOB	1	(a) Per Day		132		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		54		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	4.31	2018-19	4.70	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	7.58	2020-21	0.55	Touch Screen Enquiry System		N	
District	KATIHAR	Clock	N	2021-22	4.74	2022-23	6.69	Electronic Train Indication		N	
Section	BJU-KIR	Wheel Chairs	N	2023-24	7.37	2024-25		ATMs		0	
Km.	0029.76	Cloak Room	N	<div>MP Const. Katihar MP Name Anwar, Shri Tariq MLA Const. Barari MLA Name Bijay Singh</div>				Food Plaza		N	
Route	Dspl	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 0 P : 8	
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	31	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	100	Length(m)	300	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		05 Nos. Hand Pump provided					

Station BAKHRI

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	6	10	CC	330	0	0	2		0	30	1	3	2	12	0	0	0	0	0	N	0
2	BG	N	350	6	0	CC	150	2	0	2		0	30	0	3	0	0	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station BAKHRI

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	23	0	2.16	0	0	6			-	-
Actual	31	480	4	1	6	70	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Division : Sonapur

Report Run Date : 31/07/2025 2:51:26 PM

Station

Banikpur Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	3	0	CC	25	4	0	2		0	30	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	300	3	0	OTH	25	4	0	1		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Banikpur Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	4	0	0.28	0	0	1			-	-
Actual	30	50	3	0	0	50	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		BARA-GOPAL		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	BAGL	FOB	1	(a) Per Day		287		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		41		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	10.85	2018-19	7.16	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	17.26	2020-21	0.50	Touch Screen Enquiry System		N	
District	SARAN	Clock	N	2021-22	5.76	2022-23	13.98	Electronic Train Indication		N	
Section	CI-SEE	Wheel Chairs	N	2023-24	14.12	2024-25		ATMs		0	
Km.	0306.33	Cloak Room	N	<div><div>MP Const.</div><div>Chhapra</div><div>MP Name</div><div>Shri Rajiv Pratap Rudhi</div><div>MLA Const.</div><div>Garkha</div><div>MLA Name</div><div>Surendra Ram</div></div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 4 P : 6	
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	35	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	451.1	Length(m)	400	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	1			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000						
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided.						

Station

BARA-GOPAL

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	379.25	8	45	OTH	191	25	12	2		0	80	3	1	1	16	0	0	0	0	1	N	0
2	BG	N	351.1	6.2	80	OPS	101	11	9	2		0	44	0	0	0	10	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

BARA-GOPAL

Summary											(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-		
As per Rec.	17	0	1.64	0	0	5			-	-		
Actual	35	292	25	3	1	144	1	See platform details	0	YES		
Shortage, if any	-	-	-	-	-	-	-		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station	Barauni Flag			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BUJ	FOB	0	(a) Per Day		168		Developed As		
Station Category	NSG6	Subway	0	(b) Max. at any		38		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	6.30	2018-19	6.72	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	N	2019-20	7.82	2020-21	0.17	Touch Screen Enquiry System	N	
District	BEGUSARAI	Clock	N	2021-22	26.26	2022-23	0	Electronic Train Indication	N	
Section	BJU-SPJ	Wheel Chairs	N	2023-24	3.72	2024-25		ATMs	0	
Km.	0182.05	Cloak Room	N	Length of longest stopping train(m)				593	Food Plaza	N
Route	Dspl	Refreshment Room(sqm)		MP Const.	Begusarai			Budget Hotel	N	
Electrified	Y			MP Name	Singh, Shri Giriraj			Trains Halting	M: 2	P : 18
				MLA Const.	Teghra			Station IInd Entry	N	
				MLA Name	Ram Ratan Singh					
Other Items	-									
Remarks for	-									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	42	Area(sqm)	0	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	24	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Black Topped	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	01 No. Hand Pump provided.		

Station			Barauni Flag										Platform Detail											
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	338	7	0	CC	100	0	2	1		0	28	2	2	0	0	1	0	0	0	0	N	0
2	BG	N	330	4	0	CC	0	0	2	0		0	36	0	0	0	0	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete				PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others					

Station	Barauni Flag			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-		
As per Rec.	16	0	1.52	0	0	5			-	-		
Actual	42	100	5	2	2	88	0	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	1		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station				BARAUNI JN.				No. of passengers dealt with:				Identified as Adarsh		Y					
Station Code		BJU		FOB		2		(a) Per Day		17964		Developed As		N					
Station Category		NSG3		Subway		0		(b) Max. at any		1201		Identified for MFC		N					
Railway		ECR		Booking Windows		11		Pass. Earnings/Year(Rs. in Lac.)											
Division		Sonepur		Enquiry Office		1		2011-12		2709.49		2018-19		2038.13		Tourist Facilation Center		N	
State		BIHAR		Public Address Sys.		Y		2019-20		2371.57		2020-21		433.67		Touch Screen Enquiry System		N	
District		BEGUSARAI		Clock		Y		2021-22		1190.99		2022-23		2965.89		Electronic Train Indication		N	
Section		BJU-SPJ		Wheel Chairs		Y		2023-24		3043.01		2024-25							
Km.		0179.02		Cloak Room		Y		Length of longest stopping train(m)				593		ATMs		4			
Route		Dspl		Refreshment Room(sqm)		92.5		MP Const.		Begusarai				Food Plaza		N			
Electrified		Y						MP Name		Singh, Shri Giriraj				Budget Hotel		N			
								MLA Const.		Teghra				Trains Halting		M: 140		P : 22	
								MLA Name		Ram Ratan Singh				Station IInd Entry		Y			
Other Items		-																	
Remarks for		-																	

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	644	Area(sqm)		50	25	Area(sqm)	25	Retiring Room	4
(b) Seats(Nos.)	159	Seats(Nos.)		18	12	Seats(Nos.)	12	Dormitory	1
(c) Lav.(Nos.)	5	Lav.(Nos.)		2	1	Lav.(Nos.)	1		
(d) Urinals(Nos.)	2	Urinals(Nos.)		2	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	2480	Length(m)	200	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	4	
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	1162800				
Pay & Use Toilet	Y			Remarks	-				

Station BARAUNI JN.

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1 & 2	BG	N	600	10	84	CC	6753	2	47	0	477	1050	137	0	1	7	88	3	0	0	0	2	N	0
3 & 4	BG	N	600	24	84	OTH	67148	0	103	0	471	1050	432	14	4	27	505	5	0	1	0	2	N	0
5 & 6	BG	N	595	15	84	CC	83467	0	66	0	450	1050	468	6	2	14	213	11	0	1	0	2	N	0
7 & 8	BG	N	600	10	84	OTH	43549	0	96	0	550	1100	260	0	2	14	152	5	0	0	0	2	N	0
*Surface Type		:	CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others					

Station BARAUNI JN.

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	1600 sqm	80	10	10	500	1 With Cover	High level	8	YES
As per Rec.	502	1345	48.04	2	2	144			-	-
Actual	644	200917	312	29	13	1498	2	See platform details	6	YES
Shortage, if any	-	-	-	-	-	-	-		2	-

Station

BARAUNI JN.

Summary As per Model Station

Desired	Facility Available	Desired	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Tiolets on end platform & circulating	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	No	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Desired	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	No
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		BASUDEOPUR CHANDEL		No. of passengers dealt with:				Identified as Adarsh		N
Station Code	BDUA	FOB	0	(a) Per Day		148		Developed As		
Station Category	NSG6	Subway	0	(b) Max. at any		53		Identified for MFC		N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	4.46	2018-19	4.70	Tourist Facilation Center		N
State	BIHAR	Public Address Sys.	Y	2019-20	4.12	2020-21	0.00	Touch Screen Enquiry System		N
District	VAISHALI	Clock	Y	2021-22	4.11	2022-23	7	Electronic Train Indication		N
Section	BCA-HJP	Wheel Chairs	N	2023-24	8.31	2024-25		ATMs		0
Km.	0233.16	Cloak Room	N	<div>MP Const. Hajipur MP Name Paswan, Shri Chirag MLA Const. Mahnar MLA Name Bina Singh</div>				Food Plaza		N
Route	Dspl	Refreshment Room(sqm)	Budget Hotel					N		
Electrified	Y		Trains Halting					M: 0	P : 10	
Other Items	-		Station IInd Entry					N		
Remarks for	Halt Station									
Resting Facility										
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM				
(a) Area(sqm.)	20	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0			
Circulating Area and Water										
Circulating Area		Approach Road		Water Supply						
Area (sqm)	0	Length(m)	5	Source	Railway Supply		Open Wells (Nos)		0	
Surface	Cement Concrete	Surface	Kutchra	Type	Piped and Hand Pump		Bore Wells (Nos)		0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0				
Pay & Use Toilet				Remarks		02 Nos. Hand Pump provided				

Station

BASUDEOPUR CHANDEL

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	450	6	0	CC	140	0	0	1		0	35	0	3	0	6	0	0	0	0	0	N	0
2	BG	N	450	6	0	CC	140	0	0	1		0	35	0	3	0	0	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

BASUDEOPUR CHANDEL

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	22	0	2.12	0	0	6			-	-
Actual	20	280	2	0	6	70	0	See platform details	0	-
Shortage, if any	-	-	2	1	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Begusarai		No. of passengers dealt with:				Identified as Adarsh		Y	
Station Code	BGS	FOB	2	(a) Per Day		16004		Developed As		N	
Station Category	NSG3	Subway	0	(b) Max. at any		1343		Identified for MFC		N	
Railway	ECR	Booking Windows	6	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	1	2011-12	689.43	2018-19	1468.38	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	1936.88	2020-21	327.26	Touch Screen Enquiry System		N	
District	BEGUSARAI	Clock	Y	2021-22	810.67	2022-23	1879.41	Electronic Train Indication		Y	
Section	BJU-KIR	Wheel Chairs	Y	2023-24	1957.54	2024-25		ATMs		3	
Km.	0164.00	Cloak Room	Y	<div>MP Const. Begusarai</div> <div>MP Name Singh, Shri Giriraj</div> <div>MLA Const. Begusarai</div> <div>MLA Name Kundan Kumar</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 66	P : 12
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	162	Area(sqm)		26	26	Area(sqm)	0	Retiring Room	1		
(b) Seats(Nos.)	97	Seats(Nos.)		25	25	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	1	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		1	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	5500	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Other	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)	2			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	50000						
Pay & Use Toilet	Y			Remarks	3 No. Hand Pump provided						

Station

Begusarai

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	580	9	84	CC	1511	4	35	0		0	405	2	10	14	105	6	0	0	0	2	Y	0
2 & 3	BG	Y	626	6.5	84	CC	775	5	54	0		0	333	2	6	10	70	4	0	0	0	2	Y	0
*Surface Type :			CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Begusarai

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	800 sqm	40	10	10	250	1 With Cover	High level	4	YES
As per Rec.	562	752	53.72	2	2	161			-	-
Actual	162	2285	89	6	17	885	2	See platform details	4	YES
Shortage, if any	-	-	-	4	-	-	-		-	-

Desired	Facility Available	Desired	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	No	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	No	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with	Yes	Washable apron with jet cleaning	No
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Tiolets on end platform & circulating	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Desired	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		BELARI		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	BLRI	FOB	0	(a) Per Day		16		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		14		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	0.52	2018-19	0.44	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	N	2019-20	0.38	2020-21	0.00	Touch Screen Enquiry System		N	
District	SAMASTIPUR	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication		N	
Section	BJU-SPJ	Wheel Chairs	N	2023-24	0.18	2024-25		ATMs		0	
Km.	0029.33	Cloak Room	N	<div>MP Const. Ujiarpur MP Name Rai, Shri Nityanand MLA Const. Ujiyarpur MLA Name Sri Alok Kumar Mehta (RJD)</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 2	
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	55	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		02 Nos. Hand Pump provided.					

Station BELARI

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	9	0	CC	0	0	0	1		0	16	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	300	6	0	OTH	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station BELARI

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	9	0	0.56	0	0	3			-	-
Actual	55	0	1	0	0	36	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station				BENIPATI PIRAPUR				No. of passengers dealt with:				Identified as Adarsh		N					
Station Code		BNPT		FOB		0		(a) Per Day		49		Developed As							
Station Category		HG3		Subway		0		(b) Max. at any		26		Identified for MFC		N					
Railway		ECR		Booking Windows		2		Pass. Earnings/Year(Rs. in Lac.)											
Division		Sonepur		Enquiry Office		0		2011-12		3.29		2018-19		3.03		Tourist Facilation Center		N	
State		BIHAR		Public Address Sys.		N		2019-20		4.98		2020-21		0.62		Touch Screen Enquiry System		N	
District		VAISHALI		Clock		N		2021-22		1.83		2022-23		2.66		Electronic Train Indication		N	
Section		HJP-MFP		Wheel Chairs		N		2023-24		2.73		2024-25							
Km.		0023.54		Cloak Room		N		Length of longest stopping train(m)				356		ATMs		0			
Route		Dspl		Refreshment Room(sqm)				MP Const.		Vaishali		Food Plaza		N					
Electrified		N						MP Name		Devi, Smt. Veena		Budget Hotel		N					
Other Items		-						MLA Const.		Vaishali		Trains Halting		M: 0		P : 6			
Remarks for		-						MLA Name		Siddharth Patel		Station IInd Entry		N					

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	39	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	29	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	132	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	02 nos. Hand pumps provided				

Station

BENIPATI PIRAPUR

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	298	3.2	0	OTH	0	7	0	1		0	36	0	1	0	0	0	0	0	0	0	N	0
2	BG	N	348	2.4	0	CC	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

BENIPATI PIRAPUR

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	16	0	1.04	0	0	5			-	-
Actual	39	0	1	0	1	65	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Bhagwanpur		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	BNR	FOB	1	(a) Per Day		2115		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		497		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	58.78	2018-19	205.66	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	239.14	2020-21	50.70	Touch Screen Enquiry System		N	
District	VAISHALI	Clock	N	2021-22	194.24	2022-23	252.68	Electronic Train Indication		N	
Section	HJP-MFP	Wheel Chairs	Y	2023-24	252.07	2024-25		ATMs		0	
Km.	0019.79	Cloak Room	N	<div>MP Const. Hajipur MP Name Paswan, Shri Chirag MLA Const. Lalganj MLA Name Sanjay Kumar Singh</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)	Budget Hotel					N			
Electrified	Y		Trains Halting					M: 18 P : 6			
			Station IInd Entry					N			
Other Items	-										
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	24	Area(sqm)		13	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	15	Seats(Nos.)		15	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	1	Lav.(Nos.)		1	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	92.4	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	2			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	6500						
Pay & Use Toilet	N			Remarks	02 Nos. hand Pump provided.						

Station

Bhagwanpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	597.35	8	56	CC	254	1	16	0		0	160	3	2	10	38	0	0	0	0	1	N	0
2 & 3	BG	Y	596	11	90	OTH	300	2	16	0		0	0	0	0	1	60	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Bhagwanpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	208	0	19.88	1	1	60			-	-
Actual	24	554	32	5	2	190	1	See platform details	0	-
Shortage, if any	6	-	-	-	2	-	-		2	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Bharatkhand		No. of passengers dealt with:				Identified as Adarsh		N
Station Code	BRKD	FOB	0	(a) Per Day		2		Developed As		
Station Category	HG3	Subway	0	(b) Max. at any		26		Identified for MFC		N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	0.70	2018-19	1.11	Tourist Facilation Center		N
State	BIHAR	Public Address Sys.	N	2019-20	0.13	2020-21	0.00	Touch Screen Enquiry System		N
District	KHAGARIA	Clock	N	2021-22	0.03	2022-23	0.07	Electronic Train Indication		N
Section	BJU-KIR	Wheel Chairs	N	2023-24	0.03	2024-25				
Km.	0085.86	Cloak Room	N	Length of longest stopping train(m)			356	ATMs		0
Route	Dspl	Refreshment		MP Const.		Khagaria		Food Plaza		N
Electrified	Y	Room(sqm)		MP Name		Verma, Shri Rajesh		Budget Hotel		N
				MLA Const.		Parbatta		Trains Halting		M: 0
				MLA Name		Doctor Sanjeev Kumar		Station IInd Entry		N
Other Items	-									P : 6
Remarks for	-									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	30	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	-				

Station			Bharatkhand										Platform Detail											
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	325	5	0	CC	58	1	0	1		0	20	0	0	3	8	0	0	0	0	0	N	0
2	BG	N	325	5	0	OTH	0	0	0	0		0	10	0	0	0	0	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station	Bharatkhand			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.		
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-			
As per Rec.	16	0	1.04	0	0	5			-	-			
Actual	30	58	1	0	0	60	0	See platform details	0	-			
Shortage, if any	-	-	-	-	-	-	1		-	-			

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		BHARPURA PAHLEJA GHAT JN		No. of passengers dealt with:				Identified as Adarsh		Y	
Station Code	BPGJ	FOB	1	(a) Per Day		155		Developed As		N	
Station Category	NSG6	Subway	0	(b) Max. at any		7		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	0	2020-21	0.13	Touch Screen Enquiry System		N	
District	SARAN	Clock	N	2021-22	3.17	2022-23	5.42	Electronic Train Indication		N	
Section	SEE-PPTA	Wheel Chairs	N	2023-24	5.87	2024-25		ATMs		0	
Km.	0017.36	Cloak Room	N	<div>MP Const. Saran MP Name Rudy, Shri Rajiv Pratap MLA Const. Sonepur MLA Name Dr. Ramanuj Prasad</div>				Food Plaza		N	
Route	E	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 4	P : 10
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	29	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	22	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	1890	Length(m)	310	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	1			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	8000						
Pay & Use Toilet				Remarks	-						

Station

BHARPURA PAHLEJA GHAT JN

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	Y	600	10.5	84	CC	466	59	24	1		0	60	0	1	3	33	1	0	0	0	1	N	0
2 & 3	BG	N	600	10.3	86	CC	466	0	60	2		0	60	0	1	4	44	0	0	0	0	1	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

BHARPURA PAHLEJA GHAT JN

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	3	0	0.28	0	0	1			-	-
Actual	29	931	87	1	3	142	1	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Bihat Halt		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	BEHT	FOB	0	(a) Per Day		72		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		31		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	1.54	2018-19	1.11	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	N	2019-20	1.12	2020-21	0.00	Touch Screen Enquiry System		N	
District	BEGUSARAI	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication		N	
Section	BJU-KIR	Wheel Chairs	N	2023-24	0.63	2024-25		ATMs		0	
Km.	0174.28	Cloak Room	N	<div>MP Const. Begusarai MP Name Singh, Shri Giriraj MLA Const. Teghra MLA Name Ram Ratan Singh</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 6	
Other Items	-							Station IInd Entry		N	
Remarks for	1 HAND PUMP PROVIDED										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	45	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	28	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Black Topped	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		01 No. Hand Pump provided					

Station Bihat Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	492	8	0	OTH	0	0	0	1		0	20	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	400	3	0	CC	0	0	0	0		0	20	0	0	0	0	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station Bihat Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	19	0	1.24	0	0	6			-	-
Actual	45	0	1	0	0	68	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Bithauli Flag		No. of passengers dealt with:				Identified as Adarsh		N
Station Code	BTHL	FOB	0	(a) Per Day		4		Developed As		
Station Category	NSG6	Subway	0	(b) Max. at any		6		Identified for MFC		N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	1.54	2018-19	1.24	Tourist Facilation Center		N
State	BIHAR	Public Address Sys.	N	2019-20	0.31	2020-21	0.03	Touch Screen Enquiry System		N
District	VAISHALI	Clock	N	2021-22	0.02	2022-23	0.13	Electronic Train Indication		N
Section	HJP-MFP	Wheel Chairs	N	2023-24	0.16	2024-25				
Km.	0015.28	Cloak Room	N	Length of longest stopping train(m)			356	ATMs		0
Route	Dspl	Refreshment		MP Const.		Hajipur		Food Plaza		N
Electrified	Y	Room(sqm)		MP Name		Paswan, Shri Chirag		Budget Hotel		N
				MLA Const.		Lalganj		Trains Halting		M: 0
				MLA Name		Sanjay Kumar Singh		Station IInd Entry		N
Other Items	-									
Remarks for	-									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	47	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	35	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	55	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	02 Nos. Hand pump provided.				

Station
Bithauli Flag
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	235.6	3.3	0	CC	50	3	0	2		0	60	0	2	0	0	0	0	0	0	0	N	0
2	BG	Y	350	4.2	0	CC	0	0	0	0		0	35	0	0	0	0	0	0	0	0	0	N	0
*Surface Type :			CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
Bithauli Flag
Summary
(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	3	0	0.24	0	0	1			-	-
Actual	47	50	2	0	2	130	0	See platform details	0	-
Shortage, if any	-	50	2	1	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		CHAIDHABANNI		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	CDBN	FOB	0	(a) Per Day		56		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		5		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	4.64	2018-19	4.58	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	N	2019-20	1.87	2020-21	0.23	Touch Screen Enquiry System		N	
District	KHAGARIA	Clock	N	2021-22	2.02	2022-23	2.98	Electronic Train Indication		N	
Section	BJU-KIR	Wheel Chairs	N	2023-24	2.27	2024-25		ATMs		0	
Km.	0110.12	Cloak Room	N	<div>MP Const. Khagaria MP Name Verma, Shri Rajesh MLA Const. Beldaur MLA Name Panna Lal Singh Patel</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0	P : 8
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	32	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0			
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0						
Pay & Use Toilet				Remarks	02Nos. Hand Pump provided.						

Station

CHAIDHABANNI

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	360	9	0	CC	58	0	0	1		0	20	0	0	5	20	0	0	0	0	0	N	0
2	BG	N	360	9	0	CC	58	9	0	1		0	30	0	0	0	4	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

CHAIDHABANNI

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	3	0	0.2	0	0	1			-	-
Actual	32	116	2	0	0	80	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		CHAK SIKANDAR		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	CSR	FOB	1	(a) Per Day		328		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		76		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	9.68	2018-19	9.32	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	8.59	2020-21	0.62	Touch Screen Enquiry System		N	
District	VAISHALI	Clock	Y	2021-22	5.44	2022-23	9.6	Electronic Train Indication		N	
Section	HJP-BCA	Wheel Chairs	Y	2023-24	10.9	2024-25		ATMs		0	
Km.	0250.64	Cloak Room	N	<div><div>MP Const.</div><div>Hajipur</div><div>MP Name</div><div>Paswan, Shri Chirag</div><div>MLA Const.</div><div>Raghopur</div><div>MLA Name</div><div>Tejashwi Prasad Yadav</div></div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 10	
Other Items	-							Station IInd Entry		Y	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	113	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	350	Length(m)	25	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Other	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)		1		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		3000					
Pay & Use Toilet				Remarks		03 Nos. Hand Pump provided.					

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	113	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	350	Length(m)	25	Source	Railway Supply	Open Wells (Nos)	0
Surface	Other	Surface	Black Topped	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	3000		
Pay & Use Toilet				Remarks	03 Nos. Hand Pump provided.		

Station CHAK SIKANDAR

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	650	11	84	PS	351	0	8	1		0	56	3	6	11	66	0	0	0	0	1	N	0
2 & 3	BG	N	650	11	84	PS	200	0	16	1		0	58	0	6	2	30	0	0	0	0	1	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station CHAK SIKANDAR

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	32	0	3.04	0	0	9			-	-
Actual	113	551	26	3	12	114	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Chakmakrand		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	CKRD	FOB	1	(a) Per Day		262		Developed As				
Station Category	NSG6	Subway	0	(b) Max. at any		74		Identified for MFC		N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)								
Division	Sonepur	Enquiry Office	0	2011-12	4.00	2018-19	4.17	Tourist Facilation Center		N		
State	BIHAR	Public Address Sys.	Y	2019-20	5.4	2020-21	0.39	Touch Screen Enquiry System		N		
District	VAISHALI	Clock	Y	2021-22	4.31	2022-23	6.42	Electronic Train Indication		N		
Section	HJP-BCA	Wheel Chairs	N	2023-24	8.69	2024-25		ATMs		0		
Km.	0260.44	Cloak Room	N	Length of longest stopping train(m)				270		Food Plaza		N
Route	Dspl	Refreshment Room(sqm)		MP Const. Hajipur				Budget Hotel		N		
Electrified	Y			MP Name Paswan, Shri Chirag				Trains Halting		M: 0 P : 12		
				MLA Const. Hajipur				Station IInd Entry		N		
				MLA Name Awadhesh Singh								
Other Items	-											
Remarks for	-											

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	113	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	250	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	1	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		2000			
Pay & Use Toilet				Remarks		06 Nos. Hand Pump provided.			

Station			Chakmakrand				Platform Detail																		
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	600	11	84	PS	380	0	4	3		0	100	3	5	6	52	0	0	0	0	1	N	1	
2 & 3	BG	Y	600	11	84	PS	380	0	8	2		0	100	0	5	3	50	0	0	0	0	1	N	1	
*Surface Type :			CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station	Chakmakrand			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-		
As per Rec.	31	0	2.96	0	0	9			-	-		
Actual	113	761	17	3	10	200	1	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	-		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		DALSINGH SARAI		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	DSS	FOB	1	(a) Per Day		5435		Developed As			
Station Category	NSG4	Subway	0	(b) Max. at any		438		Identified for MFC		N	
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	1	2011-12	498.95	2018-19	699.36	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	321.04	2020-21	0.00	Touch Screen Enquiry System		N	
District	SAMASTIPUR	Clock	N	2021-22	412.75	2022-23	917.24	Electronic Train Indication		N	
Section	BJU-SPJ	Wheel Chairs	Y	2023-24	956.09	2024-25		ATMs		0	
Km.	0011.27	Cloak Room	Y	<div>MP Const. Ujiarpur MP Name Rai, Shri Nityanand MLA Const. Ujiarpur MLA Name Alok Kumar Mehta</div>				Food Plaza		N	
Route	Dspl	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 34 P : 8	
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	75	Area(sqm)		20	20	Area(sqm)	45	Retiring Room		0	
(b) Seats(Nos.)	24	Seats(Nos.)		0	0	Seats(Nos.)	12	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	1	Lav.(Nos.)	2				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	2				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	2				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	2450	Length(m)	0	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)		1		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		20000					
Pay & Use Toilet	Y			Remarks		-					

Station

DALSINGH SARAI

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	84	CC	530	4	26	1		0	232	4	2	8	59	4	0	0	0	0	N	0
2	BG	N	600	7	84	CC	485	4	14	1		0	146	0	2	4	49	2	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

DALSINGH SARAI

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec.	183	245	17.52	1	1	53			-	-
Actual	75	1015	42	8	6	414	1	See platform details	1	YES
Shortage, if any	-	-	-	-	-	-	-		3	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Danauli Phulwaria		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	DPL	FOB	1	(a) Per Day		183		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		109		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	7.14	2018-19	10.03	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	17.09	2020-21	2.18	Touch Screen Enquiry System		N	
District	BEGUSARAI	Clock	N	2021-22	7.09	2022-23	9	Electronic Train Indication		N	
Section	BJU-KIR	Wheel Chairs	N	2023-24	8.58	2024-25		ATMs		0	
Km.	0151.66	Cloak Room	N	<div>MP Const. Begusarai</div> <div>MP Name Singh, Shri Giriraj</div> <div>MLA Const. Sahebpur Kamal</div> <div>MLA Name Satanand Sambuddha @Lalan</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 12	
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	152	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	60	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	300	Length(m)	325	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Cement Concrete	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	1			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0						
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided.						

Station			Danauli Phulwaria										Platform Detail											
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	490	8	45	CC	558	7	12	3		0	94	2	1	11	77	1	0	0	0	1	N	0
2 & 3	BG	N	332	10	45	CC	558	2	16	2		0	60	0	0	4	52	0	0	0	0	1	N	0
*Surface Type			:	CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others				

Station			Summary								(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.		
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-			
As per Rec.	46	0	4.36	0	0	13			-	-			
Actual	152	1116	33	2	1	214	1	See platform details	0	-			
Shortage, if any	-	-	-	-	-	-	-		-	-			

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Desari		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	DES	FOB	1	(a) Per Day		1067		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		291		Identified for MFC		N	
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	103.68	2018-19	310.13	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	336.82	2020-21	103.65	Touch Screen Enquiry System		N	
District	VAISHALI	Clock	Y	2021-22	259.78	2022-23	330.14	Electronic Train Indication		N	
Section	HJP-BCA	Wheel Chairs	Y	2023-24	308.1	2024-25					
Km.	0246.47	Cloak Room	N	Length of longest stopping train(m)				593	ATMs	0	
Route	Dspl	Refreshment Room(sqm)		MP Const. Hajipur				Food Plaza		N	
Electrified	Y			MP Name Paswan, Shri Chirag				Budget Hotel		N	
				MLA Const. Raja Pakar				Trains Halting		M: 10	P : 10
				MLA Name Pratima Kumari				Station IInd Entry		N	
Other Items	-										
Remarks for	-5 HAND PUMP PROVIDED										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	113	Area(sqm)		0	66	Area(sqm)	26	Retiring Room	0		
(b) Seats(Nos.)	0	Seats(Nos.)		0	50	Seats(Nos.)	23	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	2				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	790	Length(m)	43	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Other	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	1			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000						
Pay & Use Toilet				Remarks	05 Nos. Hand Pump provided						

Station			Desari				Platform Detail																		
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	650	11.4	84	PS	675	3	12	4		0	150	4	4	9	75	1	0	0	0	1	N	0	
2 & 3	BG	Y	650	11	84	PS	160	1	18	1		0	60	0	6	4	60	0	0	0	0	1	N	0	
*Surface Type :			CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station		Desari		Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.			
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage				
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-				
As per Rec.	122	0	11.64	0	0	35			-	-				
Actual	113	835	35	6	10	283	1	See platform details	1	-				
Shortage, if any	-	-	-	-	-	-	-		1	-				

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		DHABAULI HALT		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	DHBI	FOB	0	(a) Per Day		3		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		3		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	0.35	2018-19	0.34	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	N	2019-20	0.3	2020-21	0.00	Touch Screen Enquiry System		N	
District	VAISHALI	Clock	N	2021-22	0	2022-23	0.08	Electronic Train Indication		N	
Section	HJP-BCA	Wheel Chairs	N	2023-24	0.12	2024-25		ATMs		0	
Km.	0253.80	Cloak Room	N	<div>MP Const. Hajipur MP Name Paswan, Shri Chirag MLA Const. Raghopur MLA Name Tejashwi Prasad Yadav</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0	P : 2
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	36	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	44	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0						
Pay & Use Toilet				Remarks	02 No. Hand Pump provided.						

Station
DHABAULI HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	3.25	0	CC	40	0	0	1		0	10	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	400	6	0	CC	80	0	0	1		0	16	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
DHABAULI HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	2	0	0.12	0	0	1			-	-
Actual	36	120	2	0	0	70	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Dholi		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	DOL	FOB	1	(a) Per Day		2589		Developed As				
Station Category	NSG5	Subway	0	(b) Max. at any		697		Identified for MFC		N		
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)								
Division	Sonepur	Enquiry Office	0	2011-12	181.82	2018-19	358.83	Tourist Facilation Center		N		
State	BIHAR	Public Address Sys.	Y	2019-20	487.12	2020-21	62.33	Touch Screen Enquiry System		N		
District	MUZAFFARPUR	Clock	Y	2021-22	249.37	2022-23	458.66	Electronic Train Indication		N		
Section	MFP-SPJ	Wheel Chairs	Y	2023-24	515.59	2024-25		ATMs		0		
Km.	0060.95	Cloak Room	N	Length of longest stopping train(m)				593		Food Plaza		N
Route	Dspl	Refreshment Room(sqm)		MP Const.	Muzaffarpur			Budget Hotel		N		
Electrified	Y			MP Name	Choudhary, Dr. Raj Bhushan			Trains Halting		M: 26	P : 6	
Other Items	-			MLA Const.	Sakra			Station IInd Entry		N		
Remarks for	-			MLA Name	Ashok Kumar Chodhary							

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	86	Area(sqm)	29	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	18	Seats(Nos.)	20	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	1610	Length(m)	670	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Black Topped	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)	1	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	16000				
Pay & Use Toilet	Y			Remarks	03 Nos. Hand Pump provided.				

Station		Dholi																						
		Platform Detail																						
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	506	10	0	CC	160	5	12	2		0	192	2	2	8	22	2	0	0	0	1	N	0
2	BG	N	432	6	52	CC	272	0	11	1		0	154	2	5	6	16	2	0	0	0	1	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone				OPS-Other Pucca Surface					MOR-Moorum				OTH-Others				

Station	Dholi										Summary	(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-		
As per Rec.	291	0	27.88	1	1	84			-	-		
Actual	86	432	26	5	7	384	1	See platform details	1	YES		
Shortage, if any	-	-	-	-	-	-	-		1	-		

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Dighwara		No. of passengers dealt with:				Identified as Adarsh		N			
Station Code	DGA	FOB	1	(a) Per Day		2394		Developed As					
Station Category	NSG5	Subway	0	(b) Max. at any		889		Identified for MFC		N			
Railway	ECR	Booking Windows	5	Pass. Earnings/Year(Rs. in Lac.)									
Division	Sonepur	Enquiry Office	1	2011-12	202.93	2018-19	399.76	Tourist Facilation Center		N			
State	BIHAR	Public Address Sys.	N	2019-20	531.33	2020-21	65.80	Touch Screen Enquiry System		N			
District	SARAN	Clock	Y	2021-22	234.29	2022-23	446.47	Electronic Train Indication		N			
Section	CI-HJP	Wheel Chairs	Y	2023-24	472.67	2024-25		Length of longest stopping train(m)		593	ATMs	0	
Km.	0295.77	Cloak Room	N	MP Const.				Chhapra		Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)		MP Name				Shri Rajiv Pratap Rudhi		Budget Hotel		N	
Electrified	Y			MLA Const.				Sonepur		Trains Halting		M: 34	P : 6
				MLA Name				Dr. Ramanuj Prasad		Station IInd Entry		N	
Other Items	-												
Remarks for	-												

Resting Facility											
WAITING HALL			WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM				
(a) Area(sqm.)	45		Area(sqm)		0	11	Area(sqm)	0		Retiring Room	0
(b) Seats(Nos.)	40		Seats(Nos.)		1	20	Seats(Nos.)	0		Dormitory	0
(c) Lav.(Nos.)	2		Lav.(Nos.)		1	1	Lav.(Nos.)	0			
(d) Urinals(Nos.)	1		Urinals(Nos.)		1	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0		Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water											
Circulating Area			Approach Road			Water Supply					
Area (sqm)	1200		Length(m)	0		Source	Railway Supply		Open Wells (Nos)		0
Surface	Cement Concrete		Surface	Black Topped		Type	Piped and Hand Pump		Bore Wells (Nos)		2
Illumination Type	Normal Lights		Illumination Type	N		Storage Capacity(Ltr)	4000				
Pay & Use Toilet	Y					Remarks	01 No. Hand Pump provided.				

Station

Dighwara

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	548	6	47	OTH	405	2	16	2		0	95	4	4	8	32	1	0	0	0	1	N	0
2	BG	N	501.69	10	105	OPS	244	5	20	2		0	64	0	0	4	17	0	0	0	0	1	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

Dighwara

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	372	0	35.56	1	1	107			-	-
Actual	45	649	40	8	6	220	1	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	-		2	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Dinkar Gram Simaria		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	DKGS	FOB	1	(a) Per Day		75		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		11		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	2.15	2018-19	2.34	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	N	2019-20	2.77	2020-21	0.00	Touch Screen Enquiry System		N	
District	BEGUSARAI	Clock	N	2021-22	1.61	2022-23	6.18	Electronic Train Indication		N	
Section	BJU-SAE	Wheel Chairs	N	2023-24	5.51	2024-25		ATMs		0	
Km.	0009.90	Cloak Room	N	<div>MP Const. Begusarai MP Name Singh, Shri Giriraj MLA Const. Teghra MLA Name Ram Ratan Singh</div>				Food Plaza		N	
Route	E	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 6 P : 2	
Other Items	-							Station IInd Entry		Y	
Remarks for	04 HAND PUMP PROVIDED										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	83	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	24	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	2	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	750	Length(m)	1500	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)		1		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		3000					
Pay & Use Toilet				Remarks		03 HP provided.					

Station			Dinkar Gram Simaria										Platform Detail											
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	255	10	60	CC	300	0	4	2		0	70	2	2	0	12	1	0	0	0	0	N	0
2 & 3	BG	N	595	11.5	89	CC	330	0	0	2		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface					MOR-Moorum				OTH-Others					

Station	Dinkar Gram Simaria			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.		
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-			
As per Rec.	5	0	0.44	0	0	1			-	-			
Actual	83	630	8	4	2	94	1	See platform details	0	-			
Shortage, if any	-	-	-	-	-	-	-		-	-			

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		DUBAHA		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	DUBH	FOB	1	(a) Per Day		245		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		128		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	21.34	2018-19	22.65	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	22.47	2020-21	3.44	Touch Screen Enquiry System		N	
District	MUZAFFARPUR	Clock	N	2021-22	5.96	2022-23	10.05	Electronic Train Indication		N	
Section	MFP-SPJ	Wheel Chairs	N	2023-24	9.55	2024-25		ATMs		0	
Km.	0054.72	Cloak Room	N	<div><div>MP Const.</div><div>Muzaffarpur</div><div>MP Name</div><div>Choudhary, Dr. Raj Bhushan</div><div>MLA Const.</div><div>Sakra</div><div>MLA Name</div><div>Ashok Kumar Chodhary</div></div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0	P : 6
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	20	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	581	Length(m)	120	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	1			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	5000						
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided.						

Station DUBAHA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	345	9	45	OTH	242	6	4	2		0	102	3	1	2	21	1	0	0	0	1	N	0
2	BG	N	345	6	0	OTH	90	1	4	2		0	48	2	0	0	22	1	0	0	0	1	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station DUBAHA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	54	0	5.12	0	0	15			-	-
Actual	20	332	12	5	1	160	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station Dumari Juara				No. of passengers dealt with:				Identified as Adarsh N	
				(a) Per Day 177				Developed As	
Station Code DRI FOB 0				(b) Max. at any 26				Identified for MFC N	
Station Category HG2 Subway 0				Pass. Earnings/Year(Rs. in Lac.)					
Railway ECR Booking Windows 1				2011-12 5.16 2018-19 5.87				Tourist Facilation Center N	
Division Sonapur Enquiry Office 0				2019-20 10.21 2020-21 0.38				Touch Screen Enquiry System N	
State BIHAR Public Address Sys. N				2021-22 4.65 2022-23 8.55				Electronic Train Indication N	
District SARAN Clock N				2023-24 8.76 2024-25					
Section CI-HJP Wheel Chairs N				Length of longest stopping train(m) 593				ATMs 0	
Km. 0310.60 Cloak Room N				<div style="border: 1px solid black; padding: 5px;"> MP Const. Chhapra MP Name Shri Rajiv Pratap Rudhi MLA Const. Garkha MLA Name Surendra Ram </div>				Food Plaza N	
Route Dspl Refreshment Room(sqm)								Budget Hotel N	
Electrified Y								Trains Halting M: 4 P : 6	
Other Items -								Station IInd Entry N	
Remarks for -									

Resting Facility							
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room 0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0	
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos) 0
Surface	Black Topped	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos) 0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided.		

Station			Dumari Juara																					
			Platform Detail																					
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	193.3	4	0	OTH	40	6	0	1		0	60	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	292	6	0	OTH	40	10	0	1		0	45	0	0	0	0	0	0	0	0	0	N	0
*Surface Type :			CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others					

Station	Dumari Juara			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-		
As per Rec.	16	0	1.04	0	0	5			-	-		
Actual	15	80	2	0	0	120	0	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	1		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Sonepur

Station		Fateha Halt		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	FAH	FOB	0	(a) Per Day		53		Developed As				
Station Category	HG3	Subway	0	(b) Max. at any		31		Identified for MFC		N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Sonepur	Enquiry Office	0	2011-12	2.02	2018-19	2.51	Tourist Facilation Center		N		
State	BIHAR	Public Address Sys.	N	2019-20	2.26	2020-21	0.00	Touch Screen Enquiry System		N		
District	BEGUSARAI	Clock	N	2021-22	2.09	2022-23	4.44	Electronic Train Indication		N		
Section	BCA-HJP	Wheel Chairs	N	2023-24	5.34	2024-25		Length of longest stopping train(m)		356	ATMs	0
Km.	0199.61	Cloak Room	N	<div>MP Const. Begusarai</div> <div>MP Name Singh, Shri Giriraj</div> <div>MLA Const. Bachhwara</div> <div>MLA Name Surendra Mehata</div>				Food Plaza		N		
Route	Dspl	Refreshment						Budget Hotel		N		
Electrified	Y	Room(sqm)						Trains Halting		M: 0 P : 4		
Other Items	-							Station IInd Entry		N		
Remarks for	-											
Resting Facility												
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM						
(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0		
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0					
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0					
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0					
Circulating Area and Water												
Circulating Area		Approach Road		Water Supply								
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)		0			
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0						
Pay & Use Toilet				Remarks		01 No. Hand Pump provided.						

Station			Fateha Halt						Platform Detail																
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	475	6	0	CC	149	0	0	0		0	48	0	0	0	0	0	0	0	0	0	N	0	
2	BG	N	450	6	0	CC	176	0	0	0		0	48	0	0	0	0	0	0	0	0	0	N	0	
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station	Fateha Halt			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.		
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-			
As per Rec.	19	0	1.24	0	0	6			-	-			
Actual	0	324	0	0	0	96	0	See platform details	0	-			
Shortage, if any	-	-	1	-	-	-	1		-	-			

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		GARHARA		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	GHX	FOB	0	(a) Per Day		7		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		4		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	0.07	2018-19	0.12	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	N	2019-20	0	2020-21	0.00	Touch Screen Enquiry System		N	
District	BEGUSARAI	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication		N	
Section	BJU-MKA	Wheel Chairs	N	2023-24	0.22	2024-25		ATMs		0	
Km.	0012.95	Cloak Room	N	<div>MP Const. Begusarai MP Name Singh, Shri Giriraj MLA Const. Teghra MLA Name Ram Ratan Singh</div>				Food Plaza		N	
Route	E	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 2 P : 2	
Other Items	-							Station IInd Entry		N	
Remarks for	1 HAND PUMP PROVIDED										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	54	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	24	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	1500	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Other	Surface	Black Topped	Type	Piped		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		500					
Pay & Use Toilet				Remarks		NIL					

Station GARHARA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	315	3	0	CC	100	0	1	0		0	35	0	1	0	5	0	0	0	0	0	N	0
2	BG	N	302	3	0	CC	105	0	1	0		0	31	0	1	0	4	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station GARHARA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	3	0	0.16	0	0	1			-	-
Actual	54	205	2	2	4	90	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		GAUCHHARI		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	GAI	FOB	1	(a) Per Day		337		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		67		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	10.50	2018-19	10.25	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	15.03	2020-21	2.31	Touch Screen Enquiry System		N	
District	KHAGARIA	Clock	N	2021-22	11.06	2022-23	15.45	Electronic Train Indication		N	
Section	BJU-KIR	Wheel Chairs	N	2023-24	18.21	2024-25		ATMs		0	
Km.	0100.58	Cloak Room	N	<div>MP Const. Khagaria MP Name Verma, Shri Rajesh MLA Const. Parbatta MLA Name Doctor Sanjeev Kumar</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 4 P : 8	
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	28	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	25	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	210	Length(m)	700	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		-					

Station GAUCHHARI

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	5	55	CC	208	0	0	3		0	50	2	1	10	56	0	0	0	0	1	N	0
2 & 3	BG	N	350	10	0	CC	160	0	0	2		0	36	0	0	4	37	0	0	0	0	1	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station GAUCHHARI

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	28	0	2.68	0	0	8			-	-
Actual	28	368	5	2	1	111	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Ghataro		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code		GTHT		FOB		0		(a) Per Day		18	
Station Category		HG3		Subway		0		(b) Max. at any		8	
Railway		ECR		Booking Windows		0		Pass. Earnings/Year(Rs. in Lac.)			
Division		Sonapur		Enquiry Office		0		2011-12		0.00	
State		BIHAR		Public Address Sys.		N		2019-20		0	
District		VAISHALI		Clock		N		2021-22		0.55	
Section		HJP-VSHI		Wheel Chairs		N		2023-24		0.46	
Km.		0017.36		Cloak Room		N		2018-19		0.00	
Route		Dspl		Refreshment Room(sqm)				2020-21		0.00	
Electrified		Y						2022-23		0.52	
Other Items		-						2024-25			
Remarks for		-						Length of longest stopping train(m)		356	
								MP Const.		Vaishali	
								MP Name		Devi, Smt. Veena	
								MLA Const.		Lalganj	
								MLA Name		Sanjay Kumar Singh	
								Tourist Facilation Center		N	
								Developed As			
								Identified for MFC		N	
								Touch Screen Enquiry System		N	
								Electronic Train Indication		N	
								ATMs		0	
								Food Plaza		N	
								Budget Hotel		N	
								Trains Halting		M: 0 P : 2	
								Station IInd Entry		N	

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	38	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	6	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	60	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Cement Concrete	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	HP - 02				

Station			Ghataro																						Platform Detail									
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)										
1	BG	N	350	4.5	84	CC	0	0	0	2		0	0	0	0	0	0	0	0	0	0	0	N	0										
*Surface Type			:	CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others														

Station	Ghataro			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-		
As per Rec.	5	0	0.32	0	0	1			-	-		
Actual	38	0	2	0	0	6	0	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	1		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station	Ghoswar			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	GWH	FOB	1	(a) Per Day		56		Developed As	
Station Category	NSG6	Subway	0	(b) Max. at any		33		Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	0.45	2018-19	0.41	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2019-20	0.59	2020-21	0.50	Touch Screen Enquiry System	N
District	VAISHALI	Clock	N	2021-22	1.26	2022-23	1.7	Electronic Train Indication	N
Section	HJP-MFP	Wheel Chairs	N	2023-24	1.77	2024-25			
Km.	0005.36	Cloak Room	N	Length of longest stopping train(m)			356	ATMs	0
Route	Dspl	Refreshment Room(sqm)		MP Const.	Hajipur			Food Plaza	N
Electrified	Y			MP Name	Paswan, Shri Chirag			Budget Hotel	N
				MLA Const.	Hajipur			Trains Halting	M: 0
				MLA Name	Awadhesh Singh			Station IInd Entry	N
Other Items	-								
Remarks for	-								

Resting Facility								
WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	12	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	6	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water								
Circulating Area		Approach Road		Water Supply				
Area (sqm)	565	Length(m)	390	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 No. Hand Pump provided.			

Station

Ghoswar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	422	4.05	65	CC	28	0	8	1		0	30	3	2	2	18	0	0	0	0	0	N	0
2	BG	Y	504.5	4.05	0	CC	28	35	0	1		0	30	0	0	0	18	0	0	0	0	0	N	0
*Surface Type :			CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Ghoswar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	14	0	1.32	0	0	4			-	-
Actual	12	56	10	4	2	66	1	See platform details	0	-
Shortage, if any	3	44	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		GOLDINGANJ		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	GJH	FOB	1	(a) Per Day		369		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		37		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	9.12	2018-19	8.78	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	N	2019-20	20.77	2020-21	0.52	Touch Screen Enquiry System		N	
District	SARAN	Clock	N	2021-22	8.58	2022-23	17.32	Electronic Train Indication		N	
Section	CI-HJP	Wheel Chairs	N	2023-24	17.6	2024-25		ATMs		0	
Km.	0315.24	Cloak Room	N	<div><div>MP Const.</div><div>Chhapra</div><div>MP Name</div><div>Shri Rajiv Pratap Rudhi</div><div>MLA Const.</div><div>Garkha</div><div>MLA Name</div><div>Surendra Ram</div></div>				Food Plaza		N	
Route	Dspl	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 4	
								Station IInd Entry		N	
Other Items	-										
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	33	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	493	Length(m)	500	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	2			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000						
Pay & Use Toilet				Remarks	05 Nos. Hand Pump provided.						

Station

GOLDINGANJ

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	349.6	6.8	54	OTH	112	0	12	2		0	100	2	1	2	19	0	0	0	0	0	N	0		
2	BG	N	491.2	7.1	76	CC	114	2	6	1		0	50	0	0	2	15	0	0	0	0	0	N	0		
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																										

Station

GOLDINGANJ

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	15	0	1.48	0	0	4			-	-
Actual	33	226	21	2	1	170	1	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Goraul		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	GRL	FOB	1	(a) Per Day		910		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		280		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	115.55	2018-19	102.08	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	177.13	2020-21	14.58	Touch Screen Enquiry System		N	
District	VAISHALI	Clock	N	2021-22	128.16	2022-23	212.57	Electronic Train Indication		N	
Section	HJP-MFP	Wheel Chairs	N	2023-24	207.2	2024-25		ATMs		0	
Km.	0027.90	Cloak Room	N	<div>MP Const. Vaishali MP Name Devi, Smt. Veena MLA Const. Vaishali MLA Name Siddharth Patel</div>				Food Plaza		N	
Route	Dspl	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 10 P : 6	
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	107	Area(sqm)		21	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	80	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		1	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	188.7	Length(m)	50	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)		1		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		8000					
Pay & Use Toilet				Remarks		02 Nos. Hand Pump provided.					

Station
Goraul
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	519	16	84	CC	600	3	22	2		0	82	2	2	11	48	1	0	0	0	1	N	0
2	BG	Y	568	11.5	75	OPS	300	0	20	0		0	76	2	2	1	44	0	0	0	0	1	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station
Goraul
Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	117	0	11.2	0	0	34			-	-
Actual	107	900	44	5	4	238	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		HAJIPUR JN.		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	HJP	FOB	2	(a) Per Day		26758		Developed As			
Station Category	NSG3	Subway	0	(b) Max. at any		9143		Identified for MFC		N	
Railway	ECR	Booking Windows	22	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	1	2011-12	2433.84	2018-19	3058.27	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	2841.04	2020-21	442.60	Touch Screen Enquiry System		N	
District	VAISHALI	Clock	Y	2021-22	903.72	2022-23	2363.93	Electronic Train Indication		Y	
Section	CI-HJP	Wheel Chairs	Y	2023-24	3249.77	2024-25		ATMs		3	
Km.	0266.96	Cloak Room	Y	<div>MP Const. Hajipur MP Name Paswan, Shri Chirag MLA Const. Hajipur MLA Name Awadhesh Singh</div>				Food Plaza		Y	
Route	Dspl	Refreshment Room(sqm)	67.17					Budget Hotel		Y	
Electrified	Y							Trains Halting		M: 128	P : 24
								Station IInd Entry		Y	
Other Items	-										
Remarks for	-										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	204	Area(sqm)		36	35	Area(sqm)	70	Retiring Room	5
(b) Seats(Nos.)	50	Seats(Nos.)		20	20	Seats(Nos.)	40	Dormitory	1
(c) Lav.(Nos.)	8	Lav.(Nos.)		2	2	Lav.(Nos.)	4		
(d) Urinals(Nos.)	2	Urinals(Nos.)		1	1	Urinals(Nos.)	2		
(e) Bathing Cubicals	6	Bathing Cubicals(Nos.)		2	2	Bathing Cubicals(Nos.)	4		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	9286	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	3	
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	454000				
Pay & Use Toilet	Y			Remarks	- NIL				

Station HAJIPUR JN.

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	640	10	75	CC	5120	2	46	0		0	624	20	6	29	467	1	0	1	0	2	Y	0
2& 3	BG	Y	600	9.4	84	PS	2880	0	58	0		0	280	2	1	21	453	6	0	1	0	2	Y	0
4&5	BG	Y	540	10	84	CC	1683	0	54	0		0	210	2	5	5	315	3	0	0	0	1	Y	1
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station HAJIPUR JN.

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	1200 sqm	60	10	10	375	1 With Cover	High level	6	YES
As per Rec.	3824	7680	365.72	14	14	1097			-	-
Actual	204	9683	158	40	18	1244	2	See platform details	3	YES
Shortage, if any	-	-	-	-	-	-	-		3	-

Station

HAJIPUR JN.

Summary As per Model Station

Desired	Facility Available	Desired	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with	Yes	Washable apron with jet cleaning	No
Public Phone Booth	No	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Tiolets on end platform & circulating	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Desired	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Harauli Fatehpur		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	HUFP	FOB	1	(a) Per Day		34		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		18		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	1	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	N	2019-20	0	2020-21	0.00	Touch Screen Enquiry System		N	
District	VAISHALI	Clock	N	2021-22	1.3	2022-23	0.97	Electronic Train Indication		N	
Section	HJP-VSHI	Wheel Chairs	N	2023-24	0.95	2024-25		ATMs		0	
Km.	0010.46	Cloak Room	N	<div><div>MP Const.</div><div>Vaishali</div><div>MP Name</div><div>Devi, Smt. Veena</div><div>MLA Const.</div><div>Lalganj</div><div>MLA Name</div><div>Sanjay Kumar Singh</div></div>				Food Plaza		N	
Route	E	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 2	
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	50	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	2	Lav.(Nos.)		2	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	2	Urinals(Nos.)		2	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	600	Length(m)	1200	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Other	Surface	Other	Type	Hand Pump		Bore Wells (Nos)		1		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		6000					
Pay & Use Toilet				Remarks		-					

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	50	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		2	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	2	Urinals(Nos.)		2	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	600	Length(m)	1200	Source	Railway Supply	Open Wells (Nos)	0
Surface	Other	Surface	Other	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	6000		
Pay & Use Toilet				Remarks	-		

Station

Harauli Fatehpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	10	84	CC	320	0	6	3		0	60	0	0	3	44	1	0	0	0	1	N	0
2	BG	N	540	10	84	OTH	320	0	0	2		0	24	0	0	0	44	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Harauli Fatehpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	8	0	0.72	0	0	2			-	-
Actual	50	640	11	4	4	94	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station HARPUR BOCHAHA				No. of passengers dealt with:				Identified as Adarsh N									
				(a) Per Day 155				Developed As									
Station Code HBP FOB 0				(b) Max. at any 57				Identified for MFC N									
Station Category HG2 Subway 0				Pass. Earnings/Year(Rs. in Lac.)													
Railway ECR Booking Windows 1				2011-12 6.68 2018-19 6.59				Tourist Facilation Center N									
Division Sonapur Enquiry Office 0				2019-20 4.57 2020-21 0.25				Touch Screen Enquiry System N									
State BIHAR Public Address Sys. N				2021-22 0.77 2022-23 9.42				Electronic Train Indication N									
District SAMASTIPUR Clock N				2023-24 14.91 2024-25													
Section BCA-HJP Wheel Chairs N				Length of longest stopping train(m) 356				ATMs 0									
Km. 0210.63 Cloak Room N				<table border="1"> <tr> <td>MP Const.</td> <td>Ujiarpur</td> </tr> <tr> <td>MP Name</td> <td>Rai, Shri Nityanand</td> </tr> <tr> <td>MLA Const.</td> <td>Sarairanjan</td> </tr> <tr> <td>MLA Name</td> <td>Vijay Kumar Choudhary</td> </tr> </table>				MP Const.	Ujiarpur	MP Name	Rai, Shri Nityanand	MLA Const.	Sarairanjan	MLA Name	Vijay Kumar Choudhary	Food Plaza Y	
MP Const.	Ujiarpur																
MP Name	Rai, Shri Nityanand																
MLA Const.	Sarairanjan																
MLA Name	Vijay Kumar Choudhary																
Route Dspl Refreshment				Budget Hotel N													
Electrified Y Room(sqm)				Trains Halting M: 0 P : 10													
				Station IInd Entry N													
Other Items -																	
Remarks for -																	

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)	0	0	Area(sqm)	0		Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0		Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet	Y			Remarks	01 No. Hand Pump provided				

Station

HARPUR BOCHAHA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	6	0	CC	60	5	0	1		0	30	3	0	0	0	0	0	0	0	0	N	0
2	BG	N	480	6	0	CC	80	0	0	0		0	24	0	0	0	0	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

HARPUR BOCHAHA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	36	0	2.28	0	0	10			-	-
Actual	10	140	1	3	0	54	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Karhagola Road		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	CRR	FOB	1	(a) Per Day		1641		Developed As				
Station Category	NSG5	Subway	0	(b) Max. at any		377		Identified for MFC		N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Sonepur	Enquiry Office	0	2011-12	99.39	2018-19	134.35	Tourist Facilation Center		N		
State	BIHAR	Public Address Sys.	Y	2019-20	194.45	2020-21	43.10	Touch Screen Enquiry System		N		
District	KATIHAR	Clock	Y	2021-22	116.32	2022-23	214.02	Electronic Train Indication		N		
Section	BJU-KIR	Wheel Chairs	Y	2023-24	242.93	2024-25		ATMs		0		
Km.	0022.12	Cloak Room	N	Length of longest stopping train(m)				593		Food Plaza		N
Route	Dspl	Refreshment Room(sqm)		MP Const.	Katihar			Budget Hotel		N		
Electrified	Y			MP Name	Anwar, Shri Tariq			Trains Halting		M: 14	P : 8	
				MLA Const.	Barari			Station IInd Entry		N		
				MLA Name	Bijay Singh							
Other Items	-											
Remarks for	-											

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	114	Area(sqm)	20	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	70	Seats(Nos.)	15	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	1	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	640	Length(m)	1018	Source	Railway Supply		Open Wells (Nos)		0
Surface	Cement Concrete	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)		0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet	N			Remarks		-			

Station

Karhagola Road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	10	84	CC	760	4	8	2		0	200	2	3	4	25	1	0	0	0	0	N	0
2-3	BG	Y	600	12.8	84	CC	773	0	20	2		0	210	2	4	4	40	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Karhagola Road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	158	0	15.08	1	1	45			-	-
Actual	114	1533	32	5	7	495	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station	Karpurigram			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	KPGM	FOB	1	(a) Per Day	110	Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any	58	Identified for MFC			N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	15.87	2018-19	92.59	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2019-20	97.73	2020-21	3.57	Touch Screen Enquiry System	N
District	SAMASTIPUR	Clock	N	2021-22	56.24	2022-23	102.18	Electronic Train Indication	N
Section	MFP-SPJ	Wheel Chairs	N	2023-24	139.3	2024-25		ATMs	0
Km.	0041.84	Cloak Room	N	Length of longest stopping train(m)			593	Food Plaza	N
Route	Dspl	Refreshment Room(sqm)		MP Const.	Samastipur			Budget Hotel	N
Electrified	Y			MP Name	Shambhavi, Smt.			Trains Halting	M: 2 P : 6
Other Items	-			MLA Const.	Samastipur			Station IInd Entry	N
Remarks for	-			MLA Name	Akhtarul Islam Shahin				

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	103	Area(sqm)		0	0	Area(sqm)	16	Retiring Room	1
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		1	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	690	Length(m)	217	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	16000		
Pay & Use Toilet	Y			Remarks	02 Nos. Hand Pump provided.		

Station

Karpurigram

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	376	8	84	CC	456	8	8	1		0	138	2	1	8	28	0	0	0	0	0	N	0
2	BG	Y	376	9	84	CC	456	0	8	2		0	132	0	0	2	17	1	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Karpurigram

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	24	0	2.32	0	0	7			-	-
Actual	103	912	19	4	1	280	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Katareah		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	KTRH	FOB	0	(a) Per Day		313		Developed As				
Station Category	NSG6	Subway	0	(b) Max. at any		87		Identified for MFC		N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Sonepur	Enquiry Office	0	2011-12	14.07	2018-19	15.88	Tourist Facilation Center		N		
State	BIHAR	Public Address Sys.	Y	2019-20	20.64	2020-21	2.18	Touch Screen Enquiry System		N		
District	BHAGALPUR	Clock	N	2021-22	12.3	2022-23	16.45	Electronic Train Indication		N		
Section	BJU-KIR	Wheel Chairs	N	2023-24	15.76	2024-25		ATMs		0		
Km.	0045.85	Cloak Room	N	Length of longest stopping train(m)				336		Food Plaza		N
Route	Dspl	Refreshment Room(sqm)		MP Const.	Bhagalpur			Budget Hotel		N		
Electrified	Y			MP Name	Shri Ajay Kumar Mandal			Trains Halting		M: 0	P : 8	
Other Items	-			MLA Const.	Gopalpur			Station IInd Entry		N		
Remarks for	-			MLA Name	Narendra Kumar Niraj							

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	115	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	40	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	178	Length(m)	50	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Other	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	-		

Station

Katareah

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	368	10	0	CC	100	1	0	2		0	40	2	2	0	0	0	0	0	0	0	N	0
2	BG	N	560	10	20	CC	300	0	0	2		0	114	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Katareah

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	36	0	3.48	0	0	10			-	-
Actual	115	400	4	2	2	194	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonepur

Station		KHAGARIA		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	KGG	FOB	2	(a) Per Day		20032		Developed As				
Station Category	NSG3	Subway	0	(b) Max. at any		3809		Identified for MFC		N		
Railway	ECR	Booking Windows	8	Pass. Earnings/Year(Rs. in Lac.)								
Division	Sonepur	Enquiry Office	1	2011-12	1454.96	2018-19	1757.65	Tourist Facilation Center		N		
State	BIHAR	Public Address Sys.	Y	2019-20	2370.01	2020-21	368.60	Touch Screen Enquiry System		N		
District	KHAGARIA	Clock	Y	2021-22	939.88	2022-23	2110.26	Electronic Train Indication		Y		
Section	BJU-KIR	Wheel Chairs	Y	2023-24	2249.44	2024-25		ATMs		2		
Km.	0123.50	Cloak Room	Y	Length of longest stopping train(m)				593		Food Plaza		N
Route	Dspl	Refreshment Room(sqm)	24.35	MP Const.	Khagaria			Budget Hotel		N		
Electrified	Y			MP Name	Verma, Shri Rajesh			Trains Halting		M: 88		
				MLA Const.	Khagaria			Station IInd Entry		Y		
				MLA Name	Chhatrapati Yadav					P : 24		
Other Items	-											
Remarks for	-											

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	45	Area(sqm)	24	25	Area(sqm)	0	Retiring Room		1
(b) Seats(Nos.)	40	Seats(Nos.)	25	25	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	2	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	0			

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	10258	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Black Topped	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)	2	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	309128				
Pay & Use Toilet	Y			Remarks	01 No. Hand Pump provided				

Station
KHAGARIA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	9	84	OPS	2248	4	24	0		0	450	6	8	68	251	6	0	0	0	2	Y	0
2 & 3	BG	Y	600	10	84	OPS	958	2	48	0		0	287	2	5	15	172	8	0	0	0	2	Y	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station
KHAGARIA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	800 sqm	40	10	10	250	1 With Cover	High level	4	YES
As per Rec.	1593	2133	152.36	6	6	457			-	-
Actual	45	3206	72	11	14	827	2	See platform details	2	-
Shortage, if any	80	-	-	-	-	-	-		2	YES

Desired	Facility Available	Desired	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with	Yes	Washable apron with jet cleaning	No
Public Phone Booth	Yes	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Tiolets on end platform & circulating	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	No	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Desired	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	No
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Kharik		No. of passengers dealt with:				Identified as Adarsh		Y	
Station Code	KHQ	FOB	0	(a) Per Day		246		Developed As		N	
Station Category	NSG6	Subway	0	(b) Max. at any		37		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	10.00	2018-19	11.40	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	9.71	2020-21	1.44	Touch Screen Enquiry System		N	
District	BHAGALPUR	Clock	N	2021-22	8.89	2022-23	12	Electronic Train Indication		N	
Section	BJU-KIR	Wheel Chairs	N	2023-24	11.72	2024-25		ATMs		0	
Km.	0064.68	Cloak Room	N	<div>MP Const. Bhagalpur MP Name Shri Ajay Kumar Mandal MLA Const. Bihpur MLA Name Kumar Shailendra</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0	P : 8
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	122	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	24	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	750	Length(m)	900	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Other	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0						
Pay & Use Toilet				Remarks	01 Nos. Hand Pump provided						

Station			Kharik																					
			Platform Detail																					
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	354	9	20	OPS	232	6	0	2		0	65	2	2	0	6	0	0	0	0	0	N	0
2 & 3	BG	Y	550	10.5	20	OTH	49	0	0	2		0	30	0	0	0	0	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station	Kharik										Summary										(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.									
Item ->	Waiting Hall		Shelter (sqm)		TAP/HP (nos)		Lavatories		Urinals (nos)		Seats (nos)		FOB (nos)		Height of Platforms		No of Water Coolers		Signage											
Min. Facility	15		100 sqm		4 tap/HP at stn		1		1		20		1		High level		0		-											
As per Rec.	15		0		1.48		0		0		4						-		-											
Actual	122		281		4		2		2		119		0		<div>See platform details</div>		0		-											
Shortage, if any	-		-		-		-		-		-		1				-		-											

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station	Khudiram Bose Pusa			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KRBP	FOB	1	(a) Per Day		1465		Developed As		
Station Category	NSG5	Subway	0	(b) Max. at any		440		Identified for MFC	N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	94.89	2018-19	248.96	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2019-20	284.72	2020-21	44.29	Touch Screen Enquiry System	N	
District	SAMASTIPUR	Clock	N	2021-22	162.88	2022-23	282.62	Electronic Train Indication	N	
Section	MFP-SPJ	Wheel Chairs	N	2023-24	339.29	2024-25		ATMs	0	
Km.	0048.28	Cloak Room	N	Length of longest stopping train(m)				473	Food Plaza	N
Route	Dspl	Refreshment Room(sqm)		MP Const.	Samastipur			Budget Hotel	N	
Electrified	Y			MP Name	Shambhavi, Smt.			Trains Halting	M: 16	P : 10
				MLA Const.	Kalyanpur (Samastipur)			Station IInd Entry	N	
				MLA Name	Maheshwar Hazari					
Other Items	-									
Remarks for	-									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	97	Area(sqm)	13	23	Area(sqm)	0		Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)	15	18	Seats(Nos.)	0		Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	1	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	1513	Length(m)	389	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	5000		
Pay & Use Toilet	Y			Remarks	02 Nos. hand Pump provided.		

Station

Khudiram Bose Pusa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	10	53	CC	160	6	10	1		0	170	2	2	12	18	0	0	0	0	1	N	0
2	BG	N	445	7	68	CC	232	0	10	1		0	150	2	3	6	24	1	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Khudiram Bose Pusa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	184	0	17.6	1	1	53			-	-
Actual	97	392	22	6	5	383	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonepur

Station		Kurhani		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	KHI	FOB	0	(a) Per Day		210		Developed As				
Station Category	NSG6	Subway	0	(b) Max. at any		112		Identified for MFC		N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)								
Division	Sonepur	Enquiry Office	0	2011-12	8.68	2018-19	9.22	Tourist Facilation Center		N		
State	BIHAR	Public Address Sys.	Y	2019-20	6.66	2020-21	1.25	Touch Screen Enquiry System		N		
District	MUZAFFARPUR	Clock	N	2021-22	4.79	2022-23	7.43	Electronic Train Indication		N		
Section	HJP-MFP	Wheel Chairs	N	2023-24	7.89	2024-25		ATMs		0		
Km.	0033.81	Cloak Room	N	Length of longest stopping train(m)				356		Food Plaza		N
Route	Dspl	Refreshment Room(sqm)		MP Const.		Muzaffarpur		Budget Hotel		N		
Electrified	Y			MP Name		Choudhary, Dr. Raj Bhushan		Trains Halting		M: 0		P : 6
				MLA Const.		Kurhani		Station IInd Entry		N		
				MLA Name		Kedar Prasad Gupta						
Other Items	-											
Remarks for	-											

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	27	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	372.4	Length(m)	52.7	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	1	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	6000				
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided.				

Station			Kurhani																							
Platform Detail																										
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	340.48	8	15	OPS	139	4	16	0		0	50	3	1	2	19	1	0	0	0	0	N	0		
2 & 3	BG	Y	585	10.3	60	OTH	60	0	16	0		0	60	0	0	0	52	0	0	0	0	0	N	0		
*Surface Type			:	CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station	Kurhani			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.		
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-			
As per Rec.	47	0	4.48	0	0	13			-	-			
Actual	27	199	32	3	1	128	0	See platform details	0	-			
Shortage, if any	-	-	-	-	-	-	1		-	-			

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Kursela		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	KUE	FOB	1	(a) Per Day		2001		Developed As				
Station Category	NSG5	Subway	0	(b) Max. at any		365		Identified for MFC		N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Sonepur	Enquiry Office	0	2011-12	114.02	2018-19	143.05	Tourist Facilation Center		N		
State	BIHAR	Public Address Sys.	Y	2019-20	261.78	2020-21	74.73	Touch Screen Enquiry System		N		
District	KATIHAR	Clock	N	2021-22	170.81	2022-23	304.87	Electronic Train Indication		N		
Section	BJU-KIR	Wheel Chairs	N	2023-24	342.18	2024-25		ATMs		0		
Km.	0039.21	Cloak Room	N	Length of longest stopping train(m)				593		Food Plaza		N
Route	Dspl	Refreshment Room(sqm)		MP Const.	Katihar			Budget Hotel		N		
Electrified	Y			MP Name	Anwar, Shri Tariq			Trains Halting		M: 14	P : 8	
				MLA Const.	Barari			Station IInd Entry		N		
				MLA Name	Bijay Singh							
Other Items	-											
Remarks for	-											
Resting Facility												
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM						
(a) Area(sqm.)	72	Area(sqm)		21	0	Area(sqm)	0	Retiring Room		0		
(b) Seats(Nos.)	40	Seats(Nos.)		25	0	Seats(Nos.)	0	Dormitory		0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	0	Lav.(Nos.)	0					
(d) Urinals(Nos.)	0	Urinals(Nos.)		1	0	Urinals(Nos.)	0					
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		1	0	Bathing Cubicals(Nos.)	0					
Circulating Area and Water												
Circulating Area		Approach Road		Water Supply								
Area (sqm)	735	Length(m)	800	Source	Railway Supply		Open Wells (Nos)		0			
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)		1			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		75000						
Pay & Use Toilet	N			Remarks		-						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	72	Area(sqm)	21	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	40	Seats(Nos.)	25	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	1	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	735	Length(m)	800	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	75000		
Pay & Use Toilet	N			Remarks	-		

Station			Kursela				Platform Detail																		
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	540	9	30	CC	643	4	6	2		0	80	2	2	5	26	0	0	0	0	0	N	0	
2 & 3	BG	Y	540	10.65	30	CC	450	0	30	2		0	50	0	2	4	18	0	0	0	0	0	N	0	
*Surface Type :			CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station	Kursela			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-		
As per Rec.	153	0	14.6	1	1	44			-	-		
Actual	72	1093	40	3	5	195	1	See platform details	1	-		
Shortage, if any	-	-	-	1	-	-	-		1	-		

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Lakho		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	LAK	FOB	0	(a) Per Day		177		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		105		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	111.74	2018-19	3.87	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	9.52	2020-21	1.28	Touch Screen Enquiry System		N	
District	BEGUSARAI	Clock	N	2021-22	7.33	2022-23	10.84	Electronic Train Indication		N	
Section	BJU-KIR	Wheel Chairs	N	2023-24	9.46	2024-25		ATMs		0	
Km.	0156.49	Cloak Room	N	<div>MP Const. Begusarai MP Name Singh, Shri Giriraj MLA Const. Begusarai MLA Name Kundan Kumar</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)	Budget Hotel					N			
Electrified	Y		Trains Halting					M: 0 P : 12			
			Station IInd Entry					N			
Other Items	-										
Remarks for	-										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	30	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	12	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	500	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Cement Concrete	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)	1	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000				
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided				

Station

Lakho

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	6.3	84	OTH	320	11	12	2		0	48	4	4	8	63	0	0	0	0	0	N	0
2 & 3	BG	N	350	10	45	CC	320	0	0	2		0	120	0	0	4	42	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Lakho

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	44	0	4.2	0	0	13			-	-
Actual	30	640	16	4	4	180	0	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		LAKMINIA		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	LKN	FOB	1	(a) Per Day		2575		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		865		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	16.22	2018-19	172.89	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	319.72	2020-21	0.00	Touch Screen Enquiry System		N	
District	BEGUSARAI	Clock	N	2021-22	163.65	2022-23	308.12	Electronic Train Indication		N	
Section	BJU-KIR	Wheel Chairs	Y	2023-24	379.1	2024-25		ATMs		0	
Km.	0146.03	Cloak Room	N	<div>MP Const. Begusarai</div> <div>MP Name Singh, Shri Giriraj</div> <div>MLA Const. Sahebpur Kamal</div> <div>MLA Name Satanand Sambuddha @Lalan</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 16 P : 12	
Other Items	-							Station IInd Entry		N	
Remarks for	-5 HAND PUMP PROVIDED										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	60	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	50	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	375	Length(m)	5	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Cement Concrete	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		1		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet	Y			Remarks		12 Nos. Hand Pump provided					

Station LAKMINIA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	9	84	CC	786	12	18	3		0	168	3	4	15	109	1	0	0	0	1	N	0
2 & 3	BG	N	600	10	84	CC	640	0	32	2		0	144	2	4	10	68	1	0	0	0	1	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station LAKMINIA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	362	0	34.6	1	1	104			-	-
Actual	60	1426	55	5	8	362	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		2	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonepur

Station		LALGANJ PAKRI		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	LLJP	FOB	1	(a) Per Day		74		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		37		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	1	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	N	2019-20	0	2020-21	0.00	Touch Screen Enquiry System		N	
District	VAISHALI	Clock	N	2021-22	1.58	2022-23	1.81	Electronic Train Indication		N	
Section	HJP-VSHI	Wheel Chairs	N	2023-24	1.66	2024-25		ATMs		0	
Km.	0020.76	Cloak Room	N	<div>MP Const. Vaishali</div> <div>MP Name Devi, Smt. Veena</div> <div>MLA Const. Lalganj</div> <div>MLA Name Sanjay Kumar Singh</div>				Food Plaza		N	
Route	E	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 0 P : 2	
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	50	Area(sqm)		50	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	10	Seats(Nos.)		2	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	2	Lav.(Nos.)		2	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	360	Length(m)	560	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)		1		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		4000					
Pay & Use Toilet				Remarks		Railway Motar not installed					

Station			LALGANJ PAKRI										Platform Detail											
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	10	84	OTH	320	0	1	2		0	5	0	0	2	43	0	0	0	0	1	N	0
2	BG	N	540	10	84	OTH	320	0	1	1		0	5	0	0	0	70	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface					MOR-Moorum				OTH-Others					

Station	LALGANJ PAKRI			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-		
As per Rec.	15	0	1.48	0	0	4			-	-		
Actual	50	640	5	4	2	22	1	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	-		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		MAHESH KHUNT		No. of passengers dealt with:				Identified as Adarsh		Y	
Station Code	MSK	FOB	1	(a) Per Day		2592		Developed As		N	
Station Category	NSG5	Subway	0	(b) Max. at any		266		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	234.86	2018-19	234.16	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	298.14	2020-21	48.78	Touch Screen Enquiry System		N	
District	KHAGARIA	Clock	N	2021-22	157.53	2022-23	375.17	Electronic Train Indication		N	
Section	BJU-KIR	Wheel Chairs	Y	2023-24	388.74	2024-25		ATMs		0	
Km.	0104.52	Cloak Room	N	<div>MP Const. Khagaria</div> <div>MP Name Verma, Shri Rajesh</div> <div>MLA Const. Parbatta</div> <div>MLA Name Doctor Sanjeev Kumar</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 12	P : 8
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	58	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	1360	Length(m)	400	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	1			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0						
Pay & Use Toilet	Y			Remarks	-						

Station
MAHESH KHUNT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	436	10	84	CC	490	8	4	3		0	85	2	2	13	132	1	0	0	0	1	N	0
2	BG	N	533	7	84	OPS	164	3	4	2		0	125	2	2	2	41	0	0	0	0	1	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station
MAHESH KHUNT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	111	0	10.64	0	0	32			-	-
Actual	58	654	13	4	4	210	1	See platform details	1	-
Shortage, if any	-	-	3	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station	Mahnar Road			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	MNO	FOB	1	(a) Per Day	1269	Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any	245	Identified for MFC			N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	1	2011-12	80.06	2018-19	71.80	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	N	2019-20	251.15	2020-21	74.73	Touch Screen Enquiry System	N
District	VAISHALI	Clock	Y	2021-22	225.21	2022-23	284.88	Electronic Train Indication	N
Section	BCA-HJP	Wheel Chairs	N	2023-24	290.99	2024-25		ATMs	0
Km.	0236.64	Cloak Room	N	Length of longest stopping train(m)			593	Food Plaza	N
Route	Dspl	Refreshment Room(sqm)		MP Const.	Hajipur			Budget Hotel	N
Electrified	Y			MP Name	Paswan, Shri Chirag			Trains Halting	M: 8 P : 10
Other Items	-			MLA Const.	Mahnar			Station IInd Entry	Y
Remarks for	-			MLA Name	Bina Singh				

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	180	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	55	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	600	Length(m)	400	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	10000		
Pay & Use Toilet	Y			Remarks	02 Nos. Hand Pump provided		

Station

Mahnar Road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	11	84	PS	2360	4	14	1		0	500	3	3	17	129	1	0	0	0	1	N	0
2 & 3	BG	Y	600	11	84	PS	320	0	8	1		0	300	0	3	3	52	0	0	0	0	1	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

Mahnar Road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	102	0	9.8	0	0	29			-	-
Actual	180	2680	24	3	6	855	1	See platform details	1	-
Shortage, if any	-	-	-	1	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station				MAJNOORPUR NAWADA HALT				No. of passengers dealt with:				Identified as Adarsh		N					
Station Code		MPNH		FOB		0		(a) Per Day		18		Developed As							
Station Category		HG3		Subway		0		(b) Max. at any		12		Identified for MFC		N					
Railway		ECR		Booking Windows		1		Pass. Earnings/Year(Rs. in Lac.)											
Division		Sonepur		Enquiry Office		0		2011-12		0.58		2018-19		0.53		Tourist Facilation Center		N	
State		BIHAR		Public Address Sys.		N		2019-20		0.95		2020-21		0.00		Touch Screen Enquiry System		N	
District		BEGUSARAI		Clock		N		2021-22		0.69		2022-23		1.52		Electronic Train Indication		N	
Section		BJU-SPJ		Wheel Chairs		N		2023-24		1.52		2024-25				ATMs		0	
Km.		0190.70		Cloak Room		N		Length of longest stopping train(m)				356		Food Plaza		N			
Route		Dspl		Refreshment				MP Const.		Begusarai		Budget Hotel		N					
Electrified		Y		Room(sqm)				MP Name		Singh, Shri Giriraj		Trains Halting		M: 0		P : 6			
Other Items		-						MLA Const.		Teghra		Station IInd Entry		N					
Remarks for		-						MLA Name		Ram Ratan Singh									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	01 No. Hand Pump provided				

Station

MAJNOORPUR NAWADA HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	200	3	0	CC	0	0	0	1		0	8	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	200	5	0	CC	0	0	0	0		0	8	0	0	0	0	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

MAJNOORPUR NAWADA HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	8	0	0.48	0	0	2			-	-
Actual	10	0	1	0	0	16	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		MANSI JN.		No. of passengers dealt with:				Identified as Adarsh		Y	
Station Code	MNE	FOB	2	(a) Per Day		7537		Developed As		N	
Station Category	NSG4	Subway	0	(b) Max. at any		1795		Identified for MFC		N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	1	2011-12	650.29	2018-19	708.06	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	1059.23	2020-21	189.40	Touch Screen Enquiry System		N	
District	KHAGARIA	Clock	Y	2021-22	370.32	2022-23	974.8	Electronic Train Indication		N	
Section	BJU-KIR	Wheel Chairs	Y	2023-24	992.83	2024-25		ATMs		1	
Km.	0115.05	Cloak Room	N	<div>MP Const. Khagaria MP Name Verma, Shri Rajesh MLA Const. Khagaria MLA Name Chhatrapati Yadav</div>				Food Plaza		Y	
Route	Dspl	Refreshment Room(sqm)	98					Budget Hotel		N	
Electrified	Y							Trains Halting		M: 46	P : 20
Other Items	-							Station IInd Entry		Y	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	524	Area(sqm)		25	25	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	112	Seats(Nos.)		23	23	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		2	2	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		1	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	2032	Length(m)	1450	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	2			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	185000						
Pay & Use Toilet	Y			Remarks	-						

Station MANSI JN.

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	6	84	CC	441	2	12	2		0	110	2	3	8	101	2	0	0	0	2	N	0
2 & 3	BG	Y	600	29	84	CC	1749	4	42	1		0	253	8	2	55	350	8	0	0	0	2	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station MANSI JN.

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec.	751	1005	71.8	3	3	215			-	-
Actual	524	2190	57	14	6	521	2	See platform details	4	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		MOHIUDDINNAGAR		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	MOG	FOB	1	(a) Per Day		1713		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		412		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	118.57	2018-19	236.69	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	307.68	2020-21	50.90	Touch Screen Enquiry System		N	
District	SAMASTIPUR	Clock	Y	2021-22	264.74	2022-23	365.57	Electronic Train Indication		N	
Section	BCA-HJP	Wheel Chairs	Y	2023-24	394.92	2024-25		ATMs		0	
Km.	0215.64	Cloak Room	N	<div><div>MP Const.</div><div>Ujiarpur</div><div>MP Name</div><div>Rai, Shri Nityanand</div><div>MLA Const.</div><div>Mohiuddinnagar</div><div>MLA Name</div><div>Rajesh Kumar Singh</div></div>				Food Plaza		N	
Route	Dspl	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 8	
								Station IInd Entry		N	
Other Items	-										
Remarks for	-										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	113	Area(sqm)		0	66	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	50	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	650	Length(m)	290	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	1	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet	Y			Remarks	04 Nos. Hand Pump provided				

Station

MOHIUDDINNAGAR

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	617	11.4	84	PS	795	3	16	2		0	100	3	4	3	38	1	0	0	0	1	N	1	
2	BG	N	650	11	84	PS	540	0	0	2		0	100	3	4	3	32	1	0	0	0	1	N	1	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station

MOHIUDDINNAGAR

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	172	0	16.48	1	1	49			-	-
Actual	113	1335	20	6	8	250	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station	Muzaffarpur Jn.			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MFP	FOB	3	(a) Per Day		50265		Developed As		
Station Category	NSG2	Subway	0	(b) Max. at any		4865		Identified for MFC	N	
Railway	ECR	Booking Windows	24	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	1	2011-12	10157.36	2018-19	9480.66	Tourist Facilation Center	Y	
State	BIHAR	Public Address Sys.	Y	2019-20	7948.16	2020-21	1302.27	Touch Screen Enquiry System	N	
District	MUZAFFARPUR	Clock	Y	2021-22	1657.36	2022-23	6657.45	Electronic Train Indication	Y	
Section	MFP-SPJ	Wheel Chairs	Y	2023-24	7247.79	2024-25		ATMs	3	
Km.	0086.51	Cloak Room	Y	Length of longest stopping train(m)				593	Food Plaza	Y
Route	Dspl	Refreshment	114.09	MP Const.	Muzaffarpur			Budget Hotel	Y	
Electrified	Y	Room(sqm)		MP Name	Choudhary, Dr. Raj Bhushan			Trains Halting	M: 132	P : 20
				MLA Const.	Muzaffarpur			Station IInd Entry	Y	
				MLA Name	Bijendra Chaudhary					
Other Items	-									
Remarks for	-									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	415	Area(sqm)		42	25	Area(sqm)	26	Retiring Room	0
(b) Seats(Nos.)	279	Seats(Nos.)		48	30	Seats(Nos.)	18	Dormitory	0
(c) Lav.(Nos.)	11	Lav.(Nos.)		1	1	Lav.(Nos.)	1		
(d) Urinals(Nos.)	3	Urinals(Nos.)		2	1	Urinals(Nos.)	1		
(e) Bathing Cubicals	4	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	1		

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	8700	Length(m)	720	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	6
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	227000		
Pay & Use Toilet	Y			Remarks	Circulating Area Urinals 15 nos.		

Station

Muzaffarpur Jn.

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	894.8	10	65	PS	4418	0	76	0		378	723	7	2	46	346	6	12	0	0	0	Y	0
6	BG	N	411.97	10.05	84	PS	3936	0	42	0	434	348	280	0	0	10	0	3	0	0	0	0	Y	0
2 & 3	BG	Y	591.93	9.55	84	PS	4709	0	38	0	602/602	492	360	0	4	29	374	9	0	1	0	0	Y	0
7 & 8	BG	N	452.5	11	84	CC	901	0	32	0		214	56	7	4	0	16	2	0	0	0	0	Y	0
4 & 5	BG	Y	578	11	84	PS	2592	0	32	0		578	208	0	2	39	224	5	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others							

Station

Muzaffarpur Jn.

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	2500 sqm	100	12	12	750	1 With Cover	High level	10	YES
As per Rec.	2035	6811	194.6	7	7	584			-	-
Actual	415	16556	223	28	19	2002	3	See platform details	10	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station

Muzaffarpur Jn.

Summary As per Model Station

Desired	Facility Available	Desired	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Tiolets on end platform & circulating	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Desired	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		NANDANI LAGUNIA		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	NNNL	FOB	1	(a) Per Day		102		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		39		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	1.47	2018-19	1.36	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	N	2019-20	3.01	2020-21	0.30	Touch Screen Enquiry System		N	
District	SAMASTIPUR	Clock	N	2021-22	2.78	2022-23	4.26	Electronic Train Indication		N	
Section	BCA-HJP	Wheel Chairs	N	2023-24	5.06	2024-25		ATMs		0	
Km.	0223.39	Cloak Room	N	Length of longest stopping train(m)				356	Food Plaza		N
Route	Dspl	Refreshment		MP Const.	Ujiarpur			Budget Hotel		N	
Electrified	Y	Room(sqm)		MP Name	Rai, Shri Nityanand			Trains Halting		M: 0	
Other Items	-			MLA Const.	Mohiuddinnagar			Station IInd Entry		N	
Remarks for	-			MLA Name	Rajesh Kumar Singh			P : 10			

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	113	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	500	Length(m)	900	Source	Railway Supply	Open Wells (Nos)	0
Surface	Other	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	06 No. Hand Pump Provided		

Station			NANDANI LAGUNIA											Platform Detail										
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	11	84	CC	360	1	4	3		0	120	3	3	2	31	0	0	0	0	1	N	0
2 & 3	BG	Y	600	11.3	84	CC	560	0	4	3		0	176	0	3	0	32	0	0	0	0	1	N	0
*Surface Type :			CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station	NANDANI LAGUNIA			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-		
As per Rec.	16	0	1.56	0	0	5			-	-		
Actual	113	920	14	3	6	296	1	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	-		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station	NARAYANPUR ANANT			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	NRPA	FOB	1	(a) Per Day		56		Developed As		
Station Category	NSG6	Subway	0	(b) Max. at any		135		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	6.50	2018-19	7.97	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2019-20	5.35	2020-21	0.35	Touch Screen Enquiry System	N	
District	MUZAFFARPUR	Clock	N	2021-22	0.52	2022-23	1.57	Electronic Train Indication	N	
Section	MFP-SPJ	Wheel Chairs	N	2023-24	1.35	2024-25		ATMs	0	
Km.	0081.28	Cloak Room	N	Length of longest stopping train(m)				356	Food Plaza	N
Route	Dspl	Refreshment		MP Const.	Muzaffarpur			Budget Hotel	N	
Electrified	Y	Room(sqm)		MP Name	Choudhary, Dr. Raj Bhushan			Trains Halting	M: 0	P : 6
				MLA Const.	Muzaffarpur			Station IInd Entry	N	
				MLA Name	Bijendra Chaudhary					
Other Items	-									
Remarks for	-									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	52	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	675	Length(m)	520	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	227500		
Pay & Use Toilet				Remarks	NIL		

Station

NARAYANPUR ANANT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	98	7	80	CC	0	0	8	3		0	6	0	1	1	8	1	0	0	0	1	N	0
2 & 3	BG	Y	350	9	84	CC	156	0	9	2		0	84	3	0	2	18	1	0	0	0	1	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

NARAYANPUR ANANT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	56	0	5.4	0	0	16			-	-
Actual	52	156	22	3	1	98	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Narayanpur		No. of passengers dealt with:				Identified as Adarsh		Y
Station Code	NNR	FOB	1	(a) Per Day		1521		Developed As		N
Station Category	NSG5	Subway	0	(b) Max. at any		460		Identified for MFC		N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	57.11	2018-19	81.34	Tourist Facilation Center		N
State	BIHAR	Public Address Sys.	Y	2019-20	183.29	2020-21	65.69	Touch Screen Enquiry System		N
District	BHAGALPUR	Clock	N	2021-22	149.25	2022-23	252.36	Electronic Train Indication		N
Section	BJU-KIR	Wheel Chairs	N	2023-24	304.16	2024-25				
Km.	0080.50	Cloak Room	N	Length of longest stopping train(m)			593	ATMs		0
Route	Dspl	Refreshment Room(sqm)		MP Const.		Bhagalpur		Food Plaza		N
Electrified	Y			MP Name		Shri Ajay Kumar Mandal		Budget Hotel		N
				MLA Const.		Bihpur		Trains Halting		M: 12
				MLA Name		Kumar Shailendra		Station IInd Entry		N
Other Items	-									
Remarks for	-									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	147	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	125	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	208	Length(m)	500	Source	Railway Supply		Open Wells (Nos)		0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)		1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet	N			Remarks		-			

Station Narayanpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	612	10	84	CC	144	2	8	3		0	235	4	2	11	77	0	0	0	0	1	N	0
2	BG	N	510	8.5	0	CC	320	0	0	2		0	25	0	0	6	48	0	0	0	0	1	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station Narayanpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	192	0	18.4	1	1	55			-	-
Actual	147	464	13	4	2	385	1	See platform details	0	-
Shortage, if any	-	-	3	-	2	-	-		2	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonepur

Station	Naugachia			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	NNA	FOB	2	(a) Per Day		6382		Developed As	Y	
Station Category	NSG3	Subway	0	(b) Max. at any		3377		Identified for MFC	N	
Railway	ECR	Booking Windows	8	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	1	2011-12	486.98	2018-19	659.20	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2019-20	987.07	2020-21	201.44	Touch Screen Enquiry System	N	
District	BHAGALPUR	Clock	Y	2021-22	466.72	2022-23	1178.24	Electronic Train Indication	Y	
Section	BJU-KIR	Wheel Chairs	Y	2023-24	1178.42	2024-25		ATMs	1	
Km.	0056.72	Cloak Room	N	Length of longest stopping train(m)				593	Food Plaza	N
Route	Dspl	Refreshment Room(sqm)		MP Const.	Bhagalpur			Budget Hotel	N	
Electrified	Y			MP Name	Shri Ajay Kumar Mandal			Trains Halting	M: 58	P : 8
				MLA Const.	Gopalpur			Station IInd Entry	N	
				MLA Name	Narendra Kumar Niraj					
Other Items	-									
Remarks for	-									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	538	Area(sqm)		21	16	Area(sqm)	0	Retiring Room	1
(b) Seats(Nos.)	80	Seats(Nos.)		12	25	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		2	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	6000	Length(m)	3574	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	68260		
Pay & Use Toilet	Y			Remarks	-		

Station

Naugachia

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	550	11	76	CC	1186	2	24	1		0	299	6	3	9	180	4	0	0	0	1	N	0
2 & 3	BG	Y	550	10.4	84	CC	884	0	28	1		0	290	3	4	12	180	6	0	0	0	1	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

Naugachia

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	800 sqm	40	10	10	250	1 With Cover	High level	4	YES
As per Rec.	1412	1891	135.08	5	5	405			-	-
Actual	538	2070	54	11	9	706	2	See platform details	3	YES
Shortage, if any	-	-	-	-	1	-	-		1	-

Desired	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2025

Division : Sonepur

Station		NAYAGAON		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	NYO	FOB	1	(a) Per Day		313		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		204		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	20.29	2018-19	17.18	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	26.75	2020-21	0.41	Touch Screen Enquiry System		N	
District	SARAN	Clock	N	2021-22	9.45	2022-23	13.09	Electronic Train Indication		N	
Section	CI-HJP	Wheel Chairs	Y	2023-24	12.6	2024-25		ATMs		0	
Km.	0283.82	Cloak Room	N	<div><div>MP Const.</div><div>Chhapra</div><div>MP Name</div><div>Shri Rajiv Pratap Rudhi</div><div>MLA Const.</div><div>Sonepur</div><div>MLA Name</div><div>Dr. Ramanuj Prasad</div></div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 2	P : 6
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	36	Area(sqm)		48	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	0	Seats(Nos.)		40	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		1	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	906.25	Length(m)	95	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	1			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	200						
Pay & Use Toilet				Remarks	03 Nos. Hand Pump provided						

Station			NAYAGAON																					Platform Detail				
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)				
1	BG	N	559.6	6	70	OTH	114	11	8	1		0	100	1	4	2	15	0	0	0	0	1	N	0				
2	BG	N	503	8	90	OTH	112	19	2	2		0	80	1	2	2	26	0	0	0	0	1	N	0				
*Surface Type			:	CC-Cement Concrete				PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others									

Station			Summary								(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-		
As per Rec.	85	0	8.16	0	0	24			-	-		
Actual	36	226	13	3	7	220	1	See platform details	0	YES		
Shortage, if any	-	-	-	-	-	-	-		-	-		

Desired	Facility Available	Desired	Facility Available
Retiring Room	No	Waiting Room (with bathing facility)	
Cloak Room	No	Upper Class	No
Enquiry Counter	Yes	Second Class	Yes
NTES	No	For Ladies (combined upper & second class)	No
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	No	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with	Yes	Washable apron with jet cleaning	No
Public Phone Booth	No	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	No
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Tiolets on end platform & circulating	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	No	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	No	Facilities of station building including facade	Yes

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Nazirganj		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	NAZJ	FOB	1	(a) Per Day		383		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		137		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	16.52	2018-19	16.98	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	16.96	2020-21	5.29	Touch Screen Enquiry System		N	
District	SAMASTIPUR	Clock	N	2021-22	3.35	2022-23	12.62	Electronic Train Indication		N	
Section	SPJ-MFP	Wheel Chairs	N	2023-24	15.13	2024-25					
Km.	0018.91	Cloak Room	N	Length of longest stopping train(m)			593	ATMs		0	
Route	Dspl	Refreshment Room(sqm)		MP Const. Ujiarpur				Food Plaza		N	
Electrified	Y			MP Name Rai, Shri Nityanand				Budget Hotel		N	
				MLA Const. Ujiarpur				Trains Halting		M: 8 P : 8	
				MLA Name Alok Kumar Mehta				Station IInd Entry		N	
Other Items	-										
Remarks for	-										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	40	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Other	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	8000				
Pay & Use Toilet				Remarks	04 Nos. hand Pump provided.				

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	40	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	0
Surface	Other	Surface	Kutch	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	8000		
Pay & Use Toilet				Remarks	04 Nos. hand Pump provided.		

Station

Nazirganj

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	330	9	45	CC	300	4	8	2		0	153	0	1	4	14	0	0	0	0	0	N	0		
2	BG	N	600	10.5	84	CC	300	0	4	1		0	90	0	1	2	8	0	0	0	0	0	N	0		
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																										

Station

Nazirganj

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	57	0	5.48	0	0	16			-	-
Actual	40	600	15	0	2	263	1	See platform details	0	-
Shortage, if any	-	-	-	1	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		NEW BARAUNI JN.		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	NBJU	FOB	2	(a) Per Day		1191		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		37		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	0	2020-21	2.66	Touch Screen Enquiry System		N	
District	BEGUSARAI	Clock	Y	2021-22	38.66	2022-23	123.25	Electronic Train Indication		N	
Section	BJU - KIR	Wheel Chairs	N	2023-24	332.87	2024-25		ATMs		0	
Km.	0176.90	Cloak Room	N	<div>MP Const. Begusarai</div> <div>MP Name Singh, Shri Giriraj</div> <div>MLA Const. Teghra</div> <div>MLA Name Ram Ratan Singh</div>				Food Plaza		N	
Route	Dspl	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 0 P : 0	
Other Items	-							Station IInd Entry		Y	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	30	Area(sqm)		0	10	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	15	Seats(Nos.)		0	6	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	250	Length(m)	400	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet	Y			Remarks		-					

Station NEW BARAUNI JN.

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	558	11.2	84	CC	0	0	40	1		0	140	2	2	0	0	2	0	0	0	0	N	0
2	BG	Y	558	11.2	84	OTH	704	0	40	0		0	140	2	1	0	0	0	0	0	0	0	Y	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station NEW BARAUNI JN.

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	15	0	1.48	0	0	4			-	-
Actual	30	704	81	4	3	301	2	See platform details	0	-
Shortage, if any	-	-	-	-	1	-	-		2	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonepur

Station		PARMANANDPUR		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	PMU	FOB	1	(a) Per Day		33		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		27		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	1.65	2018-19	1.60	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	2.65	2020-21	0.08	Touch Screen Enquiry System		N	
District	SARAN	Clock	N	2021-22	1.17	2022-23	2.08	Electronic Train Indication		N	
Section	CI-HJP	Wheel Chairs	N	2023-24	1.97	2024-25		ATMs		0	
Km.	0279.10	Cloak Room	N	<div><div>MP Const.</div><div>Chhapra</div><div>MP Name</div><div>Shri Rajiv Pratap Rudhi</div><div>MLA Const.</div><div>Sonepur</div><div>MLA Name</div><div>Dr. Ramanuj Prasad</div></div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 2	P : 6
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	24	Area(sqm)		24	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	20	Seats(Nos.)		50	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	1716	Length(m)	500	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Kutchra	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	1			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000						
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided						

Station
PARMANANDPUR
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	365.3	8	52	OTH	114	0	12	2		0	20	1	3	1	12	0	0	0	0	1	N	0		
2	BG	N	363	7.3	57	OPS	114	0	10	2		0	16	1	3	1	14	0	0	0	0	1	N	0		
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																										

Station
PARMANANDPUR
Summary
(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	11	0	1.08	0	0	3			-	-
Actual	24	228	26	2	6	106	1	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Pasraha		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	PSR	FOB	1	(a) Per Day		1284		Developed As				
Station Category	NSG5	Subway	0	(b) Max. at any		201		Identified for MFC		N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Sonepur	Enquiry Office	0	2011-12	53.83	2018-19	53.47	Tourist Facilation Center		N		
State	BIHAR	Public Address Sys.	Y	2019-20	63.11	2020-21	3.83	Touch Screen Enquiry System		N		
District	KHAGARIA	Clock	N	2021-22	26.81	2022-23	77.23	Electronic Train Indication		N		
Section	BJU-KIR	Wheel Chairs	N	2023-24	83.44	2024-25		Length of longest stopping train(m)		593	ATMs	0
Km.	0092.10	Cloak Room	N	<div>MP Const. Khagaria MP Name Verma, Shri Rajesh MLA Const. Parbatta MLA Name Doctor Sanjeev Kumar</div>				Food Plaza		N		
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N		
Electrified	Y							Trains Halting		M: 4 P : 8		
								Station IInd Entry		N		
Other Items	-											
Remarks for	-											

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	171	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	125	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	462	Length(m)	670	Source	Railway Supply		Open Wells (Nos)		0
Surface	Cement Concrete	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)		0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		-			

Station
Pasraha
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	360	9	25	CC	362	1	18	3		0	70	2	2	11	72	1	0	0	0	0	N	0
2	BG	N	320	3	25	CC	320	0	18	2		0	60	0	0	6	40	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
Pasraha
Summary
(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	84	0	8.04	0	0	24			-	-
Actual	171	682	41	2	2	255	1	See platform details	0	-
Shortage, if any	-	-	-	2	2	-	-		2	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		RAAJAN		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	RJJN	FOB	0	(a) Per Day		32		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		24		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	1.88	2018-19	1.94	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	N	2019-20	1.98	2020-21	0.00	Touch Screen Enquiry System		N	
District	SAMASTIPUR	Clock	N	2021-22	1.55	2022-23	2.3	Electronic Train Indication		N	
Section	HJP-BCA	Wheel Chairs	N	2023-24	2.75	2024-25		ATMs		0	
Km.	0219.76	Cloak Room	N	<div><div>MP Const.</div><div>Ujiarpur</div><div>MP Name</div><div>Rai, Shri Nityanand</div><div>MLA Const.</div><div>Mohiuddinnagar</div><div>MLA Name</div><div>Rajesh Kumar Singh</div></div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 4	
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	36	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	35	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	30	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		03 No Hand Pump provided.					

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	36	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	35	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	30	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	03 No Hand Pump provided.		

Station RAJAJAN

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	3	0	CC	122	0	0	1		0	60	0	0	0	0	0	0	0	0	0	N	0
2 & 3	BG	N	480	6	0	CC	122	0	0	1		0	50	0	0	0	0	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station RAJAJAN

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	15	0	0.96	0	0	4			-	-
Actual	36	243	2	0	0	145	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Ramdayalu Nagar		No. of passengers dealt with:				Identified as Adarsh		N
Station Code	RD	FOB	1	(a) Per Day		234		Developed As		
Station Category	NSG6	Subway	0	(b) Max. at any		82		Identified for MFC		N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	9.13	2018-19	8.26	Tourist Facilation Center		N
State	BIHAR	Public Address Sys.	Y	2019-20	9.07	2020-21	1.11	Touch Screen Enquiry System		N
District	MUZAFFARPUR	Clock	N	2021-22	5.71	2022-23	9.22	Electronic Train Indication		N
Section	HJP-MFP	Wheel Chairs	N	2023-24	11.17	2024-25				
Km.	0047.75	Cloak Room	N	Length of longest stopping train(m)			593	ATMs		0
Route	Dspl	Refreshment Room(sqm)		MP Const.	Muzaffarpur			Food Plaza		N
Electrified	Y			MP Name	Choudhary, Dr. Raj Bhushan			Budget Hotel		N
				MLA Const.	Muzaffarpur			Trains Halting		M: 2
				MLA Name	Bijendra Chaudhary			Station IInd Entry		N
Other Items	-									
Remarks for	-									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	55	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	42	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	78	Length(m)	609	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	1	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	20000				
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided				

Station

Ramdayalu Nagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	293	11.75	84	CC	151	10	2	1		0	84	3	1	5	20	1	0	0	0	0	N	0		
2	BG	N	545	9	84	CC	0	0	0	2		0	60	2	0	0	13	0	0	0	0	0	N	0		
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																										

Station

Ramdayalu Nagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	34	0	3.28	0	0	10			-	-
Actual	55	151	5	5	1	186	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		SABDALPUR		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	SBDP	FOB	1	(a) Per Day		238		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		185		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	21.56	2020-21	3.60	Touch Screen Enquiry System		N	
District	BEGUSARAI	Clock	Y	2021-22	13.32	2022-23	11.86	Electronic Train Indication		N	
Section	BJU-JMP	Wheel Chairs	N	2023-24	13.85	2024-25		ATMs		0	
Km.	0014.50	Cloak Room	N	<div>MP Const. Begusarai</div> <div>MP Name Singh, Shri Giriraj</div> <div>MLA Const. Sahebpur Kamal</div> <div>MLA Name Satanand Sambuddha @Lalan</div>				Food Plaza		N	
Route	Dspl	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 0 P : 8	
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	110	Area(sqm)		35	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	50	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		1	1	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	475	Length(m)	185	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Kutchra	Surface	WBM	Type	Piped and Hand Pump		Bore Wells (Nos)	1			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	20000						
Pay & Use Toilet				Remarks	WATER STOREGE SINTAX ON ROOFCAPACITY 20000 LITER						

Station
SABDALPUR
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	472	12	84	OTH	400	0	8	0		0	110	3	6	12	60	0	0	0	0	0	N	0
2&3	BG	Y	472	12.8	84	OTH	400	0	8	0		0	110	0	0	2	34	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
SABDALPUR
Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	77	0	7.4	0	0	22			-	-
Actual	110	800	16	4	8	270	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		SAHADAI BUZURG		No. of passengers dealt with:				Identified as Adarsh		N
Station Code	SDG	FOB	1	(a) Per Day		583		Developed As		
Station Category	NSG6	Subway	0	(b) Max. at any		205		Identified for MFC		N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	19.09	2018-19	26.46	Tourist Facilation Center		N
State	BIHAR	Public Address Sys.	Y	2019-20	24.5	2020-21	1.60	Touch Screen Enquiry System		N
District	VAISHALI	Clock	Y	2021-22	15.79	2022-23	24.93	Electronic Train Indication		N
Section	HJP-BCA	Wheel Chairs	N	2023-24	26	2024-25				
Km.	0241.57	Cloak Room	N	Length of longest stopping train(m)			356	ATMs		0
Route	Dspl	Refreshment Room(sqm)		MP Const.	Hajipur			Food Plaza		N
Electrified	Y			MP Name	Paswan, Shri Chirag			Budget Hotel		N
				MLA Const.	Raja Pakar			Trains Halting		M: 0
				MLA Name	Pratima Kumari			Station IInd Entry		N
Other Items	-									
Remarks for	-									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	113	Area(sqm)		20	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	500	Length(m)	1000	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	1	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		10000			
Pay & Use Toilet				Remarks	03 Nos. Hand Pump				

Station
SAHADAI BUZURG
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	11	84	PS	550	4	8	1		0	160	3	4	12	75	0	0	0	0	1	N	1
2 & 3	BG	Y	600	11	84	PS	320	0	8	2		0	150	0	4	4	40	0	0	0	0	1	N	1
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station
SAHADAI BUZURG
Summary
(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	86	0	8.2	0	0	25			-	-
Actual	113	870	19	4	8	310	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station				SAHIBPUR KAMAL JN.				No. of passengers dealt with:				Identified as Adarsh		N	
Station Code		SKJ	FOB	1	(a) Per Day		1405		Developed As						
Station Category		NSG5	Subway	0	(b) Max. at any		401		Identified for MFC		N				
Railway		ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)										
Division		Sonepur	Enquiry Office	0	2011-12	39.82	2018-19	49.33	Tourist Facilation Center		N				
State		BIHAR	Public Address Sys.	Y	2019-20	95.02	2020-21	6.23	Touch Screen Enquiry System		N				
District		BEGUSARAI	Clock	N	2021-22	34.28	2022-23	83.83	Electronic Train Indication		N				
Section		BJU-KIR	Wheel Chairs	N	2023-24	88.51	2024-25	Length of longest stopping train(m)		593	ATMs	0			
Km.		0136.78	Cloak Room	N	MP Const.				Begusarai		Food Plaza	N			
Route		Dspl	Refreshment		MP Name				Singh, Shri Giriraj		Budget Hotel	N			
Electrified		Y	Room(sqm)		MLA Const.				Sahebpur Kamal		Trains Halting	M: 10	P : 12		
					MLA Name				Satanand Sambuddha @Lalan		Station IInd Entry	N			
Other Items		-													
Remarks for		-05 HAND PUMP PROVIDED													
Resting Facility															
WAITING HALL				WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM							
(a) Area(sqm.)		120	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0					
(b) Seats(Nos.)		80	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0					
(c) Lav.(Nos.)		0	Lav.(Nos.)	0	0	Lav.(Nos.)	0								
(d) Urinals(Nos.)		0	Urinals(Nos.)	0	0	Urinals(Nos.)	0								
(e) Bathing Cubicals		0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0								
Circulating Area and Water															
Circulating Area				Approach Road				Water Supply							
Area (sqm)		300	Length(m)	100	Source	Railway Supply		Open Wells (Nos)	0						
Surface		Cement Concrete	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)	1						
Illumination Type		Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		2000								
Pay & Use Toilet					Remarks		04 Nos. Hand Pump provided								

Station SAHIBPUR KAMAL JN.

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	546	9	84	OTH	1024	12	16	3		0	56	3	2	8	83	1	0	0	0	0	N	0
2	BG	N	550	10	84	CC	960	0	0	2		0	24	2	2	7	58	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station SAHIBPUR KAMAL JN.

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	168	0	16.04	1	1	48			-	-
Actual	120	1984	21	5	4	160	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		2	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station	Sanha	No. of passengers dealt with:				Identified as Adarsh			
Station Code	SANH	FOB	0	(a) Per Day	2	Developed As			N
Station Category	HG3	Subway	0	(b) Max. at any	8	Identified for MFC			N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	0.38	2018-19	0.48	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	N	2019-20	1.2	2020-21	0.12	Touch Screen Enquiry System	N
District	BEGUSARAI	Clock	N	2021-22	0.73	2022-23	0.3	Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	2023-24	0.07	2024-25		ATMs	0
Km.	0140.00	Cloak Room	N	Length of longest stopping train(m)				356	
Route	Dspl	Refreshment Room(sqm)		MP Const.	Begusarai			Food Plaza	N
Electrified	Y			MP Name	Singh, Shri Giriraj			Budget Hotel	N
Other Items	-			MLA Const.	Sahebpur Kamal			Trains Halting	M: 0 P : 6
Remarks for	-			MLA Name	Satanand Sambuddha @Lalan			Station IInd Entry	N

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	300	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Other	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	02 No. Hand Pump provided				

Station			Sanha																					
			Platform Detail																					
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	280	4	0	CC	48	0	0	1		0	20	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	250	4	0	CC	24	0	0	1		0	20	0	0	0	0	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station	Sanha		Summary								(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-		
As per Rec.	5	0	0.32	0	0	1			-	-		
Actual	10	71	2	0	0	60	0	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	1		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station	Sarai	No. of passengers dealt with:				Identified as Adarsh	N
Station Code	SAI	FOB	1	(a) Per Day	210	Developed As	
Station Category	NSG6	Subway	0	(b) Max. at any	77	Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)			
Division	Sonapur	Enquiry Office	0	2011-12	10.39	2018-19	10.68
State	BIHAR	Public Address Sys.	Y	2019-20	106.81	2020-21	5.11
District	VAISHALI	Clock	Y	2021-22	85.74	2022-23	130.75
Section	HJP-MFP	Wheel Chairs	N	2023-24	145.78	2024-25	
Km.	0010.86	Cloak Room	N	Length of longest stopping train(m)		356	
Route	Dspl	Refreshment Room(sqm)		MP Const.	Hajipur	Food Plaza	N
Electrified	Y			MP Name	Paswan, Shri Chirag	Budget Hotel	N
Other Items	-			MLA Const.	Lalganj	Trains Halting	M: 0 P : 6
Remarks for	-			MLA Name	Sanjay Kumar Singh	Station IInd Entry	N

Resting Facility							
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	132	Area(sqm)		0	0	Area(sqm)	0
(b) Seats(Nos.)	129	Seats(Nos.)		0	0	Seats(Nos.)	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0
Retiring Room							0
Dormitory							0

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	630	Length(m)	27	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Other	Type	Piped and Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	16000		
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided		

Station			Sarai		Platform Detail																					
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	427.5	6.7	84	CC	144	2	9	1		0	135	3	2	4	45	0	0	0	0	1	N	0		
2	BG	Y	610	9.7	84	OPS	0	0	5	2		0	25	0	0	0	60	0	0	0	0	0	N	0		
*Surface Type			:	CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station		Sarai		Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.			
Item ->		Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility		15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-			
As per Rec.		32	0	3.08	0	0	9			-	-			
Actual		132	144	17	3	2	289	1	See platform details	0	-			
Shortage, if any		-	-	-	-	-	-	-		-	-			

Passenger Amenities Details As on : 31/03/2025

Division : Sonepur

Station		Sathajagat		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	STJT	FOB	1	(a) Per Day		130		Developed As				
Station Category	NSG6	Subway	0	(b) Max. at any		51		Identified for MFC		N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Sonepur	Enquiry Office	1	2011-12	7.30	2018-19	7.73	Tourist Facilation Center		N		
State	BIHAR	Public Address Sys.	Y	2019-20	2.65	2020-21	0.52	Touch Screen Enquiry System		N		
District	BEGUSARAI	Clock	N	2021-22	3.77	2022-23	7.64	Electronic Train Indication		N		
Section	SPJ-BJU	Wheel Chairs	N	2023-24	7.44	2024-25		ATMs		0		
Km.	0006.64	Cloak Room	N	Length of longest stopping train(m)				593		Food Plaza		N
Route	Dspl	Refreshment Room(sqm)		MP Const.	Begusarai			Budget Hotel		N		
Electrified	Y			MP Name	Singh, Shri Giriraj			Trains Halting		M: 3	P : 8	
Other Items	-			MLA Const.	Bachhwara			Station IInd Entry		N		
Remarks for	-			MLA Name	Surendra Mehata							

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	47	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	4	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	400	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Other	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)	1	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	8000				
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided.				

Station
Sathajagat

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	258	10	50	CC	100	1	8	1		0	63	3	2	0	7	0	0	0	0	0	N	0	
2	BG	N	258	5	0	OTH	48	0	0	2		0	44	3	2	0	6	0	0	0	0	0	N	0	
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
Sathajagat

Summary											(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-		
As per Rec.	21	0	2.04	0	0	6			-	-		
Actual	47	148	11	6	4	111	1	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	-		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station	Semapur	No. of passengers dealt with:				Identified as Adarsh			
Station Code	SMO	FOB	1	(a) Per Day	1175	Developed As			N
Station Category	NSG5	Subway	0	(b) Max. at any	577	Identified for MFC			N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	190.23	2018-19	85.03	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2019-20	144.37	2020-21	40.18	Touch Screen Enquiry System	N
District	KATIHAR	Clock	N	2021-22	141.95	2022-23	234.17	Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	2023-24	281.98	2024-25		ATMs	0
Km.	0011.26	Cloak Room	N	Length of longest stopping train(m)				593	
Route	Dspl	Refreshment Room(sqm)		MP Const.	Katihar			Food Plaza	N
Electrified	Y			MP Name	Anwar, Shri Tariq			Budget Hotel	N
Other Items	-			MLA Const.	Katihar			Trains Halting	M: 12 P : 8
Remarks for	-			MLA Name	Tarkishore Prasad			Station IInd Entry	N

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	99	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	86	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	234.45	Length(m)	300	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Cement Concrete	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	-				

Station
Semapur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	335	8	20	CC	177	5	12	3		0	75	3	3	3	12	1	0	0	0	0	N	0
2	BG	N	335	3	22	OPS	110	0	0	3		0	45	0	6	2	6	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
Semapur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	241	0	23.08	1	1	69			-	-
Actual	99	287	18	3	9	206	1	See platform details	1	-
Shortage, if any	-	-	-	1	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		SHAHPUR PATOREE		No. of passengers dealt with:				Identified as Adarsh		Y	
Station Code	SPP	FOB	1	(a) Per Day		3644		Developed As		N	
Station Category	NSG5	Subway	0	(b) Max. at any		187		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	206.88	2018-19	378.94	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	478.55	2020-21	61.09	Touch Screen Enquiry System		N	
District	SAMASTIPUR	Clock	Y	2021-22	293.65	2022-23	463.04	Electronic Train Indication		N	
Section	BCA-HJA	Wheel Chairs	Y	2023-24	498.26	2024-25		ATMs		0	
Km.	0229.18	Cloak Room	N	<div>MP Const. Ujiarpur MP Name Rai, Shri Nityanand MLA Const. Morwa MLA Name Ranvijay Sahu</div>				Food Plaza		N	
Route	Dspl	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 14	P : 10
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	113	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		1	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	1600	Length(m)	900	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Other	Surface	Other	Type	Piped		Bore Wells (Nos)	2			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	91000						
Pay & Use Toilet	Y			Remarks	45 Nos. Taps						

Station
SHAHPUR PATOREE

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	6.2	94	CC	948	0	13	0		0	400	3	4	0	72	2	0	0	0	1	N	0
2 & 3	BG	Y	600	12	84	PS	750	0	32	0		0	250	0	4	3	64	1	0	0	0	1	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station
SHAHPUR PATOREE

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	78	0	7.48	0	0	22			-	-
Actual	113	1697	45	4	8	650	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonepur

Station Sherpur Dhipura				No. of passengers dealt with:				Identified as Adarsh N	
				(a) Per Day 9				Developed As	
				(b) Max. at any 4				Identified for MFC N	
				Pass. Earnings/Year(Rs. in Lac.)					
Station Code	SPPA	FOB	0	2011-12	0.51	2018-19	0.05	Tourist Facilation Center N	
Station Category	HG3	Subway	0	2019-20	0.08	2020-21	0.00	Touch Screen Enquiry System N	
Railway	ECR	Booking Windows	1	2021-22	0	2022-23	0.15	Electronic Train Indication N	
Division	Sonepur	Enquiry Office	0	2023-24	0.25	2024-25			
State	BIHAR	Public Address Sys.	N	Length of longest stopping train(m) 356				ATMs 0	
District	SAMASTIPUR	Clock	N	<div style="border: 1px solid black; padding: 5px;"> MP Const. Ujiarpur MP Name Rai, Shri Nityanand MLA Const. Sarairanjan MLA Name Vijay Kumar Choudhary </div>				Food Plaza N	
Section	Ex. BCA-HJP	Wheel Chairs	N					Budget Hotel N	
Km.	0201.50	Cloak Room	N					Trains Halting M: 0 P : 10	
Route	Dspl	Refreshment Room(sqm)						Station IInd Entry N	
Electrified	Y								
Other Items		-							
Remarks for		-							

Resting Facility							
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room 0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0	
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos) 0
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos) 0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	1 No. Hand Pump provided		

Station

Sherpur Dhipura

Platform Detail																								
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	316	6	10	CC	149	6	0	1		0	60	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	480	6	20	CC	149	0	0	0		0	24	0	0	0	0	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

Sherpur Dhipura

Summary											(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.				
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage					
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-					
As per Rec.	3	0	0.16	0	0	1			-	-					
Actual	0	297	1	0	0	84	0	See platform details	0	-					
Shortage, if any	-	-	-	-	-	-	1		-	-					

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station	SIHO	No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SIHO	FOB	1	(a) Per Day	91	Developed As		
Station Category	NSG6	Subway	0	(b) Max. at any	72	Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)				
Division	Sonepur	Enquiry Office	0	2011-12	12.90	2018-19	14.60	
State	BIHAR	Public Address Sys.	Y	2019-20	10.23	2020-21	0.64	
District	MUZAFFARPUR	Clock	N	2021-22	1.23	2022-23	2.83	
Section	MFP-SPJ	Wheel Chairs	N	2023-24	2.79	2024-25		
Km.	0067.88	Cloak Room	N	Length of longest stopping train(m)		356	ATMs	0
Route	Dspl	Refreshment Room(sqm)		MP Const.	Muzaffarpur		Food Plaza	N
Electrified	Y			MP Name	Choudhary, Dr. Raj Bhushan		Budget Hotel	N
Other Items	-			MLA Const.	Sakra		Trains Halting	M: 0
Remarks for	-			MLA Name	Ashok Kumar Chodhary		Station IInd Entry	N
								P : 6

Resting Facility								
WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	46	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water								
Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	318	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	5000			
Pay & Use Toilet				Remarks	2 Nos. Hand Pump provided			

Station

SIHO

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	9	0	OTH	161	8	4	1		0	104	3	1	2	18	1	0	0	0	1	N	0
2	BG	Y	500	9	92	OTH	309	0	4	0		0	146	0	0	0	22	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

SIHO

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	30	0	2.88	0	0	9			-	-
Actual	46	470	9	3	1	270	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station SINGHAUL HALT				No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	SHHT	FOB	0	(a) Per Day		25		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		18		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	0.80	2018-19	0.78	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	N	2019-20	0.81	2020-21	0.00	Touch Screen Enquiry System		N	
District	BEGUSARAI	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication		N	
Section	BJU-KIR	Wheel Chairs	N	2023-24	0.47	2024-25		ATMs		0	
Km.	0168.00	Cloak Room	N	<div>MP Const. Begusarai MP Name Singh, Shri Giriraj MLA Const. Begusarai MLA Name Kundan Kumar</div>				Food Plaza		N	
Route	Dspl	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 0 P : 2	
Other Items	-							Station IInd Entry		N	
Remarks for	1 HAND PUMP PROVIDED										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	33	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	25	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	75	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Other	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		01 no. Hand Pump provided					

Station

SINGHAUL HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	225	4	0	CC	0	0	0	1		0	32	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	235	4	0	CC	0	0	0	0		0	25	0	0	0	0	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

SINGHAUL HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	11	0	0.72	0	0	3			-	-
Actual	33	0	1	0	0	82	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonepur

Station		Sitalpur		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	STLR	FOB	1	(a) Per Day		509		Developed As				
Station Category	NSG6	Subway	0	(b) Max. at any		307		Identified for MFC		N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)								
Division	Sonepur	Enquiry Office	0	2011-12	39.83	2018-19	32.80	Tourist Facilation Center		N		
State	BIHAR	Public Address Sys.	Y	2019-20	43.23	2020-21	0.34	Touch Screen Enquiry System		N		
District	SARAN	Clock	N	2021-22	8.81	2022-23	44.37	Electronic Train Indication		N		
Section	CI-HJP	Wheel Chairs	N	2023-24	42.83	2024-25		Length of longest stopping train(m)		593	ATMs	0
Km.	0291.15	Cloak Room	N	<div>MP Const. Chhapra MP Name Shri Rajiv Pratap Rudhi MLA Const. Sonepur MLA Name Dr. Ramanuj Prasad</div>				Food Plaza		N		
Route	Dspl	Refreshment Room(sqm)	Budget Hotel					N				
Electrified	Y		Trains Halting					M: 6 P : 6				
			Station IInd Entry					N				
Other Items	-											
Remarks for	-											
Resting Facility												
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM						
(a) Area(sqm.)	34	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0		
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0					
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0					
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0					
Circulating Area and Water												
Circulating Area		Approach Road		Water Supply								
Area (sqm)	535.15	Length(m)	0	Source	Railway Supply		Open Wells (Nos)		0			
Surface	Other	Surface	Other	Type	Hand Pump		Bore Wells (Nos)		1			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		2000						
Pay & Use Toilet				Remarks		05Nos. Hand Pump provided						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	34	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	535.15	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	0
Surface	Other	Surface	Other	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000		
Pay & Use Toilet				Remarks	05Nos. Hand Pump provided		

Station
Sitalpur
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	354	8	52	OTH	77	3	12	2		0	62	2	1	2	16	0	0	0	0	1	N	0	
2	BG	N	354.1	8.2	50	OTH	114	7	10	3		0	56	0	0	1	14	0	0	0	0	1	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station
Sitalpur
Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	128	0	12.28	0	0	37			-	-
Actual	34	191	27	2	1	148	1	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Sonpur		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	SEE	FOB	2	(a) Per Day		6359		Developed As			
Station Category	NSG4	Subway	1	(b) Max. at any		2312		Identified for MFC		N	
Railway	ECR	Booking Windows	10	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	1	2011-12	787.21	2018-19	776.88	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	860.9	2020-21	144.22	Touch Screen Enquiry System		N	
District	SARAN	Clock	Y	2021-22	269.72	2022-23	688.19	Electronic Train Indication		Y	
Section	CI-SEE	Wheel Chairs	Y	2023-24	745.93	2024-25		ATMs		2	
Km.	0272.54	Cloak Room	N	<div>MP Const. Chhapra MP Name Shri Rajiv Pratap Rudhi MLA Const. Sonepur MLA Name Dr. Ramanuj Prasad</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)	178.45					Budget Hotel		N	
Electrified	Y							Trains Halting		M: 70 P : 24	
Other Items	-							Station IInd Entry		Y	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	730	Area(sqm)		37	41	Area(sqm)	41	Retiring Room		2	
(b) Seats(Nos.)	55	Seats(Nos.)		12	12	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	4	Lav.(Nos.)		2	2	Lav.(Nos.)	1				
(d) Urinals(Nos.)	9	Urinals(Nos.)		0	1	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		1	0	Bathing Cubicals(Nos.)	1				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	600	Length(m)	700	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Cement Concrete	Surface	Black Topped	Type	Piped		Bore Wells (Nos)		1		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		240000					
Pay & Use Toilet	Y			Remarks		-					

Station

Sonpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
2 & 3	BG	Y	720	24.7	84	CC	7508	0	72	0		0	324	7	7	18	174	5	0	0	0	2	Y	1
4 & 5	BG	Y	630	9.8	84	PS	2064	0	47	0	0	0	322	0	3	24	170	7	0	1	0	2	Y	0
1	BG	N	550	10	84	OTH	1494	0	21	0		450	0	5	6	24	169	0	0	1	0	2	Y	1
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others							

Station

Sonpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	600 sqm	60	6	6	300	1	High level	6	YES
As per Rec.	967	1942	92.48	3	3	277			-	-
Actual	730	11066	140	21	26	725	2	See platform details	1	YES
Shortage, if any	-	-	-	-	-	-	-		5	-

Desired	Facility Available	Desired	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	No	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	No
Parking/circulatory area with	Yes	Washable apron with jet cleaning	No
Public Phone Booth	No	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Tiolets on end platform & circulating	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	No	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Teghra		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	TGA	FOB	1	(a) Per Day		672		Developed As				
Station Category	NSG6	Subway	0	(b) Max. at any		157		Identified for MFC		N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Sonepur	Enquiry Office	0	2011-12	33.42	2018-19	31.39	Tourist Facilation Center				N
State	BIHAR	Public Address Sys.	Y	2019-20	99.86	2020-21	8.05	Touch Screen Enquiry System				N
District	BEGUSARAI	Clock	N	2021-22	130.93	2022-23	189	Electronic Train Indication				N
Section	SPJ-BJU	Wheel Chairs	N	2023-24	191.82	2024-25						
Km.	0186.64	Cloak Room	N	Length of longest stopping train(m)				593	ATMs		0	
Route	Dspl	Refreshment Room(sqm)		MP Const.	Begusarai			Food Plaza		N		
Electrified	Y			MP Name	Singh, Shri Giriraj			Budget Hotel		N		
				MLA Const.	Teghra			Trains Halting		M: 4	P : 18	
				MLA Name	Ram Ratan Singh			Station IInd Entry		N		
Other Items	-											
Remarks for	-											
Resting Facility												
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM						
(a) Area(sqm.)	146	Area(sqm)		19	0	Area(sqm)	0	Retiring Room		0		
(b) Seats(Nos.)	40	Seats(Nos.)		18	10	Seats(Nos.)	0	Dormitory		0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		2	1	Lav.(Nos.)	0					
(d) Urinals(Nos.)	0	Urinals(Nos.)		1	1	Urinals(Nos.)	0					
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0					
Circulating Area and Water												
Circulating Area		Approach Road		Water Supply								
Area (sqm)	0	Length(m)	850	Source	Railway Supply		Open Wells (Nos)		0			
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)		1			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		8000						
Pay & Use Toilet				Remarks		02 Nos. Hand Pump provided						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	146	Area(sqm)	19	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	40	Seats(Nos.)	18	10	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	2	1	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	1	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	850	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	8000		
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided		

Station

Teghra

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1&2	BG	Y	355	17	50	CC	136	5	16	3		0	120	3	2	2	27	1	0	0	0	0	N	0	
*Surface Type		:	CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station

Teghra

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	66	0	6.28	0	0	19			-	-
Actual	146	136	19	6	4	188	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Thanabihpur		No. of passengers dealt with:				Identified as Adarsh		Y	
Station Code	THB	FOB	1	(a) Per Day		545		Developed As		Y	
Station Category	NSG5	Subway	0	(b) Max. at any		132		Identified for MFC		N	
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	1	2011-12	144.63	2018-19	247.39	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	327.73	2020-21	117.05	Touch Screen Enquiry System		N	
District	BHAGALPUR	Clock	Y	2021-22	263.71	2022-23	395.01	Electronic Train Indication		N	
Section	BJU-KIR	Wheel Chairs	Y	2023-24	424.28	2024-25		ATMs		0	
Km.	0072.87	Cloak Room	N	<div>MP Const. Bhagalpur MP Name Shri Ajay Kumar Mandal MLA Const. Bihpur MLA Name Kumar Shailendra</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 18	P : 8
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	87	Area(sqm)		25	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	40	Seats(Nos.)		13	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		2	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		1	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		1	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	1500	Length(m)	3480	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	1			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	477000						
Pay & Use Toilet	N			Remarks	-						

Station

Thanabihpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	560	15.4	84	CC	2189	1	20	3		0	160	3	2	11	70	1	0	0	0	1	N	0
2 & 3	BG	Y	570	10	81	CC	418	0	24	2		0	40	0	0	3	15	1	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Thanabihpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	55	0	5.28	0	0	16			-	-
Actual	87	2607	49	5	3	253	1	See platform details	1	-
Shortage, if any	-	-	-	-	1	-	-		1	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Tilrath		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	TIL	FOB	0	(a) Per Day		524		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		77		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	5.33	2018-19	5.78	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	20.41	2020-21	2.47	Touch Screen Enquiry System		N	
District	BEGUSARAI	Clock	N	2021-22	18.96	2022-23	19.76	Electronic Train Indication		N	
Section	BJU-KIR	Wheel Chairs	N	2023-24	18.5	2024-25		ATMs		0	
Km.	0170.73	Cloak Room	N	<div>MP Const. Begusarai</div> <div>MP Name Singh, Shri Giriraj</div> <div>MLA Const. Matihani</div> <div>MLA Name Raj Kumar Singh</div>				Food Plaza		N	
Route	D	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 12	
Other Items	-							Station IInd Entry		N	
Remarks for	3 Nos. HAND PUMP PROVIDED										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	34	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	273	Length(m)	50	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Black Topped	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks	4 Nos. Hand Pump provided						

Station		Tilrath					Platform Detail																		
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	368	15	45	OTH	180	12	0	2		0	25	3	1	1	16	1	0	0	0	0	N	0	
2	BG	N	404	8.7	45	OTH	100	0	0	2		0	25	0	0	0	13	0	0	0	0	0	N	0	
*Surface Type		:	CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station	Tilrath			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-		
As per Rec.	32	0	3.08	0	0	9			-	-		
Actual	34	280	4	3	1	70	0	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	1		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Turki		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	TUR	FOB	1	(a) Per Day		210		Developed As				
Station Category	NSG6	Subway	0	(b) Max. at any		84		Identified for MFC		N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)								
Division	Sonepur	Enquiry Office	0	2011-12	7.00	2018-19	7.53	Tourist Facilation Center		N		
State	BIHAR	Public Address Sys.	Y	2019-20	7.46	2020-21	1.08	Touch Screen Enquiry System		N		
District	MUZAFFARPUR	Clock	N	2021-22	4.68	2022-23	7.95	Electronic Train Indication		N		
Section	HJP-MFP	Wheel Chairs	N	2023-24	8.2	2024-25		ATMs		0		
Km.	0039.96	Cloak Room	N	Length of longest stopping train(m)				356		Food Plaza		N
Route	Dspl	Refreshment Room(sqm)		MP Const.		Muzaffarpur		Budget Hotel		N		
Electrified	Y			MP Name		Choudhary, Dr. Raj Bhushan		Trains Halting		M: 0		
				MLA Const.		Kurhani		Station IInd Entry		N		
				MLA Name		Kedar Prasad Gupta				P : 6		
Other Items	-											
Remarks for	-											
Resting Facility												
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM						
(a) Area(sqm.)	38	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0		
(b) Seats(Nos.)	6	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0					
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0					
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0					
Circulating Area and Water												
Circulating Area		Approach Road		Water Supply								
Area (sqm)	240	Length(m)	308	Source	Railway Supply		Open Wells (Nos)		0			
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)		1			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		6000						
Pay & Use Toilet				Remarks		02 Nos. Hand Pump provided						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	38	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	6	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	240	Length(m)	308	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	6000		
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided		

Station

Turki

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	598	10.5	84	CC	161	4	20	1		0	70	3	1	2	20	0	0	0	0	1	N	0
2 & 3	BG	Y	578	10.5	0	OTH	0	0	12	1		0	60	0	0	0	50	0	0	0	0	1	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station

Turki

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	35	0	3.36	0	0	10			-	-
Actual	38	161	34	3	1	136	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		UJIARPUR		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	UJP	FOB	1	(a) Per Day		463		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		138		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	1	2011-12	19.57	2018-19	29.33	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	5.32	2020-21	7.50	Touch Screen Enquiry System		N	
District	SAMASTIPUR	Clock	N	2021-22	103.45	2022-23	146.65	Electronic Train Indication		N	
Section	SPJ-BJU	Wheel Chairs	Y	2023-24	156.59	2024-25		ATMs		0	
Km.	0025.35	Cloak Room	N	<div><div>MP Const.</div><div>Ujiarpur</div><div>MP Name</div><div>Rai, Shri Nityanand</div><div>MLA Const.</div><div>Ujiarpur</div><div>MLA Name</div><div>Alok Kumar Mehta</div></div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 9 P : 8	
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	42	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	18	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	40	Length(m)	1200	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Black Topped	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		8000					
Pay & Use Toilet				Remarks		02 Nos. Hand Pump provided.					

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM				
(a) Area(sqm.)	42	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	18	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	40	Length(m)	1200	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Other	Type	Piped and Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	8000		
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided.		

Station UJIARPUR

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1 & 2	BG	Y	538	8	47	OTH	143	10	8	2		0	90	2	1	2	16	1	0	0	0	0	N	0
3	BG	N	430	8	80	OTH	0	8	0	1		0	72	2	6	0	11	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station UJIARPUR

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	58	0	5.52	0	0	17			-	-
Actual	42	143	11	4	7	180	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Umesh Nagar		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	UMNR	FOB	0	(a) Per Day		99		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		77		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Sonepur	Enquiry Office	0	2011-12	2.30	2018-19	2.92	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	5.66	2020-21	1.41	Touch Screen Enquiry System		N	
District	KHAGARIA	Clock	N	2021-22	4.27	2022-23	4.58	Electronic Train Indication		N	
Section	BJU-KIR	Wheel Chairs	N	2023-24	7.38	2024-25		ATMs		0	
Km.	0130.74	Cloak Room	N	<div>MP Const. Khagaria MP Name Verma, Shri Rajesh MLA Const. Sahebpur Kamal MLA Name Satanand Sambuddha @Lalan</div>				Food Plaza		N	
Route	Dspl	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 0	P : 12
Other Items	-							Station IInd Entry		N	
Remarks for	-										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	72	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	25	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	75	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0						
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided						

Station

Umesh Nagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	282	7	0	CC	487	5	0	2		0	54	2	1	8	65	1	0	0	0	0	N	0
2 & 3	BG	N	350	10	0	CC	331	0	0	2		0	44	0	0	2	40	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Umesh Nagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	32	0	3.08	0	0	9			-	-
Actual	72	818	4	2	1	123	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Vaishali		No. of passengers dealt with:				Identified as Adarsh		N
Station Code	VSHI	FOB	1	(a) Per Day		371		Developed As		
Station Category	NSG6	Subway	0	(b) Max. at any		240		Identified for MFC		N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	1	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		Y
State	BIHAR	Public Address Sys.	Y	2019-20	0	2020-21	0.00	Touch Screen Enquiry System		N
District	VAISHALI	Clock	N	2021-22	2.96	2022-23	5.43	Electronic Train Indication		N
Section	HJP-VSHI	Wheel Chairs	N	2023-24	5.3	2024-25				
Km.	0035.34	Cloak Room	Y	Length of longest stopping train(m)			356	ATMs		0
Route	E	Refreshment Room(sqm)		MP Const.		Vaishali		Food Plaza		N
Electrified	Y			MP Name		Devi, Smt. Veena		Budget Hotel		N
				MLA Const.		Lalganj		Trains Halting		M: 0
				MLA Name		Sanjay Kumar Singh		Station IInd Entry		N
Other Items	-									
Remarks for	Station not commissioning 2011-12 and 2012-13									
Resting Facility										
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM				
(a) Area(sqm.)	285	Area(sqm)		50	0	Area(sqm)	50	Retiring Room		6
(b) Seats(Nos.)	20	Seats(Nos.)		10	0	Seats(Nos.)	10	Dormitory		1
(c) Lav.(Nos.)	6	Lav.(Nos.)		6	0	Lav.(Nos.)	6			
(d) Urinals(Nos.)	4	Urinals(Nos.)		4	0	Urinals(Nos.)	4			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0			
Circulating Area and Water										
Circulating Area		Approach Road		Water Supply						
Area (sqm)	1500	Length(m)	600	Source	Railway Supply		Open Wells (Nos)		0	
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)		1	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		4000				
Pay & Use Toilet				Remarks		-				

Station

Vaishali

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	10	84	CC	320	0	48	1		0	0	0	0	2	48	0	0	0	0	0	N	0
2	BG	N	540	10	84	CC	320	0	48	0		0	0	0	0	0	38	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Vaishali

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	100	0	9.6	0	0	29			-	-
Actual	285	640	97	18	12	40	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station		Vidyapati Dham		No. of passengers dealt with:				Identified as Adarsh		N
Station Code	VPDA	FOB	1	(a) Per Day		1539		Developed As		
Station Category	NSG6	Subway	0	(b) Max. at any		304		Identified for MFC		N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	36.70	2018-19	37.34	Tourist Facilation Center		N
State	BIHAR	Public Address Sys.	N	2019-20	165.39	2020-21	32.51	Touch Screen Enquiry System		N
District	SAMASTIPUR	Clock	Y	2021-22	134.5	2022-23	210.79	Electronic Train Indication		N
Section	BCA-HJP	Wheel Chairs	N	2023-24	234.32	2024-25		ATMs		0
Km.	0206.46	Cloak Room	Y	<div>MP Const. Ujiarpur MP Name Rai, Shri Nityanand MLA Const. Sarairanjan MLA Name Vijay Kumar Choudhary</div>				Food Plaza		N
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N
Electrified	Y							Trains Halting		M: 4 P : 10
Other Items	-							Station IInd Entry		N
Remarks for	-									
Resting Facility										
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM				
(a) Area(sqm.)	189	Area(sqm)		0	66	Area(sqm)	0	Retiring Room	0	
(b) Seats(Nos.)	40	Seats(Nos.)		0	54	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0			
Circulating Area and Water										
Circulating Area		Approach Road		Water Supply						
Area (sqm)	231	Length(m)	42	Source	Railway Supply		Open Wells (Nos)	0		
Surface	Other	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	1		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	10000					
Pay & Use Toilet	N			Remarks	05 Nos. Hand Pump provided					

Station			Vidyapati Dham						Platform Detail															
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	650	11.4	84	PS	630	1	12	3		0	90	3	3	3	38	2	0	0	0	0	N	0
2 & 3	BG	Y	650	11	84	PS	610	0	0	2		0	84	0	0	4	37	0	0	0	0	0	N	0
*Surface Type :			CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station	Vidyapati Dham			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-		
As per Rec.	127	0	12.16	0	0	36			-	-		
Actual	189	1240	17	3	3	268	1	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	-		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station				VISHNUPUR BATHUA				No. of passengers dealt with:				Identified as Adarsh		N					
Station Code		VBH		FOB		0		(a) Per Day		50		Developed As							
Station Category		HG3		Subway		0		(b) Max. at any		38		Identified for MFC		N					
Railway		ECR		Booking Windows		1		Pass. Earnings/Year(Rs. in Lac.)											
Division		Sonepur		Enquiry Office		0		2011-12		2.91		2018-19		3.19		Tourist Facilation Center		N	
State		BIHAR		Public Address Sys.		N		2019-20		2.7		2020-21		0.69		Touch Screen Enquiry System		N	
District		SAMASTIPUR		Clock		N		2021-22		3.09		2022-23		4.32		Electronic Train Indication		N	
Section		MFP-SPJ		Wheel Chairs		N		2023-24		2.75		2024-25							
Km.		0051.68		Cloak Room		N		Length of longest stopping train(m)				356		ATMs		0			
Route		Dspl		Refreshment Room(sqm)				MP Const.		Samastipur				Food Plaza		N			
Electrified		N						MP Name		Shambhavi, Smt.				Budget Hotel		N			
								MLA Const.		Kalyanpur (Samastipur)				Trains Halting		M: 0		P : 4	
								MLA Name		Maheshwar Hazari				Station IInd Entry		N			
Other Items		-																	
Remarks for		-																	

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	31	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Other	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided on PF No. 1 & 2.				

Station

VISHNUPUR BATHUA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	315	2.5	0	CC	60	2	0	1		0	50	0	2	0	0	0	0	0	0	0	N	0
2	BG	N	315	2.5	15	CC	90	0	0	1		0	50	0	2	0	0	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

VISHNUPUR BATHUA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	24	0	1.52	0	0	7			-	-
Actual	31	150	2	0	4	120	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-