Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Adapur		
Station Code	ADX	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	Y
Section	RXL-SMI	Wheel Chairs	N
Km.	0175.53	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 753

(b) Max. at any 150

Pass. Earnings/Year(Rs. in Lac.)

2011-12	11.52	2018-19	11.52
2019-20	30.6	2020-21	4.14
2021-22	31.18	2022-23	12.63
2023-24	41.52		

Length of longest stopping train(m) 300

MP Const.	Betiah
MP Name	Dr. Sanjay Jaiswal
MLA Const.	Raxaul
MLA Name	Sri Sanajay Singh

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	185	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	100	Surface	Other
Illumination Type	Y		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 23-04-2025 17:30:19 By Sr. DEN (Co)/SPJ

Station Adapur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	560	6	46	CC	72	0	0	2		0	30	1	0	1	0	1	0	0	0	1	N	0
2 & 3	BG	Y	550	8	46	OTH	0	0	0	2		0	0	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Adapur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	63	0	6	0	0	18			-	-
Actual	0	72	4	1	0	30	1	See platform details	0	-
Shortage, if any	15	28	-	-	1	-	-		-	-

Last Updated On: 23-04-2025 17:30:19 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:54:21 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Alinagartola (Halt)		
Station Code	ATX	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURNIA	Clock	N
Section	SHC-PRNA	Wheel Chairs	N
Km.	0021.80	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 33

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1.30	2018-19	1.15
2019-20	0	2020-21	0.37
2021-22	3.91	2022-23	0.99
2023-24	3.13		

Length of longest stopping train(m) 226

MP Const.	Purnia
MP Name	Ranjan, Shri Rajesh
MLA Const.	Banmankhi
MLA Name	Sri Krishna Kumar Rishi (BJP)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is HG-3 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Length(m)	0
Surface	Kutcha	Surface	Kutcha
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 17-04-2025 13:45:42 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:32:26 PM

Station Alinagartola (Halt)

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	3.6	0	CC	20	2	0	1		0	20	0	2	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Alinagartola (Halt)

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	6	0	0.4	0	0	2			-	-
Actual	0	20	1	0	2	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 13:45:42 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:32:26 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Amolwa		
Station Code	AMO	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PASHCHIM CHAMPARAN	Clock	Y
Section	NKE-BKF	Wheel Chairs	N
Km.	12/7	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day	76
(b) Max. at any	15

Pass. Earnings/Year(Rs. in Lac.)

2011-12	4.10	2018-19	8.29
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	0.17		

Length of longest stopping train(m) 226

MP Const.	Valmiki Nagar
MP Name	Kumar, Shri Sunil
MLA Const.	Ramnagar
MLA Name	Smt Bhagirathi Devi

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 2
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	300	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	50	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	400
Surface	Cement Concrete
Illumination Type	Normal Lights
Pay & Use Toilet	

Approach Road

Length(m)	200
Surface	Cement Concrete
Illumination Type	Y

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	2000		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 18:01:14 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:32:26 PM

Station Amolwa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	605	8	88	CC	75	5	0	2		0	20	3	2	0	30	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Amolwa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	6	0	0.6	0	0	2			-	-
Actual	300	75	2	3	2	70	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 23-04-2025 18:01:14 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:32:26 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Angarghat		
Station Code	ARG	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SAMASTIPUR	Clock	N
Section	SPL-KGG	Wheel Chairs	Y
Km.	70/8-9	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 232

(b) Max. at any 20

Pass. Earnings/Year(Rs. in Lac.)

2011-12	7.42	2018-19	7.30
2019-20	7.4	2020-21	2.64
2021-22	6.02	2022-23	2.6
2023-24	8.3		

Length of longest stopping train(m) 558

MP Const.	Ujiarpur
MP Name	Rai, Shri Nityanand
MLA Const.	Ujiarpur
MLA Name	Sri Alok Kumar Mehta

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 12
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	70	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	280	Length(m)	900	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Water supply is through Hand Pumps		

Last Updated On: 23-04-2025 17:05:48 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:04:21 PM

Station Angarghat

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	400	7	0	CC	256	8	0	3		0	60	2	0	0	5	0	0	0	0	0	N	0
2	BG	N	400	7	0	OPS	128	0	0	2		0	0	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Angarghat

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	8	0	0.8	0	0	2			-	-
Actual	70	384	5	2	0	90	0	See platform details	0	-
Shortage, if any	-	-	-	-	1	-	1		-	-

Last Updated On: 23-04-2025 17:05:48 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:04:21 PM

Passenger Amenities Details As on : 31/03/2025

Division : Samastipur

Station	Aurahi		
Station Code	AUI	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURNIA	Clock	N
Section	BNKI-BHGJ	Wheel Chairs	N
Km.	0008.94	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 39

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	5.64	2018-19	3.73
2019-20	0.1	2020-21	0.40
2021-22	0.74	2022-23	1.27
2023-24	3.24	2024-25	

Length of longest stopping train(m) 226

MP Const.	Purnia
MP Name	Ranjan, Shri Rajesh
MLA Const.	Banmankhi
MLA Name	Krishna Kumar Rishi

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	344	Length(m)	270	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Water supply is through Hand Pumps		

Last Updated On: 09-07-2025 12:48:42 By Sr. DEN (Co)/SPJ

Report Run Date : 06/08/2025 12:19:49 PM

Station Aurahi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	8	76	CC	100	4	0	1		0	24	2	2	0	15	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Aurahi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	4	0	0.4	0	0	1			-	-
Actual	0	100	1	2	2	24	0	See platform details	0	-
Shortage, if any	15	-	1	-	-	-	1		-	-

Last Updated On: 09-07-2025 12:48:42 By Sr. DEN (Co)/SPJ

Report Run Date : 06/08/2025 12:19:49 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Awapur Halt		
Station Code	AWPR	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SITAMARHI	Clock	N
Section	DBG-SMI	Wheel Chairs	N
Km.	0086.78	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 49

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	5.59	2018-19	6.13
2019-20	1.15	2020-21	0.16
2021-22	2.5	2022-23	1.12
2023-24	3.66		

Length of longest stopping train(m) 226

MP Const.	Sitamarhi
MP Name	Thakur, Shri Devesh Chandra
MLA Const.	Sitamarhi
MLA Name	Sri Sunil Kumar Pintu

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provide

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0
Surface	Kutcha
Illumination Type	Y

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	2
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 18-04-2025 15:27:24 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:24:32 PM

Station Awapur Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	150	3	15	OPS	0	5	0	2		0	33	0	0	0	25	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Awapur Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	4	0	0.4	0	0	1			-	-
Actual	15	0	2	0	0	43	0	See platform details	0	-
Shortage, if any	-	50	-	1	1	-	1		-	-

Last Updated On: 18-04-2025 15:27:24 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:24:32 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Awasani		
Station Code	AWS	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	Y
Section	NKE-PNYA	Wheel Chairs	N
Km.	0292.56	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 22

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	3.74	2018-19	3.93
2019-20	0.1	2020-21	0.00
2021-22	2.42	2022-23	1.23
2023-24	2.71		

Length of longest stopping train(m) 248

MP Const.	Valmiki Nagar
MP Name	Kumar, Shri Sunil
MLA Const.	Valmiki Nagar
MLA Name	Sri Rajesh Singh

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provide

Remarks for: This is HG-3 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	24	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	20	Surface	Cement Concrete
Illumination Type	Y		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 16-04-2025 17:05:25 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:28:53 PM

Station Awasani

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	8	0	OTH	0	0	0	1		0	10	0	0	0	47	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Awasani

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	6	0	0.4	0	0	2			-	-
Actual	24	0	1	2	0	40	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 16-04-2025 17:05:25 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:28:53 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	BABA RAGHUNI HALT DAWRIKA		
Station Code	BRHD	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SAHARSA	Clock	N
Section	MNE-SHC	Wheel Chairs	N
Km.	0029.78	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items NO

Remarks for This is HG-3 HALT STATION.

No. of passengers dealt with:

(a) Per Day 32

(b) Max. at any 8

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	0.00
2019-20	0	2020-21	0.24
2021-22	1.11	2022-23	0.56
2023-24	1.91		

Length of longest stopping train(m) 226

MP Const.	Khagaria
MP Name	Verma, Shri Rajesh
MLA Const.	Simri Bakhtiarpur
MLA Name	Yusuf Salahuddin

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	2
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 16:41:25 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:31:24 PM

Station BABA RAGHUNI HALT Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	183	5.5	0	CC	90	2	0	2		0	65	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station BABA RAGHUNI HALT DAWRIKA Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	5	0	0.32	0	0	1			-	-
Actual	0	90	2	0	0	65	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 16:41:25 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:31:24 PM

Passenger Amenities Details As on : 31/03/2025

Division : Samastipur

Station	BACHHARPUR HALT		
Station Code	BCPR	FOB	0
Station Category	HG2	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SITAMARHI	Clock	N
Section	DBG-SMI	Wheel Chairs	N
Km.	0084.26	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 56

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	0.00
2019-20	1.76	2020-21	0.30
2021-22	4.08	2022-23	2.02
2023-24	6.69	2024-25	

Length of longest stopping train(m) 750

MP Const.	Sitamarhi
MP Name	Thakur, Shri Devesh Chandra
MLA Const.	Sitamarhi
MLA Name	Mithilesh Kumar

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided.

Remarks for: This is HG-2 category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	2
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 11-07-2025 16:41:42 By Sr. DEN (Co)/SPJ

Report Run Date : 06/08/2025 12:36:10 PM

Station BACHHARPUR HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	150	3	15	OTH	0	2	0	1		0	39	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station BACHHARPUR HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	6	0	0.4	0	0	2			-	-
Actual	15	0	1	0	0	49	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 11-07-2025 16:41:42 By Sr. DEN (Co)/SPJ

Report Run Date : 06/08/2025 12:36:10 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Badlaghat		
Station Code	BHB	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	KHAGARIA	Clock	N
Section	MNE-SHC	Wheel Chairs	Y
Km.	6/8-9	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 895

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	15.88	2018-19	18.85
2019-20	35.6	2020-21	8.38
2021-22	32.96	2022-23	13.87
2023-24	45.36		

Length of longest stopping train(m) 248

MP Const.	Khagaria
MP Name	Verma, Shri Rajesh
MLA Const.	Beldaur
MLA Name	Sri Panna Lal Singh Patel (JDU)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 6 P : 12
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-5 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	150	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	94.38	Surface	Black Topped
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	255	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 23-04-2025 17:34:53 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:53:55 PM

Station **Badlaghat**

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	185	13	10	CC	120	3	0	1		0	56	2	2	2	0	0	0	0	0	1	N	0
2	BG	N	422	11.5	8	CC	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Badlaghat**

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	4	0	0.4	0	0	1			-	-
Actual	150	120	1	3	3	76	1	See platform details	0	-
Shortage, if any	-	-	15	1	1	24	-		2	-

Last Updated On: 23-04-2025 17:34:53 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:53:55 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Bagha		
Station Code	BUG	FOB	1
Station Category	NSG4	Subway	0
Railway	ECR	Booking Windows	3
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	PASHCHIM CHAMPARAN	Clock	Y
Section	NKE-PNYA	Wheel Chairs	Y
Km.	0287.50	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

Other Items: no

Remarks for: This is NSG-4 category station.

No. of passengers dealt with:

(a) Per Day 4428

(b) Max. at any 120

Pass. Earnings/Year(Rs. in Lac.)

2011-12	623.99	2018-19	720.88
2019-20	101.31	2020-21	389.49
2021-22	729.43	2022-23	342.06
2023-24	737		

Length of longest stopping train(m) 524

MP Const.	Valmiki Nagar
MP Name	Kumar, Shri Sunil
MLA Const.	Valmiki Nagar
MLA Name	Sri Rajesh Singh

Identified as Adarsh	Y
Developed As	N
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	Y
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 26 P : 8
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	70	Area(sqm)	21	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)	20	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	2	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	1200	Length(m)	550	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	68200		
Pay & Use Toilet				Remarks	Sufficient		

Last Updated On: 23-04-2025 17:58:12 By Sr. DEN (Co)/SPJ

Station Bagha

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	400	8	84	PS	165	4	10	0		0	9	1	0	1	0	3	0	0	0	1	N	0
02	BG	N	500	6	80	OTH	0	0	5	0		0	9	1	0	0	0	1	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Bagha

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec.	50	67	4.8	0	0	14			-	-
Actual	70	165	16	4	0	68	1	See platform details	0	-
Shortage, if any	5	235	24	2	6	132	-		4	YES

Last Updated On: 23-04-2025 17:58:12 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:31:28 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Bairgania		
Station Code	BGU	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	3
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	SITAMARHI	Clock	Y
Section	SMI-RXL	Wheel Chairs	Y
Km.	0134.20	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 2866

(b) Max. at any 200

Pass. Earnings/Year(Rs. in Lac.)

2011-12	155.76	2018-19	189.94
2019-20	310.7	2020-21	41.94
2021-22	227.94	2022-23	153.84
2023-24	776.8		

Length of longest stopping train(m) 500

MP Const.	Sheohar
MP Name	Anand, Smt. Lovely
MLA Const.	Riga
MLA Name	Sri Moti Lal Prasad

Identified as Adarsh	Y
Developed As	N
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 11 P : 5
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-5 Category station identified as Adarsh station.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	50	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	50	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	4	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	4	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	2	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	300	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	550	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped	Bore Wells (Nos)	1
Storage Capacity(Ltr)	180000		
Remarks	Water supply is through piped		

Last Updated On: 23-04-2025 17:34:19 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:32:58 PM

Station **Bairgania**

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	550	4	83	OPS	72	0	12	0		0	30	1	2	4	0	3	0	0	0	1	N	1
2	BG	N	550	5	83	CC	0	0	0	1		0	10	0	0	0	0	0	0	0	0	1	N	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Bairgania**

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	84	0	8	0	0	24			-	-
Actual	50	72	13	5	6	90	1	See platform details	1	-
Shortage, if any	-	28	3	-	-	10	-		1	-

Last Updated On: 23-04-2025 17:34:19 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:32:58 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Bajnathpur		
Station Code	BYP	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SAHARSA	Clock	Y
Section	SHC-BNKI	Wheel Chairs	Y
Km.	91/2-3	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 344

(b) Max. at any 50

Pass. Earnings/Year(Rs. in Lac.)

2011-12	4.54	2018-19	7.69
2019-20	30.93	2020-21	0.58
2021-22	11.65	2022-23	4.5
2023-24	14.38		

Length of longest stopping train(m) 226

MP Const.	Madhepura
MP Name	Yadav, Shri Dinesh Chandra
MLA Const.	Korha
MLA Name	Smt. Kavita Devi

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 14
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	50	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	164	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	235	Surface	Other
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	2000		
Remarks	Water supply is through Hand Pumps and pipe.		

Last Updated On: 23-04-2025 17:52:54 By Sr. DEN (Co)/SPJ

Station Bajnathpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	334	7.5	0	CC	0	0	0	1		0	50	2	2	0	5	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Bajnathpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	21	0	2	0	0	6			-	-
Actual	50	0	1	2	2	65	0	See platform details	0	-
Shortage, if any	-	50	1	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:52:54 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:49:04 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Bajpatti		
Station Code	BJT	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SITAMARHI	Clock	Y
Section	DBG-SMI	Wheel Chairs	Y
Km.	0091.10	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: No other item

Remarks for: This is an NSG-6 Category station of Samastipur Division

No. of passengers dealt with:

(a) Per Day 343

(b) Max. at any 25

Pass. Earnings/Year(Rs. in Lac.)

2011-12	96.76	2018-19	126.36
2019-20	14.38	2020-21	0.74
2021-22	12.06	2022-23	6.69
2023-24	147.38		

Length of longest stopping train(m) 226

MP Const.	Sitamarhi
MP Name	Thakur, Shri Devesh Chandra
MLA Const.	Bajpatti
MLA Name	Sri Mukesh Kumar Yadav (RJD)

Identified as Adarsh	Y
Developed As	N
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	20	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	450	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	300	Surface	Black Topped
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	1000		
Remarks	Water supply is through Piped and Hand Pumps.		

Last Updated On: 23-04-2025 17:49:21 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:39:49 PM

Station Bajpatti

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	450	7	45	CC	145	4	0	5		0	72	1	1	5	5	0	0	0	0	1	N	0
2	BG	N	350	7	45	OPS	0	0	0	3		0	40	0	0	0	2	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Bajpatti

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	10	0	1	0	0	3			-	-
Actual	20	145	8	1	1	127	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:49:21 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:39:49 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Bangari		
Station Code	BGAR	FOB	0
Station Category	HG2	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	N
Section	MFP-SGL	Wheel Chairs	N
Km.	0152.84	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 27

(b) Max. at any 8

Pass. Earnings/Year(Rs. in Lac.)

2011-12	4.23	2018-19	3.92
2019-20	0	2020-21	0.00
2021-22	0.9	2022-23	0.53
2023-24	2.03		

Length of longest stopping train(m) 248

MP Const.	Purvi Champaran
MP Name	Singh, Shri Radha Mohan
MLA Const.	Pipra
MLA Name	Sri Shyambabu Pd. Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 7
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-2 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	Y		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 16-04-2025 17:26:36 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:26:46 PM

Station **Bangari**

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	250	3	0	OPS	90	10	0	2		0	18	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	250	3	0	OTH	0			1										0	0	0		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Bangari**

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	5	0	0.32	0	0	1			-	-
Actual	0	90	3	0	0	18	0	See platform details	0	YES
Shortage, if any	10	-	-	-	-	-	1		-	-

Last Updated On: 16-04-2025 17:26:36 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:26:46 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Banmankhi		
Station Code	BNKI	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	3
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	PURNIA	Clock	Y
Section	SHC-PRNA	Wheel Chairs	N
Km.	0036.53	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

Other Items No

Remarks for This is NSG-5 (Old D Class) category Model station.

No. of passengers dealt with:

(a) Per Day 3583

(b) Max. at any 149

Pass. Earnings/Year(Rs. in Lac.)

2011-12	192.73	2018-19	199.84
2019-20	721.26	2020-21	33.80
2021-22	151.24	2022-23	556.27
2023-24	1766.85		

Length of longest stopping train(m) 226

MP Const.	Purnia
MP Name	Ranjan, Shri Rajesh
MLA Const.	Banmankhi
MLA Name	Sri Krishna Kumar Rishi (BJP)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	138	Area(sqm)	32	0	Area(sqm)	0	Retiring Room	1
(b) Seats(Nos.)	35	Seats(Nos.)	15	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	6	Lav.(Nos.)	1	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	2	Bathing Cubicals(Nos.)	1	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	2790	Length(m)	200
Surface	Kutcha	Surface	Cement Concrete
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet	N		

Approach Road

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped	Bore Wells (Nos)	1
Storage Capacity(Ltr)	94635		
Remarks	Sufficient		

Last Updated On: 23-04-2025 17:55:53 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:31:00 PM

Station Banmankhi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	590	9	84	CC	1870	0	0	2		0	250	0	0	3	21	2	0	0	0	1	N	1
2&3	BG	N	590	14	84	CC	1013	1	30	4		0	260	0	0	20	20	0	0	0	0	1	N	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Banmankhi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	62	0	5.96	0	0	18			-	-
Actual	138	2883	37	7	0	560	1	See platform details	1	-
Shortage, if any	-	-	-	-	4	-	-		1	-

Last Updated On: 23-04-2025 17:55:53 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:31:00 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Bapudham motihari		
Station Code	BMKI	FOB	1
Station Category	NSG3	Subway	0
Railway	ECR	Booking Windows	6
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	PURBI CHAMPARAN	Clock	Y
Section	MFP-SGL	Wheel Chairs	Y
Km.	0166.18	Cloak Room	Y
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day	12094
(b) Max. at any	460

Pass. Earnings/Year(Rs. in Lac.)

2011-12	12.48	2018-19	2068.96
2019-20	1315.89	2020-21	1226.85
2021-22	0	2022-23	1299.35
2023-24	2589.55		

Length of longest stopping train(m) 524

MP Const.	Purvi Champaran
MP Name	Singh, Shri Radha Mohan
MLA Const.	Motihari
MLA Name	Sri Pramod Kumar

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	Y
ATMs	1
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 34 P : 14
Station IInd Entry	Y

Other Items selected through Major redevelopment station.

Remarks for This is an NSG-3 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	800	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	4	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	4		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	4		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	7500
Surface	Other
Illumination Type	Normal Lights
Pay & Use Toilet	Y

Approach Road

Length(m)	120
Surface	Other
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped	Bore Wells (Nos)	2
Storage Capacity(Ltr)	177000		
Remarks	Water supply is through piped.		

Last Updated On: 23-04-2025 17:43:27 By Sr. DEN (Co)/SPJ

Station **Bapudham motihari**

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	12	84	PS	2982	0	39	0		0	372	6	8	7	0	2	0	0	0	1	N	0
2	BG	N	600	9	84	PS	2390	0	20	0		0	224	4	6	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Bapudham motihari**

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	800 sqm	40	10	10	250	1 With Cover	High level	4	YES
As per Rec.	192	258	18.4	1	1	55			-	-
Actual	0	5371	61	14	18	600	1	See platform details	2	-
Shortage, if any	125	-	-	-	-	-	-		2	YES

Last Updated On: 23-04-2025 17:43:27 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:24:48 PM

Station Bapudham motihari Summary As per Model Station

Desired	Facility Available	Desired	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Tiolets on end platform & circulating	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Last Updated On: 23-04-2025 17:43:27 By Sr. DEN (Co)/SPJ

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Baraipura		
Station Code	BAPN	FOB	0
Station Category	HG2	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SAMASTIPUR	Clock	Y
Section	SPJ-KGG	Wheel Chairs	N
Km.	45/7-8	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 145

(b) Max. at any 18

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	0.00
2019-20	6.76	2020-21	0.00
2021-22	6.8	2022-23	2.98
2023-24	6.64		

Length of longest stopping train(m) 248

MP Const.	Begusarai
MP Name	Singh, Shri Giriraj
MLA Const.	Cheria Bariarpur
MLA Name	Raj Vanshi Mahto

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 12
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-2 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Length(m)	0
Surface	Kutcha	Surface	Kutcha
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 16:30:46 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:01:55 PM

Station Baraipura

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	249	6.3	0	OPS	44	16	0	2		0	44	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Baraipura

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	11	0	0.72	0	0	3			-	-
Actual	0	44	2	0	0	44	0	See platform details	0	-
Shortage, if any	10	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 16:30:46 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:01:55 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Barhara kothi		
Station Code	BAKT	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURNIA	Clock	N
Section	BNKI-BHGJ	Wheel Chairs	N
Km.	15/6-7	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 137

(b) Max. at any 20

Pass. Earnings/Year(Rs. in Lac.)

2011-12	4.26	2018-19	3.87
2019-20	2.25	2020-21	0.49
2021-22	6.8	2022-23	4.03
2023-24	12.42		

Length of longest stopping train(m) 226

MP Const.	Purnia
MP Name	Ranjan, Shri Rajesh
MLA Const.	Banmankhi
MLA Name	Sri Krishna Kumar Rishi (BJP)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provi

Remarks for: This is an NSG-6 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	50	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	24	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	206	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	500	Surface	Other
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 16-04-2025 22:06:48 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:58:11 PM

Station Barhara kothi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	360	9	84	CC	100	8	0	2		0	16	0	2	1	5	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Barhara kothi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	8	0	0.8	0	0	2			-	-
Actual	50	100	2	0	2	40	0	See platform details	0	-
Shortage, if any	-	-	-	1	-	-	1		-	-

Last Updated On: 16-04-2025 22:06:48 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:58:12 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Barhara		
Station Code	BHHT	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	Y
Section	JJP-LKQ	Wheel Chairs	N
Km.	27/7	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 category station.

No. of passengers dealt with:

(a) Per Day 0

(b) Max. at any 72

Pass. Earnings/Year(Rs. in Lac.)

2011-12	2.25	2018-19	1.85
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	0		

Length of longest stopping train(m) 226

MP Const.	Jhanjharpur
MP Name	Mandal, Shri Ramprit
MLA Const.	Babubarhi
MLA Name	Sri Mina Kumari (JDU)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 4
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Length(m)	14
Surface	Kutcha	Surface	Kutcha
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 17-04-2025 13:59:08 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:07:38 PM

Station Barhara

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	360	10	76	OPS	0	2	0	1		0	15	2	4	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Barhara

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	45	0	2.88	0	0	13			-	-
Actual	15	0	1	2	4	25	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 13:59:08 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:07:38 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Beenaekma		
Station Code	BCM	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SUPAUL	Clock	N
Section	SHC-FBG	Wheel Chairs	N
Km.	62/3-4	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 102

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	2.06	2018-19	22.69
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	6.96		

Length of longest stopping train(m) 226

MP Const.	Supaul
MP Name	Kamait, Shri Dileshwar
MLA Const.	Supaul
MLA Name	Sri BIJENDRA PRASAD Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	50	Length(m)	135	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Water supply is through Hand Pumps		

Last Updated On: 17-04-2025 15:34:19 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:08:31 PM

Station Beenaekma

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	3.5	0	OPS	65	5	0	1		0	32	1	1	0	10	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Beenaekma

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	4	0	0.4	0	0	1			-	-
Actual	0	65	1	1	1	32	0	See platform details	0	-
Shortage, if any	15	-	1	-	-	-	1		-	-

Last Updated On: 17-04-2025 15:34:19 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:08:31 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Benipur Gram Halt		
Station Code	BPGR	FOB	0
Station Category	NSG1	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SITAMARHI	Clock	N
Section	MFP-SMI	Wheel Chairs	N
Km.	0031.90	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 19

(b) Max. at any 5

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	0.00
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0.68
2023-24	2.05		

Length of longest stopping train(m) 750

MP Const.	Sitamarhi
MP Name	Thakur, Shri Devesh Chandra
MLA Const.	Runnisaidpur
MLA Name	Pankaj Kumar Mishra

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 4
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided.

Remarks for: This is HG-3 category station

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	20	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	1350	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	400	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 18-04-2025 15:32:59 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:06:43 PM

Station **Benipur Gram Halt** Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	150	3	0	OPS	21	0	0	1		0	12	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Benipur Gram Halt** Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	500 sqm	20	12	12	150	1 With Cover	High level	2	YES
As per Rec.	2	1	0.2	0	0	1			-	-
Actual	20	21	1	0	0	22	0	See platform details	0	-
Shortage, if any	230	479	19	12	12	128	1		2	YES

Last Updated On: 18-04-2025 15:32:59 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:06:43 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Benipur		
Station Code	BPAH	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	DARBHANGA	Clock	Y
Section	SKI-HPO	Wheel Chairs	N
Km.	0056.30	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

Other Items No

Remarks for Halt Station

No. of passengers dealt with:

(a) Per Day 3

(b) Max. at any 1

Pass. Earnings/Year(Rs. in Lac.)

2011-12	5.85	2018-19	6.47
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	0.11		

Length of longest stopping train(m) 0

MP Const.	Darbhanga
MP Name	Thakur, Shri Gopal Jee
MLA Const.	Benipur
MLA Name	Sri Binay kumar Choudhari

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 4
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	40	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm) 0

Surface Kutcha

Illumination Type Normal Lights

Pay & Use Toilet

Approach Road

Length(m) 0

Surface Kutcha

Illumination Type N

Water Supply

Source Railway Supply

Type Hand Pump

Storage Capacity(Ltr) 0

Remarks sufficient

Open Wells (Nos) 0

Bore Wells (Nos) 0

Last Updated On: 17-04-2025 13:49:58 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:25:29 PM

Station Benipur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	10	15	OPS	0	0	0	1		0	38	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	300	9	0	OPS	0	0	0	1		0	50	0	2	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Benipur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	1	0	0.04	0	0	0			-	-
Actual	40	0	2	0	2	88	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 13:49:58 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:25:29 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Bettiah		
Station Code	BTH	FOB	1
Station Category	NSG3	Subway	0
Railway	ECR	Booking Windows	6
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	PASHCHIM CHAMPARAN	Clock	Y
Section	SGL-NKE	Wheel Chairs	Y
Km.	0209.63	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 10576

(b) Max. at any 500

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1342.57	2018-19	1594.65
2019-20	2617.54	2020-21	1243.11
2021-22	208.08	2022-23	997.88
2023-24	2075.39		

Length of longest stopping train(m) 558

MP Const.	Betiah
MP Name	Dr. Sanjay Jaiswal
MLA Const.	Bettiah
MLA Name	Smt Renu Devi

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	Y
Electronic Train Indication	Y
ATMs	1
Food Plaza	Y
Budget Hotel	N
Trains Halting	M: 38 P : 6
Station IInd Entry	N

Other Items PRS - Yes

Remarks for It is an NSG-3 Class station situated on MFP-PNYA main line.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	120	Area(sqm)	120	0	Area(sqm)	100	Retiring Room	0
(b) Seats(Nos.)	100	Seats(Nos.)	100	0	Seats(Nos.)	50	Dormitory	1
(c) Lav.(Nos.)	4	Lav.(Nos.)	4	0	Lav.(Nos.)	2		
(d) Urinals(Nos.)	2	Urinals(Nos.)	2	0	Urinals(Nos.)	1		
(e) Bathing Cubicals	2	Bathing Cubicals(Nos.)	2	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	10000
Surface	Cement Concrete
Illumination Type	High Mast Tower
Pay & Use Toilet	Y

Approach Road

Length(m)	100
Surface	Black Topped
Illumination Type	Y

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped	Bore Wells (Nos)	1
Storage Capacity(Ltr)	25000		
Remarks	Steel tank-25000 liters is available.		

Last Updated On: 23-04-2025 17:53:48 By Sr. DEN (Co)/SPJ

Station **Bettiah**

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	10	76	PS	1800	8	22	0		0	20	0	2	12	0	10	0	0	0	0	N	0
2	BG	N	603	8	76	PS	945	0	32	0		0	16	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Bettiah**

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	800 sqm	40	10	10	250	1 With Cover	High level	4	YES
As per Rec.	209	280	20	1	1	60			-	-
Actual	120	2745	54	10	7	286	1	See platform details	2	YES
Shortage, if any	5	-	-	-	3	-	-		2	-

Last Updated On: 23-04-2025 17:53:48 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:27:41 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Bhagwanpurdesua		
Station Code	BGDS	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SAMASTIPUR	Clock	Y
Section	SPJ-KGG	Wheel Chairs	N
Km.	77/12	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 139

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	3.92	2018-19	4.75
2019-20	4.19	2020-21	0.16
2021-22	3.88	2022-23	1.99
2023-24	5.99		

Length of longest stopping train(m) 558

MP Const.	Ujiarpur
MP Name	Rai, Shri Nityanand
MLA Const.	Ujiarpur
MLA Name	Sri Alok Kumar Mehta

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 2 P : 12
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	285	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	12	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0
Surface	Other
Illumination Type	Normal Lights
Pay & Use Toilet	

Approach Road

Length(m)	150
Surface	Other
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 23-04-2025 16:55:08 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:10:45 PM

Station Bhagwanpurdesua

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	355	10	0	CC	0	8	0	3		0	28	2	2	0	0	0	0	0	0	0	N	0
2	BG	N	449	6	0	OTH	0	0	0	0		0	16	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Bhagwanpurdesua

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	4	0	0.4	0	0	1			-	-
Actual	285	0	3	2	2	56	0	See platform details	0	-
Shortage, if any	-	100	1	-	-	-	1		-	-

Last Updated On: 23-04-2025 16:55:08 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:10:45 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Bhairoganj		
Station Code	BRU	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	Y
Section	NKE-PNYA	Wheel Chairs	Y
Km.	0270.21	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day	534
(b) Max. at any	163

Pass. Earnings/Year(Rs. in Lac.)

2011-12	37.53	2018-19	44.70
2019-20	65.18	2020-21	25.17
2021-22	48.14	2022-23	23.31
2023-24	49.55		

Length of longest stopping train(m) 248

MP Const.	Valmiki Nagar
MP Name	Kumar, Shri Sunil
MLA Const.	Bagaha
MLA Name	Sri Ram Singh (BJP)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 4 P : 8
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	70	Area(sqm)	21	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	30	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	2	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	700	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	150
Surface	Cement Concrete
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:57:30 By Sr. DEN (Co)/SPJ

Station Bhairoganj

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	610	12	88	CC	75	6	0	0		0	12	0	0	1	0	1	0	0	0	1	N	0
2	BG	Y	600	12	88	CC	0		0	0		0	18	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Bhairoganj

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	68	0	6.52	0	0	20			-	-
Actual	70	75	0	2	0	80	1	See platform details	0	-
Shortage, if any	-	25	4	-	1	-	-		-	-

Last Updated On: 23-04-2025 17:57:30 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:49:59 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Bhairopatti		
Station Code	BHTH	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHEPURA	Clock	Y
Section	SHC-PRNA	Wheel Chairs	N
Km.	0066.80	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 category station.

No. of passengers dealt with:

(a) Per Day 93

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	2.51
2019-20	0	2020-21	0.31
2021-22	8.73	2022-23	2.83
2023-24	8.89		

Length of longest stopping train(m) 226

MP Const.	Madhepura
MP Name	Yadav, Shri Dinesh Chandra
MLA Const.	Madhepura
MLA Name	Sri Chandra Shekhar

Identified as Adarsh	N		
Developed As			
Identified for MFC	N		
Tourist Facilation Center	N		
Touch Screen Enquiry System	N		
Electronic Train Indication	N		
ATMs	0		
Food Plaza	N		
Budget Hotel	N		
Trains Halting	M: 0	P :	10
Station IInd Entry	N		

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0		
Surface	Kutcha		
Illumination Type	Normal Lights		
Pay & Use Toilet			

Approach Road

Length(m)	22		
Surface	Other		
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	2
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 17-04-2025 15:19:54 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:07:12 PM

Station Bhairopatti

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	320	3	0	OPS	0	0	0	2		0	20	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Bhairopatti

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	6	0	0.4	0	0	2			-	-
Actual	0	0	2	0	0	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 15:19:54 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:07:12 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Bhelwa		
Station Code	BLV	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PASHCHIM CHAMPARAN	Clock	Y
Section	RXL-NKE	Wheel Chairs	N
Km.	0195.26	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 251

(b) Max. at any 40

Pass. Earnings/Year(Rs. in Lac.)

2011-12	7.07	2018-19	7.27
2019-20	15.99	2020-21	0.00
2021-22	8.53	2022-23	4.4
2023-24	13.67		

Length of longest stopping train(m) 226

MP Const.	Betiah
MP Name	Dr. Sanjay Jaiswal
MLA Const.	Sikta
MLA Name	Sri Dilip Verma

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	350	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	350	Surface	Cement Concrete
Illumination Type	Y		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	500		
Remarks	Water supply is through PIPE and Hand Pumps		

Last Updated On: 23-04-2025 17:27:40 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:51:29 PM

Station Bhelwa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	550	8	46	OTH	100	3	4	2		0	24	3	1	1	0	0	0	0	0	0	N	0
2	BG	N	550	8	46	OTH	28	0	0	1		0	24	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Bhelwa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	17	0	1.6	0	0	5			-	-
Actual	0	128	7	3	1	48	0	See platform details	0	-
Shortage, if any	15	-	-	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:27:40 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:51:30 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Bhikhnathoree		
Station Code	BKF	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PASHCHIM CHAMPARAN	Clock	Y
Section	NKE-BKF	Wheel Chairs	N
Km.	35/5	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 106

(b) Max. at any 35

Pass. Earnings/Year(Rs. in Lac.)

2011-12	3.43	2018-19	3.39
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	0		

Length of longest stopping train(m) 226

MP Const.	Valmiki Nagar
MP Name	Kumar, Shri Sunil
MLA Const.	Ramnagar
MLA Name	Smt Bhagirathi Devi

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	28	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	24	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0
Surface	Kutcha
Illumination Type	Normal Lights
Pay & Use Toilet	

Approach Road

Length(m)	400
Surface	WBM
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 18:02:33 By Sr. DEN (Co)/SPJ

Station Bhikhnathoree

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	243	3.1	30	OPS	15	11	0	0		0	30	5	3	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Bhikhnathoree

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	15	0	1.4	0	0	4			-	-
Actual	28	15	0	5	3	54	0	See platform details	0	-
Shortage, if any	-	35	2	-	-	-	1		-	-

Last Updated On: 23-04-2025 18:02:33 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:33:29 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Bhisa Halt		
Station Code	BHSA	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SITAMARHI	Clock	N
Section	DBG-SMI	Wheel Chairs	N
Km.	0101.79	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 34

(b) Max. at any 5

Pass. Earnings/Year(Rs. in Lac.)

2011-12	2.65	2018-19	3.50
2019-20	0.09	2020-21	0.04
2021-22	14.49	2022-23	0.98
2023-24	3.16		

Length of longest stopping train(m) 226

MP Const.	Sitamarhi
MP Name	Thakur, Shri Devesh Chandra
MLA Const.	Sitamarhi
MLA Name	Sri Sunil Kumar Pintu

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 8
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an HG-2 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Length(m)	0
Surface	Kutcha	Surface	Other
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 18-04-2025 15:28:57 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:02:27 PM

Station **Bhisa Halt**

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	150	3	0	OTH	0	4	0	1		0	6	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	150	3	6	OTH	0	0	0	2		0	20	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Bhisa Halt**

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	3	0	0.2	0	0	1			-	-
Actual	0	0	3	0	0	26	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 18-04-2025 15:28:57 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:02:27 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Bhitiharwa ashram		
Station Code	BHWA	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PASHCHIM CHAMPARAN	Clock	Y
Section	NKE-BKF	Wheel Chairs	N
Km.	16/3	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 4

(b) Max. at any 1

Pass. Earnings/Year(Rs. in Lac.)

2011-12	3.07	2018-19	6.04
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	0.28		

Length of longest stopping train(m) 226

MP Const.	Valmiki Nagar
MP Name	Kumar, Shri Sunil
MLA Const.	Ramnagar
MLA Name	Smt Bhagirathi Devi

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 4
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	24	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0
Surface	Kutcha
Illumination Type	Normal Lights
Pay & Use Toilet	

Approach Road

Length(m)	200
Surface	Kutcha
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 12:26:50 By Sr. DEN (Co)/SPJ

Station Bhitiharwa ashram

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	8	88	OTH	20	0	0	1		0	10	3	1	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Bhitiharwa ashram

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	0	0	0.04	0	0	0			-	-
Actual	24	20	1	5	1	40	0	See platform details	0	-
Shortage, if any	-	30	1	-	-	-	1		-	-

Last Updated On: 17-04-2025 12:26:50 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:31:46 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Bihariganj		
Station Code	BHGJ	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHEPURA	Clock	Y
Section	BNKI-BHGJ	Wheel Chairs	N
Km.	0027.01	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 827

(b) Max. at any 8645

Pass. Earnings/Year(Rs. in Lac.)

2011-12	20.10	2018-19	36.78
2019-20	0	2020-21	0.00
2021-22	0	2022-23	18.55
2023-24	154.64		

Length of longest stopping train(m) 226

MP Const.	Madhepura
MP Name	Yadav, Shri Dinesh Chandra
MLA Const.	Madhepura
MLA Name	Sri Chandra Shekhar

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	41	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	50	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	680	Length(m)	425	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:58:11 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:52:07 PM

Station Bihariganj

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	385	7	84	CC	100	3	0	2		0	56	2	2	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Bihariganj

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	3615	0	345.8	13	13	1037			-	-
Actual	41	100	2	2	2	106	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:58:11 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:52:07 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Bijuli (Halt)		
Station Code	BIJUL	FOB	0
Station Category	NSG1	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	Y
Section	TRS-KKHT	Wheel Chairs	N
Km.	0009.92	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 18

(b) Max. at any 6

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.26	2018-19	1.09
2019-20	0	2020-21	0.00
2021-22	0.05	2022-23	0.07
2023-24	1.16		

Length of longest stopping train(m) 226

MP Const.	Madhubani
MP Name	Yadav, Shri Ashok Kumar
MLA Const.	Ramnagar
MLA Name	Smt Bhagirathi Devi

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 2 P : 4
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0
Surface	Kutcha
Illumination Type	Normal Lights
Pay & Use Toilet	

Approach Road

Length(m)	0
Surface	Kutcha
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 18-04-2025 15:38:47 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:23:27 PM

Station Bijuli (Halt)

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	224	3	0	OPS	0	0	0	1		0	18	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Bijuli (Halt)

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	500 sqm	20	12	12	150	1 With Cover	High level	2	YES
As per Rec.	3	2	0.24	0	0	1			-	-
Actual	0	0	1	0	0	18	0	See platform details	0	-
Shortage, if any	250	500	19	12	12	132	1		2	YES

Last Updated On: 18-04-2025 15:38:47 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:23:27 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Biraul		
Station Code	BIRL	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	DARBHANGA	Clock	Y
Section	SKI-HPO	Wheel Chairs	N
Km.	0040.90	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 74

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	17.81	2018-19	10.70
2019-20	10.34	2020-21	0.12
2021-22	0.64	2022-23	0
2023-24	25.41		

Length of longest stopping train(m) 0

MP Const.	Darbhanga
MP Name	Thakur, Shri Gopal Jee
MLA Const.	Kusheshwar Asthan
MLA Name	Sri Aman Bhushan Hazari

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 4
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	150	Length(m)	200
Surface	Other	Surface	Other
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Approach Road

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 23-04-2025 17:52:04 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:28:53 PM

Station Biraul

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	76	OPS	325	0	0	2		0	45	0	1	0	0	0	0	0	0	0	N	0
2-3	BG	Y	600	10	15	OPS	325	0	0	0		0	25	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Biraul

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	4	0	0.4	0	0	1			-	-
Actual	15	650	2	0	2	80	0	See platform details	0	-
Shortage, if any	-	-	2	1	-	-	1		-	-

Last Updated On: 23-04-2025 17:52:04 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:28:54 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station Budhma

Station Code	BDMA	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	MADHEPURA	Clock	Y
Section	SHC-BNKI	Wheel Chairs	Y
Km.	0070.00	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 category station.

No. of passengers dealt with:

(a) Per Day 255

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	4.71
2019-20	16.43	2020-21	0.79
2021-22	12.24	2022-23	15.49
2023-24	15.49		

Length of longest stopping train(m) 226

MP Const.	Madhepura
MP Name	Yadav, Shri Dinesh Chandra
MLA Const.	Madhepura
MLA Name	Sri Chandra Shekhar

Identified as Adarsh	N		
Developed As			
Identified for MFC	N		
Tourist Facilation Center	N		
Touch Screen Enquiry System	N		
Electronic Train Indication	N		
ATMs	0		
Food Plaza	N		
Budget Hotel	N		
Trains Halting	M: 0	P : 12	
Station IInd Entry	N		

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	60	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	36	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	42	Length(m)	40
Surface	Cement Concrete	Surface	Other
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Approach Road

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:53:59 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:47:37 PM

Station Budhma

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	343	7.5	45	CC	0	0	0	2		0	36	0	2	3	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Budhma

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	4	0	0.4	0	0	1			-	-
Actual	60	0	2	0	2	72	1	See platform details	0	-
Shortage, if any	-	50	-	1	-	-	-		-	-

Last Updated On: 23-04-2025 17:53:59 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:47:37 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Chailaha		
Station Code	CHAH	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	Y
Section	MFP-SGL	Wheel Chairs	N
Km.	0169.63	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

Other Items: No

Remarks for: This is a HG-3 station.

No. of passengers dealt with:

(a) Per Day 1

(b) Max. at any 1

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1.29	2018-19	1.39
2019-20	0.07	2020-21	0.00
2021-22	0	2022-23	0.02
2023-24	0.11		

Length of longest stopping train(m) 248

MP Const.	Purvi Champaran
MP Name	Singh, Shri Radha Mohan
MLA Const.	Motihari
MLA Name	Sri Pramod Kumar

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	30	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutcha	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Sufficient		

Last Updated On: 17-04-2025 13:18:34 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:40:49 PM

Station Chailaha

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	250	4	0	OPS	54	5	0	1		0	42	0	0	0	0	0	0	0	0	0	N	0
2	BG		250	3	0		36													0	0	0		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Chailaha

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	1	0	0.04	0	0	0			-	-
Actual	0	90	1	0	0	42	0	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 13:18:34 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:40:49 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Chakardaha		
Station Code	CRDA	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	ARARIA	Clock	Y
Section	SHC-FBG	Wheel Chairs	N
Km.	146/4-5	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 1

(b) Max. at any 1

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.46	2018-19	5.18
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	0.65		

Length of longest stopping train(m) 226

MP Const.	Araria
MP Name	Singh, Shri Pradeep Kumar
MLA Const.	Narpatganj
MLA Name	Jai Parkash Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 4
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division. Under gauge conversion

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	25	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	35	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	213	Surface	Other
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 15:55:13 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:05:27 PM

Station Chakardaha

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	4	0	OTH	16	3	0	1		0	24	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Chakardaha

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	1	0	0.04	0	0	0			-	-
Actual	25	16	1	0	0	34	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 15:55:13 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:05:27 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Chakia		
Station Code	CAA	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	5
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	PURBI CHAMPARAN	Clock	Y
Section	MFP-SGL	Wheel Chairs	Y
Km.	0134.29	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 3174

(b) Max. at any 125

Pass. Earnings/Year(Rs. in Lac.)

2011-12	561.45	2018-19	625.00
2019-20	842.64	2020-21	246.81
2021-22	573.58	2022-23	291.52
2023-24	681.14		

Length of longest stopping train(m) 524

MP Const.	Purvi Champaran
MP Name	Singh, Shri Radha Mohan
MLA Const.	Pipra
MLA Name	Sri Shyambabu Pd. Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	Y
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 32 P : 5
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-5 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	164	Area(sqm)	50	50	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	20	20	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	1	1	Urinals(Nos.)	0		
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	400
Surface	Other
Illumination Type	Normal Lights
Pay & Use Toilet	Y

Approach Road

Length(m)	550
Surface	Cement Concrete
Illumination Type	Y

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped	Bore Wells (Nos)	0
Storage Capacity(Ltr)	25000		
Remarks	Minimum Essential Amenities have been provided		

Last Updated On: 23-04-2025 17:41:47 By Sr. DEN (Co)/SPJ

Station Chakia

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	9	84	PS	1648	0	20	0		0	100	6	4	1	0	1	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Chakia

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	50 sqm	8	4	4	50	0	High level	1	-
As per Rec.	52	0	5	0	0	15			-	-
Actual	164	1648	20	9	7	150	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Last Updated On: 23-04-2025 17:41:47 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:31:54 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Chamua		
Station Code	CAMU	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PASHCHIM CHAMPARAN	Clock	Y
Section	NKE-PNYA	Wheel Chairs	Y
Km.	0253.57	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 72

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	4.65	2018-19	5.29
2019-20	4.76	2020-21	0.12
2021-22	7.7	2022-23	2.69
2023-24	6.93		

Length of longest stopping train(m) 248

MP Const.	Valmiki Nagar
MP Name	Kumar, Shri Sunil
MLA Const.	Narkatiaganj
MLA Name	Rashmi Varma

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	100	Area(sqm)	21	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	25	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	2	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	40	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	70	Surface	Cement Concrete
Illumination Type	Y		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	4000		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:56:35 By Sr. DEN (Co)/SPJ

Station Chamua

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	12	89	OTH	126	0	8	2		0	30	2	2	0	0	0	0	0	0	1	N	0
2/3	BG	N	600	12	88	PS	0	0	12	2		0	34	0	0	0	0	0	0	0	0	1	N	0
4	BG	N	600	12	88	CC	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Chamua

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	150 sqm	6 tap/HP at stn	1	1	30	1	High level	0	-
As per Rec.	4	0	0.4	0	0	1			-	-
Actual	100	126	24	4	2	109	1	See platform details	0	-
Shortage, if any	-	24	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:56:35 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:09:23 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Chand Pipar Halt		
Station Code	CIC	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SUPAUL	Clock	Y
Section	SHC-RGV	Wheel Chairs	N
Km.	0090.00	Cloak Room	N
Route	E	Refreshment Room(sqm)	
Electrified	N		

Other Items 0

Remarks for This a HG-3 category station.

No. of passengers dealt with:

(a) Per Day 18

(b) Max. at any 4

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	0.60
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	2.38		

Length of longest stopping train(m) 226

MP Const.	Supaul
MP Name	Kamait, Shri Dileshwar
MLA Const.	Nirmali
MLA Name	Sri Anirudh Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 2
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	25	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	58	Source	Railway Supply	Open Wells (Nos)	0
Surface	Other	Surface	Other	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	0		

Last Updated On: 17-04-2025 15:41:52 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:09:31 PM

Station **Chand Pipar Halt** Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	3	0	OPS	65	0	0	1		0	20	2	4	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Chand Pipar Halt** Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	3	0	0.16	0	0	1			-	-
Actual	25	65	1	2	4	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 15:41:52 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:09:31 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Chandauna Halt		
Station Code	CNX	FOB	0
Station Category	HG2	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	DARBHANGA	Clock	N
Section	DBG-SMI	Wheel Chairs	N
Km.	0076.94	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 75

(b) Max. at any 15

Pass. Earnings/Year(Rs. in Lac.)

2011-12	9.40	2018-19	3.83
2019-20	3.49	2020-21	0.24
2021-22	40.37	2022-23	1.68
2023-24	5.14		

Length of longest stopping train(m) 226

MP Const.	Sitamarhi
MP Name	Thakur, Shri Devesh Chandra
MLA Const.	Sitamarhi
MLA Name	Sri Sunil Kumar Pintu

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided.

Remarks for: This is a HG-2 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	5	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Length(m)	0
Surface	Kutcha	Surface	Kutcha
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 18-04-2025 15:15:20 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:26:03 PM

Station Chandauna Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	150	3	20	OPS	0	5	0	0		0	18	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Chandauna Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	9	0	0.6	0	0	3			-	-
Actual	10	0	0	0	0	23	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Last Updated On: 18-04-2025 15:15:20 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:26:03 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Chandeshwarasthan		
Station Code	CDNA	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	Y
Section	JJP-LKQ	Wheel Chairs	N
Km.	13/8	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

Other Items: Minimum Essential Amenities have been provided

Remarks for: HG-3 Halt station.BG conversion work in progress.

No. of passengers dealt with:

(a) Per Day 0

(b) Max. at any 55

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1.89	2018-19	1.68
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	0		

Length of longest stopping train(m) 226

MP Const.	Jhanjharpur
MP Name	Mandal, Shri Ramprit
MLA Const.	Jhanjharpur
MLA Name	Sri Nitish Mishra

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 4
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	10	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutcha	Surface	Kutcha	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Sufficient.		

Last Updated On: 17-04-2025 13:57:26 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:48:14 PM

Station Chandeshwarasthan

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	Y	600	10	76	OPS	1200	6	4	2		0	81	2	2	0	5	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Chandeshwarasthan

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	35	0	2.2	0	0	10			-	-
Actual	15	1200	6	3	3	91	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 13:57:26 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:48:14 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Chanpatia		
Station Code	CAI	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	PASHCHIM CHAMPARAN	Clock	Y
Section	SGL-NKE	Wheel Chairs	Y
Km.	0226.00	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 814

(b) Max. at any 98

Pass. Earnings/Year(Rs. in Lac.)

2011-12	84.89	2018-19	92.92
2019-20	149.46	2020-21	51.70
2021-22	94.38	2022-23	47.13
2023-24	251.92		

Length of longest stopping train(m) 524

MP Const.	Betiah
MP Name	Dr. Sanjay Jaiswal
MLA Const.	Chanpatia
MLA Name	Sri Umakant singh

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 10 P : 6
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a NSG-5 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	70	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	2	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	200	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	N

Approach Road

Length(m)	40	Surface	Cement Concrete
Illumination Type	Y		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	1000		
Remarks	Water supply is through pipe and Hand Pumps.		

Last Updated On: 23-04-2025 17:54:49 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:40:50 PM

Station Chanpatia

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	285	15	75	CC	525	4	0	2		0	105	2	0	2	0	1	0	0	0	0	N	0
2	BG	Y	350	6	75	CC	205	0	0	1		0	30	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Chanpatia

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	41	0	3.92	0	0	12			-	-
Actual	70	730	3	6	0	135	1	See platform details	0	-
Shortage, if any	-	-	13	-	4	-	-		2	-

Last Updated On: 23-04-2025 17:54:49 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:40:50 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Chhatapur road		
Station Code	CTU	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SUPAUL	Clock	Y
Section	SHC-FBG	Wheel Chairs	N
Km.	0127.71	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 2

(b) Max. at any 2

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1.65	2018-19	2.66
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	0.74		

Length of longest stopping train(m) 226

MP Const.	Supaul
MP Name	Kamait, Shri Dileshwar
MLA Const.	Chhatapur
MLA Name	Sri Niraj Kumar Bablu

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 4
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division. Under gauge conversion

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	30	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	200	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	461	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 15:53:24 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:59:26 PM

Station Chhatapur road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	180	11.65	0	OTH	46	12	0	1		0	52	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Chhatapur road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	1	0	0.08	0	0	0			-	-
Actual	30	46	1	0	0	62	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 15:53:24 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:59:26 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Chhaurodano		
Station Code	CAO	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	PURBI CHAMPARAN	Clock	N
Section	SMI-RXL	Wheel Chairs	N
Km.	0163.66	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is NSG-6 category station.

No. of passengers dealt with:

(a) Per Day 940

(b) Max. at any 50

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	3.78
2019-20	35.21	2020-21	4.37
2021-22	35.3	2022-23	15.59
2023-24	51.15		

Length of longest stopping train(m) 300

MP Const.	Betiah
MP Name	Dr. Sanjay Jaiswal
MLA Const.	Narkatia
MLA Name	Sri Shyam Bihari Prasad

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	75	Area(sqm)	0	12	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)	0	10	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	1	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	50	Surface	Black Topped
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	400	Surface	Cement Concrete
Illumination Type	Y		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:30:47 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:53:32 PM

Station Chhaurodano

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	550	6	46	CC	32	0	0	2		0	25	0	0	1	0	0	0	0	0	1	N	0
2	BG	N	550	8	46	CC	0	0	0	0		0	20	0	0	10	29	1	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Chhaurodano

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	21	0	2	0	0	6			-	-
Actual	75	32	2	2	2	80	1	See platform details	2	-
Shortage, if any	-	68	2	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:30:47 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:53:32 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Chikna		
Station Code	CKNA	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	Y
Section	JJP-NMA	Wheel Chairs	N
Km.	0054.63	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 88

(b) Max. at any 46

Pass. Earnings/Year(Rs. in Lac.)

2011-12	15.13	2018-19	12.96
2019-20	0	2020-21	0.00
2021-22	0	2022-23	2.84
2023-24	5.24		

Length of longest stopping train(m) 226

MP Const.	Jhanjharpur
MP Name	Mandal, Shri Ramprit
MLA Const.	Phulparas
MLA Name	Smt Guljar Devi

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 4
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 16:13:58 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:04:49 PM

Station Chikna

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	6	0	OPS	23	2	0	1		0	15	1	2	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Chikna

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	19	0	1.84	0	0	6			-	-
Actual	15	23	1	1	2	30	0	See platform details	0	-
Shortage, if any	-	27	1	-	-	-	1		-	-

Last Updated On: 17-04-2025 16:13:58 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:04:49 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Darbhanga Jn.		
Station Code	DBG	FOB	2
Station Category	NSG2	Subway	0
Railway	ECR	Booking Windows	8
Division	Samastipur	Enquiry Office	2
State	BIHAR	Public Address Sys.	Y
District	DARBHANGA	Clock	Y
Section	SPJ-DBG	Wheel Chairs	Y
Km.	0037.42	Cloak Room	Y
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: Facilities provided as Model Station.

Remarks for: This is NSG-2 category modern station.

No. of passengers dealt with:

(a) Per Day 35169

(b) Max. at any 5632

Pass. Earnings/Year(Rs. in Lac.)

2011-12	7894.54	2018-19	7295.64
2019-20	13035.12	2020-21	6866.19
2021-22	11600	2022-23	20386.34
2023-24	7236.57		

Length of longest stopping train(m) 524

MP Const.	Darbhanga
MP Name	Thakur, Shri Gopal Jee
MLA Const.	Darbhanga
MLA Name	Sri Sanjay Sarabgi

Identified as Adarsh	N		
Developed As			
Identified for MFC	N		
Tourist Facilation Center	N		
Touch Screen Enquiry System	N		
Electronic Train Indication	Y		
ATMs	1		
Food Plaza	Y		
Budget Hotel	N		
Trains Halting	M: 90	P : 28	
Station IInd Entry	N		

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	200	Area(sqm)	0	70	Area(sqm)	92	Retiring Room	3
(b) Seats(Nos.)	80	Seats(Nos.)	0	35	Seats(Nos.)	70	Dormitory	1
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	1	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	1	Urinals(Nos.)	1		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	1	Bathing Cubicals(Nos.)	1		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	3100	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	0
Surface	Other	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	3
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	621984		
Pay & Use Toilet	Y			Remarks	sufficient		

Last Updated On: 23-04-2025 17:13:01 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:23:04 PM

Station Darbhanga Jn.

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	679	23	78	PS	5130	0	55	0	679	560	340	5	4	25	0	6	4	0	0	2	Y	0
4 & 5	BG	Y	580	10	76	CC	1170	0	24	0	550/560	325	155	2	4	2	4	3	0	0	0	2	Y	0
2 & 3	BG	Y	580	10	76	PS	1170	0	32	0	319	290	135	0	4	14	16	6	0	0	0	2	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Darbhanga Jn.

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	1500 sqm	60	12	12	450	1 With Cover	High level	6	YES
As per Rec.	2355	4731	225.28	8	8	676			-	-
Actual	200	7470	111	9	14	815	2	See platform details	6	-
Shortage, if any	50	-	-	3	-	-	-		-	YES

Last Updated On: 23-04-2025 17:13:01 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:23:04 PM

Station Darbhanga Jn. Summary As per Model Station

Desired	Facility Available	Desired	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	No	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	No	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Tiolets on end platform & circulating	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Last Updated On: 23-04-2025 17:13:01 By Sr. DEN (Co)/SPJ

Station Darbhanga Jn. Summary As per Modern

Desired	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passanger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Dauram madhepura		
Station Code	DMH	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	3
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	MADHEPURA	Clock	Y
Section	SHC-BNKI	Wheel Chairs	Y
Km.	0748.30	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 4192

(b) Max. at any 320

Pass. Earnings/Year(Rs. in Lac.)

2011-12	476.76	2018-19	593.53
2019-20	505.71	2020-21	68.33
2021-22	238.42	2022-23	663
2023-24	700.58		

Length of longest stopping train(m) 226

MP Const.	Madhepura
MP Name	Yadav, Shri Dinesh Chandra
MLA Const.	Madhepura
MLA Name	Sri Chandra Shekhar

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 10 P : 24
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a NSG-5 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	200	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	635	Length(m)	64	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump	Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	189270		
Pay & Use Toilet	Y			Remarks	water supply through Pipe and hand Pump.		

Last Updated On: 23-04-2025 17:53:15 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:33:28 PM

Station Dauram madhepura

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	598	13.5	84	PS	3389	0	48	0		0	60	0	9	9	0	4	0	0	0	1	N	1
2	BG	N	598	9.5	84	PS	603	0	62	0		0	70	0	2	0	0	1	0	0	0	1	N	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Dauram madhepura

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	134	0	12.8	0	0	38			-	-
Actual	200	3992	111	0	11	160	1	See platform details	1	-
Shortage, if any	-	-	-	4	-	-	-		1	-

Last Updated On: 23-04-2025 17:53:15 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:33:28 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Deorabandhauli Halt		
Station Code	DBLI	FOB	0
Station Category	HG2	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	N
Section	DBG-SMI	Wheel Chairs	N
Km.	0067.23	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 95

(b) Max. at any 15

Pass. Earnings/Year(Rs. in Lac.)

2011-12	4.73	2018-19	4.96
2019-20	1.17	2020-21	0.71
2021-22	6.9	2022-23	7.94
2023-24	7.03		

Length of longest stopping train(m) 226

MP Const.	Madhubani
MP Name	Yadav, Shri Ashok Kumar
MLA Const.	Madhubani
MLA Name	Samir Kumar Mahasth

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-2 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	2
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 18-04-2025 15:13:54 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:39:14 PM

Station Deorabandhauli Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	150	3	0	OPS	0	4	0	1		0	24	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Deorabandhauli Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	9	0	0.6	0	0	3			-	-
Actual	15	0	1	0	0	34	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 18-04-2025 15:13:54 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:39:14 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Deviganj		
Station Code	DGZ	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	ARARIA	Clock	Y
Section	SHC-FBG	Wheel Chairs	N
Km.	140/8-9	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 3

(b) Max. at any 2

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.84	2018-19	1.16
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	0.1		

Length of longest stopping train(m) 226

MP Const.	Araria
MP Name	Singh, Shri Pradeep Kumar
MLA Const.	Narpatganj
MLA Name	Jai Parkash Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 0
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division. Under gauge conversion

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	25	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	535	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	400	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 17-04-2025 15:52:29 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:03:03 PM

Station Deviganj

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	6	0	OTH	0		0	1		0	24	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Deviganj

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	1	0	0.08	0	0	0			-	-
Actual	25	0	1	0	0	34	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 15:52:29 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:03:03 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Dhamaraghat		
Station Code	DHT	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	KHAGARIA	Clock	Y
Section	MNE-SHC	Wheel Chairs	N
Km.	10/6-7	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 743

(b) Max. at any 126

Pass. Earnings/Year(Rs. in Lac.)

2011-12	33.44	2018-19	34.71
2019-20	41.9	2020-21	7.03
2021-22	23.11	2022-23	34.2
2023-24	29.68		

Length of longest stopping train(m) 248

MP Const.	Khagaria
MP Name	Verma, Shri Rajesh
MLA Const.	Beldaur
MLA Name	Sri Panna Lal Singh Patel (JDU)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 8 P : 12
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	50	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0
Surface	Kutcha
Illumination Type	Normal Lights
Pay & Use Toilet	

Approach Road

Length(m)	0
Surface	Kutcha
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:35:33 By Sr. DEN (Co)/SPJ

Station Dhamaraghat

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	415	9	45	CC	400	2	0	2		0	86	2	0	0	0	0	0	0	0	1	N	1
2	BG	N	415	8	45	OPS	169	7	0	2		0	36	0	0	10	23	0	0	0	0	1	N	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Dhamaraghat

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	53	0	5.04	0	0	15			-	-
Actual	50	569	4	2	0	122	1	See platform details	0	-
Shortage, if any	-	-	-	-	1	-	-		-	-

Last Updated On: 23-04-2025 17:35:33 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 2:00:16 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station Dhang

Station Code	DAG	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SITAMARHI	Clock	Y
Section	SMI-RXL	Wheel Chairs	Y
Km.	0125.66	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 613

(b) Max. at any 25

Pass. Earnings/Year(Rs. in Lac.)

2011-12	8.05	2018-19	54.88
2019-20	23.03	2020-21	44.65
2021-22	30	2022-23	49.51
2023-24	109.28		

Length of longest stopping train(m) 300

MP Const.	Sheohar
MP Name	Anand, Smt. Lovely
MLA Const.	Riga
MLA Name	Sri Moti Lal Prasad

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 2 P : 8
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	20	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	363	Surface	Black Topped
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	500	Surface	Black Topped
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		

Remarks: Water supply is through Hand Pumps.

Last Updated On: 23-04-2025 17:43:53 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:56:18 PM

Station Dhang

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	530	4	0	OPS	32	0	0	1		0	90	0	1	1	2	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Dhang

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	10	0	1	0	0	3			-	-
Actual	20	32	1	0	1	100	1	See platform details	0	-
Shortage, if any	-	18	1	1	-	-	-		-	-

Last Updated On: 23-04-2025 17:43:53 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:56:18 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Dharminiya		
Station Code	DRQ	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PASHCHIM CHAMPARAN	Clock	N
Section	SGL-RXL	Wheel Chairs	N
Km.	0019.65	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: no

Remarks for: This is an NSG-6 category station.

No. of passengers dealt with:

(a) Per Day 150

(b) Max. at any 45

Pass. Earnings/Year(Rs. in Lac.)

2011-12	6.71	2018-19	6.90
2019-20	1.77	2020-21	0.02
2021-22	0	2022-23	3.24
2023-24	3.4		

Length of longest stopping train(m) 248

MP Const.	Betiah
MP Name	Dr. Sanjay Jaiswal
MLA Const.	Sugauli
MLA Name	Er. Shashi Bhushan Singh.

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Illumination Type	Normal Lights
Surface	Kutcha	Pay & Use Toilet	

Approach Road

Length(m)	54
Surface	Cement Concrete
Illumination Type	Y

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	sufficient		

Last Updated On: 16-04-2025 19:42:30 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:25:12 PM

Station Dharminiya

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	149	7.5	0	CC	60	8	0	2		0	52	2	2	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Dharminiya

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	19	0	1.8	0	0	5			-	-
Actual	0	60	2	2	2	52	0	See platform details	0	-
Shortage, if any	15	-	-	-	-	-	1		-	-

Last Updated On: 16-04-2025 19:42:30 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:25:12 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Dinapatti		
Station Code	DEPI	FOB	0
Station Category	NSG2	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHEPURA	Clock	Y
Section	SHC-BNKI	Wheel Chairs	N
Km.	0062.25	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 cetegory station.

No. of passengers dealt with:

(a) Per Day 109

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	4.95
2019-20	6.89	2020-21	0.83
2021-22	11.28	2022-23	12.05
2023-24	9.86		

Length of longest stopping train(m) 226

MP Const.	Madhepura
MP Name	Yadav, Shri Dinesh Chandra
MLA Const.	Madhepura
MLA Name	Sri Chandra Shekhar

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0
Surface	Kutcha
Illumination Type	Normal Lights
Pay & Use Toilet	

Approach Road

Length(m)	117
Surface	Other
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 15:25:35 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:58:55 PM

Station Dinapatti

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	342	3.5	0	CC	20	2	0	1		0	20	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Dinapatti

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	500 sqm	20	12	12	150	1 With Cover	High level	2	YES
As per Rec.	4	3	0.4	0	0	1			-	-
Actual	0	20	1	0	0	20	0	See platform details	0	-
Shortage, if any	250	480	19	12	12	130	1		2	YES

Last Updated On: 17-04-2025 15:25:35 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:58:55 PM

Passenger Amenities Details As on : 31/03/2025

Division : Samastipur

Station	DR. SRIKRISHNA SINGH NAGAR GARHPUR		
Station Code	DSKG	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	BEGUSARAI	Clock	Y
Section	SPJ-KGG	Wheel Chairs	N
Km.	33/8-9	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 350

(b) Max. at any 30

Pass. Earnings/Year(Rs. in Lac.)

2011-12	10.64	2018-19	13.50
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	29.56	2024-25	

Length of longest stopping train(m) 248

MP Const.	Begusarai
MP Name	Singh, Shri Giriraj
MLA Const.	Bakhri
MLA Name	Suryakant Paswan

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 12
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	48	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	48	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	397	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	Y

Approach Road

Length(m)	645	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	4000		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 12-07-2025 22:42:50 By Sr. DEN (Co)/SPJ

Report Run Date : 06/08/2025 12:28:38 PM

Station DR. SRIKRISHNA SINGH Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	358	7	45	CC	0	5	12	3		0	72	2	2	0	0	0	0	0	0	1	N	0
2	BG	N	358	8	45	CC	153	0	12	2		0	62	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station DR. SRIKRISHNA SINGH NAGAR Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	13	0	1.2	0	0	4			-	-
Actual	48	153	29	2	2	182	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 12-07-2025 22:42:50 By Sr. DEN (Co)/SPJ

Report Run Date : 06/08/2025 12:28:38 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Dumra		
Station Code	DUMR	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SITAMARHI	Clock	N
Section	MFP-SMI	Wheel Chairs	Y
Km.	0000.00	Cloak Room	N
Route	E	Refreshment Room(sqm)	
Electrified	N		

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is NSG- 6 catergory station

No. of passengers dealt with:

(a) Per Day 188

(b) Max. at any 5

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	2.30
2019-20	8.46	2020-21	0.84
2021-22	9.08	2022-23	19.31
2023-24	18.34		

Length of longest stopping train(m) 226

MP Const.	Sitamarhi
MP Name	Thakur, Shri Devesh Chandra
MLA Const.	Runnisaidpur
MLA Name	Pankaj Kumar Mishra

Identified as Adarsh	N		
Developed As			
Identified for MFC	N		
Tourist Facilation Center	N		
Touch Screen Enquiry System	N		
Electronic Train Indication	N		
ATMs	0		
Food Plaza	N		
Budget Hotel	N		
Trains Halting	M: 2	P : 4	
Station IInd Entry	N		

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	40	Area(sqm)	16	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)	20	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	3	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	1	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	2500	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	400	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	1000		
Remarks	Water supply through Piped and Hand Pumps.		

Last Updated On: 23-04-2025 17:45:43 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:43:13 PM

Station Dumra

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	556	9.75	48	CC	160	0	2	2		0	90	0	0	0	0	0	0	0	0	1	N	0
2 & 3	BG	Y	556	9.95	48	PS	75	0	8	2		0	73	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Dumra

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	2	0	0.2	0	0	1			-	-
Actual	40	235	14	1	3	223	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:45:43 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:43:13 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Fango (Halt)		
Station Code	FNO	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	KHAGARIA	Clock	N
Section	MNE-SHC	Wheel Chairs	N
Km.	0016.54	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 149

(b) Max. at any 15

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	0.00
2019-20	5.5	2020-21	1.97
2021-22	8.1	2022-23	9.36
2023-24	8.46		

Length of longest stopping train(m) 248

MP Const.	Khagaria
MP Name	Verma, Shri Rajesh
MLA Const.	Beldaur
MLA Name	Sri Panna Lal Singh Patel (JDU)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 16-04-2025 18:35:30 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:38:51 PM

Station Fango (Halt)

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	183	5.5	0	OPS	90	2	0	1		0	80	2	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Fango (Halt)

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	9	0	0.6	0	0	3			-	-
Actual	10	90	1	2	0	80	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 16-04-2025 18:35:30 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:38:51 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station Garah

Station Code	GARA	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SITAMARHI	Clock	Y
Section	SMI-MFP	Wheel Chairs	Y
Km.	0047.10	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 160

(b) Max. at any 15

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	0.00
2019-20	8.95	2020-21	0.45
2021-22	7.64	2022-23	23.97
2023-24	19.06		

Length of longest stopping train(m) 226

MP Const.	Sitamarhi
MP Name	Thakur, Shri Devesh Chandra
MLA Const.	Runnisaidpur
MLA Name	Pankaj Kumar Mishra

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 2 P : 4
Station IInd Entry	N

Other Items: Minimum Essential Ameninities have been provided

Remarks for: This is NSG- 6 category station.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	20	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	2000	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	1000	Surface	Other
Illumination Type	Y		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		

Remarks: Water supply is through Hand Pumps.

Last Updated On: 23-04-2025 17:46:12 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:41:50 PM

Station Garah

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	556	9.75	84	CC	54	0	0	2		0	100	1	1	0	1	0	0	0	0	1	N	0
2 & 3	BG	N	556	9.75	84	OTH	54	0	0	0		0	50	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Garah

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	6	0	0.6	0	0	2			-	-
Actual	20	108	2	1	1	170	1	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:46:12 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:41:50 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Garhbaruari		
Station Code	GEB	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SUPAUL	Clock	Y
Section	SHC-FBG	Wheel Chairs	Y
Km.	58/2-3	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 406

(b) Max. at any 9

Pass. Earnings/Year(Rs. in Lac.)

2011-12	37.90	2018-19	40.23
2019-20	2.7	2020-21	1.27
2021-22	4.27	2022-23	20.68
2023-24	18.08		

Length of longest stopping train(m) 550

MP Const.	Supaul
MP Name	Kamait, Shri Dileshwar
MLA Const.	Supaul
MLA Name	Sri BIJENDRA PRASAD Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 4 P : 12
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	60	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	347	Length(m)	100	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:39:52 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:43:53 PM

Station Garhbaruari

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	530	6	45	OTH	174	2	0	2		0	36	0	2	0	0	0	0	0	0	0	N	0
2	BG	N	530	6	45	OTH	99	0	0	0		0	32	0	0	10	15	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Garhbaruari

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	4	0	0.36	0	0	1			-	-
Actual	60	273	2	1	3	93	0	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:39:52 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:43:53 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Gaunaha		
Station Code	GAH	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	Y
Section	NKE-BKF	Wheel Chairs	N
Km.	22/4	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 132

(b) Max. at any 98

Pass. Earnings/Year(Rs. in Lac.)

2011-12	7.46	2018-19	8.19
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	0		

Length of longest stopping train(m) 226

MP Const.	Valmiki Nagar
MP Name	Kumar, Shri Sunil
MLA Const.	Ramnagar
MLA Name	Smt Bhagirathi Devi

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 2
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	300	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	50	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	700	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	25	Surface	Cement Concrete
Illumination Type	Y		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	2000		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 23-04-2025 18:01:47 By Sr. DEN (Co)/SPJ

Station Gaunaha

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	610	9.5	88	CC	75	5	0	2		0	20	3	1	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Gaunaha

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	41	0	3.92	0	0	12			-	-
Actual	300	75	2	3	1	70	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 23-04-2025 18:01:47 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:33:03 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Ghoghardiha		
Station Code	GGH	FOB	0
Station Category	NSG6	Subway	1
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	MADHUBANI	Clock	Y
Section	JJP-NMA	Wheel Chairs	N
Km.	0059.73	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 908

(b) Max. at any 72

Pass. Earnings/Year(Rs. in Lac.)

2011-12	76.48	2018-19	109.93
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	85.51		

Length of longest stopping train(m) 226

MP Const.	Jhanjharpur
MP Name	Mandal, Shri Ramprit
MLA Const.	Phulparas
MLA Name	Smt Guljar Devi

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	96	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	50	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	250.6	Length(m)	250	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Hand Pump	Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	SUFFICIENT		

Last Updated On: 23-04-2025 17:48:14 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:55:40 PM

Station Ghoghardiha

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	560	10	74	OTH	600	0	8	0		0	66	3	1	1	0	1	0	0	0	0	N	0
2/3	BG	N	560	10	78	OTH	360	0	0	0		0	37	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Ghoghardiha

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	30	0	2.88	0	0	9			-	-
Actual	96	960	8	3	1	153	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:48:14 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:55:40 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Ghorasahan		
Station Code	GRH	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	PASHCHIM CHAMPARAN	Clock	Y
Section	SMI-RXL	Wheel Chairs	Y
Km.	0152.33	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day	2136
(b) Max. at any	70

Pass. Earnings/Year(Rs. in Lac.)

2011-12	137.89	2018-19	120.80
2019-20	90.56	2020-21	9.76
2021-22	91.81	2022-23	158.85
2023-24	293.28		

Length of longest stopping train(m) 226

MP Const.	Sheohar
MP Name	Anand, Smt. Lovely
MLA Const.	Dhaka
MLA Name	Sri Pawan jaiswal

Identified as Adarsh	N		
Developed As			
Identified for MFC	N		
Tourist Facilation Center	N		
Touch Screen Enquiry System	N		
Electronic Train Indication	N		
ATMs	0		
Food Plaza	N		
Budget Hotel	N		
Trains Halting	M: 6	P :	10
Station IInd Entry	N		

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-5 Category station.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	230	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	307	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	500	Surface	Cement Concrete
Illumination Type	Y		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 23-04-2025 17:31:41 By Sr. DEN (Co)/SPJ

Station Ghorasahan

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	550	5	840	OPS	72	0	0	2		0	30	1	0	1	0	2	0	0	0	1	N	1
2	BG	N	550	6	84		216	0	0	1		0	25	0	0	5	15	1	0	0	0	1	N	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Ghorasahan

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	29	0	2.8	0	0	8			-	-
Actual	230	288	3	2	1	85	1	See platform details	0	YES
Shortage, if any	-	-	13	2	3	15	-		2	-

Last Updated On: 23-04-2025 17:31:41 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:39:57 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Gokhula		
Station Code	GKA	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	PASHCHIM CHAMPARAN	Clock	Y
Section	RXL-NKE	Wheel Chairs	N
Km.	0219.40	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 199

(b) Max. at any 50

Pass. Earnings/Year(Rs. in Lac.)

2011-12	4.53	2018-19	6.19
2019-20	10.27	2020-21	0.00
2021-22	7.54	2022-23	16.43
2023-24	14.21		

Length of longest stopping train(m) 500

MP Const.	Valmiki Nagar
MP Name	Kumar, Shri Sunil
MLA Const.	Narkatiaganj
MLA Name	Rashmi Varma

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	400
Surface	Kutcha
Illumination Type	Normal Lights
Pay & Use Toilet	

Approach Road

Length(m)	300
Surface	Cement Concrete
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:24:42 By Sr. DEN (Co)/SPJ

Station Gokhula

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	12	46	CC	1000	6	4	2		0	24	1	1	0	0	0	0	0	0	0	N	0
2	BG	N	550	8	0	OTH	378	0	0	1		0	24	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Gokhula

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	21	0	2	0	0	6			-	-
Actual	15	1378	7	2	2	63	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:24:42 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:49:43 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Gurhanwa Halt		
Station Code	GRNA	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	N
Section	SMI-RXL	Wheel Chairs	N
Km.	0139.41	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 128

(b) Max. at any 40

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	0.83
2019-20	0	2020-21	0.40
2021-22	7.55	2022-23	14.07
2023-24	11.02		

Length of longest stopping train(m) 300

MP Const.	Sheohar
MP Name	Anand, Smt. Lovely
MLA Const.	Dhaka
MLA Name	Sri Pawan jaiswal

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 8
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is NSG-6 category station.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	45	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Length(m)	0
Surface	Kutcha	Surface	Kutcha
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 16-04-2025 19:46:11 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:59:00 PM

Station Gurhanwa Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	10	0	CC	80	9	0	1		0	21	0	0	0	2	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Gurhanwa Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	17	0	1.6	0	0	5			-	-
Actual	45	80	1	0	0	46	0	See platform details	0	-
Shortage, if any	-	-	1	1	1	-	1		-	-

Last Updated On: 16-04-2025 19:46:11 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:59:00 PM

Passenger Amenities Details As on : 31/03/2024

Division : Dhanbad

Station	Gurpa		
Station Code	GAP	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Dhanbad	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	GAYA	Clock	Y
Section	PKA-MPO	Wheel Chairs	N
Km.	0425.54	Cloak Room	N
Route	A	Refreshment Room(sqm)	
Electrified	Y		

Other Items NA

Remarks for NA

No. of passengers dealt with:

(a) Per Day 147

(b) Max. at any 45

Pass. Earnings/Year(Rs. in Lac.)

2011-12	12.33	2018-19	12.54
2019-20	16.15	2020-21	0.17
2021-22	8.52	2022-23	17.74
2023-24	17.51		

Length of longest stopping train(m) 540

MP Const.	Gaya
MP Name	Manjhi, Shri Jitan Ram
MLA Const.	Bodh Gaya
MLA Name	Sri Shyam Dev Paswan

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 6 P : 0
Station IInd Entry	Y

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	16	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	150	Length(m)	30
Surface	Kutcha	Surface	Kutcha
Illumination Type	Normal Lights	Illumination Type	Y
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	113500		
Remarks	NA		

Last Updated On: 17-04-2025 11:10:56 By Sr. DEN (Co)

Report Run Date : 07/05/2025 1:44:57 PM

Station Gurpa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	342	15	0	MOR	160	6	12	1		0	52	2	0	2	20	0	0	0	0	0	N	0
3&4	BG	Y	352	10	0	MOR	96	5	12	1		0	46	5	3	1	18	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Gurpa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	19	0	1.8	0	0	5			-	-
Actual	16	256	26	7	3	116	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 11:10:56 By Sr. DEN (Co)

Report Run Date : 07/05/2025 1:44:57 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Harinagar		
Station Code	HIR	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	3
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	PASHCHIM CHAMPARAN	Clock	Y
Section	NKE-PNYA	Wheel Chairs	Y
Km.	0261.66	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day	2070
(b) Max. at any	40

Pass. Earnings/Year(Rs. in Lac.)

2011-12	334.47	2018-19	348.27
2019-20	459.66	2020-21	207.27
2021-22	346.8	2022-23	641.73
2023-24	559.3		

Length of longest stopping train(m) 550

MP Const.	Valmiki Nagar
MP Name	Kumar, Shri Sunil
MLA Const.	Narkatiaganj
MLA Name	Rashmi Varma

Identified as Adarsh	Y
Developed As	N
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	Y
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 20 P : 8
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-5 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	625	Area(sqm)	225	0	Area(sqm)	21	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)	20	0	Seats(Nos.)	5	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	2	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	1000	Surface	Cement Concrete
Illumination Type	High Mast Tower	Pay & Use Toilet	

Approach Road

Length(m)	400	Surface	Kutcha
Illumination Type	Y		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	12000		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 23-04-2025 17:57:12 By Sr. DEN (Co)/SPJ

Station Harinagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	9.5	88	OPS	300	5	12	1		0	70	13	3	2	0	1	0	0	0	1	Y	1
2	BG	Y	600	11	88	CC	240		12	0			31	0	0					0	0	1		1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Harinagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	17	0	1.6	0	0	5			-	-
Actual	625	540	25	15	3	156	1	See platform details	0	-
Shortage, if any	-	-	-	-	1	-	-		2	-

Last Updated On: 23-04-2025 17:57:12 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:33:59 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	HARNAGAR		
Station Code	HRGR	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	DARBHANGA	Clock	N
Section	SKI-HPO	Wheel Chairs	N
Km.	0032.30	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

Other Items --

Remarks for THIS IS NSG-6 STATION

No. of passengers dealt with:

(a) Per Day 47

(b) Max. at any 7

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	0.00
2019-20	6.5	2020-21	0.12
2021-22	0.55	2022-23	1.29
2023-24	0.97		

Length of longest stopping train(m) 750

MP Const.	Darbhanga
MP Name	Thakur, Shri Gopal Jee
MLA Const.	Kusheshwar Asthan
MLA Name	Sri Aman Bhushan Hazari

Identified as Adarsh	N		
Developed As			
Identified for MFC	N		
Tourist Facilation Center	N		
Touch Screen Enquiry System	N		
Electronic Train Indication	N		
ATMs	0		
Food Plaza	N		
Budget Hotel	N		
Trains Halting	M: 0	P : 4	
Station IInd Entry	N		

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	100	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	785	Surface	Other
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply exist.		

Last Updated On: 23-04-2025 17:52:22 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:30:08 PM

Station HARNAGAR

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	76	OPS	326	0	0	2		0	65	2	1	0	0	0	0	0	0	0	N	0
2	BG	N	600	10	15	OPS	326	0	0	1		0	15	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station HARNAGAR

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	3	0	0.28	0	0	1			-	-
Actual	15	651	3	2	2	90	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:52:22 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:30:08 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Harpatti (Hait)		
Station Code	HPI	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURNIA	Clock	N
Section	SHC-PRNA	Wheel Chairs	N
Km.	0040.05	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 35

(b) Max. at any 8

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.41	2018-19	0.97
2019-20	0.02	2020-21	0.24
2021-22	3.82	2022-23	4.22
2023-24	3.59		

Length of longest stopping train(m) 226

MP Const.	Purnia
MP Name	Ranjan, Shri Rajesh
MLA Const.	Banmankhi
MLA Name	Sri Krishna Kumar Rishi (BJP)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 4
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division.Under gauge cpnversion.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Length(m)	0
Surface	Kutcha	Surface	Kutcha
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 13:38:08 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:33:29 PM

Station Harpatti (Hait)

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	344	4.4	0	CC	15	2	2	2		0	30	0	4	0	1	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Harpatti (Hait)

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	5	0	0.32	0	0	1			-	-
Actual	0	15	4	0	4	30	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 13:38:08 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:33:29 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Harpur nag		
Station Code	HRNG	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	Y
Section	MFP-SGL	Wheel Chairs	N
Km.	0129.93	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 7

(b) Max. at any 4

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.95	2018-19	0.94
2019-20	0	2020-21	0.00
2021-22	0.4	2022-23	0.69
2023-24	0.67		

Length of longest stopping train(m) 248

MP Const.	Purvi Champaran
MP Name	Singh, Shri Radha Mohan
MLA Const.	Pipra
MLA Name	Sri Shyambabu Pd. Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 7
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 17-04-2025 12:56:39 By Sr. DEN (Co)/SPJ

Station Harpur nag

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	250	3	0	OPS	18	7	0	1		0	15	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Harpur nag

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	3	0	0.16	0	0	1			-	-
Actual	10	18	1	0	0	15	0	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 12:56:39 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:08:35 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Hasanpur road		
Station Code	HPO	FOB	2
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	SAMASTIPUR	Clock	Y
Section	SPJ-KGG	Wheel Chairs	Y
Km.	40/2	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day	3504
(b) Max. at any	200

Pass. Earnings/Year(Rs. in Lac.)

2011-12	378.34	2018-19	185.00
2019-20	259.57	2020-21	15.69
2021-22	118.53	2022-23	312.42
2023-24	416.96		

Length of longest stopping train(m) 226

MP Const.	Khagaria
MP Name	Verma, Shri Rajesh
MLA Const.	Hasanpur
MLA Name	Tej Pratap Yadav

Identified as Adarsh	Y
Developed As	N
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	Y
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 3 P : 12
Station IInd Entry	N

Other Items No

Remarks for This is NSG-5 category station idetified as Adarash station

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	168	Area(sqm)	165	165	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	45	Seats(Nos.)	16	16	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	2	Urinals(Nos.)	1	1	Urinals(Nos.)	0		
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	875	Length(m)	1950	Source	Railway Supply	Open Wells (Nos)	0
Surface	WBM	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	36290		
Pay & Use Toilet	Y			Remarks	Sufficient		

Last Updated On: 23-04-2025 17:09:17 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:38:11 PM

Station Hasanpur road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	12.6	84	PS	880	16	34	0		0	200	2	2	2	0	1	0	0	0	2	N	2
2	BG	N	600	6.5	84	OTH	240	0	20	0		0	140	0	0	0	0	0	0	0	0	2	N	2

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Hasanpur road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	84	0	8	0	0	24			-	-
Actual	168	1120	54	6	6	417	2	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Last Updated On: 23-04-2025 17:09:17 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:38:11 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Hayaghat		
Station Code	HYT	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	DARBHANGA	Clock	Y
Section	SPJ-DBG	Wheel Chairs	Y
Km.	0021.80	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 2053

(b) Max. at any 195

Pass. Earnings/Year(Rs. in Lac.)

2011-12	69.85	2018-19	76.61
2019-20	104.24	2020-21	10.74
2021-22	48.69	2022-23	114.69
2023-24	77.67		

Length of longest stopping train(m) 524

MP Const.	Samastipur
MP Name	Shambhavi, Smt.
MLA Const.	Hayaghat
MLA Name	Sti Sri Amar Nath Gami

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 12 P : 18
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	70	Area(sqm)	18	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)	20	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	1	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Other
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:02:41 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:49:01 PM

Station Hayaghat

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	642	5	84	CC	205	6	4	0		0	60	0	4	0	18	2	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Hayaghat

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	82	0	7.8	0	0	23			-	-
Actual	70	205	4	1	5	105	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:02:41 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:49:01 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Imli		
Station Code	IML	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	KHAGARIA	Clock	Y
Section	SPJ-KGG	Wheel Chairs	Y
Km.	18/5	Cloak Room	N
Route	E	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 760

(b) Max. at any 35

Pass. Earnings/Year(Rs. in Lac.)

2011-12	8.76	2018-19	11.06
2019-20	23.56	2020-21	2.00
2021-22	18.61	2022-23	28.58
2023-24	24.31		

Length of longest stopping train(m) 226

MP Const.	Khagaria
MP Name	Verma, Shri Rajesh
MLA Const.	Alauli
MLA Name	Sri Ramvriksh Sada (RJD)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 12
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	157	Length(m)	0
Surface	Cement Concrete	Surface	Other
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:11:54 By Sr. DEN (Co)/SPJ

Station Imli

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	341	9	0	CC	60	10	0	2		0	110	2	2	0	0	0	0	0	0	1	N	1
2	BG	N	341	8	0	OPS	15	0	0	1		0	35	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Imli

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	15	0	1.4	0	0	4			-	-
Actual	0	75	3	2	2	145	1	See platform details	0	-
Shortage, if any	15	25	1	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:11:54 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 2:03:06 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Jagdishpur halt		
Station Code	JPAH	FOB	0
Station Category	HG2	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	DARBHANGA	Clock	Y
Section	SKI-HPO	Wheel Chairs	N
Km.	0067.45	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 385

(b) Max. at any 86

Pass. Earnings/Year(Rs. in Lac.)

2011-12	3.95	2018-19	5.93
2019-20	0.01	2020-21	0.00
2021-22	0.18	2022-23	0
2023-24	0		

Length of longest stopping train(m) 0

MP Const.	Darbhanga
MP Name	Thakur, Shri Gopal Jee
MLA Const.	Darbhanga Rural
MLA Name	Sri Lalit Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-2 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	40	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0
Surface	Kutcha
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 13:48:15 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:34:01 PM

Station Jagdishpur halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	10	15	OPS	0	0	0	1		0	45	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Jagdishpur halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	54	0	3.44	0	0	15			-	-
Actual	40	0	1	0	0	45	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 13:48:15 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:34:01 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Jaimurtinagar		
Station Code	JMM	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	N
Section	SMI-RXL	Wheel Chairs	N
Km.	0158.20	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 category station.

No. of passengers dealt with:

(a) Per Day 95

(b) Max. at any 40

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	0.38
2019-20	5.11	2020-21	0.65
2021-22	5.16	2022-23	1.6
2023-24	5.37		

Length of longest stopping train(m) 300

MP Const.	Betiah
MP Name	Dr. Sanjay Jaiswal
MLA Const.	Narkatia
MLA Name	Sri Shyam Bihari Prasad

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 8
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	80	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Length(m)	0
Surface	Kutcha	Surface	Kutcha
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 16-04-2025 19:50:31 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:12:16 PM

Station Jaimurtinagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	9	0	CC	170	6	0	1		0	42	2	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Jaimurtinagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	17	0	1.6	0	0	5			-	-
Actual	80	170	1	4	0	82	0	See platform details	0	-
Shortage, if any	-	-	1	-	1	-	1		-	-

Last Updated On: 16-04-2025 19:50:31 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:12:17 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station Janakpur Road

Station Code	JNR	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	4
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SITAMARHI	Clock	Y
Section	DBG-SMI	Wheel Chairs	Y
Km.	0080.00	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day	2423
(b) Max. at any	80

Pass. Earnings/Year(Rs. in Lac.)

2011-12	309.05	2018-19	455.64
2019-20	273.13	2020-21	46.00
2021-22	219.55	2022-23	103.22
2023-24	551.19		

Length of longest stopping train(m) 226

MP Const.	Sitamarhi
MP Name	Thakur, Shri Devesh Chandra
MLA Const.	Sursand
MLA Name	Sri Sahid Ali

Identified as Adarsh	Y
Developed As	Y
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 8 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-5 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	100	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	50	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	2	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	1945	Length(m)	200
Surface	Other	Surface	Cement Concrete
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Approach Road

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	1000		
Remarks	Supply through pipe and hand pump.		

Last Updated On: 23-04-2025 17:50:11 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:36:10 PM

Station Janakpur Road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	603	8	84	PS	306	1	4	1		0	90	0	4	2	2	4	0	0	0	1	N	
2/3	BG	N	520	8.7	84	OPS	0	0	0	1		0	0	0	0	0	0	0	0	0	0	1	N	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Janakpur Road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	33	0	3.2	0	0	10			-	-
Actual	100	306	6	2	6	140	1	See platform details	0	YES
Shortage, if any	-	-	10	2	-	-	-		2	-

Last Updated On: 23-04-2025 17:50:11 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:36:10 PM

Station Janakpur Road Summary As per Model Station

Desired	Facility Available	Desired	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Tiolets on end platform & circulating	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Last Updated On: 23-04-2025 17:50:11 By Sr. DEN (Co)/SPJ

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Jankinagar		
Station Code	JNKR	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	PURNIA	Clock	Y
Section	SHC-PRNA	Wheel Chairs	Y
Km.	0043.83	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 755

(b) Max. at any 20

Pass. Earnings/Year(Rs. in Lac.)

2011-12	39.05	2018-19	6.07
2019-20	34.62	2020-21	1.54
2021-22	23.26	2022-23	8.32
2023-24	28.7		

Length of longest stopping train(m) 226

MP Const.	Purnia
MP Name	Ranjan, Shri Rajesh
MLA Const.	Banmankhi
MLA Name	Sri Krishna Kumar Rishi (BJP)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 2 P : 14
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	138	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Other
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps and pipe.		

Last Updated On: 23-04-2025 17:54:49 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 2:00:50 PM

Station Jankinagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	550	9	50	CC	138	14	16	3		0	132	2	4	2	15	1	0	0	0	0	N	0
2	BG	N	550	8	45	CC	24	5	12	1		0	30	2	2	2	15	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Jankinagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	8	0	0.8	0	0	2			-	-
Actual	138	162	32	4	6	162	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:54:49 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 2:00:50 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Jaynagar		
Station Code	JYG	FOB	1
Station Category	NSG3	Subway	0
Railway	ECR	Booking Windows	3
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	MADHUBANI	Clock	Y
Section	SKI-JYG	Wheel Chairs	Y
Km.	0048.12	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: PRS-Yes, Chair for Patient - 1No.

Remarks for: This is NSG-3 cateogory station.

No. of passengers dealt with:

(a) Per Day 9007

(b) Max. at any 300

Pass. Earnings/Year(Rs. in Lac.)

2011-12	819.37	2018-19	890.18
2019-20	217.31	2020-21	686.25
2021-22	173.08	2022-23	113.13
2023-24	2743.49		

Length of longest stopping train(m) 550

MP Const.	Jhanjharpur
MP Name	Mandal, Shri Ramprit
MLA Const.	Khajauli
MLA Name	Sri Arun Shankar Prasad

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	1
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 34 P : 10
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	20	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	15	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	5628
Surface	Other
Illumination Type	Normal Lights
Pay & Use Toilet	Y

Approach Road

Length(m)	2250
Surface	Black Topped
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped	Bore Wells (Nos)	3
Storage Capacity(Ltr)	380000		
Remarks	Sufficient		

Last Updated On: 23-04-2025 17:23:45 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:25:14 PM

Station Jaynagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	610	10.5	76	CC	585	1	5	0	550	0	135	2	4	5	0	3	0	0	0	1	N	0
2 & 3	BG	N	545	10	76	CC	445	0	30	0	545	0	95	0	0	5	0	0	0	0	0	1	N	0
4&5	BG	N	527	10	84	CC	100	5	31	2		0	150	4	2	20	50	2	10	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Jaynagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	1200 sqm	60	10	10	375	1 With Cover	High level	6	YES
As per Rec.	125	252	12	0	0	36			-	-
Actual	0	1130	68	7	7	395	1	See platform details	2	-
Shortage, if any	125	70	-	3	3	-	-		4	YES

Last Updated On: 23-04-2025 17:23:45 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:25:15 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Jhanjharpur bazar		
Station Code	JJBR	FOB	0
Station Category	SG1	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	Y
Section	JJP-LKQ	Wheel Chairs	N
Km.	4/10	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 0

(b) Max. at any 76

Pass. Earnings/Year(Rs. in Lac.)

2011-12	2.39	2018-19	1.91
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	0		

Length of longest stopping train(m) 226

MP Const.	Jhanjharpur
MP Name	Mandal, Shri Ramprit
MLA Const.	Jhanjharpur
MLA Name	Sri Nitish Mishra

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 4
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0
Surface	Kutcha
Illumination Type	Normal Lights
Pay & Use Toilet	

Approach Road

Length(m)	50
Surface	Kutcha
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 13:54:39 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:44:52 PM

Station Jhanjharpur bazar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	76	OPS	45	7	0	1		0	15	1	2	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Jhanjharpur bazar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	200 sqm	6	2	4	10	3	High level	2	-
As per Rec.	48	21	3.04	0	0	14			-	-
Actual	15	45	1	1	2	25	0	See platform details	0	-
Shortage, if any	-	155	5	1	2	-	3		2	-

Last Updated On: 17-04-2025 13:54:39 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:44:52 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Jhanjharpur		
Station Code	JJP	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	3
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	MADHUBANI	Clock	Y
Section	SKI-JJP	Wheel Chairs	Y
Km.	0039.00	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 1426

(b) Max. at any 125

Pass. Earnings/Year(Rs. in Lac.)

2011-12	385.03	2018-19	328.74
2019-20	0.65	2020-21	0.41
2021-22	3.06	2022-23	29.53
2023-24	339.95		

Length of longest stopping train(m) 226

MP Const.	Jhanjharpur
MP Name	Mandal, Shri Ramprit
MLA Const.	Jhanjharpur
MLA Name	Sri Nitish Mishra

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	1
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 18
Station IInd Entry	Y

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	226	Area(sqm)	34	34	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	2	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	1515	Length(m)	110	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	water supply by hand pump.		

Last Updated On: 23-04-2025 17:45:44 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:53:06 PM

Station Jhanjharpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	580	10	80	OTH	1200	0	8	0		0	55	2	1	5	0	2	0	0	0	0	N	0
2&3	BG	Y	580	10	80	OTH	1380	0	4	0		0	68	0	1	0	0	1	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Jhanjharpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	52	0	5	0	0	15			-	-
Actual	226	2580	14	6	2	123	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:45:44 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:53:06 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Jiwdhara		
Station Code	JDR	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	PURBI CHAMPARAN	Clock	Y
Section	MFP-SGL	Wheel Chairs	Y
Km.	0157.76	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 211

(b) Max. at any 38

Pass. Earnings/Year(Rs. in Lac.)

2011-12	8.33	2018-19	11.84
2019-20	8.93	2020-21	0.02
2021-22	3.32	2022-23	12.24
2023-24	10.99		

Length of longest stopping train(m) 248

MP Const.	Purvi Champaran
MP Name	Singh, Shri Radha Mohan
MLA Const.	Motihari
MLA Name	Sri Pramod Kumar

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 2 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	200	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	220	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:42:53 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:59:52 PM

Station Jiwdhara

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	84	OTH	160	0	0	2		0	20	0	0	2	0	0	0	0	0	0	N	0
2	BG	N	600	10	84	OTH	320	0	0	1		0	40	0	0	15	23	5	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Jiwdhara

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	16	0	1.52	0	0	5			-	-
Actual	15	480	3	1	1	80	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:42:53 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:59:52 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Jogiara		
Station Code	JGA	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	DARBHANGA	Clock	Y
Section	DBG-SMI	Wheel Chairs	Y
Km.	0071.53	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 576

(b) Max. at any 20

Pass. Earnings/Year(Rs. in Lac.)

2011-12	26.91	2018-19	36.14
2019-20	33.11	2020-21	3.71
2021-22	26.39	2022-23	46.7
2023-24	32.21		

Length of longest stopping train(m) 226

MP Const.	Madhubani
MP Name	Yadav, Shri Ashok Kumar
MLA Const.	Jale
MLA Name	Sri Vijay Kumar Mishra

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 2 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	20	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	300	Length(m)	300	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:50:46 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:54:47 PM

Station Jogiara

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	560	8.7	45	CC	180	0	0	2		0	65	1	1	5	0	0	0	0	0	1	N	1
2	BG	N	450	6.7	45	CC	20	0	0	0		0	30	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Jogiara

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	8	0	0.8	0	0	2			-	-
Actual	20	200	2	1	1	105	1	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:50:46 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:54:47 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Jubba Sahni		
Station Code	JUBS	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	MUZAFFARPUR	Clock	N
Section	MFP-SMI	Wheel Chairs	Y
Km.	0010.75	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: Minimum Essential Amenities have been provided.

Remarks for: This is NSG-6 category station.

No. of passengers dealt with:

(a) Per Day 14

(b) Max. at any 1

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	0.00
2019-20	1.22	2020-21	0.00
2021-22	0.31	2022-23	0.2
2023-24	0.65		

Length of longest stopping train(m) 0

MP Const.	Muzaffarpur
MP Name	Choudhary, Dr. Raj Bhushan
MLA Const.	Muzaffarpur
MLA Name	Sri Bijender Chaudhary (Cong.)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 4
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	20	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	687.5	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	475	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	1000		
Remarks	Water supply is through piped and Hand Pumps.		

Last Updated On: 23-04-2025 17:48:30 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:30:32 PM

Station Jubba Sahni

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	341	7.4	15	CC	100	0	5	1		0	60		0	0	0	0	0	0	0	1	N	
2	BG	N	341	7	15	CC	100	0	0	1		0	42	0	0	0	0	0	0	0	0	1	N	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Jubba Sahni

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	0	0	0.04	0	0	0			-	-
Actual	20	200	7	0	0	117	1	See platform details	0	-
Shortage, if any	-	-	-	1	1	-	-		-	-

Last Updated On: 23-04-2025 17:48:30 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:30:33 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Kadampura		
Station Code	KDRA	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SUPAUL	Clock	Y
Section	SHC-FBG	Wheel Chairs	N
Km.	75/13-14	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 61

(b) Max. at any 20

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1.92	2018-19	1.73
2019-20	0	2020-21	0.55
2021-22	1.1	2022-23	1.46
2023-24	4.72		

Length of longest stopping train(m) 226

MP Const.	Supaul
MP Name	Kamait, Shri Dileshwar
MLA Const.	Supaul
MLA Name	Sri BIJENDRA PRASAD Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	25	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0
Surface	Kutcha
Illumination Type	Normal Lights
Pay & Use Toilet	

Approach Road

Length(m)	43
Surface	Kutcha
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 15:37:38 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:10:31 PM

Station Kadampura

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	3	0	OPS	65	7	0	1		0	23	2	4	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Kadampura

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	13	0	0.8	0	0	4			-	-
Actual	25	65	1	2	4	33	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 15:37:38 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:10:31 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Kakarghatti		
Station Code	KKHT	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	DARBHANGA	Clock	Y
Section	DBG-SKI	Wheel Chairs	Y
Km.	0006.47	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 89

(b) Max. at any 20

Pass. Earnings/Year(Rs. in Lac.)

2011-12	3.57	2018-19	5.66
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	19.36		

Length of longest stopping train(m) 550

MP Const.	Darbhanga
MP Name	Thakur, Shri Gopal Jee
MLA Const.	Darbhanga Rural
MLA Name	Sri Lalit Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 2 P : 8
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	68	Area(sqm)	24	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	16	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	1	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	120	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	300	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped	Bore Wells (Nos)	1
Storage Capacity(Ltr)	1000		
Remarks	Water supply is through PIPED.		

Last Updated On: 23-04-2025 17:16:40 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:03:17 PM

Station Kakarghatti

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	552	12	84	CC	160	0	16	2		0	110	0	4	0	24	0	0	0	0	1	N	0
2	BG	N	515	10	84	CC	0	0	8	0		0	85	0	4	0	14	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Kakarghatti

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	8	0	0.8	0	0	2			-	-
Actual	68	160	26	1	9	231	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:16:40 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:03:17 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Kamtaul		
Station Code	KML	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	MADHUBANI	Clock	Y
Section	DBG-SMI	Wheel Chairs	Y
Km.	0060.47	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 919

(b) Max. at any 100

Pass. Earnings/Year(Rs. in Lac.)

2011-12	110.75	2018-19	138.22
2019-20	98.37	2020-21	21.54
2021-22	89.88	2022-23	40.82
2023-24	191.53		

Length of longest stopping train(m) 686

MP Const.	Madhubani
MP Name	Yadav, Shri Ashok Kumar
MLA Const.	Jale
MLA Name	Sri Vijay Kumar Mishra

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 16 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-5 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	60	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	600	Length(m)	300	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Water supply is through pipe and Hand Pumps.		

Last Updated On: 23-04-2025 17:51:30 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:47:00 PM

Station Kamtaul

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	578	7	20	CC	24	6	4	1		0	105			4	2	3	0	0	0	1	N	0
2	BG	N	516	4.2	15	CC	0	0	0	0		0	0	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Kamtaul

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	42	0	4	0	0	12			-	-
Actual	60	24	5	0	0	125	1	See platform details	0	-
Shortage, if any	-	76	11	4	4	-	-		2	-

Last Updated On: 23-04-2025 17:51:30 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:47:00 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Kanti		
Station Code	KTI	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	MUZAFFARPUR	Clock	Y
Section	MFP-SGL	Wheel Chairs	Y
Km.	0099.13	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: MEA have been provided

Remarks for: This is an NSG-6 category station.

No. of passengers dealt with:

(a) Per Day 176

(b) Max. at any 55

Pass. Earnings/Year(Rs. in Lac.)

2011-12	7.50	2018-19	10.79
2019-20	4.08	2020-21	0.10
2021-22	3.4	2022-23	1.84
2023-24	9.51		

Length of longest stopping train(m) 363

MP Const.	Vaishali
MP Name	Devi, Smt. Veena
MLA Const.	Kanti
MLA Name	Mohammad Israil Mansuri

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 8
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	30	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	250	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	255	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:39:10 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:02:44 PM

Station Kanti

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	84	OTH	160	0	0	2		0	20	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Kanti

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	23	0	2.2	0	0	7			-	-
Actual	30	160	2	1	1	50	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:39:10 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:02:44 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Kaparpura		
Station Code	KVC	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	MUZAFFARPUR	Clock	Y
Section	MFP-SGL	Wheel Chairs	Y
Km.	0093.37	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 37

(b) Max. at any 20

Pass. Earnings/Year(Rs. in Lac.)

2011-12	3.09	2018-19	2.80
2019-20	2.2	2020-21	0.03
2021-22	2.02	2022-23	1.01
2023-24	3.9		

Length of longest stopping train(m) 248

MP Const.	Vaishali
MP Name	Devi, Smt. Veena
MLA Const.	Kanti
MLA Name	Mohammad Israil Mansuri

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 8
Station IInd Entry	N

Other Items MEA have been provided

Remarks for This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	30	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	200	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:38:34 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:24:04 PM

Station Kaparpura

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	6	84	OTH	160	0	0	2		0	20	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Kaparpura

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	8	0	0.8	0	0	2			-	-
Actual	30	160	2	1	1	50	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:38:34 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:24:04 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Karukhirhar Nagar Halt		
Station Code	KKNH	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SAHARSA	Clock	N
Section	SHC-BNKI	Wheel Chairs	N
Km.	0094.05	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 238

(b) Max. at any 151

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.58	2018-19	0.91
2019-20	5.24	2020-21	0.50
2021-22	7.18	2022-23	2.43
2023-24	7.31		

Length of longest stopping train(m) 226

MP Const.	Madhepura
MP Name	Yadav, Shri Dinesh Chandra
MLA Const.	Korha
MLA Name	Smt. Kavita Devi

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 14
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	25	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	225	Surface	Other
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 15:08:31 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:28:28 PM

Station Karukhirhar Nagar Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	220	4	0	CC	0	2	0	1		0	24	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Karukhirhar Nagar Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	95	0	6.04	0	0	27			-	-
Actual	25	0	1	0	0	34	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 15:08:31 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:28:28 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Khajauli		
Station Code	KJI	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	MADHUBANI	Clock	Y
Section	SKI-JYG	Wheel Chairs	Y
Km.	0036.00	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 856

(b) Max. at any 80

Pass. Earnings/Year(Rs. in Lac.)

2011-12	70.22	2018-19	81.65
2019-20	70.27	2020-21	7.02
2021-22	10.84	2022-23	86.29
2023-24	54.83		

Length of longest stopping train(m) 226

MP Const.	Jhanjharpur
MP Name	Mandal, Shri Ramprit
MLA Const.	Khajauli
MLA Name	Sri Arun Shankar Prasad

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 12 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	275	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	100	Length(m)	1300	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Water supply is through Hand Pumps.		

Last Updated On: 18-04-2025 17:10:25 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:50:55 PM

Station Khajauli

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	550	10	15	CC	150	0	0	2		0	45	2	2	0	10	0	0	0	0	1	N	1
2-3	BG	Y	550	10	15	CC	0	0		1			45	0	0					0	0	1		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Khajauli

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	33	0	3.2	0	0	10			-	-
Actual	275	150	3	2	2	110	1	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	-		-	-

Last Updated On: 18-04-2025 17:10:25 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:50:55 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Kharpokhara		
Station Code	KPB	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	PASHCHIM CHAMPARAN	Clock	Y
Section	NKE-PNYA	Wheel Chairs	Y
Km.	0278.66	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day	173
(b) Max. at any	25

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1.06	2018-19	12.48
2019-20	9.48	2020-21	0.32
2021-22	2.85	2022-23	4.9
2023-24	12.8		

Length of longest stopping train(m) 248

MP Const.	Valmiki Nagar
MP Name	Kumar, Shri Sunil
MLA Const.	Bagaha
MLA Name	Sri Ram Singh (BJP)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Other Items MEA have been provided

Remarks for This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	70	Area(sqm)	21	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	10	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	2	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	300	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	4000		
Remarks	Water supply is through Piped and Hand Pumps.		

Last Updated On: 23-04-2025 17:57:49 By Sr. DEN (Co)/SPJ

Station Kharpokhara

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	610	11	88	CC	75	6	0	0		0	12	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Kharpokhara

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	10	0	1	0	0	3			-	-
Actual	70	75	0	2	0	42	0	See platform details	0	-
Shortage, if any	-	-	2	-	1	-	1		-	-

Last Updated On: 23-04-2025 17:57:49 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:54:49 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Khutauna		
Station Code	KHTN	FOB	0
Station Category	NSG6	Subway	1
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	Y
Section	JJP-LKQ	Wheel Chairs	N
Km.	34/4	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 49

(b) Max. at any 6

Pass. Earnings/Year(Rs. in Lac.)

2011-12	19.61	2018-19	15.60
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	0		

Length of longest stopping train(m) 226

MP Const.	Jhanjharpur
MP Name	Mandal, Shri Ramprit
MLA Const.	Laukaha
MLA Name	Sri Satish Prasad Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 2 P : 4
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	250	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	150.5
Surface	Cement Concrete
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	SUFFICIENT		

Last Updated On: 23-04-2025 17:50:22 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:34:55 PM

Station Khutauna

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	75	OPS	840	9	10	2		0	85	0	2	0	0	0	0	0	0	0	N	0
2-3	BG	Y	600	10	76	OTH	840		20				55							0	0	0		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Khutauna

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	3	0	0.24	0	0	1			-	-
Actual	15	1680	32	2	3	150	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:50:22 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:34:55 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Kishanpur		
Station Code	KSP	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	SAMASTIPUR	Clock	Y
Section	SPJ-DBG	Wheel Chairs	Y
Km.	10/5	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

Other Items: MEA have been provided.

Remarks for: This is an NSG-6 Category station.

No. of passengers dealt with:

(a) Per Day 509

(b) Max. at any 30

Pass. Earnings/Year(Rs. in Lac.)

2011-12	14.54	2018-19	18.40
2019-20	20.21	2020-21	0.69
2021-22	1.59	2022-23	6.62
2023-24	19.29		

Length of longest stopping train(m) 248

MP Const.	Samastipur
MP Name	Shambhavi, Smt.
MLA Const.	Warisnagar
MLA Name	Smt. Manju Hazari

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 4 P : 14
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	70	Area(sqm)	0	20	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	0	20	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	1	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	1732	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Other
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	3
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:03:43 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:40:56 PM

Station Kishanpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	605	10	84	CC	747	0	2	0		0	65	0	4	1	20	0	0	0	0	1	N	1
2	BG	N	605	7.5	84	CC	300		0	0			70	2	4		15	0		0	0	1	N	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Kishanpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	13	0	1.2	0	0	4			-	-
Actual	70	1047	2	3	9	175	1	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:03:43 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:40:56 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Koparia		
Station Code	KFA	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SAHARSA	Clock	Y
Section	MNE-SHC	Wheel Chairs	Y
Km.	0019.01	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 992

(b) Max. at any 110

Pass. Earnings/Year(Rs. in Lac.)

2011-12	61.69	2018-19	66.31
2019-20	8.61	2020-21	9.61
2021-22	38.11	2022-23	24.51
2023-24	83.28		

Length of longest stopping train(m) 248

MP Const.	Khagaria
MP Name	Verma, Shri Rajesh
MLA Const.	Simri Bakhtiarpur
MLA Name	Yusuf Salahuddin

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 10 P : 12
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-5 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	171	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	55	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	100	Length(m)	400
Surface	Black Topped	Surface	Other
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Approach Road

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:37:07 By Sr. DEN (Co)/SPJ

Station **Koparia**

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	183	14.3	0	OPS	232	3	0	4		0	100	4	2	4	6	0	0	0	0	1	N	0
2	BG	N	590	9.2	45	OPS	120	2	0	1		0	30	0	0	8	20	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Koparia**

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	46	0	4.4	0	0	13			-	-
Actual	171	352	5	4	2	185	1	See platform details	0	-
Shortage, if any	-	-	11	-	2	-	-		2	-

Last Updated On: 23-04-2025 17:37:07 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:49:32 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Korahiya Halt		
Station Code	KRHA	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	Y
Section	SKI-JYG	Wheel Chairs	N
Km.	0041.21	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 20

(b) Max. at any 5

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1.66	2018-19	1.73
2019-20	0.19	2020-21	0.00
2021-22	0	2022-23	0.63
2023-24	2.02		

Length of longest stopping train(m) 226

MP Const.	Jhanjharpur
MP Name	Mandal, Shri Ramprit
MLA Const.	Khajauli
MLA Name	Sri Arun Shankar Prasad

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items MEA have been provided

Remarks for This is a HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 13:47:21 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:31:52 PM

Station Korahiya Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	10	15	CC	0	0	6	1		0	34	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Korahiya Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	3	0	0.2	0	0	1			-	-
Actual	0	0	7	0	0	34	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 13:47:21 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:31:52 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Krityanand nagar		
Station Code	KTNR	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	PURNIA	Clock	Y
Section	SHC-PRNA	Wheel Chairs	Y
Km.	0014.16	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day	245
(b) Max. at any	20

Pass. Earnings/Year(Rs. in Lac.)

2011-12	10.10	2018-19	1.93
2019-20	13.2	2020-21	0.44
2021-22	8.82	2022-23	4.58
2023-24	13.8		

Length of longest stopping train(m)

MP Const.	Purnia
MP Name	Ranjan, Shri Rajesh
MLA Const.	Kasba
MLA Name	Shri Afaque Alam

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 14
Station IInd Entry	N

Other Items: MEA have been provided

Remarks for: This is NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	16	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	5	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	300	Length(m)	139	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Water supply is through Hand Pumps & pipe.		

Last Updated On: 23-04-2025 17:56:58 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:50:48 PM

Station Krityanand nagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	10	50	OTH	90	8	20	4		0	70	2	2	0	2	0	0	0	0	1	N	0
2	BG	N	350	9.9	56	OTH	120	0	0	0		0	0	0	0	0	2	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Krityanand nagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	8	0	0.8	0	0	2			-	-
Actual	16	210	24	2	2	75	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:56:58 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:50:48 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Kumarbagh		
Station Code	KUMB	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PASHCHIM CHAMPARAN	Clock	Y
Section	SGL-NKE	Wheel Chairs	Y
Km.	0218.76	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 164

(b) Max. at any 40

Pass. Earnings/Year(Rs. in Lac.)

2011-12	9.53	2018-19	10.59
2019-20	7.81	2020-21	0.22
2021-22	3.95	2022-23	2.52
2023-24	10.86		

Length of longest stopping train(m) 248

MP Const.	Betiah
MP Name	Dr. Sanjay Jaiswal
MLA Const.	Chanpatia
MLA Name	Sri Umakant singh

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 4 P : 12
Station IInd Entry	N

Other Items MEA have been provided

Remarks for This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	100	Area(sqm)	21	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	2	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	600	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	200	Surface	Cement Concrete
Illumination Type	Y		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:54:09 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:00:57 PM

Station Kumarbagh

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	261	8.4	75	OPS	0	5	0	1		0	20	2	2	0	0	0	0	0	0	0	N	0
2	BG	N	350	7	45	CC	0	0	0	1		0	5	2	0	15	20	0	0	0	0	0	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Kumarbagh

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	17	0	1.6	0	0	5			-	-
Actual	100	0	2	7	2	45	1	See platform details	0	-
Shortage, if any	-	100	2	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:54:09 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:00:57 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Kundwachainpur		
Station Code	KWC	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	Y
Section	SMI-RXL	Wheel Chairs	N
Km.	0144.26	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: MEA have been provided

Remarks for: This is a NSG-6 category station.

No. of passengers dealt with:

(a) Per Day 561

(b) Max. at any 96

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	2.66
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	34.18		

Length of longest stopping train(m) 300

MP Const.	Sheohar
MP Name	Anand, Smt. Lovely
MLA Const.	Dhaka
MLA Name	Sri Pawan jaiswal

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	325		
Surface	Black Topped		
Illumination Type	Normal Lights		
Pay & Use Toilet			

Approach Road

Length(m)	400		
Surface	Cement Concrete		
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 23-04-2025 17:32:28 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:58:52 PM

Station Kundwachainpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	500	4	0	OPS	0	0	0	2		0	20	0	0	0	0	1	0	0	0	1	N	0
2	BG	N	400	4	175	OTH	0	0	0	1		0	15	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Kundwachainpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	40	0	3.84	0	0	12			-	-
Actual	0	0	3	0	0	35	1	See platform details	0	-
Shortage, if any	15	100	1	1	1	-	-		-	-

Last Updated On: 23-04-2025 17:32:28 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:58:52 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Kuria Halt		
Station Code	KXR	FOB	0
Station Category	HG2	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	Y
Section	MFP-SGL	Wheel Chairs	N
Km.	0140.53	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 7

(b) Max. at any 5

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1.44	2018-19	1.15
2019-20	0.21	2020-21	0.00
2021-22	0.32	2022-23	0.36
2023-24	0.75		

Length of longest stopping train(m) 248

MP Const.	Purvi Champaran
MP Name	Singh, Shri Radha Mohan
MLA Const.	Pipra
MLA Name	Sri Shyambabu Pd. Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 7
Station IInd Entry	N

Other Items MEA have been provided

Remarks for This is HG-2 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Length(m)	0
Surface	Kutcha	Surface	Kutcha
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 13:01:39 By Sr. DEN (Co)/SPJ

Station **Kuria Halt** Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	250	3	0	OPS	0	15	0	0		0	30	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	250	3	0	OTH	90			1			27							0	0	0		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Kuria Halt** Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	3	0	0.2	0	0	1			-	-
Actual	0	90	1	0	0	57	0	See platform details	0	-
Shortage, if any	10	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 13:01:39 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:39:37 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Kuwarpur chintamanpur		
Station Code	KPCM	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	Y
Section	MFP-SGL	Wheel Chairs	N
Km.	0149.70	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 3

(b) Max. at any 35

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.40	2018-19	0.47
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	0.33		

Length of longest stopping train(m) 248

MP Const.	Purvi Champaran
MP Name	Singh, Shri Radha Mohan
MLA Const.	Pipra
MLA Name	Sri Shyambabu Pd. Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Length(m)	0
Surface	Kutcha	Surface	Kutcha
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 13:06:04 By Sr. DEN (Co)/SPJ

Station Kuwarpur chintamanpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	250	3	0	CC	72	3	0	1		0	12	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	250	3	0	OTH	90						18							0	0	0		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Kuwarpur chintamanpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	22	0	1.4	0	0	6			-	-
Actual	0	162	1	0	0	30	0	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 13:06:04 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:27:13 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Laheriasarai		
Station Code	LSI	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	DARBHANGA	Clock	Y
Section	SPJ-DBG	Wheel Chairs	Y
Km.	0032.38	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items PRS-Yes

Remarks for This is NSG-5 Category station of Samastipur Division.

No. of passengers dealt with:

(a) Per Day 3244

(b) Max. at any 70

Pass. Earnings/Year(Rs. in Lac.)

2011-12	572.55	2018-19	650.43
2019-20	229.59	2020-21	30.23
2021-22	90.77	2022-23	80.57
2023-24	545.05		

Length of longest stopping train(m) 524

MP Const.	Darbhanga
MP Name	Thakur, Shri Gopal Jee
MLA Const.	Dhamdaha
MLA Name	Sri Sanjay Sarabgi

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	Y
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 36 P : 20
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	36	20	Area(sqm)	0	Retiring Room	1
(b) Seats(Nos.)	0	Seats(Nos.)	0	20	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	1	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	6899	Length(m)	150	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	189250		
Pay & Use Toilet	Y			Remarks	Water supply is through Pipe		

Last Updated On: 23-04-2025 17:01:12 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:37:46 PM

Station Laheriasarai

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	690	10.5	84	PS	900	0	9	0		0	138	0	0	6	0	0	0	0	0	1	N	1
2	BG		652	10.5	84	PS	320	0	10	0			200		2					0	0	1		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Laheriasarai

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	29	0	2.8	0	0	8			-	-
Actual	0	1220	19	1	3	358	1	See platform details	1	-
Shortage, if any	30	-	-	3	1	-	-		1	-

Last Updated On: 23-04-2025 17:01:12 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:37:46 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Lalit laxmipur Halt		
Station Code	LLPR	FOB	0
Station Category	HG2	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	Y
Section	SKI-JYG	Wheel Chairs	N
Km.	0030.97	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 29

(b) Max. at any 38

Pass. Earnings/Year(Rs. in Lac.)

2011-12	2.14	2018-19	2.63
2019-20	0.44	2020-21	0.00
2021-22	0.75	2022-23	0.82
2023-24	2.41		

Length of longest stopping train(m) 226

MP Const.	Madhubani
MP Name	Yadav, Shri Ashok Kumar
MLA Const.	Rajnagar
MLA Name	Ram Prit Paswan

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 2 P : 8
Station IInd Entry	N

Other Items MEA have been provided

Remarks for This is HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	25	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutcha	Surface	Black Topped	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 13:42:39 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:57:58 PM

Station Lalit laxmipur Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	305	10	15	CC	0	10	0	1		0	29	0	0	0	5	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Lalit laxmipur Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	24	0	1.52	0	0	7			-	-
Actual	0	0	1	0	0	29	0	See platform details	0	-
Shortage, if any	10	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 13:42:39 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:57:58 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Lalitgram		
Station Code	LLP	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SUPAUL	Clock	Y
Section	SHC-FBG	Wheel Chairs	Y
Km.	124/0	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 523

(b) Max. at any 8

Pass. Earnings/Year(Rs. in Lac.)

2011-12	60.66	2018-19	6.25
2019-20	0	2020-21	0.00
2021-22	0.1	2022-23	1.68
2023-24	74.45		

Length of longest stopping train(m) 226

MP Const.	Supaul
MP Name	Kamait, Shri Dileshwar
MLA Const.	Chhatapur
MLA Name	Sri Niraj Kumar Bablu

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 8 P : 8
Station IInd Entry	N

Other Items MEA have been provided

Remarks for This is a NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	100	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	1290	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	165	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	2000		
Remarks	Water supply is through Hand Pumps and pipe.		

Last Updated On: 23-04-2025 17:42:58 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:05:15 PM

Station Lalitgram

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	590	8.5	84	OPS	596	0	20	1		0	60	0	2	1	0	1	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Lalitgram

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	3	0	0.32	0	0	1			-	-
Actual	100	596	21	1	3	80	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:42:58 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:05:15 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Laukaha bazar		
Station Code	LKQ	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	Y
Section	JJP-LKQ	Wheel Chairs	N
Km.	42/12	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 87

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	21.45	2018-19	27.09
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	0		

Length of longest stopping train(m) 226

MP Const.	Jhanjharpur
MP Name	Mandal, Shri Ramprit
MLA Const.	Laukaha
MLA Name	Sri Satish Prasad Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 2 P : 4
Station IInd Entry	N

Other Items MEA have been provided

Remarks for This is an NSG-6 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	600	Length(m)	376	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	45500		
Pay & Use Toilet				Remarks	Water supply is Piped		

Last Updated On: 23-04-2025 17:51:23 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:35:29 PM

Station Laukaha bazar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	77	OPS	840	6	10	2		200	115	0	1	1	1	0	0	0	0	1	N	0
2-3	BG		600	10	76	OPS	840	0	20	0			35							0	0	1		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Laukaha bazar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	4	0	0.4	0	0	1			-	-
Actual	15	1680	32	2	2	160	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:51:23 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:35:29 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Lohna road		
Station Code	LNO	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	DARBHANGA	Clock	Y
Section	SKI-JJP	Wheel Chairs	N
Km.	0034.93	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 343

(b) Max. at any 40

Pass. Earnings/Year(Rs. in Lac.)

2011-12	8.53	2018-19	7.38
2019-20	0.34	2020-21	0.29
2021-22	1.79	2022-23	3.89
2023-24	12.63		

Length of longest stopping train(m) 226

MP Const.	Darbhanga
MP Name	Thakur, Shri Gopal Jee
MLA Const.	Darbhanga Rural
MLA Name	Sri Lalit Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 8
Station IInd Entry	N

Other Items MEA have been provided

Remarks for This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	300	Length(m)	210	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutcha	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	3
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:44:34 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:55:49 PM

Station Lohna road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	570	10	74	OTH	180	0	0	1		0	19	2	1	0	23	0	0	0	0	0	N	0
2	BG		570	10	76	OTH	600		0	1		0	22	0	1	0	0	0	0	0	0	0	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Lohna road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	17	0	1.6	0	0	5			-	-
Actual	15	780	2	2	2	51	1	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:44:34 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:55:49 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Mabbi		
Station Code	MABB	FOB	0
Station Category	HG2	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SAMASTIPUR	Clock	Y
Section	SPJ-KGG	Wheel Chairs	N
Km.	53/7-8	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 115

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	4.99	2018-19	5.96
2019-20	7.08	2020-21	0.22
2021-22	7.45	2022-23	2.05
2023-24	5.83		

Length of longest stopping train(m) 248

MP Const.	Samastipur
MP Name	Shambhavi, Smt.
MLA Const.	Rosera
MLA Name	Birendra Kumar

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 12
Station IInd Entry	N

Other Items ME A have been provided

Remarks for This is HG-2 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Length(m)	0
Surface	Kutcha	Surface	Kutcha
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 13:57:44 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:10:05 PM

Station Mabbi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	290	7	0	OPS	60	18	0	2		0	56	0	2	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Mabbi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	6	0	0.4	0	0	2			-	-
Actual	0	60	2	0	2	56	0	See platform details	0	-
Shortage, if any	10	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 13:57:44 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:10:05 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Madhubani		
Station Code	MBI	FOB	1
Station Category	NSG3	Subway	0
Railway	ECR	Booking Windows	5
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	MADHUBANI	Clock	Y
Section	SKI-JYG	Wheel Chairs	Y
Km.	0016.85	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day	8410
(b) Max. at any	485

Pass. Earnings/Year(Rs. in Lac.)

2011-12	926.96	2018-19	1008.76
2019-20	208.83	2020-21	866.29
2021-22	235	2022-23	102.61
2023-24	1321.97		

Length of longest stopping train(m) 226

MP Const.	Madhubani
MP Name	Yadav, Shri Ashok Kumar
MLA Const.	Madhubani
MLA Name	Samir Kumar Mahasth

Identified as Adarsh	Y
Developed As	Y
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	Y
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 18 P : 12
Station IInd Entry	N

Other Items M EA have been provided

Remarks for This is NSG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	92	Area(sqm)	20	20	Area(sqm)	20	Retiring Room	0
(b) Seats(Nos.)	50	Seats(Nos.)	20	20	Seats(Nos.)	20	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	1	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	1	Urinals(Nos.)	1		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	1		

Circulating Area and Water

Circulating Area

Area (sqm)	400
Surface	Other
Illumination Type	High Mast Tower
Pay & Use Toilet	Y

Approach Road

Length(m)	1028
Surface	Cement Concrete
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped	Bore Wells (Nos)	1
Storage Capacity(Ltr)	189000		
Remarks	Water supply is through Pipe.		

Last Updated On: 23-04-2025 17:20:56 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:28:07 PM

Station Madhubani

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	76	PS	685	0	24	0		0	105	1	2	10	40	4	11	1	0	1	Y	0
2-3	BG	N	600	10	76	OTH	425	0	90	0		0	95	1	0	5	35	2	5	1	0	1	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Madhubani

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	800 sqm	40	10	10	250	1 With Cover	High level	4	YES
As per Rec.	203	272	19.4	1	1	58			-	-
Actual	92	1110	114	5	5	310	1	See platform details	2	YES
Shortage, if any	33	-	-	5	5	-	-		2	-

Last Updated On: 23-04-2025 17:20:56 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:28:07 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Magarpatti Halt		
Station Code	MGPI	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	Y
Section	MBI-RJA	Wheel Chairs	N
Km.	0021.50	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 266

(b) Max. at any 48

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.45	2018-19	0.54
2019-20	0.88	2020-21	0.20
2021-22	1.16	2022-23	0.02
2023-24	0.08		

Length of longest stopping train(m) 0

MP Const.	Madhubani
MP Name	Yadav, Shri Ashok Kumar
MLA Const.	Madhubani
MLA Name	Samir Kumar Mahasth

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 250 P : 2
Station IInd Entry	N

Other Items MEA have been provided

Remarks for This is HG-3 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0
Surface	Kutcha
Illumination Type	Normal Lights
Pay & Use Toilet	N

Approach Road

Length(m)	200
Surface	Kutcha
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 18-04-2025 17:27:37 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:44:17 PM

Station Magarpatti Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	312	10	0	CC	0	0	0	1		0	25	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Magarpatti Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	30	0	1.92	0	0	9			-	-
Actual	0	0	1	0	0	25	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 18-04-2025 17:27:37 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:44:17 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Mahikhand halt		
Station Code	MKH	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHEPURA	Clock	N
Section	BNKI-BHGJ	Wheel Chairs	N
Km.	0023.50	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 26

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1.40	2018-19	0.82
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	3.09		

Length of longest stopping train(m) 0

MP Const.	Madhepura
MP Name	Yadav, Shri Dinesh Chandra
MLA Const.	Madhepura
MLA Name	Sri Chandra Shekhar

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Other Items M EA have been provided

Remarks for This is HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Length(m)	0
Surface	Kutcha	Surface	Kutcha
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 18-04-2025 17:21:01 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:43:39 PM

Station Mahikhand halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	6	40	CC	100	0	0	2		0	20	0	4	0	1	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Mahikhand halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	4	0	0.4	0	0	1			-	-
Actual	0	100	2	0	4	20	0	See platform details	0	-
Shortage, if any	15	-	-	1	-	-	1		-	-

Last Updated On: 18-04-2025 17:21:01 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:43:39 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Mahrail		
Station Code	MHRL	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	Y
Section	JJP-LKQ	Wheel Chairs	N
Km.	7/9	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day	23
(b) Max. at any	5

Pass. Earnings/Year(Rs. in Lac.)

2011-12	7.24	2018-19	5.78
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	0		

Length of longest stopping train(m) 226

MP Const.	Jhanjharpur
MP Name	Mandal, Shri Ramprit
MLA Const.	Jhanjharpur
MLA Name	Sri Nitish Mishra

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 8
Station IInd Entry	N

Other Items M EA have been provided

Remarks for This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	250	Length(m)	35	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:49:21 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:34:01 PM

Station **Mahrail**

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	78	OPS	845	0	10	1		0	95	0	2	0	0	0	0	0	0	1	N	0
2-3	BG	Y	600	10	76	OTH	840		20	0			65		2					0	0	1		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Mahrail**

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	2	0	0.2	0	0	1			-	-
Actual	15	1685	31	2	5	170	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:49:21 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:34:01 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Mahwal		
Station Code	MHL	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	MUZAFFARPUR	Clock	Y
Section	MFP-SGL	Wheel Chairs	Y
Km.	0119.75	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 68

(b) Max. at any 15

Pass. Earnings/Year(Rs. in Lac.)

2011-12	4.69	2018-19	4.58
2019-20	2.77	2020-21	0.01
2021-22	1.31	2022-23	0.72
2023-24	2.24		

Length of longest stopping train(m) 248

MP Const.	Vaishali
MP Name	Devi, Smt. Veena
MLA Const.	Baruraj
MLA Name	Sri Arun Kumar Singh (BJP)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 14
Station IInd Entry	N

Other Items M EA have been provided

Remarks for This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	30	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	500	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	400	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:40:53 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:27:52 PM

Station Mahwal

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	84	OTH	160	0	0	2		0	100	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Mahwal

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	6	0	0.6	0	0	2			-	-
Actual	30	160	2	1	1	130	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:40:53 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:27:52 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Majhaulia		
Station Code	MJL	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	PURBI CHAMPARAN	Clock	Y
Section	SGL-NKE	Wheel Chairs	Y
Km.	0199.79	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 575

(b) Max. at any 15

Pass. Earnings/Year(Rs. in Lac.)

2011-12	113.69	2018-19	119.04
2019-20	78.05	2020-21	20.92
2021-22	49.73	2022-23	29.48
2023-24	272.14		

Length of longest stopping train(m) 455

MP Const.	Betiah
MP Name	Dr. Sanjay Jaiswal
MLA Const.	Bettiah
MLA Name	Smt Renu Devi

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 6 P : 6
Station IInd Entry	N

Other Items M EA have been provided

Remarks for This is an NSG-6 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	100	Area(sqm)	36	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)	30	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	2500
Surface	Cement Concrete
Illumination Type	Normal Lights
Pay & Use Toilet	N

Approach Road

Length(m)	200
Surface	Black Topped
Illumination Type	Y

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	1000		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:53:16 By Sr. DEN (Co)/SPJ

Station Majhaulia

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	485	11	80	CC	90	14	0	0		0	15	10	3	2	0	10	0	0	0	0	N	0
2	BG	Y	300	7	75	CC	30	2	10	1		0	5	2	0	10	15	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Majhaulia

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	6	0	0.6	0	0	2			-	-
Actual	100	120	11	12	3	65	1	See platform details	2	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:53:16 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:48:32 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Mandanmishra		
Station Code	MNMA	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	N
Section	SKI-JJP	Wheel Chairs	N
Km.	0030.27	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 47

(b) Max. at any 15

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1.77	2018-19	2.34
2019-20	0	2020-21	0.00
2021-22	0.09	2022-23	0.96
2023-24	2.5		

Length of longest stopping train(m) 226

MP Const.	Jhanjharpur
MP Name	Mandal, Shri Ramprit
MLA Const.	Darbhanga Rural
MLA Name	Sri Lalit Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 8
Station IInd Entry	N

Other Items M EA have been provided

Remarks for This is HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0
Surface	Kutcha
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 16:06:14 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:42:51 PM

Station Mandanmishra

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	10	76	OPS	0	2	0	2		0	45	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Mandanmishra

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	9	0	0.6	0	0	3			-	-
Actual	15	0	2	0	0	60	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 16:06:14 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:42:51 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Manigachhi		
Station Code	MGI	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	DARBHANGA	Clock	Y
Section	SKI-JJP	Wheel Chairs	N
Km.	0026.46	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 264

(b) Max. at any 20

Pass. Earnings/Year(Rs. in Lac.)

2011-12	11.87	2018-19	10.71
2019-20	0.88	2020-21	0.20
2021-22	1.16	2022-23	11.89
2023-24	11.89		

Length of longest stopping train(m) 226

MP Const.	Darbhanga
MP Name	Thakur, Shri Gopal Jee
MLA Const.	Darbhanga Rural
MLA Name	Sri Lalit Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 8
Station IInd Entry	N

Other Items M EA have been provided

Remarks for This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	450	Length(m)	15	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:44:11 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:57:42 PM

Station Manigachhi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	76	OTH	302	4	0	0		0	34	2	0	1	5	0	0	0	0	1	N	0
2	BG		300	10	75	OTH	990		0	1		0	0	0	0	0	5	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Manigachhi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	8	0	0.8	0	0	2			-	-
Actual	15	1292	1	3	1	44	1	See platform details	0	-
Shortage, if any	-	-	3	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:44:11 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:57:42 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Marjadwa		
Station Code	MRJD	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PASHCHIM CHAMPARAN	Clock	N
Section	RXL-NKE	Wheel Chairs	N
Km.	0212.33	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: MEA AVAIBLE

Remarks for: This is an NSG-6 categorr station.

No. of passengers dealt with:

(a) Per Day 346

(b) Max. at any 40

Pass. Earnings/Year(Rs. in Lac.)

2011-12	7.12	2018-19	9.43
2019-20	16.23	2020-21	0.00
2021-22	11.96	2022-23	5.93
2023-24	19.99		

Length of longest stopping train(m) 226

MP Const.	Valmiki Nagar
MP Name	Kumar, Shri Sunil
MLA Const.	Sikta
MLA Name	Sri Dilip Verma

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	400
Surface	Kutcha
Illumination Type	Normal Lights
Pay & Use Toilet	

Approach Road

Length(m)	200
Surface	Cement Concrete
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	500		
Remarks	wATER SUPPLY THROUGH HP		

Last Updated On: 23-04-2025 17:25:42 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:36:47 PM

Station Marjadwa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	8	46	OTH	100	6	4	2		0	24	3	1	0	0	1	0	0	0	0	N	0
2	BG	N	550	8	0	OTH	28	0	0	1		0	24	0	0	5	10	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Marjadwa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	17	0	1.6	0	0	5			-	-
Actual	0	128	7	3	1	48	0	See platform details	0	-
Shortage, if any	15	-	-	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:25:42 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:36:47 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Masanadih Halt		
Station Code	MSDH	FOB	0
Station Category	HG2	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	N
Section	SGL-RXL	Wheel Chairs	N
Km.	0008.70	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 45

(b) Max. at any 15

Pass. Earnings/Year(Rs. in Lac.)

2011-12	5.78	2018-19	5.70
2019-20	0	2020-21	0.00
2021-22	0.7	2022-23	0.13
2023-24	1.92		

Length of longest stopping train(m) 248

MP Const.	Betiah
MP Name	Dr. Sanjay Jaiswal
MLA Const.	Sugauli
MLA Name	Er. Shashi Bhushan Singh.

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 8
Station IInd Entry	N

Other Items M EA have been provided

Remarks for This is HG-2 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 16-04-2025 21:16:45 By Sr. DEN (Co)/SPJ

Station Masanadih Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	163	7.5	0	CC	18	3	0	1		0	2	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Masanadih Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	9	0	0.6	0	0	3			-	-
Actual	0	18	1	0	0	2	0	See platform details	0	-
Shortage, if any	10	-	-	-	-	-	1		-	-

Last Updated On: 16-04-2025 21:16:45 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:03:50 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Mehsi		
Station Code	MAI	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	PURBI CHAMPARAN	Clock	Y
Section	MFP-SGL	Wheel Chairs	Y
Km.	0125.68	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 1357

(b) Max. at any 150

Pass. Earnings/Year(Rs. in Lac.)

2011-12	239.39	2018-19	205.56
2019-20	200.88	2020-21	51.00
2021-22	131.45	2022-23	63.6
2023-24	271.71		

Length of longest stopping train(m) 524

MP Const.	Purvi Champaran
MP Name	Singh, Shri Radha Mohan
MLA Const.	Pipra
MLA Name	Sri Shyambabu Pd. Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 24 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a NSG-5 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	30	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	600	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	300	Surface	Cement Concrete
Illumination Type	Y		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped	Bore Wells (Nos)	0
Storage Capacity(Ltr)	68190		
Remarks	Water supply is Piped.		

Last Updated On: 23-04-2025 17:41:24 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:38:37 PM

Station Mehsi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	84	OTH	940	0	8	1		0	100	0	0	0	0	1	0	0	0	1	N	0
2	BG	N	400	10	84	OTH	480	0	0	0		0	40	0	0	10	15	1	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Mehsi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	63	0	6	0	0	18			-	-
Actual	30	1420	9	1	1	180	1	See platform details	0	-
Shortage, if any	-	-	7	3	3	-	-		2	-

Last Updated On: 23-04-2025 17:41:24 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:38:37 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Methai		
Station Code	MEE	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHEPURA	Clock	Y
Section	SHC-BNKI	Wheel Chairs	N
Km.	83/10	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 67

(b) Max. at any 5

Pass. Earnings/Year(Rs. in Lac.)

2011-12	16.99	2018-19	19.86
2019-20	7.76	2020-21	0.44
2021-22	5.92	2022-23	2.23
2023-24	5.64		

Length of longest stopping train(m) 226

MP Const.	Madhepura
MP Name	Yadav, Shri Dinesh Chandra
MLA Const.	Madhuban
MLA Name	Sri Chandwswari Prasad Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 14
Station IInd Entry	N

Other Items M EA have been provided

Remarks for This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	35	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	74	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutcha	Surface	Other	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 15:15:21 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:13:20 PM

Station Methai

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	174	3	20	CC	0		0	1		0	24	2	2	1	0	0	0	0	0	0	Y	0
2	BG	N	350	7	45	OPS	160	4	5	4		0	20	2	2	5	15	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Methai

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	2	0	0.2	0	0	1			-	-
Actual	35	160	10	4	4	54	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 15:15:21 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:13:20 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Mithiladeep		
Station Code	MTLP	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	N
Section	JJP-NMA	Wheel Chairs	N
Km.	0043.45	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 92

(b) Max. at any 42

Pass. Earnings/Year(Rs. in Lac.)

2011-12	3.21	2018-19	2.45
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	7.71		

Length of longest stopping train(m) 226

MP Const.	Jhanjharpur
MP Name	Mandal, Shri Ramprit
MLA Const.	Jhanjharpur
MLA Name	Sri Nitish Mishra

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 8
Station IInd Entry	N

Other Items M EA have been provided

Remarks for This is HG-3 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	215	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutcha	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 16:09:55 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:42:27 PM

Station Mithiladeep

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	366	10	76	OPS	23	2	0	2		0	45	0	2	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Mithiladeep

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	26	0	1.68	0	0	8			-	-
Actual	15	23	2	0	2	55	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 16:09:55 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:42:27 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Mohammadpur		
Station Code	MHP	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	DARBHANGA	Clock	Y
Section	DBG-SMI	Wheel Chairs	Y
Km.	0048.33	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 180

(b) Max. at any 15

Pass. Earnings/Year(Rs. in Lac.)

2011-12	16.56	2018-19	15.14
2019-20	8.2	2020-21	0.52
2021-22	7.34	2022-23	3.56
2023-24	10.63		

Length of longest stopping train(m) 226

MP Const.	Madhubani
MP Name	Yadav, Shri Ashok Kumar
MLA Const.	Keoti
MLA Name	Sri Ashok Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	60	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	307	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	50	Surface	Other
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:51:59 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:01:26 PM

Station Mohammadpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	563.8	8	15	OPS	49	0	0	2		0	12	2	2	0	0	0	0	0	0	1	N	0
2	BG	N	450	4	15	OTH	0	0	0	0		0	50	0	0	0	1	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Mohammadpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	6	0	0.6	0	0	2			-	-
Actual	60	49	2	2	2	92	1	See platform details	0	-
Shortage, if any	-	51	2	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:51:59 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:01:26 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Mohnimandal Halt		
Station Code	MMDL	FOB	0
Station Category	HG2	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SITAMARHI	Clock	N
Section	SMI-RXL	Wheel Chairs	N
Km.	0120.87	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: M EA have been provided

Remarks for: This is a HG-2 category station.

No. of passengers dealt with:

(a) Per Day 55

(b) Max. at any 25

Pass. Earnings/Year(Rs. in Lac.)

2011-12	2.38	2018-19	3.38
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0.97
2023-24	3.16		

Length of longest stopping train(m) 300

MP Const.	Sitamarhi
MP Name	Thakur, Shri Devesh Chandra
MLA Const.	Sitamarhi
MLA Name	Sri Sunil Kumar Pintu

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 8
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 16-04-2025 19:56:13 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:45:09 PM

Station Mohnimandal Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	9	0	OPS	30	8	0	1		0	18	2		0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Mohnimandal Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	16	0	1	0	0	5			-	-
Actual	0	30	1	2	0	18	0	See platform details	0	-
Shortage, if any	10	-	-	-	-	-	1		-	-

Last Updated On: 16-04-2025 19:56:13 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:45:09 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Motihari court		
Station Code	MCO	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	Y
Section	MFP-SGL	Wheel Chairs	N
Km.	0163.91	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 89

(b) Max. at any 40

Pass. Earnings/Year(Rs. in Lac.)

2011-12	12.46	2018-19	12.69
2019-20	5.85	2020-21	0.05
2021-22	2.23	2022-23	1.24
2023-24	3.55		

Length of longest stopping train(m) 248

MP Const.	Purvi Champaran
MP Name	Singh, Shri Radha Mohan
MLA Const.	Motihari
MLA Name	Sri Pramod Kumar

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 7
Station IInd Entry	N

Other Items M EA have been provided

Remarks for This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 13:14:49 By Sr. DEN (Co)/SPJ

Station Motihari court

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	250	3	0	CC	0	6	0	1		0	30	2	2	0	0	0	0	0	0	0	N	0
2	BG		250	3	0	OTH	0			1			0							0	0	0		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Motihari court

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	17	0	1.6	0	0	5			-	-
Actual	0	0	2	2	2	30	0	See platform details	0	YES
Shortage, if any	15	100	2	-	-	-	1		-	-

Last Updated On: 17-04-2025 13:14:49 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:25:36 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Motipur		
Station Code	MTR	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	MUZAFFARPUR	Clock	Y
Section	MFP-SGL	Wheel Chairs	Y
Km.	0112.40	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 1478

(b) Max. at any 125

Pass. Earnings/Year(Rs. in Lac.)

2011-12	269.73	2018-19	242.96
2019-20	266.18	2020-21	62.52
2021-22	168.63	2022-23	86.79
2023-24	346.26		

Length of longest stopping train(m) 524

MP Const.	Vaishali
MP Name	Devi, Smt. Veena
MLA Const.	Baruraj
MLA Name	Sri Arun Kumar Singh (BJP)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 18 P : 8
Station IInd Entry	N

Other Items: Four H/P provided.

Remarks for: This is a NSG-5 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	30	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	35	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	1500	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	350	Surface	Cement Concrete
Illumination Type	Y		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pump.		

Last Updated On: 23-04-2025 17:40:10 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:36:38 PM

Station Motipur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	84	OTH	120	0	0	2		0	100	2	0	1	0	0	0	0	0	1	N	0
2	BG	N	600	10	84	OTH	160	0	0	1		0	60	0	0	10	20	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Motipur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	52	0	5	0	0	15			-	-
Actual	30	280	3	3	1	195	1	See platform details	0	-
Shortage, if any	-	-	13	1	3	-	-		2	-

Last Updated On: 23-04-2025 17:40:10 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:36:38 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Muktapur		
Station Code	MKPR	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SAMASTIPUR	Clock	Y
Section	SPJ-DBG	Wheel Chairs	Y
Km.	3/15	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 190

(b) Max. at any 20

Pass. Earnings/Year(Rs. in Lac.)

2011-12	9.13	2018-19	9.97
2019-20	10.5	2020-21	0.33
2021-22	5.21	2022-23	3.23
2023-24	10.09		

Length of longest stopping train(m) 550

MP Const.	Samastipur
MP Name	Shambhavi, Smt.
MLA Const.	Warisnagar
MLA Name	Smt. Manju Hazari

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 4 P : 14
Station IInd Entry	N

Other Items M EA have been provided

Remarks for This is an NSG-6 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	47	Area(sqm)	47	47	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)	20	20	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	1	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	573	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0
Surface	Other
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	3
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:04:22 By Sr. DEN (Co)/SPJ

Station Muktapur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	9.5	84	CC	435	1	2	0		0	50	2	1	0	10	0	0	0	0	1	N	0
2	BG	N	600	9.5	84	CC	624						27				10			0	0	1		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Muktapur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	8	0	0.8	0	0	2			-	-
Actual	47	1059	2	4	3	142	1	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:04:22 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:01:57 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Muraitha		
Station Code	MRTA	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	DARBHANGA	Clock	N
Section	DBG-SMI	Wheel Chairs	N
Km.	0066.00	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: Minimum Essential Amenities have been provided.

Remarks for: This is an NSG-6 category station

No. of passengers dealt with:

(a) Per Day 100

(b) Max. at any 30

Pass. Earnings/Year(Rs. in Lac.)

2011-12	12.04	2018-19	12.50
2019-20	4.66	2020-21	0.51
2021-22	6.06	2022-23	2.55
2023-24	6.48		

Length of longest stopping train(m) 226

MP Const.	Madhubani
MP Name	Yadav, Shri Ashok Kumar
MLA Const.	Keoti
MLA Name	Sri Ashok Yadav

Identified as Adarsh	N		
Developed As			
Identified for MFC	N		
Tourist Facilation Center	N		
Touch Screen Enquiry System	N		
Electronic Train Indication	N		
ATMs	0		
Food Plaza	N		
Budget Hotel	N		
Trains Halting	M: 0	P : 10	
Station IInd Entry	N		

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	100	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	2
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 18-04-2025 15:13:20 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:10:17 PM

Station Muraitha

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	150	3	20	OPS	50	8	0	1		0	27	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Muraitha

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	13	0	1.2	0	0	4			-	-
Actual	15	50	1	0	0	37	0	See platform details	0	-
Shortage, if any	-	-	1	1	1	-	1		-	-

Last Updated On: 18-04-2025 15:13:20 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:10:17 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Murliganj		
Station Code	MRIJ	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	MADHEPURA	Clock	Y
Section	SHC-PRNA	Wheel Chairs	Y
Km.	0056.15	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 2901

(b) Max. at any 30

Pass. Earnings/Year(Rs. in Lac.)

2011-12	8.51	2018-19	18.41
2019-20	338.51	2020-21	32.45
2021-22	147.26	2022-23	141.58
2023-24	528.65		

Length of longest stopping train(m) 226

MP Const.	Madhepura
MP Name	Yadav, Shri Dinesh Chandra
MLA Const.	Madhepura
MLA Name	Sri Chandra Shekhar

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 10 P : 22
Station IInd Entry	N

Other Items M EA have been provided

Remarks for This is an NSG-5 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	130	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)		Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	42	Length(m)	40
Surface	Cement Concrete	Surface	Other
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	2000		
Remarks	Water supply is through Hand Pumps and pipe.		

Last Updated On: 23-04-2025 17:54:25 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:34:28 PM

Station Murliganj

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	508	6	0	CC	174	0	12	3		0	190	4	4	8	10	2	0	0	0	1	N	0
2	BG	N	505	6	0	CC	0		8	0			90	0	0			0		0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Murliganj

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	13	0	1.2	0	0	4			-	-
Actual	130	174	24	4	4	280	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		2	-

Last Updated On: 23-04-2025 17:54:25 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:34:28 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Musharna Halt		
Station Code	MSHW	FOB	1
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PASHCHIM CHAMPARAN	Clock	Y
Section	SGL-NKE	Wheel Chairs	N
Km.	0239.95	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 12

(b) Max. at any 5

Pass. Earnings/Year(Rs. in Lac.)

2011-12	2.02	2018-19	2.17
2019-20	0.14	2020-21	0.00
2021-22	1.11	2022-23	0.32
2023-24	1.34		

Length of longest stopping train(m) 241

MP Const.	Betiah
MP Name	Dr. Sanjay Jaiswal
MLA Const.	Narkatiaganj
MLA Name	Rashmi Varma

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Other Items M EA have been provided

Remarks for This is HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	45	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0		
Surface	Kutcha		
Illumination Type	Normal Lights		
Pay & Use Toilet			

Approach Road

Length(m)	300		
Surface	Black Topped		
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 16-04-2025 17:02:14 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:58:25 PM

Station **Musharna Halt** Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	450	7.5	80	OPS	70	4	0	2		0	1	0	0	0	0	0	0	0	0	1	N	0
2	BG	N	450	7.5	80	CC	55	0	6	1		0	2	2	2	5	10	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Musharna Halt** Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	3	0	0.2	0	0	1			-	-
Actual	45	125	9	4	2	28	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 16-04-2025 17:02:14 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:58:25 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Nakardei		
Station Code	NKU	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PASHCHIM CHAMPARAN	Clock	N
Section	SMI-RXL	Wheel Chairs	N
Km.	0181.81	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: M EA have been provided

Remarks for: This is an NSG-6 category station.

No. of passengers dealt with:

(a) Per Day 45

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	2.23
2019-20	1.89	2020-21	0.00
2021-22	2.64	2022-23	0.84
2023-24	2.63		

Length of longest stopping train(m) 300

MP Const.	Betiah
MP Name	Dr. Sanjay Jaiswal
MLA Const.	Raxaul
MLA Name	Sri Sanajay Singh

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 8
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	50	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 16-04-2025 19:58:56 By Sr. DEN (Co)/SPJ

Station Nakardei

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	8	45	CC	12	7	0	1		0	15	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Nakardei

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	4	0	0.4	0	0	1			-	-
Actual	15	12	1	0	0	15	0	See platform details	0	-
Shortage, if any	-	38	1	1	1	-	1		-	-

Last Updated On: 16-04-2025 19:58:56 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:26:30 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Nandlali		
Station Code	NND	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SAHARSA	Clock	Y
Section	SHC-FBG	Wheel Chairs	N
Km.	0070.00	Cloak Room	N
Route	E	Refreshment Room(sqm)	
Electrified	N		

Other Items No

Remarks for This is HG-3 Category station of Samastipur Division.

No. of passengers dealt with:

(a) Per Day 215

(b) Max. at any 42

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.50	2018-19	0.62
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	0		

Length of longest stopping train(m) 226

MP Const.	Madhepura
MP Name	Yadav, Shri Dinesh Chandra
MLA Const.	Saharsa
MLA Name	Dr. Aalok Ranjan

Identified as Adarsh	N		
Developed As			
Identified for MFC	N		
Tourist Facilation Center	N		
Touch Screen Enquiry System	N		
Electronic Train Indication	N		
ATMs	0		
Food Plaza	N		
Budget Hotel	N		
Trains Halting	M: 0	P : 12	
Station IInd Entry	N		

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	16	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	30	Surface	Other
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	SUFFICIENT		

Last Updated On: 17-04-2025 15:31:04 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:44:45 PM

Station Nandlali

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	282	3.5	0	OPS	53	0	0	1		0	20	1	1	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Nandlali

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	26	0	1.68	0	0	8			-	-
Actual	10	53	1	1	1	36	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 15:31:04 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:44:45 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Narainpur murli		
Station Code	NRPM	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SUPAUL	Clock	N
Section	SHC-FBG	Wheel Chairs	N
Km.	0099.98	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 13

(b) Max. at any 3

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1.15	2018-19	0.99
2019-20	0	2020-21	0.62
2021-22	0.93	2022-23	0.18
2023-24	0.52		

Length of longest stopping train(m) 226

MP Const.	Supaul
MP Name	Kamait, Shri Dileshwar
MLA Const.	Nirmali
MLA Name	Sri Anirudh Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Other Items M EA have been provided

Remarks for This is HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	19	Surface	Other
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 15:44:16 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:46:17 PM

Station Narainpur murli

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	6	0	OTH	65	7	0	1		0	24	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Narainpur murli

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	2	0	0.12	0	0	1			-	-
Actual	10	65	1	0	0	24	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 15:44:16 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:46:17 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Nariyar Halt		
Station Code	NRV	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MUZAFFARPUR	Clock	Y
Section	MFP-SGL	Wheel Chairs	N
Km.	0107.30	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 158

(b) Max. at any 40

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1.58	2018-19	1.58
2019-20	0	2020-21	0.00
2021-22	0.27	2022-23	0.17
2023-24	0.58		

Length of longest stopping train(m) 248

MP Const.	Vaishali
MP Name	Devi, Smt. Veena
MLA Const.	Baruraj
MLA Name	Sri Arun Kumar Singh (BJP)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 14
Station IInd Entry	N

Other Items M EA have been provided

Remarks for This is HG-3 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 12:53:51 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:57:28 PM

Station Nariyar Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	250	3	0	OPS	90	2	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	250	3	0	OTH	90		0	1										0	0	0		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Nariyar Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	25	0	1.6	0	0	7			-	-
Actual	0	180	1	0	0	0	0	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 12:53:51 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:57:28 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Narkatiaganj		
Station Code	NKE	FOB	2
Station Category	NSG4	Subway	0
Railway	ECR	Booking Windows	6
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	PASHCHIM CHAMPARAN	Clock	Y
Section	SGL-NKE	Wheel Chairs	Y
Km.	0246.40	Cloak Room	N
Route	D	Refreshment Room(sqm)	95
Electrified	Y		

Other Items NO

Remarks for This is NSG-4 category modern station

No. of passengers dealt with:

(a) Per Day 10436

(b) Max. at any 200

Pass. Earnings/Year(Rs. in Lac.)

2011-12	872.33	2018-19	981.62
2019-20	1743.65	2020-21	823.37
2021-22	0	2022-23	743.17
2023-24	1545.64		

Length of longest stopping train(m) 524

MP Const.	Valmiki Nagar
MP Name	Kumar, Shri Sunil
MLA Const.	Narkatiaganj
MLA Name	Rashmi Varma

Identified as Adarsh	N		
Developed As			
Identified for MFC	N		
Tourist Facilation Center	N		
Touch Screen Enquiry System	N		
Electronic Train Indication	Y		
ATMs	1		
Food Plaza	N		
Budget Hotel	N		
Trains Halting	M: 38	P : 18	
Station IInd Entry	Y		

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	800	Area(sqm)	64	64	Area(sqm)	24	Retiring Room	1
(b) Seats(Nos.)	120	Seats(Nos.)	25	25	Seats(Nos.)	10	Dormitory	1
(c) Lav.(Nos.)	2	Lav.(Nos.)	1	1	Lav.(Nos.)	2		
(d) Urinals(Nos.)	1	Urinals(Nos.)	1	1	Urinals(Nos.)	1		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	1200	Surface	Other
Illumination Type	High Mast Tower	Pay & Use Toilet	

Approach Road

Length(m)	70	Surface	Cement Concrete
Illumination Type	Y		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped	Bore Wells (Nos)	2
Storage Capacity(Ltr)	648300		
Remarks	Sufficient		

Last Updated On: 23-04-2025 17:56:08 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:29:16 PM

Station Narkatiaganj

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1 & 2 (BG)	BG	Y	600	15	840	PS	1000	5	120	0		835	120	10	6	10	0	4	0	1	0	2	Y	1
3 & 4	BG	Y	590	12	76	OPS	458	0	30	0		353	35	0	0	0	0	1	0	1	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Narkatiaganj

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec.	84	112	8	0	0	24			-	-
Actual	800	1458	151	16	10	335	2	See platform details	1	YES
Shortage, if any	-	-	-	-	-	-	-		3	-

Last Updated On: 23-04-2025 17:56:08 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:29:16 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Narpatganj		
Station Code	NPV	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	ARARIA	Clock	Y
Section	SHC-FBG	Wheel Chairs	Y
Km.	0135.94	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day	266
(b) Max. at any	6

Pass. Earnings/Year(Rs. in Lac.)

2011-12	47.11	2018-19	4.71
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	1.17		

Length of longest stopping train(m) 226

MP Const.	Araria
MP Name	Singh, Shri Pradeep Kumar
MLA Const.	Narpatganj
MLA Name	Jai Parkash Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 6 P : 4
Station IInd Entry	N

Other Items M EA have been provided

Remarks for This is an NSG-6 Category station of Samastipur Division. Under gauge conversion

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	100	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	750	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	379	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	2000		
Remarks	Water supply is through Hand Pumps and pipe.		

Last Updated On: 23-04-2025 17:43:27 By Sr. DEN (Co)/SPJ

Station Narpatganj

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	510	6	84	OPS	174	0	12	1		0	28	0	2	1	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Narpatganj

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	3	0	0.24	0	0	1			-	-
Actual	100	174	13	1	3	48	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:43:27 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:29:38 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Nayanagar		
Station Code	NWC	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SAMASTIPUR	Clock	Y
Section	SPJ-KGG	Wheel Chairs	Y
Km.	48/11	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items MEA Available

Remarks for This is an NSG-6 category station.

No. of passengers dealt with:

(a) Per Day 482

(b) Max. at any 25

Pass. Earnings/Year(Rs. in Lac.)

2011-12	16.58	2018-19	18.71
2019-20	27.38	2020-21	0.71
2021-22	16.97	2022-23	7.41
2023-24	23.73		

Length of longest stopping train(m) 226

MP Const.	Khagaria
MP Name	Verma, Shri Rajesh
MLA Const.	Hasanpur
MLA Name	Tej Pratap Yadav

Identified as Adarsh	N		
Developed As			
Identified for MFC	N		
Tourist Facilation Center	N		
Touch Screen Enquiry System	N		
Electronic Train Indication	N		
ATMs	0		
Food Plaza	N		
Budget Hotel	N		
Trains Halting	M: 0	P : 12	
Station IInd Entry	N		

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	168	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	35	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	716.28	Length(m)	952
Surface	Black Topped	Surface	Black Topped
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Approach Road

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Through Hand Pump		

Last Updated On: 23-04-2025 17:08:45 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 2:04:12 PM

Station Nayanagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	400	10	0	CC	200	12	0	1		0	40	4	3	0	0	0	0	0	0	0	N	0
2	BG	N	341	6	0	CC	144	0	0	1		0	40	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Nayanagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	10	0	1	0	0	3			-	-
Actual	168	344	2	4	3	115	0	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:08:45 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 2:04:12 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Nemua		
Station Code	NUA	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	Y
Section	JJP-NMA	Wheel Chairs	N
Km.	0051.65	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 41

(b) Max. at any 15

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1.11	2018-19	0.85
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	3.54		

Length of longest stopping train(m) 226

MP Const.	Jhanjharpur
MP Name	Mandal, Shri Ramprit
MLA Const.	Jhanjharpur
MLA Name	Sri Nitish Mishra

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Water supply is through Hand Pumps.

Remarks for: This is HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	2
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 16:12:26 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:47:46 PM

Station Nemua

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	10	77	OPS	23	4	0	1		0	30	0	1	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Nemua

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	6	0	0.6	0	0	2			-	-
Actual	15	23	1	0	1	30	0	See platform details	0	-
Shortage, if any	-	27	1	1	-	-	1		-	-

Last Updated On: 17-04-2025 16:12:26 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:47:46 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Neuri halt		
Station Code	NUIH	FOB	0
Station Category	HG2	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	DARBHANGA	Clock	Y
Section	SKI-HPO	Wheel Chairs	N
Km.	0049.50	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

Other Items: MEA available

Remarks for: This is a HG-2 category station.

No. of passengers dealt with:

(a) Per Day 7

(b) Max. at any 2

Pass. Earnings/Year(Rs. in Lac.)

2011-12	6.23	2018-19	6.84
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	0.17		

Length of longest stopping train(m) 200

MP Const.	Darbhanga
MP Name	Thakur, Shri Gopal Jee
MLA Const.	Gaura Bauram
MLA Name	Smt. Swarna Singh

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	Y
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 4
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Throuth Hand Pump		

Last Updated On: 17-04-2025 13:51:05 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:00:24 PM

Station Neuri halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	10	15	CC	0	0	0	1		0	20	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Neuri halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	1	0	0.08	0	0	0			-	-
Actual	15	0	1	0	0	30	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 13:51:05 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:00:24 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	New Runisaidpur Halt		
Station Code	NRSD	FOB	0
Station Category	HG2	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SITAMARHI	Clock	N
Section	MFP_SMI	Wheel Chairs	N
Km.	0038.40	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 126

(b) Max. at any 45

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	0.00
2019-20	4.63	2020-21	0.21
2021-22	5.19	2022-23	5.4
2023-24	16.96		

Length of longest stopping train(m) 100

MP Const.	Sitamarhi
MP Name	Thakur, Shri Devesh Chandra
MLA Const.	Runnisaidpur
MLA Name	Pankaj Kumar Mishra

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 2 P : 4
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided.

Remarks for: This is HG-2 category station.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	100	Length(m)	100
Surface	Kutcha	Surface	Kutcha
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	2
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 18-04-2025 15:30:37 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:45:46 PM

Station New Runisaidpur Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	150	3	20	OTH	0	2	0	2		0	30	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station New Runisaidpur Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	28	0	1.8	0	0	8			-	-
Actual	0	0	2	0	0	30	0	See platform details	0	-
Shortage, if any	10	-	-	-	-	-	1		-	-

Last Updated On: 18-04-2025 15:30:37 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:45:46 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Nirmali		
Station Code	NMA	FOB	0
Station Category	NSG6	Subway	1
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SUPAUL	Clock	Y
Section	SKI-NMA	Wheel Chairs	N
Km.	0070.80	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 1406

(b) Max. at any 108

Pass. Earnings/Year(Rs. in Lac.)

2011-12	98.38	2018-19	97.00
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	230.69		

Length of longest stopping train(m) 226

MP Const.	Supaul
MP Name	Kamait, Shri Dileshwar
MLA Const.	Supaul
MLA Name	Sri BIJENDRA PRASAD Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items No

Remarks for This is NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	15	15	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	10	10	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	600	Surface	Black Topped
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	55	Surface	Black Topped
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	45500		
Remarks	SUFFICIENT		

Last Updated On: 23-04-2025 17:48:55 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:51:37 PM

Station Nirmali

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	602	10	78	OTH	380	5	8	0		200	0	0	0	2	0	3	0	0	0	0	N	0
2/3	BG	Y	590	11	45	OPS	53	16	4	2		0	67	0	2	10	15	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Nirmali

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	45	0	4.32	0	0	13			-	-
Actual	15	433	15	2	3	97	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:48:55 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:51:37 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Olapur		
Station Code	OLP	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	KHAGARIA	Clock	Y
Section	SPJ-KGG	Wheel Chairs	Y
Km.	9/9-10	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: MEA is available

Remarks for: This is an NSG-6 category station.

No. of passengers dealt with:

(a) Per Day 504

(b) Max. at any 135

Pass. Earnings/Year(Rs. in Lac.)

2011-12	8.55	2018-19	12.01
2019-20	18.15	2020-21	0.89
2021-22	14.65	2022-23	5.48
2023-24	15.74		

Length of longest stopping train(m) 226

MP Const.	Khagaria
MP Name	Verma, Shri Rajesh
MLA Const.	Alauli
MLA Name	Sri Ramvriksh Sada (RJD)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 12
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	800	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	165	Surface	WBM
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply through HP		

Last Updated On: 23-04-2025 17:12:26 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:46:58 PM

Station Olapur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	450	7.6	0	OTH	180	10	0	2		0	124	2	2	0	0	0	0	0	0	0	N	0
2	BG	N	450	8	0	OPS	180	0	0	1		0	42	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Olapur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	56	0	5.4	0	0	16			-	-
Actual	0	360	3	2	2	166	0	See platform details	0	-
Shortage, if any	15	-	1	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:12:26 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:46:59 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Pahraja gangaur		
Station Code	PRGA	FOB	0
Station Category	HG2	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	KHAGARIA	Clock	Y
Section	SPJ-KGG	Wheel Chairs	N
Km.	0013.72	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: MEA is available

Remarks for: This is a HG-2 category station.

No. of passengers dealt with:

(a) Per Day 90

(b) Max. at any 8

Pass. Earnings/Year(Rs. in Lac.)

2011-12	4.13	2018-19	4.43
2019-20	0	2020-21	0.00
2021-22	1.95	2022-23	2.18
2023-24	5.21		

Length of longest stopping train(m) 226

MP Const.	Khagaria
MP Name	Verma, Shri Rajesh
MLA Const.	Alauli
MLA Name	Sri Ramvriksh Sada (RJD)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 12
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Length(m)	0
Surface	Kutcha	Surface	Kutcha
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply through HP		

Last Updated On: 17-04-2025 16:38:43 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:27:55 PM

Station Pahraja gangaur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	179	4	0	CC	30	13	0	3		0	40	2	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Pahraja gangaur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	5	0	0.32	0	0	1			-	-
Actual	0	30	3	2	0	40	0	See platform details	0	-
Shortage, if any	10	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 16:38:43 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:27:55 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Panchgachhia		
Station Code	PGC	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SAHARSA	Clock	Y
Section	SHC-FBG	Wheel Chairs	Y
Km.	0043.70	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

Other Items: MEA is available

Remarks for: This is an NSG-6 category station

No. of passengers dealt with:

(a) Per Day 242

(b) Max. at any 6

Pass. Earnings/Year(Rs. in Lac.)

2011-12	21.26	2018-19	26.63
2019-20	1.34	2020-21	1.15
2021-22	3.74	2022-23	4.05
2023-24	13.37		

Length of longest stopping train(m) 550

MP Const.	Madhepura
MP Name	Yadav, Shri Dinesh Chandra
MLA Const.	Mahishi
MLA Name	Sri Ganjeshwar Sah

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	Y
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 12
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	60	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	420	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	Y

Approach Road

Length(m)	300	Surface	Black Topped
Illumination Type	Y		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply through HP		

Last Updated On: 23-04-2025 17:39:22 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:52:47 PM

Station **Panchgachhia** Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	535	6	45	OTH	0	0	0	1		0	32	0	2	0	0	0	0	0	0	0	N	0
2	BG	N	535	6	45	OTH	0	0	0	0		0	36	0	2	5	8	3	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Panchgachhia** Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	3	0	0.24	0	0	1			-	-
Actual	60	0	1	1	5	83	0	See platform details	0	-
Shortage, if any	-	100	3	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:39:22 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:52:47 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Panchpokharia Halt		
Station Code	PPK	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	Y
Section	SMI-RXL	Wheel Chairs	N
Km.	0169.50	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: MEA is available

Remarks for: This is an NSG-6 category station.

No. of passengers dealt with:

(a) Per Day 50

(b) Max. at any 20

Pass. Earnings/Year(Rs. in Lac.)

2011-12	12.60	2018-19	4.03
2019-20	0.33	2020-21	0.27
2021-22	3.25	2022-23	0.8
2023-24	2.28		

Length of longest stopping train(m) 300

MP Const.	Purvi Champaran
MP Name	Singh, Shri Radha Mohan
MLA Const.	Narkatia
MLA Name	Sri Shyam Bihari Prasad

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 8
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply through HP		

Last Updated On: 16-04-2025 21:16:15 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:27:12 PM

Station Panchpokharia Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	7	45	CC	30	7	0	1		0	15	1	0	0	0	0	0	2	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Panchpokharia Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	8	0	0.8	0	0	2			-	-
Actual	0	30	1	1	0	15	0	See platform details	0	-
Shortage, if any	15	20	1	-	1	-	1		-	-

Last Updated On: 16-04-2025 21:16:15 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:27:12 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Pandaul		
Station Code	PDW	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	MADHUBANI	Clock	Y
Section	SKI-JYG	Wheel Chairs	Y
Km.	0007.89	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: MEA is available

Remarks for: This is an NSG-6 category station.

No. of passengers dealt with:

(a) Per Day 142

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	26.29	2018-19	28.41
2019-20	22.73	2020-21	1.02
2021-22	2.76	2022-23	2.69
2023-24	7.68		

Length of longest stopping train(m) 226

MP Const.	Madhubani
MP Name	Yadav, Shri Ashok Kumar
MLA Const.	Madhubani
MLA Name	Samir Kumar Mahasth

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 4 P : 10
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	82	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	35	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	304	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	1300	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply through HP		

Last Updated On: 23-04-2025 17:19:50 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:05:46 PM

Station **Pandaul**

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	15	CC	0	2	4	2		0	50	1	2	0	15	0	0	0	0	1	N	1
2-3	BG	Y	600	10	15	CC	0	0	6	0		0	25	0	0	0	9	0	0	0	0	1	N	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Pandaul**

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	4	0	0.4	0	0	1			-	-
Actual	82	0	12	1	2	110	1	See platform details	0	-
Shortage, if any	-	100	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:19:50 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:05:46 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Paramjiwar Tarajiwar		
Station Code	PATR	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	MUZAFFARPUR	Clock	Y
Section	MFP-SMI	Wheel Chairs	Y
Km.	0024.95	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: Minimum Essential Amenities have been provided.

Remarks for: This is NSG-6 category station.

No. of passengers dealt with:

(a) Per Day 90

(b) Max. at any 5

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	0.00
2019-20	4.02	2020-21	0.29
2021-22	3.71	2022-23	2.28
2023-24	7.26		

Length of longest stopping train(m) 100

MP Const.	Muzaffarpur
MP Name	Choudhary, Dr. Raj Bhushan
MLA Const.	Runnisaidpur
MLA Name	Pankaj Kumar Mishra

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 4
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	20	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	900	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	600	Surface	Other
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped	Bore Wells (Nos)	0
Storage Capacity(Ltr)	1000		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:48:05 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:06:21 PM

Station Paramjiwar Tarajiwar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	356	7.8	65	CC	75	0	2	3		0	60	0	1	1	2	0	0	0	0	1	N	0
2/3	BG	Y	356	11.9	45	CC	50	0	0	2		0	42	0	0	0	16	0	0	0	0	1	N	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Paramjiwar Tarajiwar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	2	0	0.2	0	0	1			-	-
Actual	20	125	7	0	1	117	1	See platform details	0	-
Shortage, if any	-	-	-	1	-	-	-		-	-

Last Updated On: 23-04-2025 17:48:05 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:06:21 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Parminia (Halt)		
Station Code	PMYA	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SAHARSA	Clock	N
Section	MNE-SHC	Wheel Chairs	N
Km.	36/12-13	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: MEA is available

Remarks for: This is a HG-3 category station.

No. of passengers dealt with:

(a) Per Day 12

(b) Max. at any 3

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.69	2018-19	0.82
2019-20	0.16	2020-21	0.10
2021-22	0.66	2022-23	0.23
2023-24	0.77		

Length of longest stopping train(m) 248

MP Const.	Madhepura
MP Name	Yadav, Shri Dinesh Chandra
MLA Const.	Saharsa
MLA Name	Dr. Aalok Ranjan

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 12
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	20	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply through HP		

Last Updated On: 17-04-2025 16:43:15 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:22:14 PM

Station Parminia (Halt) Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	310	6	0	CC	100	3	0	1		0	45	0	2	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Parminia (Halt) Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	2	0	0.12	0	0	1			-	-
Actual	0	100	1	0	2	45	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 16:43:15 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:22:14 PM

Passenger Amenities Details As on : 31/03/2025

Division : Samastipur

Station	PARSA NAGAR H		
Station Code	PRSN	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	Y
Section	SGL-NKE	Wheel Chairs	N
Km.	0192.50	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 15

(b) Max. at any 2

Pass. Earnings/Year(Rs. in Lac.)

2011-12	7.77	2018-19	1.87
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0.45
2023-24	0	2024-25	

Length of longest stopping train(m) 248

MP Const.	Betiah
MP Name	Dr. Sanjay Jaiswal
MLA Const.	Sugauli
MLA Name	Er. Shashi Bhushan Singh

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 8
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	15	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 11-07-2025 16:22:51 By Sr. DEN (Co)/SPJ

Report Run Date : 06/08/2025 12:35:02 PM

Station PARSA NAGAR H

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	183	7.5	0	OPS	18	10	0	1		0	15	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station PARSA NAGAR H

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	1	0	0.08	0	0	0			-	-
Actual	0	18	1	0	0	15	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 11-07-2025 16:22:51 By Sr. DEN (Co)/SPJ

Report Run Date : 06/08/2025 12:35:02 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Parsabasuari		
Station Code	PRNL	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SUPAUL	Clock	Y
Section	JJP-NMA	Wheel Chairs	N
Km.	0066.50	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 74

(b) Max. at any 55

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1.98	2018-19	1.66
2019-20	0	2020-21	0.00
2021-22	0	2022-23	2.83
2023-24	4.25		

Length of longest stopping train(m) 226

MP Const.	Jhanjharpur
MP Name	Mandal, Shri Ramprit
MLA Const.	Phulparas
MLA Name	Smt Guljar Devi

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	100	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 16:16:06 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:21:37 PM

Station **Parsabasuari**

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	10	76	OPS	23	3	0	1		0	30	0	1	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Parsabasuari**

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	35	0	2.2	0	0	10			-	-
Actual	15	23	1	0	1	40	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 16:16:06 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:21:37 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Parsauni		
Station Code	PSZ	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SITAMARHI	Clock	Y
Section	DBG-SMI	Wheel Chairs	Y
Km.	0097.30	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 146

(b) Max. at any 5

Pass. Earnings/Year(Rs. in Lac.)

2011-12	4.16	2018-19	5.01
2019-20	12.49	2020-21	0.41
2021-22	6.07	2022-23	4.74
2023-24	13.16		

Length of longest stopping train(m) 226

MP Const.	Sitamarhi
MP Name	Thakur, Shri Devesh Chandra
MLA Const.	Sitamarhi
MLA Name	Sri Sunil Kumar Pintu

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	20	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	450	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	300	Surface	Other
Illumination Type	Y		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:48:55 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:53:30 PM

Station Parsauni

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	560	7	15	CC	105	0	0	2		0	63	2	0	2	2	0	0	0	0	1	N	0
2	BG	N	450	7	45	OPS	0	0	0	0		0	30	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Parsauni

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	2	0	0.2	0	0	1			-	-
Actual	20	105	2	2	0	103	1	See platform details	0	-
Shortage, if any	-	-	2	-	1	-	-		-	-

Last Updated On: 23-04-2025 17:48:55 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:53:30 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Pipra		
Station Code	PPA	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	Y
Section	MFP-SGL	Wheel Chairs	Y
Km.	0144.38	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: MEA is available

Remarks for: This is an NSG-6 category station.

No. of passengers dealt with:

(a) Per Day 607

(b) Max. at any 145

Pass. Earnings/Year(Rs. in Lac.)

2011-12	14.96	2018-19	18.01
2019-20	35.61	2020-21	0.52
2021-22	12.79	2022-23	10.63
2023-24	35.54		

Length of longest stopping train(m) 363

MP Const.	Purvi Champaran
MP Name	Singh, Shri Radha Mohan
MLA Const.	Pipra
MLA Name	Sri Shyambabu Pd. Yadav

Identified as Adarsh	N		
Developed As			
Identified for MFC	N		
Tourist Facilation Center	N		
Touch Screen Enquiry System	N		
Electronic Train Indication	N		
ATMs	0		
Food Plaza	N		
Budget Hotel	N		
Trains Halting	M: 14	P : 10	
Station IInd Entry	N		

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	400		
Surface	Other		
Illumination Type	Normal Lights		
Pay & Use Toilet			

Approach Road

Length(m)	400		
Surface	Cement Concrete		
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply through HP		

Last Updated On: 23-04-2025 17:42:26 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:56:36 PM

Station Pipra

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	84	OTH	160	0	0	2		0	80	0	0	1	0	0	0	0	0	0	N	0
2	BG	N	400	10	84	PS	320	0	0	0		0	40	0	0	10	10	2	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Pipra

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	61	0	5.8	0	0	17			-	-
Actual	15	480	2	1	1	140	0	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:42:26 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:56:36 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Piprahan		
Station Code	PPRH	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	MUZAFFARPUR	Clock	Y
Section	MFP-SGL	Wheel Chairs	Y
Km.	0103.47	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items No

Remarks for This is 'HG-3' category station.

No. of passengers dealt with:

(a) Per Day 53

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1.68	2018-19	2.01
2019-20	2.66	2020-21	0.00
2021-22	1.38	2022-23	0.8
2023-24	5.4		

Length of longest stopping train(m) 248

MP Const.	Vaishali
MP Name	Devi, Smt. Veena
MLA Const.	Minapur
MLA Name	Sri Rajeev kumar

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 8
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm) 0

Surface Other

Illumination Type Normal Lights

Pay & Use Toilet

Approach Road

Length(m) 0

Surface Cement Concrete

Illumination Type N

Water Supply

Source Railway Supply

Type Hand Pump

Storage Capacity(Ltr) 0

Open Wells (Nos) 0

Bore Wells (Nos) 0

Remarks water supply through hand pump.

Last Updated On: 23-04-2025 17:39:39 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:11:53 PM

Station **Piprahan**

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	5	84	OTH	0		0	1		0	20	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	300	3	0	OTH	0						20							0	0	0		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Piprahan**

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	6	0	0.4	0	0	2			-	-
Actual	10	0	1	1	1	55	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:39:39 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:11:53 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Prajapati Halt		
Station Code	PJPT	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	Y
Section	SGL-NKE	Wheel Chairs	N
Km.	0212.50	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: MEA is available

Remarks for: This is a HG-3 category station.

No. of passengers dealt with:

(a) Per Day 12

(b) Max. at any 4

Pass. Earnings/Year(Rs. in Lac.)

2011-12	8.49	2018-19	0.89
2019-20	0	2020-21	0.00
2021-22	2.07	2022-23	1.4
2023-24	0.65		

Length of longest stopping train(m) 256

MP Const.	Betiah
MP Name	Dr. Sanjay Jaiswal
MLA Const.	Bettiah
MLA Name	Smt Renu Devi

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 4
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	20	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply through HP		

Last Updated On: 16-04-2025 16:38:06 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:30:52 PM

Station **Prajapati Halt** Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	182	7.5	0	OPS	0	2	0	2		0	68	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Prajapati Halt** Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	3	0	0.16	0	0	1			-	-
Actual	0	0	2	0	0	68	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 16-04-2025 16:38:06 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:30:52 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Pratapganj		
Station Code	PPV	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SUPAUL	Clock	Y
Section	SHC-FBG	Wheel Chairs	N
Km.	116/6-7	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

Other Items: MEA is available

Remarks for: This is NSG-6 category station of Samastipur Division.

No. of passengers dealt with:

(a) Per Day 257

(b) Max. at any 0

Pass. Earnings/Year(Rs. in Lac.)

2011-12	47.54	2018-19	48.09
2019-20	0	2020-21	0.00
2021-22	0	2022-23	1.58
2023-24	5.53		

Length of longest stopping train(m) 226

MP Const.	Supaul
MP Name	Kamait, Shri Dileshwar
MLA Const.	Triveniganj
MLA Name	Smt Veena Bharti

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 0
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	31	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	11	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	650	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	35	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	2000		
Remarks	Water supply through HP and Pipe.		

Last Updated On: 23-04-2025 17:42:11 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:11:30 PM

Station Pratapganj

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	590	11	84	OPS	435	0	20	2		0	100	0	2	1	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Pratapganj

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	0	0	0	0	0	0			-	-
Actual	31	435	22	0	2	111	0	See platform details	0	-
Shortage, if any	-	-	-	1	-	-	1		-	-

Last Updated On: 23-04-2025 17:42:11 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:11:31 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Purnia court		
Station Code	PRNC	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	3
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	PURNIA	Clock	Y
Section	SHC-PRNA	Wheel Chairs	Y
Km.	5/3-4	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 5125

(b) Max. at any 80

Pass. Earnings/Year(Rs. in Lac.)

2011-12	12.60	2018-19	6.81
2019-20	183.93	2020-21	46.90
2021-22	188.9	2022-23	96.54
2023-24	343.11		

Length of longest stopping train(m) 550

MP Const.	Purnia
MP Name	Ranjan, Shri Rajesh
MLA Const.	Purnia
MLA Name	Shri Vijay Kumar Khemka

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	Y
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 8 P : 22
Station IInd Entry	N

Other Items Minimum Essential Amenities have been provided

Remarks for This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	138	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	1912	Length(m)	740	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet	Y			Remarks	Water supply is through Hand Pumps &pipe		

Last Updated On: 23-04-2025 17:57:30 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:35:05 PM

Station **Purnia court**

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	590	12	45	OTH	748	5	18	0		0	413	1	0	5	4	2	0	0	0	1	N	0
2	BG	N	590	10.57	45	CC	460	0	10	2		0	84	0	2	0	4	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Purnia court**

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	33	0	3.2	0	0	10			-	-
Actual	138	1208	30	1	2	527	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:57:30 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:35:06 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Purshotampurhalt		
Station Code	PSPH	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PASHCHIM CHAMPARAN	Clock	Y
Section	NKE-RXL	Wheel Chairs	N
Km.	0208.30	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 180

(b) Max. at any 50

Pass. Earnings/Year(Rs. in Lac.)

2011-12	4.50	2018-19	5.84
2019-20	5.22	2020-21	0.00
2021-22	8.36	2022-23	4.77
2023-24	15.56		

Length of longest stopping train(m) 0

MP Const.	Valmiki Nagar
MP Name	Kumar, Shri Sunil
MLA Const.	Sikta
MLA Name	Sri Dilip Verma

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 12:27:59 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:36:14 PM

Station Purshotampurhalt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	450	6	0	OTH	20	0	0	1		0	10	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Purshotampurhalt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	31	0	2	0	0	9			-	-
Actual	0	20	1	0	0	10	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 12:27:59 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:36:14 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Raghopur		
Station Code	RGV	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SUPAUL	Clock	Y
Section	SHC-FBG	Wheel Chairs	Y
Km.	104/10	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 1026

(b) Max. at any 80

Pass. Earnings/Year(Rs. in Lac.)

2011-12	180.59	2018-19	203.80
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	177.38		

Length of longest stopping train(m) 226

MP Const.	Supaul
MP Name	Kamait, Shri Dileshwar
MLA Const.	Nirmali
MLA Name	Sri Anirudh Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 10 P : 6
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	100	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	3528	Surface	Other
Illumination Type	High Mast Tower	Pay & Use Toilet	

Approach Road

Length(m)	85	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	2000		
Remarks	Water supply is through Hand Pumps and pipe.		

Last Updated On: 23-04-2025 17:41:38 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:46:25 PM

Station Raghopur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	590	13	84	OPS	956	0	12	1		0	60	0	2	0	5	1	0	0	0	1	N	1
2	BG	N	590	10.6	84	OPS	348	0	8	0		0	60	0	2	0	0	0	0	0	0	1	N	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Raghopur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	33	0	3.2	0	0	10			-	-
Actual	100	1303	21	1	5	145	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:41:38 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:46:25 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Raghubansh nagar		
Station Code	RBN	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURNIA	Clock	Y
Section	BNKI-BHGJ	Wheel Chairs	N
Km.	0020.25	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 25

(b) Max. at any 5

Pass. Earnings/Year(Rs. in Lac.)

2011-12	14.43	2018-19	10.97
2019-20	0	2020-21	0.00
2021-22	0	2022-23	1.02
2023-24	2.16		

Length of longest stopping train(m) 226

MP Const.	Purnia
MP Name	Ranjan, Shri Rajesh
MLA Const.	Banmankhi
MLA Name	Sri Krishna Kumar Rishi (BJP)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 5 P : 2
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	25	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	5	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	250	Length(m)	60	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 15:59:22 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:28:20 PM

Station Raghubansh nagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	7	85	CC	100	2	0	2		0	35	2	4	0	3	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Raghubansh nagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	2	0	0.2	0	0	1			-	-
Actual	25	100	2	2	4	40	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 15:59:22 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:28:21 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Rajnagar		
Station Code	RJA	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	MADHUBANI	Clock	Y
Section	SKI-JYG	Wheel Chairs	Y
Km.	0026.83	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 1252

(b) Max. at any 180

Pass. Earnings/Year(Rs. in Lac.)

2011-12	349.27	2018-19	413.42
2019-20	157.14	2020-21	47.96
2021-22	108.8	2022-23	74.52
2023-24	300.54		

Length of longest stopping train(m) 226

MP Const.	Madhubani
MP Name	Yadav, Shri Ashok Kumar
MLA Const.	Rajnagar
MLA Name	Ram Prit Paswan

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 5 P : 5
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a NSG-5 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	81	Area(sqm)	21	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)	10	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	135	Length(m)	55	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:21:52 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:39:05 PM

Station Rajnagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	560	10	15	CC	150	2	0	1		0	90	0	12	21	4	2	0	0	0	1	N	0
2 & 3	BG	N	550	10.5	15	CC	150	2	0	1		0	55	0	0	0	10	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Rajnagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	75	0	7.2	0	0	22			-	-
Actual	81	300	2	0	13	185	1	See platform details	0	-
Shortage, if any	-	-	14	4	-	-	-		2	-

Last Updated On: 23-04-2025 17:21:52 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:39:05 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Rambhadrapur		
Station Code	RBZ	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SAMASTIPUR	Clock	Y
Section	SPJ-DBG	Wheel Chairs	Y
Km.	0016.79	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 588

(b) Max. at any 30

Pass. Earnings/Year(Rs. in Lac.)

2011-12	12.61	2018-19	14.77
2019-20	17.01	2020-21	0.61
2021-22	8.88	2022-23	5.53
2023-24	17.32		

Length of longest stopping train(m) 550

MP Const.	Samastipur
MP Name	Shambhavi, Smt.
MLA Const.	Samastipur
MLA Name	Sri Md. Akhtarul Islam Shaheen

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 4 P : 14
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	70	Area(sqm)	20	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	20	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	1	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	2
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:03:13 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:45:31 PM

Station Rambhadrapur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	607	5	84	CC	103	0	3	0		0	50	0	4	3	16	1	0	0	0	0	N	0
2	BG		599	5	84	CC	230		12				40	0	4	0	15			0	0	0		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Rambhadrapur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	13	0	1.2	0	0	4			-	-
Actual	70	333	15	1	9	130	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:03:13 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:45:31 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Rambishanpur		
Station Code	RBQ	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SUPAUL	Clock	N
Section	SHC-FBG	Wheel Chairs	N
Km.	108/11-12	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 9

(b) Max. at any 2

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.30	2018-19	1.80
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	35.82		

Length of longest stopping train(m) 226

MP Const.	Supaul
MP Name	Kamait, Shri Dileshwar
MLA Const.	Nirmali
MLA Name	Sri Anirudh Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 3
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	30	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	160	Surface	Other
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 15:46:34 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:41:23 PM

Station Rambishanpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	6	0	OPS	0		0	1		0	20	0	1	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Rambishanpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	1	0	0.08	0	0	0			-	-
Actual	30	0	1	0	1	35	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 15:46:34 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:41:23 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Rameshwar nagar Halt		
Station Code	RSWN	FOB	1
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	Y
Section	SGL-NKE	Wheel Chairs	N
Km.	0231.91	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 28

(b) Max. at any 65

Pass. Earnings/Year(Rs. in Lac.)

2011-12	2.95	2018-19	2.83
2019-20	1.82	2020-21	0.00
2021-22	2.29	2022-23	0.95
2023-24	3.03		

Length of longest stopping train(m) 248

MP Const.	Betiah
MP Name	Dr. Sanjay Jaiswal
MLA Const.	Chanpatia
MLA Name	Sri Umakant singh

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 3
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	45	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	680	Surface	Cement Concrete
Illumination Type	High Mast Tower	Pay & Use Toilet	

Approach Road

Length(m)	425	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 16-04-2025 16:56:02 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:40:11 PM

Station Rameshwar nagar Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	174	6.5	75	OPS	150	3	0	1		0	10	1	1	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Rameshwar nagar Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	41	0	2.6	0	0	12			-	-
Actual	45	150	1	3	1	35	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 16-04-2025 16:56:02 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:40:11 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Ramgarhwa		
Station Code	RGH	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	PASHCHIM CHAMPARAN	Clock	Y
Section	SGL-RXL	Wheel Chairs	N
Km.	0014.17	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 872

(b) Max. at any 80

Pass. Earnings/Year(Rs. in Lac.)

2011-12	80.45	2018-19	100.86
2019-20	131.36	2020-21	40.16
2021-22	61.37	2022-23	46.79
2023-24	119.38		

Length of longest stopping train(m) 550

MP Const.	Betiah
MP Name	Dr. Sanjay Jaiswal
MLA Const.	Sugauli
MLA Name	Er. Shashi Bhushan Singh.

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 4 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a NSG-5 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	45	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	400	Length(m)	250
Surface	Cement Concrete	Surface	Black Topped
Illumination Type	Normal Lights	Illumination Type	Y
Pay & Use Toilet	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 23-04-2025 17:29:43 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:40:23 PM

Station Ramgarhwa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	256	8.9	0	CC	167	6	0	2		0	86	2	2	1	0	0	0	0	0	0	N	0
2	BG	N	250	8	0	CC	0	0	10	2		0	14	2	0	10	10	4	0	0	0	0	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Ramgarhwa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	33	0	3.2	0	0	10			-	-
Actual	45	167	14	5	3	115	1	See platform details	0	-
Shortage, if any	-	-	2	-	1	-	-		2	-

Last Updated On: 23-04-2025 17:29:43 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:40:23 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Ramroopnagar Halt		
Station Code	RRNH	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	Y
Section	SMI-RXL	Wheel Chairs	N
Km.	0149.20	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is HG-3 Category station.

No. of passengers dealt with:

(a) Per Day 36

(b) Max. at any 15

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	0.27
2019-20	1.27	2020-21	0.00
2021-22	1.81	2022-23	0.82
2023-24	0		

Length of longest stopping train(m) 226

MP Const.	Sheohar
MP Name	Anand, Smt. Lovely
MLA Const.	Dhaka
MLA Name	Sri Pawan jaiswal

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 8
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Length(m)	0
Surface	Kutcha	Surface	Kutcha
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 16-04-2025 20:09:47 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:41:58 PM

Station Ramroopnagar Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	5	0	CC	60	8	0	1		0	6	1	0	0	2	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Ramroopnagar Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	9	0	0.6	0	0	3			-	-
Actual	0	60	1	1	0	6	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 16-04-2025 20:09:47 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:41:58 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Raxaul		
Station Code	RXL	FOB	1
Station Category	NSG3	Subway	0
Railway	ECR	Booking Windows	4
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	PASHCHIM CHAMPARAN	Clock	Y
Section	SGL-RXL	Wheel Chairs	Y
Km.	0187.73	Cloak Room	N
Route	D	Refreshment Room(sqm)	69
Electrified	N		

Other Items PRS-Yes

Remarks for This is NSG-3 category (modernise station).

No. of passengers dealt with:

(a) Per Day 11699

(b) Max. at any 200

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1802.40	2018-19	1819.33
2019-20	1215.84	2020-21	714.50
2021-22	0	2022-23	1107.4
2023-24	2415.97		

Length of longest stopping train(m) 500

MP Const.	Betiah
MP Name	Dr. Sanjay Jaiswal
MLA Const.	Raxaul
MLA Name	Sri Sanajay Singh

Identified as Adarsh	N		
Developed As			
Identified for MFC	Y		
MFC Developed	N		
Tourist Facilation Center	Y		
Touch Screen Enquiry System	N		
Electronic Train Indication	Y		
ATMs	1		
Food Plaza	Y		
Budget Hotel	N		
Trains Halting	M: 40	P :	20
Station IInd Entry	N		

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	453	Area(sqm)	35	35	Area(sqm)	47	Retiring Room	3
(b) Seats(Nos.)	100	Seats(Nos.)	2	1	Seats(Nos.)	10	Dormitory	1
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	1		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	2	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	1672	Length(m)	800	Source	Railway Supply	Open Wells (Nos)	0
Surface	Other	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	4
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	5228002		
Pay & Use Toilet				Remarks	Sufficient.		

Last Updated On: 23-04-2025 17:28:29 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:25:47 PM

Station Raxaul

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	550	8	84	CC	360	0	30	0		423	100	0	1	12	0	4	2	0	0	1	Y	0
2 & 3	BG	Y	550	8	84	CC	360	0	24	0		433	70	0	1	16	0	2	2	0	0	1	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Raxaul

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	800 sqm	40	10	10	250	1 With Cover	High level	4	YES
As per Rec.	84	112	8	0	0	24			-	-
Actual	453	720	56	1	4	283	1	See platform details	1	YES
Shortage, if any	-	80	-	9	6	-	-		3	-

Last Updated On: 23-04-2025 17:28:29 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:25:47 PM

Station Raxaul

Summary As per Model Station

Desired	Facility Available	Desired	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	No	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Tiolets on end platform & circulating	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	No

Last Updated On: 23-04-2025 17:28:29 By Sr. DEN (Co)/SPJ

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station Riga

Station Code	RGA	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SITAMARHI	Clock	Y
Section	SMI-RXL	Wheel Chairs	Y
Km.	0114.40	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 504

(b) Max. at any 15

Pass. Earnings/Year(Rs. in Lac.)

2011-12	12.77	2018-19	11.40
2019-20	16.97	2020-21	2.26
2021-22	23.21	2022-23	11.68
2023-24	36.35		

Length of longest stopping train(m) 300

MP Const.	Sheohar
MP Name	Anand, Smt. Lovely
MLA Const.	Riga
MLA Name	Sri Moti Lal Prasad

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 2 P : 8
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	20	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	380	Surface	Black Topped
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	500	Surface	Black Topped
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 23-04-2025 17:44:50 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:57:16 PM

Station Riga

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	530	4	0	OPS	31	0	0	3		0	75	0	1	3	3	0	0	0	0	1	N	0
2	BG	N	450	5	0	OTH	20	0	0	0		0	30	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Riga

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	6	0	0.6	0	0	2			-	-
Actual	20	51	3	0	1	120	1	See platform details	0	-
Shortage, if any	-	49	1	1	-	-	-		-	-

Last Updated On: 23-04-2025 17:44:50 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:57:16 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Rudnisaidpur		
Station Code	RUSD	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SITAMARHI	Clock	Y
Section	MFP-SMI	Wheel Chairs	Y
Km.	0041.50	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 202

(b) Max. at any 2

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.00	2018-19	0.00
2019-20	10.02	2020-21	0.31
2021-22	2.27	2022-23	1.36
2023-24	4.99		

Length of longest stopping train(m) 100

MP Const.	Sitamarhi
MP Name	Thakur, Shri Devesh Chandra
MLA Const.	Runnisaidpur
MLA Name	Pankaj Kumar Mishra

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 4
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided.

Remarks for: This is an NSG-6 category station.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	20	Area(sqm)	16	16	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	20	20	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	1	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	4224	Length(m)	600
Surface	Kutcha	Surface	Kutcha
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:46:36 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:12:55 PM

Station Rudnisaidpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	Y	548	10	15	OTH	144	0	0	3		0	105	0	1	1	2	0	0	0	0	1	N	0
2/3	BG	Y	548	10	15	OTH	125	0	0	0		0	0	0	0	0	1	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Rudnisaidpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	1	0	0.08	0	0	0			-	-
Actual	20	269	3	2	3	155	1	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:46:36 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:12:55 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Rupauli (Halt)		
Station Code	RPLY	FOB	0
Station Category	SG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURNIA	Clock	N
Section	SHC-PRNC	Wheel Chairs	N
Km.	50/2-3	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 151

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1.03	2018-19	4.40
2019-20	6.35	2020-21	1.65
2021-22	15.36	2022-23	3.43
2023-24	10.17		

Length of longest stopping train(m) 226

MP Const.	Purnia
MP Name	Ranjan, Shri Rajesh
MLA Const.	Banmankhi
MLA Name	Sri Krishna Kumar Rishi (BJP)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-2 Category station of Samastipur Division.Under gauge conversion.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 13:36:44 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:32:58 PM

Station Rupauli (Halt)

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	3.65	0.15	CC	15	3	0	1		0	42	0	2	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Rupauli (Halt)

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	200 sqm	6	2	4	10	1	High level	2	-
As per Rec.	6	3	0.4	0	0	2			-	-
Actual	0	15	1	0	2	42	0	See platform details	0	-
Shortage, if any	-	185	5	2	2	-	1		2	-

Last Updated On: 17-04-2025 13:36:44 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:32:58 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Ruseraghat		
Station Code	ROA	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	3
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SAMASTIPUR	Clock	Y
Section	SPJ-KGG	Wheel Chairs	Y
Km.	56/5	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 3313

(b) Max. at any 60

Pass. Earnings/Year(Rs. in Lac.)

2011-12	456.76	2018-19	446.54
2019-20	344.74	2020-21	15.77
2021-22	139.05	2022-23	129.69
2023-24	542.47		

Length of longest stopping train(m) 550

MP Const.	Samastipur
MP Name	Shambhavi, Smt.
MLA Const.	Rosera
MLA Name	Birendra Kumar

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	Y
ATMs	1
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 8 P : 12
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-5 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	168	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	60	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	4	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	4	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	2	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	971	Length(m)	110.5	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	50160		
Pay & Use Toilet	Y			Remarks	Sufficient		

Last Updated On: 23-04-2025 17:07:36 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:35:43 PM

Station **Ruseraghat** Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	12	84	CC	510	3	21	0		0	220	2	2	6	20	0	0	0	0	1	N	1
2	BG	N	600	10.6	84	CC	885	1	20	0		0	130	0	2	0	0	0	0	0	0	1	N	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Ruseraghat** Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	25	0	2.4	0	0	7			-	-
Actual	168	1395	41	6	8	410	1	See platform details	2	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:07:36 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:35:43 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Sagauli		
Station Code	SGL	FOB	1
Station Category	NSG4	Subway	0
Railway	ECR	Booking Windows	6
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	PASHCHIM CHAMPARAN	Clock	Y
Section	SGL-NKE	Wheel Chairs	Y
Km.	0186.91	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: 02 Nos urinal in circulating area.

Remarks for: This is NSG-4 category Modern station.

No. of passengers dealt with:

(a) Per Day 4055

(b) Max. at any 485

Pass. Earnings/Year(Rs. in Lac.)

2011-12	707.57	2018-19	777.52
2019-20	955.64	2020-21	537.63
2021-22	1060	2022-23	555.2
2023-24	1047.06		

Length of longest stopping train(m) 524

MP Const.	Betiah
MP Name	Dr. Sanjay Jaiswal
MLA Const.	Sugauli
MLA Name	Er. Shashi Bhushan Singh.

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 38 P : 6
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	120	Area(sqm)	120	0	Area(sqm)	100	Retiring Room	0
(b) Seats(Nos.)	100	Seats(Nos.)	100	0	Seats(Nos.)	50	Dormitory	1
(c) Lav.(Nos.)	4	Lav.(Nos.)	4	0	Lav.(Nos.)	2		
(d) Urinals(Nos.)	2	Urinals(Nos.)	2	0	Urinals(Nos.)	1		
(e) Bathing Cubicals	2	Bathing Cubicals(Nos.)	2	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	2000	Length(m)	500	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	200000		
Pay & Use Toilet	Y			Remarks	sufficient		

Last Updated On: 23-04-2025 17:52:55 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:30:29 PM

Station Sagauli

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	606	9	75	PS	855	10	5	0		0	30	2	0	2	0	4	0	0	0	0	N	0
2	BG	N	540	9	76	OPS	432	0	5	0		0	15	0	2	0	0	1	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Sagauli

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec.	203	272	19.4	1	1	58			-	-
Actual	120	1287	10	12	7	295	1	See platform details	0	YES
Shortage, if any	-	-	30	-	-	-	-		4	-

Last Updated On: 23-04-2025 17:52:55 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:30:30 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Saharsa kachary		
Station Code	SHKY	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SAHARSA	Clock	Y
Section	SHC-FBG	Wheel Chairs	N
Km.	0043.75	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 130

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	5.60	2018-19	5.02
2019-20	1.25	2020-21	1.83
2021-22	4.93	2022-23	9.71
2023-24	8.02		

Length of longest stopping train(m) 226

MP Const.	Madhepura
MP Name	Yadav, Shri Dinesh Chandra
MLA Const.	Korha
MLA Name	Smt. Kavita Devi

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	30	Length(m)	27
Surface	Other	Surface	Other
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Approach Road

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 17-04-2025 15:28:00 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:41:17 PM

Station Saharsa kachary

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	3.5	0	CC	53	1	0	1		0	32	0	1	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Saharsa kachary

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	6	0	0.4	0	0	2			-	-
Actual	0	53	1	0	1	32	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 15:28:00 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:41:17 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station Saharsa

Station Code	SHC	FOB	2
Station Category	NSG3	Subway	0
Railway	ECR	Booking Windows	9
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	SAHARSA	Clock	Y
Section	MNE-SHC	Wheel Chairs	Y
Km.	0042.00	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items PRS-Yes

Remarks for This is NSG-3 category model station.

No. of passengers dealt with:

(a) Per Day 25804

(b) Max. at any 250

Pass. Earnings/Year(Rs. in Lac.)

2011-12	2901.66	2018-19	3288.14
2019-20	3988.88	2020-21	2834.36
2021-22	5380	2022-23	2157.69
2023-24	4730.61		

Length of longest stopping train(m) 524

MP Const.	Madhepura
MP Name	Yadav, Shri Dinesh Chandra
MLA Const.	Korha
MLA Name	Smt. Kavita Devi

Identified as Adarsh	N	
Developed As		
Identified for MFC	N	
Tourist Facilation Center	N	
Touch Screen Enquiry System	N	
Electronic Train Indication	Y	
ATMs	1	
Food Plaza	N	
Budget Hotel	N	
Trains Halting	M: 52	P : 36
Station IInd Entry	Y	

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	330	Area(sqm)	0	14	Area(sqm)	45	Retiring Room	2
(b) Seats(Nos.)	20	Seats(Nos.)	0	20	Seats(Nos.)	35	Dormitory	1
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	1	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	1	Urinals(Nos.)	1		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	6421	Surface	Other
Illumination Type	High Mast Tower	Pay & Use Toilet	Y

Approach Road

Length(m)	317	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	201270		
Remarks	Water supply through pipe and hand pump.		

Last Updated On: 23-04-2025 17:38:51 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:24:16 PM

Station Saharsa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	563	9	84	PS	874	0	12	1		576	60	0	0	26	0	1	0	0	0	2	Y	1
2-3	BG	Y	580	30	84	PS	3266	3	42	0		576	120	0	1	0	0	1	0	0	0	2	Y	1
4/5	BG	Y	519	11	84	PS	348	0	46	0		600	52	2	1	5	10	20	5	0	0	2	N	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Saharsa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	1200 sqm	60	10	10	375	1 With Cover	High level	6	YES
As per Rec.	105	210	10	0	0	30			-	-
Actual	330	4488	104	5	5	307	2	See platform details	4	-
Shortage, if any	-	-	-	5	5	68	-		2	YES

Last Updated On: 23-04-2025 17:38:51 By Sr. DEN (Co)/SPJ

Station Saharsa

Summary As per Model Station

Desired	Facility Available	Desired	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	No	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	No	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	No	Automatic Vending Machines	No
UTS	Yes	Pay & Use Tiolets on end platform & circulating	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	Yes	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	No	Facilities of station building including facade	Yes

Last Updated On: 23-04-2025 17:38:51 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:24:16 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Saheed suraj narain singh Halt		
Station Code	SSNS	FOB	0
Station Category	HG2	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	N
Section	DBG-SKI	Wheel Chairs	N
Km.	0016.10	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day	150
(b) Max. at any	20

Pass. Earnings/Year(Rs. in Lac.)

2011-12	3.25	2018-19	1.90
2019-20	0	2020-21	0.00
2021-22	0.79	2022-23	0.02
2023-24	0.13		

Length of longest stopping train(m) 226

MP Const.	Madhubani
MP Name	Yadav, Shri Ashok Kumar
MLA Const.	Madhubani
MLA Name	Samir Kumar Mahasth

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 2 P : 16
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-2 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	27	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 17-04-2025 13:37:42 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:24:50 PM

Station **Saheed suraj narain singh** Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	10	15	CC	0	0	0	1		0	35	0	2	0	2	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station **Saheed suraj narain singh Halt** Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	13	0	0.8	0	0	4			-	-
Actual	15	0	1	1	2	62	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 13:37:42 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:24:50 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Sakri Jn.		
Station Code	SKI	FOB	1
Station Category	NSG4	Subway	0
Railway	ECR	Booking Windows	3
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	MADHUBANI	Clock	Y
Section	DBG-SKI	Wheel Chairs	Y
Km.	0019.46	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 6268

(b) Max. at any 300

Pass. Earnings/Year(Rs. in Lac.)

2011-12	622.66	2018-19	655.83
2019-20	534.12	2020-21	532.24
2021-22	1610	2022-23	3020.35
2023-24	1197.31		

Length of longest stopping train(m) 226

MP Const.	Darbhanga
MP Name	Thakur, Shri Gopal Jee
MLA Const.	Darbhanga Rural
MLA Name	Sri Lalit Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	Y
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 18 P : 36
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a NSG-4 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	500	Length(m)	990	Source	Railway Supply	Open Wells (Nos)	1
Surface	Other	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	50000		
Pay & Use Toilet	Y			Remarks	Sufficient		

Last Updated On: 23-04-2025 17:45:03 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:28:48 PM

Station Sakri Jn.

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	74	OPS	565	0	80	0		0	80	1	2	2	20	4	0	0	0	1	Y	0
2 & 3	BG	Y	600	10	84	CC	330	0	50	1		0	45	0	2	0	18	3	0	0	0	1	N	0
4&5	BG	N	600	10	76	CC	0	0	0	2		0		0	4	0	8	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Sakri Jn.

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	600 sqm	60	6	6	300	1	High level	6	YES
As per Rec.	125	252	12	0	0	36			-	-
Actual	0	895	133	1	8	125	1	See platform details	2	-
Shortage, if any	75	-	-	5	-	175	-		4	YES

Last Updated On: 23-04-2025 17:45:03 By Sr. DEN (Co)/SPJ

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Salauna		
Station Code	SLNA	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	BEGUSARAI	Clock	Y
Section	SPJ-KGG	Wheel Chairs	Y
Km.	25/3-4	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-5 Category station

No. of passengers dealt with:

(a) Per Day 2176

(b) Max. at any 50

Pass. Earnings/Year(Rs. in Lac.)

2011-12	66.88	2018-19	85.02
2019-20	142.66	2020-21	17.07
2021-22	86.14	2022-23	159.07
2023-24	312.99		

Length of longest stopping train(m) 226

MP Const.	Begusarai
MP Name	Singh, Shri Giriraj
MLA Const.	Bakhri
MLA Name	Sri Suryakant Paswan (CPI)

Identified as Adarsh	Y
Developed As	N
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 6 P : 12
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	107	Area(sqm)	107	14	Area(sqm)	28	Retiring Room	0
(b) Seats(Nos.)	60	Seats(Nos.)	60	20	Seats(Nos.)	40	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	2	1	Lav.(Nos.)	1		
(d) Urinals(Nos.)	4	Urinals(Nos.)	4	1	Urinals(Nos.)	2		
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	1		

Circulating Area and Water

Circulating Area

Area (sqm)	1555	Length(m)	950
Surface	Black Topped	Surface	Other
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet	Y		

Approach Road

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 23-04-2025 17:11:06 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:41:26 PM

Station Salauna

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	7.45	84	OPS	284	5	0	1		0	128	0	0	1	0	1	0	0	0	1	N	1
2	BG	N	600	8	84	CC	106	16	0	1		0	55	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Salauna

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	21	0	2	0	0	6			-	-
Actual	107	390	2	4	11	363	1	See platform details	0	YES
Shortage, if any	-	-	14	-	-	-	-		2	-

Last Updated On: 23-04-2025 17:11:06 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:41:26 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Salempur halt		
Station Code	SPRN	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	Y
Section	SKI-JYG	Wheel Chairs	N
Km.	0011.20	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 335

(b) Max. at any 60

Pass. Earnings/Year(Rs. in Lac.)

2011-12	7.39	2018-19	1.12
2019-20	0.11	2020-21	0.00
2021-22	0.56	2022-23	1.7
2023-24	0		

Length of longest stopping train(m) 0

MP Const.	Madhubani
MP Name	Yadav, Shri Ashok Kumar
MLA Const.	Madhubani
MLA Name	Samir Kumar Mahasth

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 2
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Length(m)	0
Surface	Kutcha	Surface	Kutcha
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 13:43:16 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:42:11 PM

Station Salempur halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	315	10	15	CC	0	0	0	1		0	45	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Salempur halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	38	0	2.4	0	0	11			-	-
Actual	0	0	1	0	0	45	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 13:43:16 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:42:11 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Samastipur Jn.		
Station Code	SPJ	FOB	2
Station Category	NSG2	Subway	0
Railway	ECR	Booking Windows	7
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	SAMASTIPUR	Clock	Y
Section	BCA-MFP	Wheel Chairs	Y
Km.	34/6	Cloak Room	N
Route	D	Refreshment Room(sqm)	162
Electrified	Y		

Other Items: PRS-Yes and facilities provided as Model station.

Remarks for: This is NSG-2 category modern station

No. of passengers dealt with:

(a) Per Day 37466

(b) Max. at any 800

Pass. Earnings/Year(Rs. in Lac.)

2011-12	2965.94	2018-19	3190.97
2019-20	3488.18	2020-21	4082.36
2021-22	9490	2022-23	15675.76
2023-24	4344.72		

Length of longest stopping train(m) 535

MP Const.	Samastipur
MP Name	Shambhavi, Smt.
MLA Const.	Samastipur
MLA Name	Sri Md. Akhtarul Islam Shaheen

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	Y
ATMs	1
Food Plaza	Y
Budget Hotel	N
Trains Halting	M: 146 P : 42
Station IInd Entry	Y

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	290	Area(sqm)	16	22	Area(sqm)	16	Retiring Room	7
(b) Seats(Nos.)	60	Seats(Nos.)	30	30	Seats(Nos.)	30	Dormitory	1
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	1	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)	2	0	Urinals(Nos.)	2		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	1		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	7420.76	Length(m)	150	Source	Railway Supply	Open Wells (Nos)	0
Surface	Other	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	2
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	4500000		
Pay & Use Toilet	Y			Remarks	Sufficient		

Last Updated On: 23-04-2025 17:05:05 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:23:36 PM

Station Samastipur Jn.

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	746	12	84	PS	6960	0	22	0	746	746	260	1	0	80	250	8	4	0	0	2	Y	1
2 & 3	BG	Y	600	12.35	80	PS	3351	0	18	0	613/460	600	180	0	0	60	200	8	2	0	0	2	Y	1
4 & 5	BG	Y	599	10	90	PS	3560	0	20	0	470/470	599	180	0	1	70	240	10	2	0	0	2	Y	1
6 & 7	BG	Y	586	9.8	75	PS	3780	0	20	0	400/410	586	140	0	0	50	80	7	2	0	0	2	Y	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Samastipur Jn.

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	2000 sqm	80	12	12	600	1 With Cover	High level	8	YES
As per Rec.	335	896	32	1	1	96			-	-
Actual	290	17651	80	4	5	910	2	See platform details	8	YES
Shortage, if any	-	-	-	8	7	-	-		-	-

Last Updated On: 23-04-2025 17:05:05 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:23:36 PM

Station Samastipur Jn. Summary As per Model Station

Desired	Facility Available	Desired	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	No	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	No	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Tiolets on end platform & circulating	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Last Updated On: 23-04-2025 17:05:05 By Sr. DEN (Co)/SPJ

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Saraigarh		
Station Code	SRGR	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SUPAUL	Clock	Y
Section	SHC-FBG	Wheel Chairs	Y
Km.	93/9-10	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 1144

(b) Max. at any 40

Pass. Earnings/Year(Rs. in Lac.)

2011-12	57.10	2018-19	45.10
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	57.68		

Length of longest stopping train(m) 550

MP Const.	Supaul
MP Name	Kamait, Shri Dileshwar
MLA Const.	Nirmali
MLA Name	Sri Anirudh Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 14 P : 12
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	110	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	2835	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	85	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	2000		
Remarks	Water supply is through Hand Pumps and pipe.		

Last Updated On: 23-04-2025 17:41:07 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:52:40 PM

Station Saraigarh

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	516	9	84	OPS	477	3	24	1		0	52	0	2	2	0	0	0	0	0	1	N	0
2/3	BG	Y	525	10.58	84	OPS	474	0	52	0		0	36	0	2	0	0	0	0	0	0	1	N	0
4	BG	N	525	9	84	OPS	198	0	28	0		0	36	0	2	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Saraigarh

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	150 sqm	6 tap/HP at stn	1	1	30	1	High level	0	-
As per Rec.	17	0	1.6	0	0	5			-	-
Actual	110	1149	105	1	7	149	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:41:07 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:52:40 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Sardar balvbhai patel halt		
Station Code	SBBP	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	Y
Section	JJP-LKQ	Wheel Chairs	N
Km.	30-11-12	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 0

(b) Max. at any 66

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.54	2018-19	0.46
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	0		

Length of longest stopping train(m) 0

MP Const.	Jhanjharpur
MP Name	Mandal, Shri Ramprit
MLA Const.	Laukaha
MLA Name	Sri Satish Prasad Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 4
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 17-04-2025 14:00:28 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:41:45 PM

Station Sardar balvbhai patel halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	10	76	OPS	0	2	0	1		0	24	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Sardar balvbhai patel halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	41	0	2.64	0	0	12			-	-
Actual	15	0	1	0	0	34	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 14:00:28 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:41:45 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Sarsi		
Station Code	SRSI	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	PURNIA	Clock	Y
Section	SHC-PRNA	Wheel Chairs	Y
Km.	26/8-9	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 307

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	8.34	2018-19	4.12
2019-20	20.02	2020-21	0.45
2021-22	9.24	2022-23	22.27
2023-24	18.7		

Length of longest stopping train(m)

MP Const.	Purnia
MP Name	Ranjan, Shri Rajesh
MLA Const.	Banmankhi
MLA Name	Sri Krishna Kumar Rishi (BJP)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 2 P : 16
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	18	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)		Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	600	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	262
Surface	Cement Concrete
Illumination Type	Y

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		

Remarks: Water supply is through Hand Pumps and pipe.

Last Updated On: 23-04-2025 17:56:19 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:42:27 PM

Station Sarsi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	Y	590	11.9	50	OPS	150	5	20	1		0	66	1	1	2	5	0	0	0	0	1	N	0
2	BG	N	610	15	55	CC	0	0	20	1		0	0	0	0	0	5	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Sarsi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	4	0	0.4	0	0	1			-	-
Actual	18	150	42	1	1	66	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:56:19 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:42:27 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Sathi		
Station Code	SAHI	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	PASHCHIM CHAMPARAN	Clock	Y
Section	SGL-NKE	Wheel Chairs	Y
Km.	0235.53	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 461

(b) Max. at any 77

Pass. Earnings/Year(Rs. in Lac.)

2011-12	25.87	2018-19	29.80
2019-20	26.43	2020-21	2.00
2021-22	23.8	2022-23	10.11
2023-24	33.53		

Length of longest stopping train(m) 248

MP Const.	Valmiki Nagar
MP Name	Kumar, Shri Sunil
MLA Const.	Narkatiaganj
MLA Name	Rashmi Varma

Identified as Adarsh	N		
Developed As			
Identified for MFC	N		
Tourist Facilation Center	N		
Touch Screen Enquiry System	N		
Electronic Train Indication	N		
ATMs	0		
Food Plaza	N		
Budget Hotel	N		
Trains Halting	M: 4	P : 6	
Station IInd Entry	N		

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	68	Area(sqm)	21	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	2	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	300
Surface	Cement Concrete
Illumination Type	Normal Lights
Pay & Use Toilet	N

Approach Road

Length(m)	30
Surface	Cement Concrete
Illumination Type	Y

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:55:22 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:59:17 PM

Station Sathi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	525	14	45	CC	475	3	0	3		0	5	2	0	0	0	0	0	0	0	1	N	0
2/3	BG	Y	600	11	80	CC	0	0	6	3		0	14	2	0	0	10	2	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Sathi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	32	0	3.08	0	0	9			-	-
Actual	68	475	12	6	0	34	1	See platform details	0	-
Shortage, if any	-	-	-	-	1	-	-		-	-

Last Updated On: 23-04-2025 17:55:22 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:59:17 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Semra		
Station Code	SRA	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURBI CHAMPARAN	Clock	N
Section	MFP-SGL	Wheel Chairs	Y
Km.	0177.79	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 152

(b) Max. at any 5

Pass. Earnings/Year(Rs. in Lac.)

2011-12	9.20	2018-19	9.18
2019-20	8.63	2020-21	0.02
2021-22	2.16	2022-23	4.38
2023-24	5.74		

Length of longest stopping train(m) 248

MP Const.	Betiah
MP Name	Dr. Sanjay Jaiswal
MLA Const.	Narkatiaganj
MLA Name	Rashmi Varma

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 2 P : 9
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	100	Area(sqm)	36		Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	30	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	350	Length(m)	150
Surface	Cement Concrete	Surface	Cement Concrete
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Approach Road

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:52:27 By Sr. DEN (Co)/SPJ

Station Semra

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	84	OTH	165	0	1	2		0	30	0	0	0	0	0	0	0	0	0	N	0
2	BG	Y	600	10	84	OTH	160	0	0	0		0	20	0	0	5	10	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Semra

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	2	0	0.2	0	0	1			-	-
Actual	100	325	3	1	0	80	0	See platform details	0	-
Shortage, if any	-	-	1	-	1	-	1		-	-

Last Updated On: 23-04-2025 17:52:27 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:11:09 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Shasan		
Station Code	SSRN	FOB	0
Station Category	HG2	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	KHAGARIA	Clock	Y
Section	SPJ-KGG	Wheel Chairs	N
Km.	36/11-12	Cloak Room	N
Route	E	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 135

(b) Max. at any 25

Pass. Earnings/Year(Rs. in Lac.)

2011-12	5.66	2018-19	6.05
2019-20	0.37	2020-21	0.42
2021-22	8.81	2022-23	10.75
2023-24	7.21		

Length of longest stopping train(m) 226

MP Const.	Khagaria
MP Name	Verma, Shri Rajesh
MLA Const.	Hasanpur
MLA Name	Tej Pratap Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 12
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-2 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0
Surface	Kutcha
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 12:35:02 By Sr. DEN (Co)/SPJ

Station Shasan

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	305	5.5	0	OTH	15	4	0	1		0	56	0	2	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Shasan

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	16	0	1	0	0	5			-	-
Actual	10	15	1	0	2	56	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 12:35:02 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:06:13 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Shisho Halt		
Station Code	SHEO	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	DARBHANGA	Clock	Y
Section	DBG-SMI	Wheel Chairs	N
Km.	0042.80	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: Minimum Essential Amenities have been provided.

Remarks for: This is HG-3 category station.

No. of passengers dealt with:

(a) Per Day 15

(b) Max. at any 5

Pass. Earnings/Year(Rs. in Lac.)

2011-12	2.01	2018-19	2.13
2019-20	0	2020-21	0.00
2021-22	0.23	2022-23	0.14
2023-24	0		

Length of longest stopping train(m) 226

MP Const.	Darbhanga
MP Name	Thakur, Shri Gopal Jee
MLA Const.	Darbhanga
MLA Name	Sri Sanjay Sarabgi

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0
Surface	Kutcha
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	2
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 18-04-2025 15:05:50 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:01:22 PM

Station Shisho Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	150	3	0	OPS	50	5	0	2		0	21	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Shisho Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	3	0	0.2	0	0	1			-	-
Actual	10	50	2	0	0	21	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 18-04-2025 15:05:50 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:01:22 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Sikta		
Station Code	STF	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PASHCHIM CHAMPARAN	Clock	N
Section	RXL-NKE	Wheel Chairs	Y
Km.	0204.40	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 658

(b) Max. at any 70

Pass. Earnings/Year(Rs. in Lac.)

2011-12	15.84	2018-19	25.56
2019-20	28.37	2020-21	0.00
2021-22	19.17	2022-23	37.28
2023-24	95.48		

Length of longest stopping train(m) 500

MP Const.	Valmiki Nagar
MP Name	Kumar, Shri Sunil
MLA Const.	Sikta
MLA Name	Sri Dilip Verma

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 2 P : 6
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	90	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	1200	Length(m)	600	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	2000		
Pay & Use Toilet				Remarks	Water supply is through piped and Hand Pumps		

Last Updated On: 23-04-2025 17:26:47 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:59:49 PM

Station Sikta

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	550	8	86	PS	100	2	4	3		0	30	5	2	1	0	1	0	0	0	1	N	0
2	BG	N	550	8	46	OPS	28	0	0	1		0	24	0	0	5	10	2	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Sikta

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	29	0	2.8	0	0	8			-	-
Actual	90	128	8	6	3	79	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:26:47 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:59:49 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Simribakhtiarpur		
Station Code	SBV	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	4
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	SAHARSA	Clock	Y
Section	MNE-SHC	Wheel Chairs	Y
Km.	25/3-4	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day	4887
(b) Max. at any	440

Pass. Earnings/Year(Rs. in Lac.)

2011-12	368.83	2018-19	449.14
2019-20	519.86	2020-21	103.27
2021-22	352.39	2022-23	188.2
2023-24	839.51		

Length of longest stopping train(m) 524

MP Const.	Khagaria
MP Name	Verma, Shri Rajesh
MLA Const.	Simri Bakhtiarpur
MLA Name	Yusuf Salahuddin

Identified as Adarsh	Y
Developed As	N
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 20 P : 12
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-5 Category station of Samastipur Division

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	593	Area(sqm)	25	25	Area(sqm)	0	Retiring Room	1
(b) Seats(Nos.)	212	Seats(Nos.)	25	25	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	530	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	Y

Approach Road

Length(m)	500
Surface	Cement Concrete
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		

Remarks: Water supply is through Hand Pumps.

Last Updated On: 23-04-2025 17:37:50 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:32:33 PM

Station Simribakhtiarpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	648	14	84	CC	520	1	0	2		0	208	0	4	7	0	2	0	0	0	1	N	1
2	BG	N	600	6.5	84	OTH	83	0	0	1		0	24	0	1	8	15	4	0	0	0	1	N	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Simribakhtiarpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	184	0	17.6	1	1	53			-	-
Actual	593	603	3	2	6	494	1	See platform details	0	-
Shortage, if any	-	-	13	2	-	-	-		2	-

Last Updated On: 23-04-2025 17:37:50 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:32:33 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	SINGHIYAGHAT		
Station Code	NRN	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SAMASTIPUR	Clock	Y
Section	SPJ-KGG	Wheel Chairs	Y
Km.	62/6	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 966

(b) Max. at any 210

Pass. Earnings/Year(Rs. in Lac.)

2011-12	26.31	2018-19	29.37
2019-20	45.23	2020-21	3.12
2021-22	29.54	2022-23	16.38
2023-24	65.53		

Length of longest stopping train(m) 226

MP Const.	Ujiarpur
MP Name	Rai, Shri Nityanand
MLA Const.	Bibhutipur
MLA Name	Ajay Kumar

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 12
Station IInd Entry	N

Other Items M EA have been provided

Remarks for This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	109	Area(sqm)	21	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)	5	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	815	Surface	Black Topped
Illumination Type	Normal Lights	Pay & Use Toilet	Y

Approach Road

Length(m)	1200	Surface	Black Topped
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:06:34 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:50:23 PM

Station SINGHIYAGHAT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	349	9.5	15	CC	180	5	0	3		0	15	1	1	0	0	0	0	0	0	1	N	0
2	BG	N	381	7	15	CC	158	0	0	2		0	68	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station SINGHIYAGHAT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	88	0	8.4	0	0	25			-	-
Actual	109	338	5	2	1	113	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:06:34 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:50:23 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Sitamarhi		
Station Code	SMI	FOB	1
Station Category	NSG3	Subway	0
Railway	ECR	Booking Windows	4
Division	Samastipur	Enquiry Office	1
State	BIHAR	Public Address Sys.	Y
District	SITAMARHI	Clock	Y
Section	DBG-SMI	Wheel Chairs	Y
Km.	0105.55	Cloak Room	Y
Route	D	Refreshment Room(sqm)	95.92
Electrified	Y		

No. of passengers dealt with:

(a) Per Day	9840
(b) Max. at any	300

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1204.94	2018-19	1247.31
2019-20	1451.97	2020-21	319.52
2021-22	1340	2022-23	2944.39
2023-24	1950.39		

Length of longest stopping train(m) 226

MP Const.	Sitamarhi
MP Name	Thakur, Shri Devesh Chandra
MLA Const.	Sitamarhi
MLA Name	Sri Sunil Kumar Pintu

Identified as Adarsh	Y
Developed As	N
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	Y
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 7 P : 18
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is NSG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	200	Area(sqm)	0	0	Area(sqm)	20	Retiring Room	0
(b) Seats(Nos.)	100	Seats(Nos.)	0	0	Seats(Nos.)	20	Dormitory	0
(c) Lav.(Nos.)	6	Lav.(Nos.)	0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	2		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	9227.2	Length(m)	400	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	3
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	189250		
Pay & Use Toilet	Y			Remarks	Sufficient.		

Last Updated On: 23-04-2025 17:45:13 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:29:58 PM

Station Sitamarhi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	Y	565	9.34	76	CC	1535	0	68	0		0	300	4	4	6	0	11	1	0	0	1	Y	0
2/3	BG	Y	573	10.6	84	CC	95	0	48	0		0	200	0	0	0	0	4	0	0	0	1	Y	0
4/5	BG	Y	651	10.6	76	CC	50	0	24	0		0	57	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Sitamarhi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	1200 sqm	60	10	10	375	1 With Cover	High level	6	YES
As per Rec.	125	252	12	0	0	36			-	-
Actual	200	1680	140	11	6	677	1	See platform details	2	-
Shortage, if any	-	-	-	-	4	-	-		4	YES

Last Updated On: 23-04-2025 17:45:13 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:29:58 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Sonbarsa kachary		
Station Code	SBM	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SAHARSA	Clock	Y
Section	MNE-SHC	Wheel Chairs	Y
Km.	33/2-3	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 243

(b) Max. at any 5

Pass. Earnings/Year(Rs. in Lac.)

2011-12	16.15	2018-19	16.31
2019-20	18.6	2020-21	2.41
2021-22	10.74	2022-23	3.86
2023-24	12.24		

Length of longest stopping train(m) 550

MP Const.	Madhepura
MP Name	Yadav, Shri Dinesh Chandra
MLA Const.	Saharsa
MLA Name	Dr. Aalok Ranjan

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 2 P : 12
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided.

Remarks for: This is an NSG-5 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	2709	Length(m)	910	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:38:24 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:56:42 PM

Station Sonbarsa kachary

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	292	15	0	OTH	175	7	0	2		0	176	2	4	2	0	0	0	0	0	0	N	0
2	BG	N	645	11.5	450	CC	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Sonbarsa kachary

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	2	0	0.2	0	0	1			-	-
Actual	0	175	2	3	5	176	0	See platform details	0	-
Shortage, if any	15	-	2	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:38:24 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:56:42 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Sonmapranpur (HALT)		
Station Code	SOPR	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	BEGUSARAI	Clock	Y
Section	SPJ-KGG	Wheel Chairs	N
Km.	30/1	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 65

(b) Max. at any 8

Pass. Earnings/Year(Rs. in Lac.)

2011-12	10.22	2018-19	19.17
2019-20	8.93	2020-21	0.25
2021-22	9.27	2022-23	10.51
2023-24	4.19		

Length of longest stopping train(m) 226

MP Const.	Begusarai
MP Name	Singh, Shri Giriraj
MLA Const.	Bakhri
MLA Name	Sri Suryakant Paswan (CPI)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 12
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Length(m)	0
Surface	Kutcha	Surface	Kutcha
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 16:36:21 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:03:53 PM

Station Sonmapranpur (HALT) Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	5.5	0	OPS	75	12		3		0	35	2	2	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Sonmapranpur (HALT) Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	3	0	0.32	0	0	1			-	-
Actual	0	75	3	2	2	35	0	See platform details	0	-
Shortage, if any	15	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 16:36:21 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:03:53 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Sukhasan kothi		
Station Code	SKHK	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURNIA	Clock	Y
Section	BNKI-BHGJ	Wheel Chairs	N
Km.	0006.15	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 16

(b) Max. at any 72

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.64	2018-19	0.36
2019-20	0	2020-21	0.08
2021-22	0.44	2022-23	1.74
2023-24	1.4		

Length of longest stopping train(m) 226

MP Const.	Purnia
MP Name	Ranjan, Shri Rajesh
MLA Const.	Banmankhi
MLA Name	Sri Krishna Kumar Rishi (BJP)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a F Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 17-04-2025 13:47:23 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:43:07 PM

Station Sukhasan kothi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	Y	300	6	76	CC	100	3	0	2		0	24	0	2	1	14	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Sukhasan kothi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	45	0	2.88	0	0	13			-	-
Actual	0	100	2	0	2	24	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 13:47:23 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:43:07 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Sukhsena		
Station Code	SKEN	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	PURNIA	Clock	N
Section	BNKI-BHGJ	Wheel Chairs	N
Km.	0013.25	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 54

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1.27	2018-19	1.07
2019-20	0	2020-21	0.10
2021-22	1.02	2022-23	5.91
2023-24	5.02		

Length of longest stopping train(m) 226

MP Const.	Purnia
MP Name	Ranjan, Shri Rajesh
MLA Const.	Banmankhi
MLA Name	Sri Krishna Kumar Rishi (BJP)

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 6
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Length(m)	0
Surface	Kutcha	Surface	Kutcha
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 17-04-2025 13:50:31 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:46:46 PM

Station Sukhsena

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	6	80	CC	100	1	0	1		0	24	0	2	0	10	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Sukhsena

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	6	0	0.4	0	0	2			-	-
Actual	0	100	1	0	2	24	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 13:50:31 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:46:47 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Sundarpur halt		
Station Code	SUDR	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SUPAUL	Clock	N
Section	SHC-SOU	Wheel Chairs	N
Km.	64/12-13	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day 62

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.31	2018-19	3.56
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	5.41		

Length of longest stopping train(m) 226

MP Const.	Supaul
MP Name	Kamait, Shri Dileshwar
MLA Const.	Supaul
MLA Name	Sri BIJENDRA PRASAD Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	20	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	10	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 17-04-2025 15:35:38 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:05:01 PM

Station Sundarpur halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	6	0	OPS	65	4	0	2		0	30	2	2	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Sundarpur halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	6	0	0.4	0	0	2			-	-
Actual	20	65	2	4	2	40	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 15:35:38 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:05:01 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Supaul		
Station Code	SOU	FOB	1
Station Category	NSG5	Subway	0
Railway	ECR	Booking Windows	3
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SUPAUL	Clock	Y
Section	SHC-FBG	Wheel Chairs	Y
Km.	69/2-3	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

No. of passengers dealt with:

(a) Per Day	2842
(b) Max. at any	25

Pass. Earnings/Year(Rs. in Lac.)

2011-12	406.73	2018-19	469.97
2019-20	5.36	2020-21	5.17
2021-22	20.42	2022-23	142.82
2023-24	480.9		

Length of longest stopping train(m) 550

MP Const.	Supaul
MP Name	Kamait, Shri Dileshwar
MLA Const.	Supaul
MLA Name	Sri BIJENDRA PRASAD Yadav

Identified as Adarsh	Y
Developed As	N
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 12 P : 12
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-5 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	2459	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	Y

Approach Road

Length(m)	200	Surface	Black Topped
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	2
Storage Capacity(Ltr)	600		
Remarks	water supply through piped and hand pumps.		

Last Updated On: 23-04-2025 17:40:20 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:39:31 PM

Station Supaul

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	590	10.2	84	OPS	582	3	24	1		0	48	0	2	10	29	1	0	0	0	1	N	1
2/3	BG	Y	592	11.1	84	OPS	340	0	24	0		0	36	0	2	10	29	0	0	0	0	1	N	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Supaul

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	10	0	1	0	0	3			-	-
Actual	0	922	49	1	5	84	1	See platform details	1	-
Shortage, if any	30	-	-	3	-	16	-		1	-

Last Updated On: 23-04-2025 17:40:20 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:39:31 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Tamuria		
Station Code	TMA	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	MADHUBANI	Clock	Y
Section	JJP-NMA	Wheel Chairs	N
Km.	0047.40	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 373

(b) Max. at any 82

Pass. Earnings/Year(Rs. in Lac.)

2011-12	19.29	2018-19	22.53
2019-20	0	2020-21	0.00
2021-22	0	2022-23	5.1
2023-24	14.92		

Length of longest stopping train(m) 226

MP Const.	Jhanjharpur
MP Name	Mandal, Shri Ramprit
MLA Const.	Jhanjharpur
MLA Name	Sri Nitish Mishra

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	15	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	8	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	215.4	Length(m)	35	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutcha	Surface	Black Topped	Type	Hand Pump	Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	SUFFICIENT		

Last Updated On: 23-04-2025 17:46:13 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:48:14 PM

Station Tamuria

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	75	OPS	126	2	8	0		0	48	0	0	1	0	0	0	0	0	1	N	0
2/3	BG	N	600	10	76	OPS	360	0	4	0		0	23	0	0	5	10	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Tamuria

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	34	0	3.28	0	0	10			-	-
Actual	0	486	12	1	1	79	1	See platform details	0	-
Shortage, if any	15	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:46:13 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 1:48:14 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Tapaswi Narayan Nagar Halt		
Station Code	TNNH	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SITAMARHI	Clock	N
Section	SMI-RXL	Wheel Chairs	N
Km.	0110.21	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 220

(b) Max. at any 65

Pass. Earnings/Year(Rs. in Lac.)

2011-12	0.42	2018-19	0.70
2019-20	0.14	2020-21	0.04
2021-22	1.12	2022-23	1.54
2023-24	0		

Length of longest stopping train(m) 300

MP Const.	Sitamarhi
MP Name	Thakur, Shri Devesh Chandra
MLA Const.	Sitamarhi
MLA Name	Sri Sunil Kumar Pintu

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 8
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0
Surface	Kutcha
Illumination Type	Normal Lights
Pay & Use Toilet	

Approach Road

Length(m)	0
Surface	Kutcha
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 16-04-2025 19:59:02 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:08:11 PM

Station Tapaswi Narayan Nagar Halt Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	6	0	OTH	0	3	0	1		0	18	0	0	3	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Tapaswi Narayan Nagar Halt Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	41	0	2.6	0	0	12			-	-
Actual	15	0	1	0	0	28	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 16-04-2025 19:59:02 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:08:11 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Tarsarai		
Station Code	TRS	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	DARBHANGA	Clock	Y
Section	DBG-SKI	Wheel Chairs	Y
Km.	0013.60	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 174

(b) Max. at any 25

Pass. Earnings/Year(Rs. in Lac.)

2011-12	10.45	2018-19	12.29
2019-20	10.34	2020-21	0.32
2021-22	1.94	2022-23	7.84
2023-24	6.61		

Length of longest stopping train(m) 226

MP Const.	Darbhanga
MP Name	Thakur, Shri Gopal Jee
MLA Const.	Darbhanga Rural
MLA Name	Sri Lalit Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	Y
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 2 P : 8
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	20	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	195	Length(m)	300	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	1000		
Pay & Use Toilet				Remarks	Water supply is through PIPED		

Last Updated On: 23-04-2025 17:18:19 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:09:51 PM

Station Tarsarai

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	320	6.5	84	CC	0	0	0	2		0	0	2	0	0	0	0	0	0	0	1	N	0
2	BG		320	18	15	CC	0	0	0	1			21	0						0	0	1		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Tarsarai

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	10	0	1	0	0	3			-	-
Actual	20	0	3	3	0	39	1	See platform details	0	-
Shortage, if any	-	100	1	-	1	-	-		-	-

Last Updated On: 23-04-2025 17:18:19 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:09:51 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Tektar		
Station Code	TQR	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	DARBHANGA	Clock	N
Section	DBG-SMI	Wheel Chairs	N
Km.	0053.80	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 85

(b) Max. at any 20

Pass. Earnings/Year(Rs. in Lac.)

2011-12	10.96	2018-19	13.38
2019-20	5.06	2020-21	0.05
2021-22	4.68	2022-23	4.09
2023-24	2.96		

Length of longest stopping train(m) 226

MP Const.	Madhubani
MP Name	Yadav, Shri Ashok Kumar
MLA Const.	Keoti
MLA Name	Sri Ashok Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0
Surface	Kutcha
Illumination Type	Normal Lights
Pay & Use Toilet	

Approach Road

Length(m)	400
Surface	Kutcha
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	2
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 18-04-2025 15:11:07 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:26:03 PM

Station Tektar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	150	3	0	OPS	50	5	0	1		0	21	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Tektar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	8	0	0.8	0	0	2			-	-
Actual	15	50	1	0	0	29	0	See platform details	0	-
Shortage, if any	-	-	1	1	1	-	1		-	-

Last Updated On: 18-04-2025 15:11:07 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:26:03 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Thalwara		
Station Code	TLWA	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	DARBHANGA	Clock	N
Section	SPJ-DBG	Wheel Chairs	Y
Km.	0027.80	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 169

(b) Max. at any 75

Pass. Earnings/Year(Rs. in Lac.)

2011-12	8.60	2018-19	9.76
2019-20	9.53	2020-21	0.22
2021-22	5.31	2022-23	13.45
2023-24	10.88		

Length of longest stopping train(m) 250

MP Const.	Darbhanga
MP Name	Thakur, Shri Gopal Jee
MLA Const.	Hayaghat
MLA Name	Sti Sri Amar Nath Gami

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 4 P : 14
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	70	Area(sqm)	18	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	20	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	1	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Other
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	0	Surface	Black Topped
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps.		

Last Updated On: 23-04-2025 17:02:02 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:00:31 PM

Station Thalwara

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	608	12	84	CC	600	0	4	1		0	60	2	4	2	18	1	0	0	0	1	N	1
2	BG		610	12	84	CC	310		12	0			45	0	2	0	16	0		0	0	1		1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Thalwara

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	31	0	3	0	0	9			-	-
Actual	70	910	17	3	7	145	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:02:02 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:00:31 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Tharbitiya		
Station Code	TB	FOB	0
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	SUPAUL	Clock	Y
Section	SHC-FBG	Wheel Chairs	Y
Km.	82/0	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

Other Items: no

Remarks for: This is an NSG-6 category station.

No. of passengers dealt with:

(a) Per Day: 442

(b) Max. at any: 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	38.61	2018-19	53.53
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	38.23		

Length of longest stopping train(m): 550

MP Const.	Supaul
MP Name	Kamait, Shri Dileshwar
MLA Const.	Pipra
MLA Name	

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	100	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	1430	Surface	Other
Illumination Type	High Mast Tower	Pay & Use Toilet	

Approach Road

Length(m)	324	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	water supply through hand pump.		

Last Updated On: 23-04-2025 17:40:43 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:55:11 PM

Station Tharbitiya

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	563	9	84	OPS	174	0	0	1		0	36	0	1	3	0	0	0	0	0	0	N	0
2	BG	N	563	7.3	84	OPS	0	0	0	0		0	32	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Tharbitiya

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	4	0	0.4	0	0	1			-	-
Actual	100	174	1	1	2	93	0	See platform details	0	-
Shortage, if any	-	-	3	-	-	-	1		-	-

Last Updated On: 23-04-2025 17:40:43 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 1:55:11 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Ugna Halt		
Station Code	UGNA	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	Y
Section	SKI-JYG	Wheel Chairs	N
Km.	0004.70	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

No. of passengers dealt with:

(a) Per Day 32

(b) Max. at any 5

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1.93	2018-19	2.11
2019-20	0	2020-21	0.00
2021-22	1.03	2022-23	3.43
2023-24	1.98		

Length of longest stopping train(m) 226

MP Const.	Madhubani
MP Name	Yadav, Shri Ashok Kumar
MLA Const.	Madhubani
MLA Name	Samir Kumar Mahasth

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is a HG-3 Category station of Samastipur Division.

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0
Surface	Kutcha
Illumination Type	Normal Lights
Pay & Use Toilet	

Approach Road

Length(m)	600
Surface	Kutcha
Illumination Type	N

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply is through Hand Pumps		

Last Updated On: 17-04-2025 13:39:12 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:42:40 PM

Station Ugna Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	310	10	0	CC	0	0	0	1		0	38	0	0	0	2	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Ugna Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	3	0	0.2	0	0	1			-	-
Actual	15	0	1	0	0	48	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 13:39:12 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:42:40 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Vachaspati nagar		
Station Code	VPH	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	MADHUBANI	Clock	Y
Section	JJP-LKQ	Wheel Chairs	N
Km.	20/0	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an NSG-6 category station.

No. of passengers dealt with:

(a) Per Day 51

(b) Max. at any 6

Pass. Earnings/Year(Rs. in Lac.)

2011-12	12.41	2018-19	10.98
2019-20	0	2020-21	0.00
2021-22	0	2022-23	0
2023-24	0		

Length of longest stopping train(m) 226

MP Const.	Jhanjharpur
MP Name	Mandal, Shri Ramprit
MLA Const.	Rajnagar
MLA Name	Ram Prit Paswan

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 8
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	500	Surface	Cement Concrete
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	500	Surface	Cement Concrete
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	0
Storage Capacity(Ltr)	0		
Remarks	Water supply through Hand pump		

Last Updated On: 23-04-2025 17:50:03 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:34:27 PM

Station Vachaspati nagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	610	10	76	OPS	840	8	10	2		0	105	0	2	0	0	0	0	0	0	1	N	0
2-3	BG		600	10	76	OTH	840		20	2			75							0	0	1		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Vachaspati nagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	3	0	0.24	0	0	1			-	-
Actual	15	1680	34	2	3	190	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:50:03 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 2:34:27 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Vaijnathpur andoli		
Station Code	VDNP	FOB	0
Station Category	HG3	Subway	0
Railway	ECR	Booking Windows	1
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	N
District	SUPAUL	Clock	Y
Section	SHC-FBG	Wheel Chairs	N
Km.	88/3-4	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	N		

Other Items: Minimum Essential Amenities have been provided

Remarks for: This is an HG-3 category halt.

No. of passengers dealt with:

(a) Per Day 52

(b) Max. at any 10

Pass. Earnings/Year(Rs. in Lac.)

2011-12	1.56	2018-19	0.99
2019-20	0	2020-21	29.00
2021-22	0.67	2022-23	3.16
2023-24	2.38		

Length of longest stopping train(m) 226

MP Const.	Supaul
MP Name	Kamait, Shri Dileshwar
MLA Const.	Nirmali
MLA Name	Sri Anirudh Yadav

Identified as Adarsh	N
Developed As	
Identified for MFC	N
Tourist Facilation Center	N
Touch Screen Enquiry System	N
Electronic Train Indication	N
ATMs	0
Food Plaza	N
Budget Hotel	N
Trains Halting	M: 0 P : 10
Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	25	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	0	Surface	Kutcha
Illumination Type	Normal Lights	Pay & Use Toilet	

Approach Road

Length(m)	80	Surface	Kutcha
Illumination Type	N		

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	0		
Remarks	Water supply through HP		

Last Updated On: 17-04-2025 15:39:39 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:36:54 PM

Station Vaijnathpur andoli

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	3	0	OPS	65	3	0	1		0	24	2	4	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Vaijnathpur andoli

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	6	0	0.4	0	0	2			-	-
Actual	25	65	1	2	4	24	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Last Updated On: 17-04-2025 15:39:39 By Sr. DEN (Co)/SPJ

Report Run Date : 07/05/2025 3:36:54 PM

Passenger Amenities Details As on : 31/03/2024

Division : Samastipur

Station	Valimiki nagar		
Station Code	VKNR	FOB	1
Station Category	NSG6	Subway	0
Railway	ECR	Booking Windows	2
Division	Samastipur	Enquiry Office	0
State	BIHAR	Public Address Sys.	Y
District	PASHCHIM CHAMPARAN	Clock	Y
Section	NKE-PNYA	Wheel Chairs	Y
Km.	0296.60	Cloak Room	N
Route	D	Refreshment Room(sqm)	
Electrified	Y		

Other Items: No

Remarks for: This is an NSG-6 category station.

No. of passengers dealt with:

(a) Per Day 326

(b) Max. at any 50

Pass. Earnings/Year(Rs. in Lac.)

2011-12	31.13	2018-19	33.39
2019-20	25.17	2020-21	0.29
2021-22	17.63	2022-23	32.98
2023-24	24.5		

Length of longest stopping train(m) 248

MP Const.	Valmiki Nagar
MP Name	Kumar, Shri Sunil
MLA Const.	Valmiki Nagar
MLA Name	Sri Rajesh Singh

Identified as Adarsh	N		
Developed As			
Identified for MFC	N		
Tourist Facilation Center	N		
Touch Screen Enquiry System	N		
Electronic Train Indication	N		
ATMs	0		
Food Plaza	N		
Budget Hotel	N		
Trains Halting	M: 2	P : 9	
Station IInd Entry	N		

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	100	Area(sqm)	21	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	30	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area

Area (sqm)	600	Length(m)	70
Surface	Other	Surface	Other
Illumination Type	Normal Lights	Illumination Type	N
Pay & Use Toilet			

Water Supply

Source	Railway Supply	Open Wells (Nos)	0
Type	Piped and Hand Pump	Bore Wells (Nos)	1
Storage Capacity(Ltr)	4000		
Remarks	Water supply through pipe and HP		

Last Updated On: 23-04-2025 17:58:41 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 2:01:51 PM

Station Valimiki nagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	400	8	45	OPS	75	3	0	2		0	70	4	3	5	8	2	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Valimiki nagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	21	0	2	0	0	6			-	-
Actual	100	75	2	5	3	100	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Last Updated On: 23-04-2025 17:58:41 By Sr. DEN (Co)/SPJ

Report Run Date : 08/05/2025 2:01:51 PM