

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Amlo Halt		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	AMLO	FOB	0	(a) Per Day		123		Developed As			
Station Category	HG2	Subway	0	(b) Max. at any		45		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	12.05	2018-19	12.00	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	9.47	2020-21	0.35	Touch Screen Enquiry System		N	
District	BOKARO	Clock	N	2021-22	8.35	2022-23	12.34	Electronic Train Indication		N	
Section	GMO-BRKA	Wheel Chairs	N	2023-24	12.17	2024-25		ATMs		0	
Km.	0031.08	Cloak Room	N	<div><div>MP Const. Giridih</div><div>MP Name Choudhary, Shri Chandra</div><div>MLA Const. Bermo</div><div>MLA Name Sri Kumar Jaimangal Singh</div></div>				Food Plaza		N	
Route	D	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 6	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	11	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	5	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	15	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet	N			Remarks	Deep Tube well available from Apr'24.				

Station Amlo Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	243	2.5	0	CC	9	0	0	1		0	30	2	2	0	11	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete				PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station Amlo Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	28	0	1.8	0	0	8			-	-
Actual	11	9	1	2	2	35	0	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Anpara		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	ANPR	FOB	1	(a) Per Day		192		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		60		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	153.53	2018-19	153.04	Tourist Facilation Center		N	
State	UTTAR	Public Address Sys.	Y	2019-20	108.63	2020-21	21.62	Touch Screen Enquiry System		N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0.15	2022-23	26.63	Electronic Train Indication		N	
Section	CPU-OBRA	Wheel Chairs	Y	2023-24	79.94	2024-25		ATMs		0	
Km.	0060.50	Cloak Room	N	<div><div>MP Const. Robertsganj</div><div>MP Name Shri Chhotelal</div><div>MLA Const. Obra</div><div>MLA Name Shri Sanjeev Gond</div></div>				Food Plaza		N	
Route	E	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	N							Trains Halting		M: 4 P : 0	
								Station IInd Entry		N	
Other Items	NA										
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	37	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	24	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	1657.5	Length(m)	250	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)		1		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		15300					
Pay & Use Toilet				Remarks		NA					

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	37	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	24	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	1657.5	Length(m)	250	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	15300		
Pay & Use Toilet				Remarks	NA		

Station Anpara

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	590	8	76	CC	51	6	11	1		0	148	4	4	0	25	0	0	0	0	0	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Anpara

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	50 sqm	8	4	4	50	0	High level	1	-
As per Rec.	25	0	2.4	0	0	7			-	-
Actual	37	51	12	4	4	172	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Arigada		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	ARGD	FOB	1	(a) Per Day		122		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		40		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	3.33	2018-19	2.27	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	5.41	2020-21	0.14	Touch Screen Enquiry System		N	
District	RAMGARH	Clock	Y	2021-22	6.5	2022-23	10.06	Electronic Train Indication		N	
Section	KQR-BRKA	Wheel Chairs	N	2023-24	9.44	2024-25		ATMs		0	
Km.	0133.38	Cloak Room	N	<div>MP Const. Hazaribagh MP Name Jaiswal, Shri Manish MLA Const. Barkagaon MLA Name Sri Roshan Lal Choudhary</div>				Food Plaza		N	
Route	E	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	N							Trains Halting		M: 0 P : 10	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	8	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	105	Length(m)	35	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Kutchra	Type	Piped		Bore Wells (Nos)		1		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		15000					
Pay & Use Toilet				Remarks	NA						

Station			Arigada																						
Platform Detail																									
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	600	11	84	MOR	0	6	0	2		0	28	3	1	0	12	0	0	0	0	0	N	0	
*Surface Type			:	CC-Cement Concrete				PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station	Arigada		Summary								(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-		
As per Rec.	25	0	1.6	0	0	7			-	-		
Actual	8	0	2	3	1	28	1	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	-		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Bandhua		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	BNF	FOB	1	(a) Per Day		43		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		20		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	5.58	2018-19	3.77	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	5.71	2020-21	0.10	Touch Screen Enquiry System		N	
District	GAYA	Clock	N	2021-22	6.38	2022-23	9.61	Electronic Train Indication		N	
Section	PKA-MPO	Wheel Chairs	N	2023-24	8.86	2024-25		ATMs		0	
Km.	0457.35	Cloak Room	N	<div>MP Const. Gaya</div> <div>MP Name Manjhi, Shri Jitan Ram</div> <div>MLA Const. Wazirganj</div> <div>MLA Name Birendra Singh</div>				Food Plaza		N	
Route	A	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 4 P : 0	
								Station IInd Entry		Y	
Other Items	NA										
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	56	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	500	Length(m)	66	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		NA					

Station

Bandhua

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	244	12	0	MOR	40	10	2	1		0	60	2	2	0	30	0	0	0	0	1	N	0
3&4	BG	Y	244	8	0	MOR	40	9	0	1		0	50	1	5	0	30	0	0	0	0	1	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

Bandhua

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	8	0	0.8	0	0	2			-	-
Actual	56	80	4	3	7	120	1	See platform details	0	YES
Shortage, if any	-	20	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station Bansjora				No. of passengers dealt with:				Identified as Adarsh		N	
Station Code		BZS	FOB	0	(a) Per Day		19		Developed As		
Station Category		NSG6	Subway	0	(b) Max. at any		8		Identified for MFC		N
Railway		ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division		Dhanbad	Enquiry Office	0	2011-12	3.10	2018-19	3.00	Tourist Facilation Center		N
State		JHARKHAND	Public Address Sys.	Y	2019-20	0.8	2020-21	0.00	Touch Screen Enquiry System		N
District		DHANBAD	Clock	Y	2021-22	1.04	2022-23	2.23	Electronic Train Indication		N
Section		DHN-KTH-CRP	Wheel Chairs	N	2023-24	2.32	2024-25		ATMs		0
Km.		0007.67	Cloak Room	N	<div>MP Const. Giridih MP Name Choudhary, Shri Chandra MLA Const. Dhanbad MLA Name Sri Raj Sinha</div>				Food Plaza		N
Route		E	Refreshment Room(sqm)	Budget Hotel					N		
Electrified		Y		Trains Halting					M: 1	P : 1	
Other Items		NA		Station IInd Entry					N		
Remarks for		NA									
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	30	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	0			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	6500						
Pay & Use Toilet				Remarks	NA						

Station

Bansjora

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	110	9	0	MOR	43	2	0	0		0	30	2	2	0	10	0	0	0	0	0	N	0
2	BG	N	110	9	0	MOR	43	0	0	0		0	30	2	2	0	0	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Bansjora

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	3	0	0.32	0	0	1			-	-
Actual	30	86	0	6	6	70	0	See platform details	0	-
Shortage, if any	-	14	4	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Barhi		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	BRHI	FOB	1	(a) Per Day		147		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		50		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	5.51	2020-21	0.00	Touch Screen Enquiry System		N	
District	KODERMA	Clock	N	2021-22	2.91	2022-23	5.04	Electronic Train Indication		N	
Section	KQR-BRKA	Wheel Chairs	N	2023-24	4.68	2024-25		ATMs		0	
Km.	0022.50	Cloak Room	N	<div>MP Const. Hazaribagh MP Name Jaiswal, Shri Manish MLA Const. Hazaribagh MLA Name Sri Pradip Prasad</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		Y	
Electrified	Y							Trains Halting		M: 2 P : 4	
								Station IInd Entry		N	
Other Items	NA										
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	210	Length(m)	800	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Black Topped	Type	Piped		Bore Wells (Nos)		1		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		15000					
Pay & Use Toilet				Remarks		Pipe supply					

Station			Barhi																					Platform Detail									
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)									
1	BG	N	340	10	840	MOR	208	0	0	2		0	40	0	0	2	40	0	0	0	0	0	N	0									
2	BG	N	340	10	840	MOR	144	0	0	2		0	20	0	0	1	40	0	0	0	0	0	N	0									
*Surface Type :			CC-Cement Concrete					PS-Polished Stone					OPS-Other Pucca Surface					MOR-Moorum					OTH-Others										

Station			Summary								(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.		
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-			
As per Rec.	21	0	2	0	0	6			-	-			
Actual	15	352	4	0	0	60	1	See platform details	0	-			
Shortage, if any	-	-	-	1	1	-	-		-	-			

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Barkakana Junction		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	BRKA	FOB	2	(a) Per Day		3722		Developed As			
Station Category	NSG4	Subway	0	(b) Max. at any		1600		Identified for MFC		N	
Railway	ECR	Booking Windows	6	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	1	2011-12	709.09	2018-19	745.04	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	589.25	2020-21	57.46	Touch Screen Enquiry System		N	
District	RAMGARH	Clock	Y	2021-22	1076.69	2022-23	1357.13	Electronic Train Indication		Y	
Section	LTHR-BRKA	Wheel Chairs	Y	2023-24	1612.05	2024-25		ATMs		1	
Km.	0100.62	Cloak Room	Y	<div>MP Const. Hazaribagh MP Name Jaiswal, Shri Manish MLA Const. Ramgarh MLA Name Smt. Mamta Devi</div>				Food Plaza		N	
Route	Dspl	Refreshment	43					Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 32 P : 20	
Other Items		Water Recycling plant has been installed.						Station IInd Entry		Y	
Remarks for		NA									
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	129	Area(sqm)		22	22	Area(sqm)	44	Retiring Room		1	
(b) Seats(Nos.)	25	Seats(Nos.)		22	15	Seats(Nos.)	24	Dormitory		0	
(c) Lav.(Nos.)	3	Lav.(Nos.)		0	1	Lav.(Nos.)	2				
(d) Urinals(Nos.)	4	Urinals(Nos.)		0	1	Urinals(Nos.)	2				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	1	Bathing Cubicals(Nos.)	1				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	2250	Length(m)	400	Source	Railway Supply		Open Wells (Nos)		0		
Surface	WBM	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)		0		
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)		100000					
Pay & Use Toilet	Y			Remarks		NA					

Station

Barkakana Junction

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	Y	195	10	0	CC	8	0	4	0		115	75	0	2	0	12	3	0	0	0	2	Y	0
2&3	BG	Y	609.57	14.5	84	CC	608	0	42	0		550	554	9	11	0	12	3	0	0	0	2	Y	1
4&5	BG	Y	550	12	84	CC	948	0	38	0		500	231	0	0	4	27	0	0	0	0	2	N	1
1/A	BG	N	87	6	57	CC	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Barkakana Junction

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	800 sqm	80	6	6	400	1	High level	8	YES
As per Rec.	669	1792	64	2	2	192			-	-
Actual	129	1564	84	15	20	946	2	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		7	YES

Desired	Facility Available	Desired	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	No	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with	Yes	Washable apron with jet cleaning	No
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Tiolets on end platform & circulating	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Barwadih		No. of passengers dealt with:				Identified as Adarsh		Y	
Station Code	BRWD	FOB	2	(a) Per Day		1743		Developed As		Y	
Station Category	NSG5	Subway	0	(b) Max. at any		600		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	104.13	2018-19	120.20	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	178.35	2020-21	21.21	Touch Screen Enquiry System		N	
District	LATEHAR	Clock	Y	2021-22	77.36	2022-23	129.78	Electronic Train Indication		Y	
Section	BRKA-CPU	Wheel Chairs	Y	2023-24	183.25	2024-25		ATMs		0	
Km.	0258.00	Cloak Room	N	<div>MP Const. Chatra</div> <div>MP Name Singh, Shri Kali Charan</div> <div>MLA Const. Manika</div> <div>MLA Name Sri Ramchandra Singh</div>				Food Plaza		N	
Route	Dspl	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 24	P : 14
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	50	Area(sqm)		0	0	Area(sqm)	65	Retiring Room	0		
(b) Seats(Nos.)	25	Seats(Nos.)		0	0	Seats(Nos.)	50	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	1				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	154	Length(m)	500	Source	Railway Supply		Open Wells (Nos)		1		
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)		1		
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)		189270					
Pay & Use Toilet				Remarks		NA					

Station			Barwadih																								
			Platform Detail																								
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)			
1	BG	N	557	8	84	CC	341	11	14	1		0	70	1	1	1	39	1	0	0	0	2	N	0			
2&3	BG	Y	557	11	78	CC	950	2	34	0		1	90	0	4	2	22	2	0	0	0	2	Y	0			
*Surface Type :			CC-Cement Concrete					PS-Polished Stone					OPS-Other Pucca Surface					MOR-Moorum					OTH-Others				

Station	Barwadih			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-		
As per Rec.	251	0	24	1	1	72			-	-		
Actual	50	1291	49	2	5	235	2	See platform details	1	YES		
Shortage, if any	-	-	-	2	-	-	-		1	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Baseria Halt		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	BZE	FOB	0	(a) Per Day		7		Developed As				
Station Category	HG3	Subway	0	(b) Max. at any		2		Identified for MFC		N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	3.17	2018-19	2.21	Tourist Facilation Center		N		
State	JHARKHAND	Public Address Sys.	N	2019-20	0.32	2020-21	0.00	Touch Screen Enquiry System		N		
District	DHANBAD	Clock	N	2021-22	0.49	2022-23	0.77	Electronic Train Indication		N		
Section	DHN-KTH-CRP	Wheel Chairs	N	2023-24	0.77	2024-25		Length of longest stopping train(m)		250	ATMs	0
Km.	0005.40	Cloak Room	N	<div>MP Const. Dhanbad</div> <div>MP Name Mahato, Shri Dulu</div> <div>MLA Const. Dhanbad</div> <div>MLA Name Sri Raj Sinha</div>				Food Plaza		N		
Route	E	Refreshment Room(sqm)	Budget Hotel					N				
Electrified	Y	Trains Halting						M: 1		P : 1		
Other Items		NA						Station IInd Entry		N		
Remarks for		NA										
Resting Facility												
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM						
(a) Area(sqm.)	25	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0		
(b) Seats(Nos.)	16	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0					
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0					
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0					
Circulating Area and Water												
Circulating Area		Approach Road		Water Supply								
Area (sqm)	0	Length(m)	50	Source	Railway Supply		Open Wells (Nos)		0			
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0						
Pay & Use Toilet				Remarks		NA						

Station
Baseria Halt
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	77	6	30	CC	24	0	0	0		0	16	0	0	0	3	0	0	0	0	0	N	0
2	BG	N	77	13	30	CC	0	1	0	0		0	4	0	0	0	2	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
Baseria Halt
Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	1	0	0.08	0	0	0			-	-
Actual	25	24	0	0	0	36	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Bermo		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	BRMO	FOB	1	(a) Per Day		245		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		80		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	32.22	2018-19	26.19	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	18	2020-21	0.26	Touch Screen Enquiry System		N	
District	BOKARO	Clock	N	2021-22	20.82	2022-23	26.86	Electronic Train Indication		N	
Section	GMO-BRKA	Wheel Chairs	N	2023-24	27.12	2024-25		ATMs		0	
Km.	0034.11	Cloak Room	N	<div>MP Const. Giridih MP Name Choudhary, Shri Chandra MLA Const. Bermo MLA Name Sri Kumar Jaimangal Singh</div>				Food Plaza		N	
Route	D	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 2 P : 6	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	40	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	25	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0						
Pay & Use Toilet	N			Remarks	Deep tube well available from April'24.						

Station		Bermo		Platform Detail																				
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	295	2.5	0	CC	158	2	1	1		0	25	2	1	0	0	0	0	0	0	1	N	0
2&3	BG	N	540	7	0	CC	12	0	0	0		0	30	1	1	0	30	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others					

Station		Bermo		Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.			
Item ->		Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility		15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-			
As per Rec.		33	0	3.2	0	0	10			-	-			
Actual		40	170	2	3	2	63	1	See platform details	0	-			
Shortage, if any		-	-	2	-	-	-	-		-	-			

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Bhandaridah		No. of passengers dealt with:				Identified as Adarsh		Y	
Station Code	BHME	FOB	0	(a) Per Day		85		Developed As		N	
Station Category	NSG6	Subway	0	(b) Max. at any		30		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	5.69	2018-19	5.16	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	3.93	2020-21	0.12	Touch Screen Enquiry System		N	
District	BOKARO	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication		N	
Section	GMO-BRKA	Wheel Chairs	N	2023-24	0	2024-25		ATMs		0	
Km.	0023.56	Cloak Room	N	<div>MP Const. Giridih</div> <div>MP Name Choudhary, Shri Chandra</div> <div>MLA Const. Bermo</div> <div>MLA Name Sri Kumar Jaimangal Singh</div>				Food Plaza		N	
Route	D	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 0	P : 6
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	76	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	2500	Length(m)	30	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Cement Concrete	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	0			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	30000						
Pay & Use Toilet	N			Remarks	Na						

Station
Bhandaridah
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	296	6	34	CC	384	10	32	0		0	60	1	0	0	24	0	0	0	0	0	N	0
2	BG	N	244	6.8	0	CC	0	0	0	1		0	52	1	0	0	0	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
Bhandaridah
Summary
(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	13	0	1.2	0	0	4			-	-
Actual	76	384	33	3	0	132	0	See platform details	0	-
Shortage, if any	-	-	-	-	1	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station Bholidih Halt				No. of passengers dealt with:				Identified as Adarsh N									
				(a) Per Day 31				Developed As									
Station Code BLME FOB 0				(b) Max. at any 10				Identified for MFC N									
Station Category HG3 Subway 0				Pass. Earnings/Year(Rs. in Lac.)													
Railway ECR Booking Windows 1				2011-12 0.00 2018-19 0.00				Tourist Facilation Center N									
Division Dhanbad Enquiry Office 0				2019-20 1.89 2020-21 0.05				Touch Screen Enquiry System N									
State JHARKHAND Public Address Sys. N				2021-22 1.43 2022-23 3.55				Electronic Train Indication N									
District GIRIDIH Clock Y				2023-24 3.05 2024-25													
Section PKA-MPO Wheel Chairs N				Length of longest stopping train(m) 0				ATMs 0									
Km. 0304.99 Cloak Room N				<table border="1"> <tr> <td>MP Const.</td> <td>Giridih</td> </tr> <tr> <td>MP Name</td> <td>Choudhary, Shri Chandra</td> </tr> <tr> <td>MLA Const.</td> <td>Dumri</td> </tr> <tr> <td>MLA Name</td> <td>Sri Jagarnath Mahto</td> </tr> </table>				MP Const.	Giridih	MP Name	Choudhary, Shri Chandra	MLA Const.	Dumri	MLA Name	Sri Jagarnath Mahto	Food Plaza N	
MP Const.	Giridih																
MP Name	Choudhary, Shri Chandra																
MLA Const.	Dumri																
MLA Name	Sri Jagarnath Mahto																
Route A Refreshment Room(sqm)				Budget Hotel N													
Electrified N				Trains Halting M: 0 P : 2													
Other Items 				Station IInd Entry N													
Remarks for NA																	

Resting Facility							
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room 0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0	
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos) 0
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos) 2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks			

Station		Bholidih Halt																						
		Platform Detail																						
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	295	6.5	0	CC	9	0	0	1		0	5	0	0	0	7	0	0	0	0	0	N	0
2	BG	N	295	5.4	0	MOR	0	0	0	1		0	10	0	0	0	6	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone				OPS-Other Pucca Surface					MOR-Moorum				OTH-Others				

Station	Bholidih Halt			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-		
As per Rec.	6	0	0.4	0	0	2			-	-		
Actual	0	9	2	0	0	15	0	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	1		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station	Bhuli			No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	BHN	FOB	0	(a) Per Day		812		Developed As			
Station Category	HG2	Subway	0	(b) Max. at any		350		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	16.80	2018-19	162.67	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	21.35	2020-21	1.21	Touch Screen Enquiry System		N	
District	DHANBAD	Clock	Y	2021-22	24.8	2022-23	34.73	Electronic Train Indication		N	
Section	PKA-MPO	Wheel Chairs	N	2023-24	33.45	2024-25		ATMs		0	
Km.	0274.50	Cloak Room	N	<div>MP Const. Dhanbad</div> <div>MP Name Mahato, Shri Dulu</div> <div>MLA Const. Dhanbad</div> <div>MLA Name Sri Raj Sinha</div>				Food Plaza		N	
Route	A	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 6	P : 6
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	12	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0		
(b) Seats(Nos.)	16	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0		
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0					
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0					
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0					
Circulating Area and Water											
Circulating Area		Approach Road			Water Supply						
Area (sqm)	0	Length(m)	30	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Cement Concrete	Surface	Other	Type	Hand Pump		Bore Wells (Nos)		2		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0						
Pay & Use Toilet				Remarks	NA						

Station			Bhuli																					Platform Detail									
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)									
1	BG	N	300	10	0	MOR	36	0	0	1		0	20	1	1	0	7	0	0	0	0	0	N	0									
2	BG	N	300	6	0	MOR	18	0	0	1		0	20	0	0	0	8	0	0	0	0	0	N	0									
*Surface Type			:	CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others													

Station	Summary										(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage	
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-	
As per Rec.	220	0	14	1	1	63			-	-	
Actual	12	54	2	1	1	56	0	See platform details	0	-	
Shortage, if any	-	-	-	-	-	-	1		-	-	

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Bhurkunda		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	BHKD	FOB	2	(a) Per Day		537		Developed As				
Station Category	NSG6	Subway	0	(b) Max. at any		125		Identified for MFC		N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	35.10	2018-19	37.61	Tourist Facilation Center		N		
State	JHARKHAND	Public Address Sys.	Y	2019-20	44.71	2020-21	1.67	Touch Screen Enquiry System		N		
District	RAMGARH	Clock	Y	2021-22	51.73	2022-23	70.8	Electronic Train Indication		N		
Section	BRKA-GHD	Wheel Chairs	N	2023-24	70.49	2024-25		ATMs		0		
Km.	0112.53	Cloak Room	N	Length of longest stopping train(m)				264		Food Plaza		N
Route	Dspl	Refreshment Room(sqm)		MP Const.	Hazaribagh			Budget Hotel		N		
Electrified	Y			MP Name	Jaiswal, Shri Manish			Trains Halting		M: 2	P : 8	
Other Items	NA			MLA Const.	Barkagaon			Station IInd Entry		Y		
Remarks for	NA			MLA Name	Sri Roshan Lal Choudhary							

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	20	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	230	Length(m)	74	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	NA				

Station
Bhurkunda
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	550	9	84	CC	84	7	0	2		0	32	2	2	0	15	0	0	0	0	1	N	0
2	BG	Y	385	10.5	84	CC	18	0	0	2		0	24	2	2	0	16	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
Bhurkunda
Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	52	0	5	0	0	15			-	-
Actual	20	102	4	4	4	66	2	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Billi Junction		No. of passengers dealt with:				Identified as Adarsh		N
				(a) Per Day				Developed As		
Station Code		BXLL		85				Identified for MFC		N
Station Category		NSG6		(b) Max. at any						
Railway		ECR		Pass. Earnings/Year(Rs. in Lac.)						
Division		Dhanbad		2011-12 19.25 2018-19 15.42				Tourist Facilation Center		N
State		UTTAR		2019-20 15.64 2020-21 0.00				Touch Screen Enquiry System		N
District		SONBHADRA		2021-22 8.74 2022-23 10.69				Electronic Train Indication		N
Section		CPU-GHD		2023-24 8 2024-25				ATMs		0
Km.		0135.00		Length of longest stopping train(m)				Food Plaza		N
Route		E		MP Const. Robertsganj				Budget Hotel		N
Electrified		N		MP Name Shri Chhotelal				Trains Halting		M: 0 P : 4
				MLA Const. Obra				Station IInd Entry		N
				MLA Name Shri Sanjeev Gond						
Other Items		NA								
Remarks for		NA								

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	78	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	98	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	44.5	Length(m)	55	Source	Railway Supply		Open Wells (Nos)		0
Surface	Cement Concrete	Surface	Kutchra	Type	Piped and Hand Pump		Bore Wells (Nos)		1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	10800				
Pay & Use Toilet	Y			Remarks	NA				

Station
Billi Junction
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	338	7	0	OPS	121	0	0	2		0	60	2	2	0	12	0	0	0	0	1	N	0
2&3	BG	Y	182	7	84	OPS	63	0	0	2		0	20	0	0	0	0	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
Billi Junction
Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	8	0	0.8	0	0	2			-	-
Actual	78	184	4	2	2	178	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Bokaro Thermal		No. of passengers dealt with:				Identified as Adarsh		Y	
Station Code	BKRO	FOB	1	(a) Per Day		721		Developed As		N	
Station Category	NSG5	Subway	0	(b) Max. at any		120		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	193.99	2018-19	198.65	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	213.86	2020-21	41.00	Touch Screen Enquiry System		N	
District	BOKARO	Clock	Y	2021-22	67.21	2022-23	99.26	Electronic Train Indication		N	
Section	GMO-BRKA	Wheel Chairs	N	2023-24	105	2024-25		ATMs		0	
Km.	0042.93	Cloak Room	N	<div><div>MP Const. Giridih</div><div>MP Name Choudhary, Shri Chandra</div><div>MLA Const. Gomia</div><div>MLA Name Sri Lambodar Mahto</div></div>				Food Plaza		N	
Route	D	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 4	P : 6
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	51	Area(sqm)		0	0	Area(sqm)	36	Retiring Room	0
(b) Seats(Nos.)	35	Seats(Nos.)		0	0	Seats(Nos.)	15	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	250	Length(m)	10	Source	Municipal Supply		Open Wells (Nos)	0	
Surface	WBM	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	5000				
Pay & Use Toilet				Remarks	NA				

Station

Bokaro Thermal

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	351	8	84	CC	146	6	12	0		0	60	4	4	0	6	0	0	0	0	1	N	0
2	BG	N	351	8	84	CC	0	4	16	1		0	60	0	0	0	6	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Bokaro Thermal

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	50	0	4.8	0	0	14			-	-
Actual	51	146	29	5	4	170	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Chainpur		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	CNPR	FOB	1	(a) Per Day		174		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		60		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	7.30	2018-19	7.71	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	8.66	2020-21	0.12	Touch Screen Enquiry System		N	
District	HAZARIBAGH	Clock	Y	2021-22	5.72	2022-23	8.21	Electronic Train Indication		N	
Section	GMO-BRKA	Wheel Chairs	N	2023-24	8.74	2024-25		ATMs		0	
Km.	0079.40	Cloak Room	N	<div>MP Const. Hazaribagh</div> <div>MP Name Jaiswal, Shri Manish</div> <div>MLA Const. Barkagaon</div> <div>MLA Name Sri Roshan Lal Choudhary</div>				Food Plaza		N	
Route	D	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 2 P : 6	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	50	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	250	Length(m)	20	Source	Railway Supply		Open Wells (Nos)		1		
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)		2		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		5000					
Pay & Use Toilet				Remarks	NA						

Station

Chainpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	268	5	0	CC	16	0	1	1		0	50	1	1	0	0	1	0	0	0	1	N	0		
2	BG	N	500	10	84	CC	150	10	30	1		0	135	1	1	4	16	0	0	0	0	1	N	0		
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																										

Station

Chainpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	25	0	2.4	0	0	7			-	-
Actual	50	166	33	3	2	205	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Chandrapura Junction		No. of passengers dealt with:				Identified as Adarsh		Y	
Station Code	CRP	FOB	1	(a) Per Day		4275		Developed As		N	
Station Category	NSG4	Subway	0	(b) Max. at any		1200		Identified for MFC		N	
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	1	2011-12	411.71	2018-19	478.87	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	552.41	2020-21	60.64	Touch Screen Enquiry System		N	
District	BOKARO	Clock	Y	2021-22	716.98	2022-23	1174.68	Electronic Train Indication		N	
Section	GMO-BRKA	Wheel Chairs	Y	2023-24	1293.21	2024-25		ATMs		1	
Km.	0016.92	Cloak Room	N	Length of longest stopping train(m)				525	Food Plaza		Y
Route	D	Refreshment		MP Const.	Giridih			Budget Hotel		N	
Electrified	Y	Room(sqm)		MP Name	Choudhary, Shri Chandra			Trains Halting		M: 54	
				MLA Const.	Bermo			Station IInd Entry		Y	
				MLA Name	Sri Kumar Jaimangal Singh					P : 14	
Other Items	NA										
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	78	Area(sqm)		0	0	Area(sqm)	25	Retiring Room	0		
(b) Seats(Nos.)	50	Seats(Nos.)		0	0	Seats(Nos.)	12	Dormitory	0		
(c) Lav.(Nos.)	6	Lav.(Nos.)		0	0	Lav.(Nos.)	1				
(d) Urinals(Nos.)	6	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	4732.62	Length(m)	134	Source	Railway Supply		Open Wells (Nos)	1			
Surface	Cement Concrete	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1			
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	130000						
Pay & Use Toilet	Y			Remarks	NA						

Resting Facility

WAITING HALL		WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	78	Area(sqm)	0	0	Area(sqm)	25	Retiring Room	0
(b) Seats(Nos.)	50	Seats(Nos.)	0	0	Seats(Nos.)	12	Dormitory	0
(c) Lav.(Nos.)	6	Lav.(Nos.)	0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	6	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	4732.62	Length(m)	134	Source	Railway Supply	Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	130000		
Pay & Use Toilet	Y			Remarks	NA		

Station

Chandrapura Junction

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	8.5	84	CC	360	10	40	0		0	185	1	0	5	42	1	0	0	0	1	Y	0
2&3	BG	Y	540	10	84	CC	292	0	43	0		0	160	1	0	4	48	0	0	0	0	1	Y	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

Chandrapura Junction

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec.	502	672	48	2	2	144			-	-
Actual	78	652	84	9	6	407	1	See platform details	3	-
Shortage, if any	-	-	-	-	-	-	-		1	YES

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Chaubu		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	CBH	FOB	1	(a) Per Day		333		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		65		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	17.34	2018-19	19.24	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	20.07	2020-21	0.49	Touch Screen Enquiry System		N	
District	HAZARIBAGH	Clock	Y	2021-22	11.73	2022-23	22.07	Electronic Train Indication		N	
Section	PKA-MPO	Wheel Chairs	N	2023-24	23.99	2024-25		ATMs		0	
Km.	0355.17	Cloak Room	N	<div><div>MP Const.</div><div>Kodarma</div><div>MP Name</div><div>Devi, Smt. Annpurna</div><div>MLA Const.</div><div>Barkatha</div><div>MLA Name</div><div>Sri Amit Kumar Yadav</div></div>				Food Plaza		N	
Route	A	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 8 P : 0	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	36	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	90	Source	Railway Supply		Open Wells (Nos)		1		
Surface	Kutchu	Surface	Kutchu	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		0					
Pay & Use Toilet	N			Remarks		NA					

Station
Chaube
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	N	423	9.5	0	MOR	21	4	2	1		0	24	1	1	0	8	0	0	0	0	0	N	0
3&4	BG	N	350	15	0	MOR	81	3	2	2		0	27	2	3	0	8	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station
Chaube
Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	27	0	2.6	0	0	8			-	-
Actual	36	102	7	3	4	51	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Chhipadohar		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	CPDR	FOB	0	(a) Per Day		444		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		100		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	14.72	2018-19	16.74	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	17.12	2020-21	0.74	Touch Screen Enquiry System		N	
District	LATEHAR	Clock	N	2021-22	12.04	2022-23	16.29	Electronic Train Indication		N	
Section	BRKA-GHD	Wheel Chairs	N	2023-24	24.59	2024-25		ATMs		0	
Km.	0248.00	Cloak Room	N	<div>MP Const. Chatra MP Name Singh, Shri Kali Charan MLA Const. Manika MLA Name Sri Ramchandra Singh</div>				Food Plaza		N	
Route	Dspl	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 2 P : 8	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	37	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	14	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	110	Length(m)	100	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		NA					

Station

Chhipadohar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	220	6	0	CC	80	1	0	1		0	12	2	2	0	8	0	0	0	0	0	N	0
2	BG	N	350	6	80	OPS	36	4	0	1		0	37	0	0	0	24	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station

Chhipadohar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	42	0	4	0	0	12			-	-
Actual	37	116	2	3	3	63	0	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Chianki		No. of passengers dealt with:				Identified as Adarsh		N			
Station Code	CNF	FOB	0	(a) Per Day		113		Developed As					
Station Category	HG2	Subway	0	(b) Max. at any		45		Identified for MFC		N			
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)									
Division	Dhanbad	Enquiry Office	0	2011-12	3.97	2018-19	4.36	Tourist Facilation Center		N			
State	JHARKHAND	Public Address Sys.	N	2019-20	4.77	2020-21	0.40	Touch Screen Enquiry System		N			
District	PALAMU	Clock	N	2021-22	3.16	2022-23	5.81	Electronic Train Indication		N			
Section	BRKA-GHD	Wheel Chairs	N	2023-24	5.93	2024-25		ATMs		0			
Km.	0278.26	Cloak Room	N	<div>MP Const. Palamu</div> <div>MP Name Ram, Shri Vishnu Dayal</div> <div>MLA Const. Daltonganj</div> <div>MLA Name Sri Alok Chaurasiya</div>				Food Plaza		N			
Route	Dspl	Refreshment Room(sqm)	Budget Hotel					N					
Electrified	Y		Trains Halting					M: 0 P : 12					
Other Items	NA		Station IInd Entry					N					
Remarks for	NA												
Resting Facility													
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM							
(a) Area(sqm.)	21	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0				
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0				
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0						
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0						
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0						
Circulating Area and Water													
Circulating Area		Approach Road		Water Supply									
Area (sqm)	170	Length(m)	74	Source	Railway Supply		Open Wells (Nos)		0				
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0				
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	0								
Pay & Use Toilet				Remarks	NA								

Station

Chianki

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	307	6	0.84	MOR	0	0	0	1		0	10	3	0	2	17	0	0	0	0	0	N	0		
2	BG	N	303	7	0.62	MOR	0	2	0	1		0	20	0	0	2	16	0	0	0	0	0	N	0		
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																										

Station

Chianki

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	28	0	1.8	0	0	8			-	-
Actual	21	0	2	3	0	40	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Chichaki		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	CCK	FOB	1	(a) Per Day		478		Developed As				
Station Category	NSG6	Subway	0	(b) Max. at any		160		Identified for MFC		N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	19.03	2018-19	20.12	Tourist Facilation Center		N		
State	JHARKHAND	Public Address Sys.	Y	2019-20	29.6	2020-21	1.03	Touch Screen Enquiry System		N		
District	GIRIDIH	Clock	Y	2021-22	19.65	2022-23	37.76	Electronic Train Indication		N		
Section	PKA-MPO	Wheel Chairs	N	2023-24	32.76	2024-25		ATMs		0		
Km.	0335.43	Cloak Room	N	Length of longest stopping train(m)				354		Food Plaza		N
Route	Dspl	Refreshment Room(sqm)		MP Const. Kodarma				Budget Hotel		N		
Electrified	Y			MP Name Devi, Smt. Annpurna				Trains Halting		M: 1 P : 2		
Other Items	NA			MLA Const. Bagodar				Station IInd Entry		N		
Remarks for	NA			MLA Name Sri Vinod Kumar singh								
Resting Facility												
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM						
(a) Area(sqm.)	16	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0		
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0					
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0					
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0					
Circulating Area and Water												
Circulating Area		Approach Road		Water Supply								
Area (sqm)	0	Length(m)	80	Source	Railway Supply		Open Wells (Nos)		0			
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		3			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0						
Pay & Use Toilet	N			Remarks		NA						

Station			Chichaki																							
Platform Detail																										
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1&2	BG	Y	244	15	6.5	CC	139	5	0	2		0	24	2	1	2	10	0	0	0	0	0	N	0		
3&4	BG	Y	244	9	6.5	CC	171	3	0	2		0	36	0	0	2	8	0	0	0	0	0	N	0		
*Surface Type			:	CC-Cement Concrete				PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others							

Station	Chichaki			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.		
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-			
As per Rec.	67	0	6.4	0	0	19			-	-			
Actual	16	310	4	2	1	60	1	See platform details	0	-			
Shortage, if any	-	-	-	-	-	-	-		-	-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Chopan		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	CPU	FOB	2	(a) Per Day		2568		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		800		Identified for MFC		N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	1	2011-12	385.63	2018-19	403.39	Tourist Facilation Center		N	
State	UTTAR	Public Address Sys.	Y	2019-20	509.45	2020-21	40.87	Touch Screen Enquiry System		N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	458.26	2022-23	882.76	Electronic Train Indication		Y	
Section	GHD-CPU	Wheel Chairs	Y	2023-24	869.82	2024-25		ATMs		0	
Km.	0141.43	Cloak Room	N	<div>MP Const. Robertsganj MP Name Shri Chhotelal MLA Const. Obra MLA Name Shri Sanjeev Gond</div>				Food Plaza		N	
Route	D	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	N							Trains Halting		M: 34	P : 4
Other Items	NA							Station IInd Entry		Y	
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	78	Area(sqm)		1	20	Area(sqm)	20	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	25	Seats(Nos.)	25	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	1	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	1	Urinals(Nos.)	1		
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)		0	1	Bathing Cubicals(Nos.)	1		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	681.2	Length(m)	415	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Cement Concrete	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	2	
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	50000				
Pay & Use Toilet	Y			Remarks	Work sanctioned for pipe line from Sone river to CPU filter				

Station			Chopan																						
Platform Detail																									
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	380	6	76	PS	295	8	20	0		150	168	6	6	4	45	2	0	0	0	1	Y	0	
2&3	BG	Y	650	10	84	CC	480	4	44	0		389	162	2	2	6	45	3	0	0	0	1	Y	0	
*Surface Type			:	CC-Cement Concrete				PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station			Chopan								Summary										(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.		
Item ->		Waiting Hall		Shelter (sqm)		TAP/HP (nos)		Lavatories		Urinals (nos)		Seats (nos)		FOB (nos)		Height of Platforms		No of Water Coolers		Signage			
Min. Facility		30		100 sqm		16		4		4		100		0		High level		2		-			
As per Rec.		335		0		32		1		1		96						-		-			
Actual		78		775		64		11		11		410		2		See platform details		4		YES			
Shortage, if any		-		-		-		-		-		-		-				-		-			

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station	Churki			No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	CHRK	FOB	1	(a) Per Day		50		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		20		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center			N
State	MADHYA	Public Address Sys.	N	2019-20	0	2020-21	0.00	Touch Screen Enquiry System			N
District	PRADESH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication			N
Section	CPU-MHDA	Wheel Chairs	N	2023-24	0	2024-25		Length of longest stopping train(m)			285
Km.	0180.75	Cloak Room	N	<div> MP Const. Sidhi MP Name Mishra, Dr. Rajesh MLA Const. Devsar MLA Name Shri Rajendra Meshram </div>				ATMs		0	
Route	E	Refreshment Room(sqm)						Food Plaza		N	
Electrified	N							Budget Hotel		N	
Other Items	NA							Trains Halting		M: 0 P : 0	
Remarks for	New station							Station IInd Entry		N	

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	16	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	16	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)		0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		NA			

Station			Churki																					
			Platform Detail																					
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	260	9	0	OTH	0	0	0	2		0	0	0	0	0	8	0	0	0	0	1	N	0
2&3	BG	Y	587	11	84	CC	81	0	0	0		0	108	0	0	0	0	0	0	0	0	0	N	0
*Surface Type :			CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station	Churki										Summary										(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.									
Item ->	Waiting Hall		Shelter (sqm)		TAP/HP (nos)		Lavatories		Urinals (nos)		Seats (nos)		FOB (nos)		Height of Platforms		No of Water Coolers		Signage											
Min. Facility	15		100 sqm		4 tap/HP at stn		1		1		20		1		High level		0		-											
As per Rec.	8		0		0.8		0		0		2						-		-											
Actual	16		81		2		1		1		124		1		<div>See platform details</div>		0		YES											
Shortage, if any	-		19		2		-		-		-		-				-		-											

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Daltonganj		No. of passengers dealt with:				Identified as Adarsh		Y	
Station Code	DTO	FOB	2	(a) Per Day		11597		Developed As		Y	
Station Category	NSG3	Subway	0	(b) Max. at any		2200		Identified for MFC		N	
Railway	ECR	Booking Windows	8	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	1	2011-12	1274.74	2018-19	1361.74	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	1692.45	2020-21	188.77	Touch Screen Enquiry System		N	
District	PALAMU	Clock	Y	2021-22	1841.95	2022-23	2691.28	Electronic Train Indication		Y	
Section	BRKA-GHD	Wheel Chairs	Y	2023-24	2996.22	2024-25		ATMs		1	
Km.	0285.69	Cloak Room	N	<div>MP Const. Palamu</div> <div>MP Name Ram, Shri Vishnu Dayal</div> <div>MLA Const. Daltonganj</div> <div>MLA Name Sri Alok Chaurasiya</div>				Food Plaza		Y	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 56	P : 12
Other Items		50000 Gallon RCC Under Ground Water tank.						Station IInd Entry		Y	
Remarks for											
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	171	Area(sqm)		33	15	Area(sqm)	280	Retiring Room		2	
(b) Seats(Nos.)	182	Seats(Nos.)		20	12	Seats(Nos.)	24	Dormitory		0	
(c) Lav.(Nos.)	3	Lav.(Nos.)		6	1	Lav.(Nos.)	2				
(d) Urinals(Nos.)	2	Urinals(Nos.)		3	1	Urinals(Nos.)	1				
(e) Bathing Cubicals	2	Bathing Cubicals(Nos.)		2	1	Bathing Cubicals(Nos.)	2				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	1400	Length(m)	60	Source	Railway Supply		Open Wells (Nos)		1		
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)		1		
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)		50000					
Pay & Use Toilet	Y			Remarks		NA					

Station

Daltonganj

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	550	9	84	CC	728	2	36	1		0	288	3	7	12	100	4	2	1	0	1	Y	0
2&3	BG	Y	550	10	65	CC	595	1	36	2		0	266	3	3	10	100	2	2	1	0	1	Y	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Daltonganj

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	800 sqm	40	10	10	250	1 With Cover	High level	4	YES
As per Rec.	920	1232	88	3	3	264			-	-
Actual	171	1323	75	18	17	792	2	See platform details	7	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Desired	Facility Available	Desired	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	
Enquiry Counter	Yes	Second Class	
NTES	Yes	For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers	Yes	Signage (standardized)	No
Modular Catering Stall		Automatic Vending Machines	
UTS	Yes	Pay & Use Tiolets on end platform & circulating	Yes
Foot Over Bridges	Yes	Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System	Yes	CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Desired	Facility Available
Improvement in the facade of the station building	
Improvement in the circulating area so as to ensure proper entry and exit of	
A lighting tower at an appropriate place to be installed for proper illumination	
Improved modern, cost effective lighting arrangements at the platforms,	
Renovated water booths	
Renovated, modern, Pay & Use toilets	
Good Waiting and Retiring Rooms with modern furniture	
Good passenger guidance system including signages and coach indication	
Improvement to the passanger service	
Improvement of booking and enquiry offices to give them a facelift	
Lighting of booking offices, the queuing area in front of booking windows	
Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Danea		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	DNEA	FOB	1	(a) Per Day		95		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		30		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	2.62	2018-19	2.91	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	3.48	2020-21	0.11	Touch Screen Enquiry System		N	
District	BOKARO	Clock	N	2021-22	4.79	2022-23	6.17	Electronic Train Indication		N	
Section	GMO-BRKA	Wheel Chairs	N	2023-24	5.83	2024-25		ATMs		0	
Km.	0066.42	Cloak Room	Y	<div>MP Const. Giridih MP Name Choudhary, Shri Chandra MLA Const. Gumla MLA Name Sri Bhusan Tirkey</div>				Food Plaza		N	
Route	D	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 6	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	50	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	80	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0			
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	0						
Pay & Use Toilet				Remarks	Deep Tube well available from Apr'24.						

Station

Danea

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	180	5	0	CC	16	23	3	1		0	132	1	1	0	14	1	0	0	0	1	N	0
2	BG	N	366	8	84	CC	160	18	0	2		0	130	0	0	0	14	0	1	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Danea

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	13	0	1.2	0	0	4			-	-
Actual	50	176	6	2	1	282	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Dasara		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	DSME	FOB	0	(a) Per Day		54		Developed As			
Station Category	HG2	Subway	0	(b) Max. at any		15		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	4.76	2018-19	4.84	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	6.82	2020-21	0.35	Touch Screen Enquiry System		N	
District	KODERMA	Clock	N	2021-22	4.48	2022-23	9.9	Electronic Train Indication		N	
Section	PKA-MPO	Wheel Chairs	N	2023-24	8.25	2024-25		ATMs		0	
Km.	0360.61	Cloak Room	N	<div>MP Const. Kodarma MP Name Devi, Smt. Annpurna MLA Const. Barkatha MLA Name Sri Amit Kumar Yadav</div>				Food Plaza		N	
Route	A	Refreshment Room(sqm)	Budget Hotel					N			
Electrified	Y		Trains Halting					M: 4 P : 0			
Other Items	NA		Station IInd Entry					N			
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	43	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0						
Pay & Use Toilet				Remarks	NA						

Station

Dasara

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	3	0	MOR	19	0	0	1		0	22	0	0	0	10	0	0	0	0	0	N	0
2	BG	N	350	3	0	MOR	19	0	0	0		0	22	0	0	0	10	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Dasara

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	9	0	0.6	0	0	3			-	-
Actual	0	39	1	0	0	44	0	See platform details	0	-
Shortage, if any	10	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station	Demu	No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DMX	FOB	0	(a) Per Day	128	Developed As		
Station Category	HG2	Subway	0	(b) Max. at any	50	Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)				
Division	Dhanbad	Enquiry Office	0	2011-12	3.70	2018-19	4.26	
State	JHARKHAND	Public Address Sys.	Y	2019-20	3.85	2020-21	0.46	
District	PALAMU	Clock	Y	2021-22	4.17	2022-23	8.13	
Section	BRKA-GHD	Wheel Chairs	N	2023-24	9.22	2024-25		
Km.	0211.02	Cloak Room	N	Length of longest stopping train(m)		275	ATMs	0
Route	Dspl	Refreshment Room(sqm)		MP Const.	Chatra		Food Plaza	N
Electrified	Y			MP Name	Singh, Shri Kali Charan		Budget Hotel	N
Other Items	NA			MLA Const.	Latehar		Trains Halting	M: 0
Remarks for	NA			MLA Name	Sri Prakash Ram		Station IInd Entry	N
								P : 8

Resting Facility								
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sqm.)	0	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water								
Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	105	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet	N			Remarks	NA			

Station			Demu				Platform Detail																		
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	180	8.2	84	MOR	0	1	0	1		0	20	0	0	0	21	0	0	0	0	0	N	0	
2	BG	N	180	4.7	84	MOR	0	0	0	1		0	20	0	0	0	17	0	0	0	0	0	N	0	
*Surface Type :			CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station	Demu		Summary								(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-		
As per Rec.	31	0	2	0	0	9			-	-		
Actual	0	0	2	0	0	40	0	See platform details	0	-		
Shortage, if any	10	-	-	-	-	-	1		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station Deonagar				No. of passengers dealt with:				Identified as Adarsh N	
				(a) Per Day				Developed As	
				(b) Max. at any				Identified for MFC N	
				Pass. Earnings/Year(Rs. in Lac.)					
Station Code	DNH	FOB	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center N	
Station Category	HG2	Subway	0	2019-20	2.71	2020-21	0.00	Touch Screen Enquiry System N	
Railway	ECR	Booking Windows	1	2021-22	0	2022-23	0	Electronic Train Indication N	
Division	Dhanbad	Enquiry Office	1	2023-24	0	2024-25			
State	JHARKHAND	Public Address Sys.	N	Length of longest stopping train(m)				ATMs 0	
District		Clock	N	<div> MP Const. Giridih MP Name Choudhary, Shri Chandra MLA Const. MLA Name </div>				Food Plaza N	
Section	DHN-CRP	Wheel Chairs	N					Budget Hotel	
Km.	0029.29	Cloak Room	N					Trains Halting M: P : null	
Route	D	Refreshment Room(sqm)						Station IInd Entry N	
Electrified	Y								
Other Items									
Remarks for									

Resting Facility					
WAITING HALL	WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	Area(sqm)			Area(sqm)	Retiring Room 0
(b) Seats(Nos.)	Seats(Nos.)			Seats(Nos.)	Dormitory 0
(c) Lav.(Nos.)	Lav.(Nos.)			Lav.(Nos.)	
(d) Urinals(Nos.)	Urinals(Nos.)			Urinals(Nos.)	
(e) Bathing Cubicals	Bathing Cubicals(Nos.)			Bathing Cubicals(Nos.)	

Circulating Area and Water			
Circulating Area	Approach Road	Water Supply	
Area (sqm)	Length(m)	Source	Open Wells (Nos)
Surface	Surface	Type	Bore Wells (Nos)
Illumination Type	Illumination Type	Storage Capacity(Ltr)	
Pay & Use Toilet		Remarks	

Station
Deonagar
Summary
(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	0	0	0	0	0	0			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	10	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Dhanbad Junction		No. of passengers dealt with:				Identified as Adarsh		Y	
Station Code	DHN	FOB	4	(a) Per Day		52609		Developed As		N	
Station Category	NSG2	Subway	0	(b) Max. at any		16000		Identified for MFC		N	
Railway	ECR	Booking Windows	21	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	2	2011-12	6800.00	2018-19	6800.00	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	5415.51	2020-21	485.02	Touch Screen Enquiry System		N	
District	DHANBAD	Clock	Y	2021-22	12136.73	2022-23	18302.72	Electronic Train Indication		Y	
Section	PKA-MPO	Wheel Chairs	Y	2023-24	20504.77	2024-25		ATMs		2	
Km.	0270.88	Cloak Room	Y	<div><div>MP Const.</div><div>Dhanbad</div><div>MP Name</div><div>Mahato, Shri Dulu</div><div>MLA Const.</div><div>Dhanbad</div><div>MLA Name</div><div>Sri Raj Sinha</div></div>				Food Plaza		Y	
Route	A	Refreshment	228					Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 120	P : 16
Other Items		Water Recycling Plant has been installed.						Station IInd Entry		Y	
Remarks for		Earning increased. Now NSG 2 category									
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	930	Area(sqm)		73	47	Area(sqm)	94	Retiring Room	12		
(b) Seats(Nos.)	104	Seats(Nos.)		25	12	Seats(Nos.)	15	Dormitory	3		
(c) Lav.(Nos.)	5	Lav.(Nos.)		3	1	Lav.(Nos.)	3				
(d) Urinals(Nos.)	6	Urinals(Nos.)		3	0	Urinals(Nos.)	2				
(e) Bathing Cubicals	4	Bathing Cubicals(Nos.)		2	1	Bathing Cubicals(Nos.)	3				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	999	Length(m)	500	Source	Municipal Supply		Open Wells (Nos)	1			
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	0			
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)		456000					
Pay & Use Toilet	Y			Remarks	NA						

Station			Dhanbad Junction					Platform Detail																	
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	606	10	80	OPS	2944	0	31	0	560	520	388	1	6	16	300	10	2	2	0	2	Y	1	
2&3	BG	Y	602	15	74	OPS	4080	0	56	0	600	580	498	2	8	20	350	6	0	0	2	2	Y	1	
4&5	BG	Y	422	12	76	OPS	1812	0	20	0	400	444	310	0	2	14	95	6	0	1	0	2	Y	1	
6&7	BG	Y	575	14	82	OPS	1268	5	14	0		540	102	1	2	6	105	0	0	0	0	2	N	0	
8	BG	N	531	10	76	CC	600	4	7	0		0	48	0	2	10	30	0	0	1	0	1	Y	0	
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others							

Station	Dhanbad Junction			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	250	2500 sqm	100	12	12	750	1 With Cover	High level	10	YES		
As per Rec.	6691	22400	640	24	24	1920			-	-		
Actual	930	10704	128	16	31	1502	4	See platform details	10	YES		
Shortage, if any	-	-	-	-	-	-	-		-	-		

Desired	Facility Available	Desired	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Tiolets on end platform & circulating	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Desired	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station Dhanwar				No. of passengers dealt with:				Identified as Adarsh N	
				(a) Per Day 407				Developed As	
Station Code DNWR FOB 1				(b) Max. at any 100				Identified for MFC N	
Station Category HG2 Subway 0				Pass. Earnings/Year(Rs. in Lac.)					
Railway ECR Booking Windows 1				2011-12 0.00 2018-19 0.00				Tourist Facilation Center N	
Division Dhanbad Enquiry Office 0				2019-20 3.94 2020-21 0.00				Touch Screen Enquiry System N	
State JHARKHAND Public Address Sys. Y				2021-22 4.82 2022-23 9.57				Electronic Train Indication N	
District GIRIDIH Clock Y				2023-24 20.09 2024-25					
Section KQR-GRD Wheel Chairs N				Length of longest stopping train(m) 155				ATMs 0	
Km. 0048.84 Cloak Room N				<div style="border: 1px solid black; padding: 5px;"> MP Const. Kodarma MP Name Devi, Smt. Annpurna MLA Const. Kodarma MLA Name Neera Yadav </div>				Food Plaza N	
Route E Refreshment Room(sqm)								Budget Hotel N	
Electrified Y								Trains Halting M: 4 P : 4	
Other Items 								Station IInd Entry N	
Remarks for NA									

Resting Facility							
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room 0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0	
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	100	Length(m)	0	Source	Railway Supply		Open Wells (Nos) 0
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos) 4
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks			

Station

Dhanwar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	14	84	OPS	36	0	0	2		0	24	0	0	0	2	0	0	0	0	1	N	0
2&3	BG	Y	330	14	84	OPS	36	0	0	3		0	10	0	0	0	2	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Dhanwar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	63	0	4	0	0	18			-	-
Actual	15	72	5	0	0	44	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Digwar		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	DIWR	FOB	0	(a) Per Day		48		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		20		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	2.24	2020-21	0.13	Touch Screen Enquiry System		N	
District	RAMGARH	Clock	N	2021-22	3.41	2022-23	4.18	Electronic Train Indication		N	
Section	BRKA-GHD	Wheel Chairs	N	2023-24	4.01	2024-25		ATMs		0	
Km.	0087.10	Cloak Room	N	<div><div>MP Const.</div><div>Hazaribagh</div><div>MP Name</div><div>Jaiswal, Shri Manish</div><div>MLA Const.</div><div>Ramgarh</div><div>MLA Name</div><div>Smt. Mamta Devi</div></div>				Food Plaza		N	
Route	E	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 6	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	11	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	15	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		NA					

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	11	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	15	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station		Digwar		Platform Detail																				
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	7	0	CC	81	1	0	1		0	30	0	0	0	8	0	0	0	0	0	N	0
2	BG		350		0	OTH	0									0	8			0	0	0		0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone				OPS-Other Pucca Surface					MOR-Moorum				OTH-Others				

Station	Digwar		Summary								(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage	
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-	
As per Rec.	13	0	0.8	0	0	4			-	-	
Actual	11	81	1	0	0	30	0	See platform details	0	-	
Shortage, if any	-	-	-	-	-	-	1		-	-	

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Dilwa		No. of passengers dealt with:				Identified as Adarsh		N
				(a) Per Day				Developed As		
Station Code		DLW		FOB		0		(b) Max. at any		4
Station Category		NSG6		Subway		0		Identified for MFC		N
Railway		ECR		Booking Windows		1		Pass. Earnings/Year(Rs. in Lac.)		
Division		Dhanbad		Enquiry Office		0		2011-12		0.55
State		BIHAR		Public Address Sys.		Y		2019-20		1.02
District		GAYA		Clock		Y		2021-22		0.87
Section		PKA-MPO		Wheel Chairs		N		2023-24		1.3
Km.		0410.14		Cloak Room		N		2024-25		0.03
Route		A		Refreshment Room(sqm)				Length of longest stopping train(m)		195
Electrified		Y						MP Const.		Gaya
								MP Name		Manjhi, Shri Jitan Ram
								MLA Const.		Bodh Gaya
								MLA Name		Kumar Sarvjeet
Other Items		NA						Tourist Facilation Center		N
Remarks for		NA						Touch Screen Enquiry System		N
								Electronic Train Indication		N
								ATMs		0
								Food Plaza		N
								Budget Hotel		N
								Trains Halting		M: 5 P : 0
								Station IInd Entry		N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	16	Area(sqm)	15	0	Area(sqm)	0	Retiring Room	0	
(b) Seats(Nos.)	18	Seats(Nos.)	30	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	200	Length(m)	98	Source	Railway Supply	Open Wells (Nos)	1
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station

Dilwa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	200	12	0	MOR	48	0	0	2		0	24	1	0	0	8	0	0	0	0	0	N	0
3	BG	Y	200	18	0	MOR	40	1	0	1		0	50	0	0	0	4	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

Dilwa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	2	0	0.16	0	0	0			-	-
Actual	16	88	3	2	1	122	0	See platform details	0	-
Shortage, if any	-	12	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Dokra		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	DOKM	FOB	0	(a) Per Day		87		Developed As			
Station Category	HG2	Subway	0	(b) Max. at any		20		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	1.65	2018-19	1.74	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	4.67	2020-21	0.42	Touch Screen Enquiry System		N	
District	DHANBAD	Clock	Y	2021-22	2.31	2022-23	2.88	Electronic Train Indication		N	
Section	PKA-MPQ	Wheel Chairs	N	2023-24	5.59	2024-25		ATMs		0	
Km.	0265.80	Cloak Room	N	<div>MP Const. Dhanbad MP Name Mahato, Shri Dulu MLA Const. Dhanbad MLA Name Sri Raj Sinha</div>				Food Plaza		N	
Route	A	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 6 P : 14	
								Station IInd Entry		N	
Other Items	NA										
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	18	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	22	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	160	Length(m)	35	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	2	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	NA				

Station

Dokra

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	120	6	0	MOR	0	0	0	1		0	6	0	0	0	7	0	0	0	0	0	N	0
2	BG	N	125	6	0	MOR	0	0	0	1		0	6	0	0	0	8	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Dokra

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	13	0	0.8	0	0	4			-	-
Actual	18	0	2	0	0	34	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Dudhinagar		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	DXN	FOB	1	(a) Per Day		504		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		150		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	59.82	2018-19	59.99	Tourist Facilation Center		N	
State	UTTAR	Public Address Sys.	Y	2019-20	188.87	2020-21	34.48	Touch Screen Enquiry System		N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	83.2	2022-23	131.3	Electronic Train Indication		N	
Section	GHD-CPU	Wheel Chairs	N	2023-24	140.6	2024-25		ATMs		0	
Km.	0078.31	Cloak Room	N	<div><div>MP Const. Robertsganj</div><div>MP Name Shri Chhotelal</div><div>MLA Const. Dudhi</div><div>MLA Name Smt. Rubi Prasad</div></div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 8 P : 4	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	80	Area(sqm)		28	0	Area(sqm)	20	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)		15	0	Seats(Nos.)	16	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	100	Length(m)	165	Source	Railway Supply		Open Wells (Nos)	1	
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	94280				
Pay & Use Toilet	N			Remarks	NA				

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	80	Area(sqm)		28	0	Area(sqm)	20	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)		15	0	Seats(Nos.)	16	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	100	Length(m)	165	Source	Railway Supply	Open Wells (Nos)	1
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	94280		
Pay & Use Toilet	N			Remarks	NA		

Station			Dudhinagar										Platform Detail											
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	480	6	84	CC	432	6	13	1		0	88	2	2	0	7	0	0	0	0	1	N	0
2&3	BG	N	600	10	84	CC	48	0	12	1		0	32	2	0	0	0	0	0	0	0	1	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station	Dudhinagar			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-		
As per Rec.	63	0	6	0	0	18			-	-		
Actual	80	480	27	6	4	169	1	See platform details	1	-		
Shortage, if any	-	-	-	-	-	-	-		1	-		

Passenger Amenities Details As on : 31/03/2025

Division : Sonapur

Station				Dumari Juara				No. of passengers dealt with:				Identified as Adarsh		N							
Station Code		DRI		FOB		0		(a) Per Day		177		Developed As									
Station Category		HG2		Subway		0		(b) Max. at any		26		Identified for MFC		N							
Railway		ECR		Booking Windows		1		Pass. Earnings/Year(Rs. in Lac.)													
Division		Sonapur		Enquiry Office		0		2011-12		5.16		2018-19		5.87		Tourist Facilation Center		N			
State		BIHAR		Public Address Sys.		N		2019-20		10.21		2020-21		0.38		Touch Screen Enquiry System		N			
District		SARAN		Clock		N		2021-22		4.65		2022-23		8.55		Electronic Train Indication		N			
Section		CI-HJP		Wheel Chairs		N		2023-24		8.76		2024-25									
Km.		0310.60		Cloak Room		N		Length of longest stopping train(m)				593		ATMs		0					
Route		Dspl		Refreshment Room(sqm)				MP Const.				Chhapra				Food Plaza		N			
Electrified		Y						MP Name				Shri Rajiv Pratap Rudhi				Budget Hotel		N			
								MLA Const.				Garkha				Trains Halting		M: 4		P : 6	
								MLA Name				Surendra Ram				Station IInd Entry		N			
Other Items		-																			
Remarks for		-																			

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Black Topped	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided.				

Station			Dumari Juara										Platform Detail												
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	193.3	4	0	OTH	40	6	0	1		0	60	0	0	0	0	0	0	0	0	0	N	0	
2	BG	N	292	6	0	OTH	40	10	0	1		0	45	0	0	0	0	0	0	0	0	0	N	0	
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station	Dumari Juara			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-		
As per Rec.	16	0	1.04	0	0	5			-	-		
Actual	15	80	2	0	0	120	0	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	1		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station Duriatanr Halt				No. of passengers dealt with:				Identified as Adarsh N	
				(a) Per Day 50				Developed As	
Station Code DUTR FOB 0				(b) Max. at any 15				Identified for MFC N	
Station Category HG3 Subway 0				Pass. Earnings/Year(Rs. in Lac.)					
Railway ECR Booking Windows 1				2011-12 0.00 2018-19 0.00				Tourist Facilation Center N	
Division Dhanbad Enquiry Office 0				2019-20 1.94 2020-21 0.00				Touch Screen Enquiry System N	
State JHARKHAND Public Address Sys. Y				2021-22 2.15 2022-23 4.53				Electronic Train Indication N	
District GIRIDIH Clock Y				2023-24 4.37 2024-25					
Section Koderma-Giridih Wheel Chairs N				Length of longest stopping train(m) 155				ATMs 0	
Km. 0062.50 Cloak Room N				<div style="border: 1px solid black; padding: 5px;"> MP Const. Kodarma MP Name Devi, Smt. Annpurna MLA Const. Kodarma MLA Name Neera Yadav </div>				Food Plaza N	
Route E Refreshment Room(sqm)								Budget Hotel N	
Electrified Y								Trains Halting M: 0 P : 4	
								Station IInd Entry N	
Other Items 									
Remarks for NA									

Resting Facility							
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	10	Area(sqm)		0	0	Area(sqm)	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0
						Retiring Room	0
						Dormitory	0

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	100	Length(m)	0	Source	Railway Supply		Open Wells (Nos)
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks			

Station
Duriatanr Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	330	14	0	MOR	18	0	0	1		0	10	0	0	0	0	0	0	0	0	0	N	0		
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																										

Station
Duriatanr Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	9	0	0.6	0	0	3			-	-
Actual	10	18	1	0	0	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Garhwa Road		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	GHD	FOB	1	(a) Per Day		6397		Developed As			
Station Category	NSG4	Subway	0	(b) Max. at any		1600		Identified for MFC		N	
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	1	2011-12	631.00	2018-19	680.17	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	937.22	2020-21	94.99	Touch Screen Enquiry System		N	
District	PALAMU	Clock	Y	2021-22	965.8	2022-23	1360.74	Electronic Train Indication		Y	
Section	BRKA-GHD	Wheel Chairs	Y	2023-24	1514.52	2024-25		ATMs		0	
Km.	0318.45	Cloak Room	N	<div>MP Const. Palamu</div> <div>MP Name Ram, Shri Vishnu Dayal</div> <div>MLA Const. Bishrampur</div> <div>MLA Name Sri Naresh Prasad Singh</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 28 P : 12	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	75	Area(sqm)		55	18	Area(sqm)	35	Retiring Room	1		
(b) Seats(Nos.)	50	Seats(Nos.)		60	20	Seats(Nos.)	18	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		2	1	Lav.(Nos.)	2				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		2	0	Bathing Cubicals(Nos.)	1				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	350	Length(m)	25	Source	Railway Supply		Open Wells (Nos)	1			
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	2			
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	450000						
Pay & Use Toilet	Y			Remarks	NA						

Station			Garhwa Road										Platform Detail												
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	490	10	83	CC	192	0	18	1		0	75	7	9	8	65	3	7	0	0	1	N	0	
2&3	BG	Y	555	12.5	80	CC	960	6	32	0		0	65	1	2	20	75	2	0	0	0	1	N	0	
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station	Garhwa Road			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES		
As per Rec.	669	896	64	2	2	192			-	-		
Actual	75	1152	51	13	11	288	1	See platform details	5	-		
Shortage, if any	-	-	-	-	-	-	-		-	YES		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Garhwa		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	GHQ	FOB	1	(a) Per Day		1932		Developed As				
Station Category	NSG5	Subway	0	(b) Max. at any		700		Identified for MFC		N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	374.00	2018-19	411.55	Tourist Facilation Center		N		
State	JHARKHAND	Public Address Sys.	Y	2019-20	517.9	2020-21	63.68	Touch Screen Enquiry System		N		
District	GARHWA	Clock	Y	2021-22	364.59	2022-23	585.81	Electronic Train Indication		N		
Section	GHD-CPU	Wheel Chairs	N	2023-24	676.47	2024-25		ATMs		0		
Km.	0010.01	Cloak Room	N	Length of longest stopping train(m)				376		Food Plaza		N
Route	Dspl	Refreshment		MP Const.	Palamu			Budget Hotel		N		
Electrified	N	Room(sqm)		MP Name	Ram, Shri Vishnu Dayal			Trains Halting		M: 10		P : 4
				MLA Const.	Garhwa			Station IInd Entry		N		
				MLA Name	Sri Satyendra Nath Tiwari							
Other Items	NA											
Remarks for	NA											

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	88	Area(sqm)		0	0	Area(sqm)	21	Retiring Room	0
(b) Seats(Nos.)	12	Seats(Nos.)		0	0	Seats(Nos.)	20	Dormitory	0
(c) Lav.(Nos.)	3	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	100	Length(m)	35	Source	Railway Supply		Open Wells (Nos)	1	
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	4000				
Pay & Use Toilet	Y			Remarks	NA				

Station			Garhwa																					
			Platform Detail																					
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	561	6.5	85	CC	158	2	8	4		0	152	2	2	6	40	0	0	0	0	0	N	0
2	BG	N	600	10.9	84	CC	588	0	10	1		0	56	0	0	4	36	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station	Garhwa			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-		
As per Rec.	293	0	28	1	1	84			-	-		
Actual	88	746	23	6	4	240	1	See platform details	1	-		
Shortage, if any	-	-	-	-	-	-	-		1	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station	Gomia			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	GMIA	FOB	1	(a) Per Day		897		Developed As	
Station Category	NSG5	Subway	0	(b) Max. at any		150		Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	155.52	2018-19	183.06	Tourist Facilation Center	N
State	JHARKHAND	Public Address Sys.	N	2019-20	221.82	2020-21	44.47	Touch Screen Enquiry System	N
District	BOKARO	Clock	Y	2021-22	79.97	2022-23	108.53	Electronic Train Indication	N
Section	GMO-BRKA	Wheel Chairs	N	2023-24	104.38	2024-25			
Km.	0048.59	Cloak Room	N	Length of longest stopping train(m)			550	ATMs	0
Route	D	Refreshment Room(sqm)		MP Const.	Giridih		Food Plaza	N	
Electrified	Y			MP Name	Choudhary, Shri Chandra		Budget Hotel	N	
				MLA Const.	Gomia		Trains Halting	M: 4	P : 6
Other Items	NA			MLA Name	Sri Lambodar Mahto		Station IInd Entry	N	
Remarks for	NA								

Resting Facility							
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	63	Area(sqm)		0	0	Area(sqm)	25
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	30
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1
						Retiring Room	0
						Dormitory	0

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	230	Length(m)	650	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	WBM	Type	Piped	Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	20000		
Pay & Use Toilet				Remarks	Deep tube well available from May'24.		

Station

Gomia

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	550	10	84	CC	157	8	30	2		0	80	2	1	0	20	1	0	0	0	1	N	0
3	BG	N	351	7	42	CC	360	5	10	2		0	60	1	2	0	36	2	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Gomia

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	63	0	6	0	0	18			-	-
Actual	63	517	44	5	5	190	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Gujhandi		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	GJD	FOB	1	(a) Per Day		92		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		25		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	2.06	2018-19	2.07	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	3.2	2020-21	0.07	Touch Screen Enquiry System		N	
District	KODERMA	Clock	Y	2021-22	2.41	2022-23	3.46	Electronic Train Indication		N	
Section	PKA-MPO	Wheel Chairs	N	2023-24	3.28	2024-25		ATMs		0	
Km.	0403.45	Cloak Room	N	<div>MP Const. Kodarma</div> <div>MP Name Devi, Smt. Annpurna</div> <div>MLA Const. Kodarma</div> <div>MLA Name Neera Yadav</div>				Food Plaza		N	
Route	A	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 8 P : 0	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	500	Length(m)	90	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Kutchra	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)	1			
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		139912					
Pay & Use Toilet				Remarks		NA					

Station

Gujhandi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	N	422	10	0	MOR	94	11	10	1		0	32	2	1	2	30	0	0	0	0	1	N	1
3&4	BG	N	422	15	0	MOR	160	13	12	1		0	68	1	2	0	30	0	0	0	0	1	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station

Gujhandi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	10	0	1	0	0	3			-	-
Actual	15	254	24	3	3	100	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Gurmura		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	GMX	FOB	1	(a) Per Day		14		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		5		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	0.86	2018-19	1.04	Tourist Facilation Center		N	
State	UTTAR	Public Address Sys.	N	2019-20	1.16	2020-21	0.00	Touch Screen Enquiry System		N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0.43	2022-23	0.93	Electronic Train Indication		N	
Section	GHD-CPU	Wheel Chairs	N	2023-24	1.53	2024-25		ATMs		0	
Km.	0119.16	Cloak Room	N	<div><div>MP Const.</div><div>Robertsganj</div><div>MP Name</div><div>Shri Chhotelal</div><div>MLA Const.</div><div>Obra</div><div>MLA Name</div><div>Shri Sanjeev Gond</div></div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	N							Trains Halting		M: 0 P : 4	
Other Items	NA							Station IInd Entry		N	
Remarks for	Na										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	16	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	60	Source	Railway Supply		Open Wells (Nos)		1		
Surface	Kutchra	Surface	Kutchra	Type	Piped and Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		18547					
Pay & Use Toilet				Remarks		NA					

Station Gurmura

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	170	5	0	MOR	36	27	8	2		0	32	2	2	0	5	0	0	0	0	0	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Gurmura

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	2	0	0.2	0	0	1			-	-
Actual	16	36	10	2	2	32	1	See platform details	0	-
Shortage, if any	-	14	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Gurpa		No. of passengers dealt with:				Identified as Adarsh		N
				(a) Per Day				Developed As		
Station Code	GAP	FOB	0	(b) Max. at any				Identified for MFC		N
Station Category	NSG6	Subway	0	Pass. Earnings/Year(Rs. in Lac.)						
Railway	ECR	Booking Windows	1	2011-12	12.33	2018-19	12.54	Tourist Facilation Center		N
Division	Dhanbad	Enquiry Office	0	2019-20	16.15	2020-21	0.17	Touch Screen Enquiry System		N
State	BIHAR	Public Address Sys.	Y	2021-22	8.52	2022-23	17.74	Electronic Train Indication		N
District	GAYA	Clock	Y	2023-24	17.51	2024-25		ATMs		0
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				Food Plaza		N
Km.	0425.54	Cloak Room	N	<div> MP Const. Gaya MP Name Manjhi, Shri Jitan Ram MLA Const. Bodh Gaya MLA Name Kumar Sarvjeet </div>				Budget Hotel		N
Route	A	Refreshment Room(sqm)						Trains Halting		M: 6 P : 0
Electrified	Y							Station IInd Entry		Y
Other Items	NA									
Remarks for	NA									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	16	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	150	Length(m)	30	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	113500				
Pay & Use Toilet				Remarks	NA				

Station			Gurpa																					
Platform Detail																								
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	342	15	0	MOR	160	6	12	1		0	52	2	0	2	30	0	0	0	0	0	N	0
3&4	BG	Y	352	10	0	MOR	96	5	12	1		0	46	5	3	1	30	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station	Gurpa			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-		
As per Rec.	19	0	1.8	0	0	5			-	-		
Actual	16	256	26	7	3	116	0	See platform details	0	YES		
Shortage, if any	-	-	-	-	-	-	1		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Hazaribagh Road		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	HZD	FOB	1	(a) Per Day		4519		Developed As			
Station Category	NSG4	Subway	0	(b) Max. at any		1600		Identified for MFC		N	
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	1	2011-12	400.00	2018-19	460.00	Tourist Facilation Center		Y	
State	JHARKHAND	Public Address Sys.	Y	2019-20	794.47	2020-21	76.40	Touch Screen Enquiry System		N	
District	GIRIDIH	Clock	Y	2021-22	950.37	2022-23	1372.94	Electronic Train Indication		N	
Section	PKA-MPO	Wheel Chairs	Y	2023-24	1552.79	2024-25		ATMs		1	
Km.	0345.17	Cloak Room	N	<div>MP Const. Kodarma MP Name Devi, Smt. Annpurna MLA Const. Bagodar MLA Name Sri Vinod Kumar singh</div>				Food Plaza		N	
Route	A	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 15 P : 2	
Other Items	NA							Station IInd Entry		Y	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	265	Area(sqm)		35	35	Area(sqm)	35	Retiring Room		1	
(b) Seats(Nos.)	28	Seats(Nos.)		12	16	Seats(Nos.)	12	Dormitory		0	
(c) Lav.(Nos.)	4	Lav.(Nos.)		2	1	Lav.(Nos.)	2				
(d) Urinals(Nos.)	2	Urinals(Nos.)		1	0	Urinals(Nos.)	2				
(e) Bathing Cubicals	2	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	2				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	1250	Length(m)	30	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Black Topped	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)		1		
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)		25500					
Pay & Use Toilet	Y			Remarks		NA					

Station			Hazaribagh Road										Platform Detail											
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	605	12.25	84	OPS	246	9	20	0		0	461	2	0	4	53	3	0	0	0	1	N	0
3&4	BG	Y	600	15	84	OPS	755	17	19	1		0	342	2	3	5	44	0	0	0	0	1	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station	Hazaribagh Road			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES		
As per Rec.	669	896	64	2	2	192			-	-		
Actual	265	1001	40	13	8	871	1	See platform details	2	YES		
Shortage, if any	-	-	-	-	-	-	-		2	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Hazaribagh Town		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	HZBN	FOB	1	(a) Per Day		849		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		180		Identified for MFC		N	
Railway	ECR	Booking Windows	5	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	1	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	13.69	2020-21	0.00	Touch Screen Enquiry System		N	
District	HAZARIBAGH	Clock	Y	2021-22	8.77	2022-23	17.44	Electronic Train Indication		N	
Section	KQR-HZBN	Wheel Chairs	N	2023-24	189.36	2024-25		ATMs		0	
Km.	0079.60	Cloak Room	N	<div>MP Const. Hazaribagh</div> <div>MP Name Jaiswal, Shri Manish</div> <div>MLA Const. Hazaribagh</div> <div>MLA Name Sri Pradip Prasad</div>				Food Plaza		N	
Route	E	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	N							Trains Halting		M: 6	P : 4
Other Items	No							Station IInd Entry		N	
Remarks for	New line station in DHANBAD division .										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	930	Area(sqm)		0	0	Area(sqm)	29	Retiring Room		2	
(b) Seats(Nos.)	24	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		1	
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1				
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	3500	Length(m)	800	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Cement Concrete	Surface	Black Topped	Type	Piped		Bore Wells (Nos)		4		
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)		100000					
Pay & Use Toilet				Remarks	No						

Station
Hazaribagh Town
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	591	11	840	CC	144	0	10	1		250	40	2	1	6	120	0	0	0	0	0	N	0
2&3	BG	Y	616	10	840	CC	144	0	6	1		0	20	1	1	2	45	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
Hazaribagh Town
Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	75	0	7.2	0	0	22			-	-
Actual	930	288	18	5	4	84	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	16	-		1	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Hehegara		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	HHG	FOB	0	(a) Per Day		206		Developed As			
Station Category	HG2	Subway	0	(b) Max. at any		75		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	2.70	2018-19	3.01	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	3.01	2020-21	0.27	Touch Screen Enquiry System		N	
District	PALAMU	Clock	Y	2021-22	2.78	2022-23	5.4	Electronic Train Indication		N	
Section	BRKA-GHD	Wheel Chairs	N	2023-24	6.35	2024-25		ATMs		0	
Km.	0241.00	Cloak Room	N	<div>MP Const. Chatra MP Name Singh, Shri Kali Charan MLA Const. Manika MLA Name Sri Ramchandra Singh</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 8	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	37	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	105	Source	Railway Supply		Open Wells (Nos)	1			
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0						
Pay & Use Toilet				Remarks	NA						

Station
Hehegara

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	360	3	0	CC	0	4	0	1		0	20	0	0	0	24	0	0	0	0	0	N	0
2	BG	N	220	5	0	MOR	0	10	0	2		0	20	0	0	0	6	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
Hehegara

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	47	0	3	0	0	14			-	-
Actual	37	0	3	1	0	48	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Hendegir		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	HNDR	FOB	0	(a) Per Day		97		Developed As				
Station Category	NSG6	Subway	0	(b) Max. at any		25		Identified for MFC		N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	3.70	2018-19	3.97	Tourist Facilation Center		N		
State	JHARKHAND	Public Address Sys.	Y	2019-20	7.03	2020-21	0.30	Touch Screen Enquiry System		N		
District	HAZARIBAGH	Clock	N	2021-22	5.46	2022-23	6.96	Electronic Train Indication		N		
Section	BRKA-GHD	Wheel Chairs	Y	2023-24	6.43	2024-25		ATMs		0		
Km.	0136.62	Cloak Room	N	Length of longest stopping train(m)				286		Food Plaza		N
Route	Dspl	Refreshment		MP Const.				Hazaribagh		Budget Hotel		N
Electrified	Y	Room(sqm)		MP Name				Jaiswal, Shri Manish		Trains Halting		M: 0
				MLA Const.				Barkagaon		Station IInd Entry		N
				MLA Name				Sri Roshan Lal Choudhary		P : 8		
Other Items	NA											
Remarks for	NA											

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	22	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	6	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	15	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Kutchra	Type	Piped and Hand Pump		Bore Wells (Nos)	1	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	90921.84				
Pay & Use Toilet	Y			Remarks	NA				

Station			Hendegir										Platform Detail												
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	222	7	0	MOR	48	2	2	1		0	72	1	2	0	0	0	0	0	0	0	N	0	
2&3	BG	Y	500.7	10.5	0	OPS	63	1	4	0		0	80	0	2	0	14	0	0	0	0	0	N	0	
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station	Hendegir			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-		
As per Rec.	10	0	1	0	0	3			-	-		
Actual	22	111	7	2	4	158	0	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	1		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station	Hundur	No. of passengers dealt with:				Identified as Adarsh	N																																				
Station Code	HUDU	FOB	0	(a) Per Day		Developed As																																					
Station Category	HG3	Subway	0	(b) Max. at any		Identified for MFC	N																																				
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)																																							
Division	Dhanbad	Enquiry Office	1	2011-12	0.00	2018-19	0.00																																				
State	JHARKHAND	Public Address Sys.	N	2019-20	0	2020-21	0.00																																				
District		Clock	N	2021-22	0	2022-23	0																																				
Section	BRKA-RNC	Wheel Chairs	N	2023-24	0	2024-25																																					
Km.	0183.31	Cloak Room	N	Length of longest stopping train(m)																																							
Route	Dspl	Refreshment Room(sqm)		MP Const.	Ranchi																																						
Electrified	Y			MP Name	Seth, Shri Sanjay																																						
Other Items				MLA Const.																																							
Remarks for				MLA Name																																							
<div> <div> <div>Resting Facility</div> <table border="1"> <tr> <td>WAITING HALL</td> <td>WAITING ROOM</td> <td>GENTS</td> <td>LADIES</td> <td>UPPER CLASS WAITING ROOM</td> <td></td> </tr> <tr> <td>(a) Area(sqm.)</td> <td>Area(sqm)</td> <td></td> <td></td> <td>Area(sqm)</td> <td>Retiring Room 0</td> </tr> <tr> <td>(b) Seats(Nos.)</td> <td>Seats(Nos.)</td> <td></td> <td></td> <td>Seats(Nos.)</td> <td>Dormitory 0</td> </tr> <tr> <td>(c) Lav.(Nos.)</td> <td>Lav.(Nos.)</td> <td></td> <td></td> <td>Lav.(Nos.)</td> <td></td> </tr> <tr> <td>(d) Urinals(Nos.)</td> <td>Urinals(Nos.)</td> <td></td> <td></td> <td>Urinals(Nos.)</td> <td></td> </tr> <tr> <td>(e) Bathing Cubicals</td> <td>Bathing Cubicals(Nos.)</td> <td></td> <td></td> <td>Bathing Cubicals(Nos.)</td> <td></td> </tr> </table> </div> </div>								WAITING HALL	WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM		(a) Area(sqm.)	Area(sqm)			Area(sqm)	Retiring Room 0	(b) Seats(Nos.)	Seats(Nos.)			Seats(Nos.)	Dormitory 0	(c) Lav.(Nos.)	Lav.(Nos.)			Lav.(Nos.)		(d) Urinals(Nos.)	Urinals(Nos.)			Urinals(Nos.)		(e) Bathing Cubicals	Bathing Cubicals(Nos.)			Bathing Cubicals(Nos.)	
WAITING HALL	WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM																																							
(a) Area(sqm.)	Area(sqm)			Area(sqm)	Retiring Room 0																																						
(b) Seats(Nos.)	Seats(Nos.)			Seats(Nos.)	Dormitory 0																																						
(c) Lav.(Nos.)	Lav.(Nos.)			Lav.(Nos.)																																							
(d) Urinals(Nos.)	Urinals(Nos.)			Urinals(Nos.)																																							
(e) Bathing Cubicals	Bathing Cubicals(Nos.)			Bathing Cubicals(Nos.)																																							
<div> <div> <div>Circulating Area and Water</div> <table border="1"> <tr> <td>Circulating Area</td> <td>Approach Road</td> <td>Water Supply</td> </tr> <tr> <td>Area (sqm)</td> <td>Length(m)</td> <td>Source</td> </tr> <tr> <td>Surface</td> <td>Surface</td> <td>Type</td> </tr> <tr> <td>Illumination Type</td> <td>Illumination Type</td> <td>Storage Capacity(Ltr)</td> </tr> <tr> <td>Pay & Use Toilet</td> <td></td> <td>Remarks</td> </tr> </table> </div> </div>								Circulating Area	Approach Road	Water Supply	Area (sqm)	Length(m)	Source	Surface	Surface	Type	Illumination Type	Illumination Type	Storage Capacity(Ltr)	Pay & Use Toilet		Remarks																					
Circulating Area	Approach Road	Water Supply																																									
Area (sqm)	Length(m)	Source																																									
Surface	Surface	Type																																									
Illumination Type	Illumination Type	Storage Capacity(Ltr)																																									
Pay & Use Toilet		Remarks																																									

Station	Hundur									
Summary										
(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.										
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	0	0	0	0	0	0			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Jamua		No. of passengers dealt with:				Identified as Adarsh		N																																																																									
Station Code	JAUUA	FOB	1	(a) Per Day		504		Developed As																																																																											
Station Category	HG2	Subway	0	(b) Max. at any		100		Identified for MFC		N																																																																									
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)																																																																															
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N																																																																									
State	JHARKHAND	Public Address Sys.	Y	2019-20	6.73	2020-21	0.00	Touch Screen Enquiry System		N																																																																									
District	GIRIDIH	Clock	N	2021-22	7.08	2022-23	12.61	Electronic Train Indication		N																																																																									
Section	Koderma-Giridih	Wheel Chairs	N	2023-24	27.26	2024-25		ATMs		0																																																																									
Km.	0063.20	Cloak Room	N	Length of longest stopping train(m)				172		Food Plaza																																																																									
Route	E	Refreshment Room(sqm)		MP Const. Kodarma						N																																																																									
Electrified	Y			MP Name Devi, Smt. Annpurna						N																																																																									
Other Items				MLA Const. Kodarma						M: 4																																																																									
Remarks for	NA			MLA Name Neera Yadav						P : 4																																																																									
<div> <div>Resting Facility</div> <table border="1"> <thead> <tr> <th colspan="2">WAITING HALL</th> <th colspan="2">WAITING ROOM</th> <th>GENTS</th> <th>LADIES</th> <th colspan="2">UPPER CLASS WAITING ROOM</th> <th colspan="2"></th> <th colspan="2"></th> </tr> </thead> <tbody> <tr> <td>(a) Area(sqm.)</td> <td>0</td> <td>Area(sqm)</td> <td></td> <td>0</td> <td>0</td> <td>Area(sqm)</td> <td>0</td> <td>Retiring Room</td> <td></td> <td>0</td> <td></td> </tr> <tr> <td>(b) Seats(Nos.)</td> <td>0</td> <td>Seats(Nos.)</td> <td></td> <td>0</td> <td>0</td> <td>Seats(Nos.)</td> <td>0</td> <td>Dormitory</td> <td></td> <td>0</td> <td></td> </tr> <tr> <td>(c) Lav.(Nos.)</td> <td>0</td> <td>Lav.(Nos.)</td> <td></td> <td>0</td> <td>0</td> <td>Lav.(Nos.)</td> <td>0</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>(d) Urinals(Nos.)</td> <td>0</td> <td>Urinals(Nos.)</td> <td></td> <td>0</td> <td>0</td> <td>Urinals(Nos.)</td> <td>0</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>(e) Bathing Cubicals</td> <td>0</td> <td>Bathing Cubicals(Nos.)</td> <td></td> <td>0</td> <td>0</td> <td>Bathing Cubicals(Nos.)</td> <td>0</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> </div>												WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM						(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0		(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0		(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0					(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0					(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM																																																																													
(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0																																																																									
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0																																																																									
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0																																																																												
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0																																																																												
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0																																																																												
<div> <div>Circulating Area and Water</div> <table border="1"> <thead> <tr> <th colspan="2">Circulating Area</th> <th colspan="2">Approach Road</th> <th colspan="4">Water Supply</th> </tr> </thead> <tbody> <tr> <td>Area (sqm)</td> <td>0</td> <td>Length(m)</td> <td>0</td> <td>Source</td> <td colspan="2">Railway Supply</td> <td>Open Wells (Nos)</td> <td>0</td> </tr> <tr> <td>Surface</td> <td>Kutchra</td> <td>Surface</td> <td>Kutchra</td> <td>Type</td> <td colspan="2">Hand Pump</td> <td>Bore Wells (Nos)</td> <td>0</td> </tr> <tr> <td>Illumination Type</td> <td>Normal Lights</td> <td>Illumination Type</td> <td>N</td> <td>Storage Capacity(Ltr)</td> <td colspan="2">0</td> <td></td> <td></td> </tr> <tr> <td>Pay & Use Toilet</td> <td></td> <td></td> <td></td> <td>Remarks</td> <td colspan="4">.....</td> </tr> </tbody> </table> </div>												Circulating Area		Approach Road		Water Supply				Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0	Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				Pay & Use Toilet				Remarks																																
Circulating Area		Approach Road		Water Supply																																																																															
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0																																																																											
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0																																																																											
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0																																																																														
Pay & Use Toilet				Remarks																																																																															

Station

Jamua

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG						0									0	2			0	0	0		0
2	BG						0									0	2			0	0	0		0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

Jamua

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	63	0	4	0	0	18			-	-
Actual	0	0	0	0	0	0	1	See platform details	0	-
Shortage, if any	10	-	1	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Jamuniatanr		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	JNN	FOB	0	(a) Per Day		6		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		2		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	0.24	2018-19	0.22	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	0.17	2020-21	0.00	Touch Screen Enquiry System		N	
District	BOKARO	Clock	Y	2021-22	0.19	2022-23	0.37	Electronic Train Indication		N	
Section	DHN-CRP	Wheel Chairs	N	2023-24	0.52	2024-25		ATMs		0	
Km.	0026.07	Cloak Room	N	<div>MP Const. Giridih MP Name Choudhary, Shri Chandra MLA Const. Giridih MLA Name Sri Sudivya Kumar</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)	Budget Hotel					N			
Electrified	Y		Trains Halting					M: 1 P : 2			
			Station IInd Entry					N			
Other Items	NA										
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	100	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Kutchra	Type	Piped and Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		NA					

Station Jamuniatanr

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG						0		0	1					0	0	18			0	0	0		0
*Surface Type		:	CC-Cement Concrete				PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station Jamuniatanr

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	1	0	0.08	0	0	0			-	-
Actual	15	0	1	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Jarangdih		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	JAN	FOB	1	(a) Per Day		293		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		100		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	14.94	2018-19	15.72	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	11.54	2020-21	0.46	Touch Screen Enquiry System		N	
District	BOKARO	Clock	N	2021-22	11.95	2022-23	17.87	Electronic Train Indication		N	
Section	GMO-BRKA	Wheel Chairs	N	2023-24	19.24	2024-25		ATMs		0	
Km.	0037.21	Cloak Room	N	<div><div>MP Const.</div><div>Giridih</div><div>MP Name</div><div>Choudhary, Shri Chandra</div><div>MLA Const.</div><div>Bermo</div><div>MLA Name</div><div>Sri Kumar Jaimangal Singh</div></div>				Food Plaza		N	
Route	D	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 6	
Other Items	NA							Station IInd Entry		Y	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	50	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	360	Source	Railway Supply		Open Wells (Nos)	1			
Surface	Cement Concrete	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	0			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0						
Pay & Use Toilet				Remarks	NA						

Station			Jarangdih																					
			Platform Detail																					
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	351	12	84	CC	160	4	12	0		0	48	2	1	0	24	0	0	0	0	1	N	0
3	BG	N	351	8	84	CC	160	4	12	2		0	52	1	1	0	30	0	0	0	0	1	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station	Jarangdih			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-		
As per Rec.	42	0	4	0	0	12			-	-		
Actual	50	320	26	4	3	120	1	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	-		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station	Jharokhas			No. of passengers dealt with:				Identified as Adarsh		N
Station Code	JRQ	FOB	1	(a) Per Day		31		Developed As		
Station Category	NSG6	Subway	0	(b) Max. at any		15		Identified for MFC		N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	2.52	2018-19	2.64	Tourist Facilation Center		N
State	UTTAR	Public Address Sys.	N	2019-20	2.2	2020-21	0.00	Touch Screen Enquiry System		N
District	PRADESH	Clock	Y	2021-22	1.31	2022-23	1.98	Electronic Train Indication		N
	SONBHADRA			2023-24	1.53	2024-25				
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)			176	ATMs		0
Km.	0085.16	Cloak Room	N	MP Const.			Robertsganj	Food Plaza		N
Route	Dspl	Refreshment Room(sqm)		MP Name			Shri Chhotelal	Budget Hotel		N
Electrified	Y			MLA Const.			Dudhi	Trains Halting		M: 0 P : 4
				MLA Name			Smt. Rubi Prasad	Station IInd Entry		N
Other Items	NA									
Remarks for	NA									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	66	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	35	Source	Railway Supply		Open Wells (Nos)		1
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)		0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		NA			

Station

Jharokhas

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	184.25	5.6	45	CC	72	3	0	1		0	76	2	2	0	5	0	0	0	0	0	N	0		
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																										

Station

Jharokhas

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	6	0	0.6	0	0	2			-	-
Actual	66	72	1	2	2	96	1	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Jogeshwar Bihar		No. of passengers dealt with:				Identified as Adarsh		N
Station Code	JGBR	FOB	1	(a) Per Day		96		Developed As		
Station Category	NSG6	Subway	0	(b) Max. at any		25		Identified for MFC		N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	3.13	2018-19	3.26	Tourist Facilation Center		N
State	JHARKHAND	Public Address Sys.	Y	2019-20	3.87	2020-21	0.22	Touch Screen Enquiry System		N
District	BOKARO	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication		N
Section	GMO-BRKA	Wheel Chairs	N	2023-24	0	2024-25		ATMs		0
Km.	0074.61	Cloak Room	N	<div>MP Const. Giridih MP Name Choudhary, Shri Chandra MLA Const. Gomia MLA Name Sri Lambodar Mahto</div>				Food Plaza		N
Route	D	Refreshment Room(sqm)	Budget Hotel					N		
Electrified	Y		Trains Halting					M: 0	P : 6	
Other Items	NA		Station IInd Entry					N		
Remarks for	NA									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	50	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	1	
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	NA				

Station

Jogeshwar Bihar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	360	9	84	CC	16	10	0	1		0	118	1	1	0	17	0	0	0	0	1	N	0
2	BG	N	360	12	84	CC	192	0	0	2		0	120	0	0	0	17	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Jogeshwar Bihar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	10	0	1	0	0	3			-	-
Actual	50	208	3	2	1	258	1	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Jogidih		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	JGF	FOB	1	(a) Per Day		10		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		5		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	0.86	2018-19	0.65	Tourist Facilation Center		N	
State	UTTAR	Public Address Sys.	N	2019-20	1.12	2020-21	0.00	Touch Screen Enquiry System		N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0.46	2022-23	0.59	Electronic Train Indication		N	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)		180		ATMs		0	
Km.	0110.19	Cloak Room	N	MP Const.		Robertsganj		Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)		MP Name		Shri Chhotelal		Budget Hotel		N	
Electrified	N			MLA Const.		Obra		Trains Halting		M: 0 P : 4	
				MLA Name		Shri Sanjeev Gond		Station IInd Entry		N	
Other Items	NA										
Remarks for	Na										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	16	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	1	
Surface	Kutchra	Surface	Kutchra	Type	Piped and Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	6000				
Pay & Use Toilet				Remarks	NA				

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	16	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	60	Source	Railway Supply	Open Wells (Nos)	1
Surface	Kutchra	Surface	Kutchra	Type	Piped and Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	6000		
Pay & Use Toilet				Remarks	NA		

Station			Jogidih				Platform Detail																	
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	180	5.6	0	MOR	48	3	1	1		0	48	2	2	0	5	0	0	0	0	0	N	0
*Surface Type :			CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others					

Station	Jogidih			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-		
As per Rec.	2	0	0.2	0	0	1			-	-		
Actual	16	48	2	2	2	48	1	See platform details	0	-		
Shortage, if any	-	2	-	-	-	-	-		-	-	-	

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station Jorasankh Halt				No. of passengers dealt with:				Identified as Adarsh N	
				(a) Per Day 10				Developed As	
				(b) Max. at any 2				Identified for MFC N	
				Pass. Earnings/Year(Rs. in Lac.)					
Station Code	JASH	FOB	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center N	
Station Category	HG3	Subway	0	2019-20	0	2020-21	0.00	Touch Screen Enquiry System N	
Railway	ECR	Booking Windows	1	2021-22	0	2022-23	0.3	Electronic Train Indication N	
Division	Dhanbad	Enquiry Office	0	2023-24	0.76	2024-25			
State	JHARKHAND	Public Address Sys.	Y	Length of longest stopping train(m) 155				ATMs 0	
District	GIRIDIH	Clock	N	<div style="border: 1px solid black; padding: 5px;"> MP Const. Kodarma MP Name Devi, Smt. Annpurna MLA Const. Kodarma MLA Name Neera Yadav </div>				Food Plaza N	
Section	Koderma-Giridih	Wheel Chairs	N					Budget Hotel N	
Km.	0079.20	Cloak Room	N					Trains Halting M: 0 P : 4	
Route	E	Refreshment Room(sqm)						Station IInd Entry N	
Electrified	Y								
Other Items 									
Remarks for NA									

Resting Facility							
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	10	Area(sqm)	0	0	Area(sqm)	0	Retiring Room 0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0	
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	100	Length(m)	0	Source	Railway Supply		Open Wells (Nos) 0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos) 1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0	
Pay & Use Toilet				Remarks 			

Station
Jorasankh Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	330	15	0	MOR	18	0	0	1		0	10	0	0	0	0	0	0	0	0	0	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station
Jorasankh Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	1	0	0.08	0	0	0			-	-
Actual	10	18	1	0	0	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Kajri Halt		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	KFT	FOB	0	(a) Per Day		245		Developed As			
Station Category	HG2	Subway	0	(b) Max. at any		90		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	10.96	2018-19	11.45	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	16.63	2020-21	0.46	Touch Screen Enquiry System		N	
District	PALAMU	Clock	Y	2021-22	10.23	2022-23	16.1	Electronic Train Indication		N	
Section	BRKA-GHD	Wheel Chairs	N	2023-24	16.65	2024-25		ATMs		0	
Km.	0296.16	Cloak Room	N	<div><div>MP Const.</div><div>Palamu</div><div>MP Name</div><div>Ram, Shri Vishnu Dayal</div><div>MLA Const.</div><div>Daltonganj</div><div>MLA Name</div><div>Sri Alok Chaurasiya</div></div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 12	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	21	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	9	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	50	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		NA					

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	21	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	9	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	50	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station			Kajri Halt										Platform Detail											
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	7	0.3	MOR	0	4	0	1		0	20	0	0	2	13	0	0	0	0	0	N	0
2	BG	N	300	5	0.2	CC	0	1	0	0		0	18	0	0	2	12	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station	Kajri Halt			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-		
As per Rec.	56	0	3.6	0	0	16			-	-		
Actual	21	0	1	0	0	47	0	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	1		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Kansar Nawada		No. of passengers dealt with:				Identified as Adarsh		N
Station Code	KSNA	FOB	1	(a) Per Day		25		Developed As		
Station Category	NSG6	Subway	0	(b) Max. at any		15		Identified for MFC		N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N
State	JHARKHAND	Public Address Sys.	N	2019-20	1.76	2020-21	0.00	Touch Screen Enquiry System		N
District	HAZARIBAGH	Clock	Y	2021-22	1.19	2022-23	2.21	Electronic Train Indication		N
Section	KQR-BRKA	Wheel Chairs	N	2023-24	1.85	2024-25		ATMs		0
Km.	0072.80	Cloak Room	N	<div><div>MP Const. Hazaribagh</div><div>MP Name Jaiswal, Shri Manish</div><div>MLA Const. Hazaribagh</div><div>MLA Name Sri Pradip Prasad</div></div>				Food Plaza		N
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N
Electrified	Y							Trains Halting		M: 0 P : 4
Other Items	NA							Station IInd Entry		N
Remarks for	NA									
Resting Facility										
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM				
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0			
Circulating Area and Water										
Circulating Area		Approach Road		Water Supply						
Area (sqm)	0	Length(m)	400	Source	Railway Supply		Open Wells (Nos)	0		
Surface	Kutchra	Surface	Kutchra	Type	Piped		Bore Wells (Nos)	1		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	15000					
Pay & Use Toilet	N			Remarks	NA					

Station Kansar Nawada

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	360	11	84	OPS	208	0	0	2		0	30	0	0	2	40	0	0	0	0	1	N	0
2	BG	N	360	10	84	MOR	144	0	0	2		0	15	0	0	1	40	0	0	0	0	1	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station Kansar Nawada

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	6	0	0.6	0	0	2			-	-
Actual	15	352	4	0	0	45	1	See platform details	0	-
Shortage, if any	-	-	-	1	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Karaila Road		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	KRLR	FOB	1	(a) Per Day		1		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		1		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	1.98	2018-19	1.85	Tourist Facilation Center		N	
State	MADHYA	Public Address Sys.	Y	2019-20	3.18	2020-21	0.00	Touch Screen Enquiry System		N	
District	PRADESH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication		N	
Section	KRLR-SKTN	Wheel Chairs	N	2023-24	0.08	2024-25		ATMs		0	
Km.	0175.47	Cloak Room	N	<div><div>MP Const.</div><div>Sidhi</div><div>MP Name</div><div>Mishra, Dr. Rajesh</div><div>MLA Const.</div><div>Devsar</div><div>MLA Name</div><div>Shri Rajendra Meshram</div></div>				Food Plaza		N	
Route	E	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	N							Trains Halting		M: 2	P : 0
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	20	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	600	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	WBM	Type	Piped		Bore Wells (Nos)	1	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	68100				
Pay & Use Toilet				Remarks	NA				

Station

Karaila Road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	641	11	84	CC	72	6	8	2		0	96	1	2	0	20	0	0	0	0	1	N	0
3&4	BG	Y	600	11	84	CC	63	0	0	1		0	36	0	0	0	0	0	0	0	0	1	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

Karaila Road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	0	0	0.04	0	0	0			-	-
Actual	20	135	11	1	2	132	1	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Karmahat		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	KMHT	FOB	1	(a) Per Day		8		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		2		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	0.36	2018-19	0.39	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	0.4	2020-21	0.02	Touch Screen Enquiry System		N	
District	HAZARIBAGH	Clock	Y	2021-22	0.35	2022-23	0.49	Electronic Train Indication		N	
Section	GMO-BRKA	Wheel Chairs	N	2023-24	0.45	2024-25		ATMs		0	
Km.	0084.20	Cloak Room	N	<div><div>MP Const.</div><div>Hazaribagh</div><div>MP Name</div><div>Jaiswal, Shri Manish</div><div>MLA Const.</div><div>Ramgarh</div><div>MLA Name</div><div>Smt. Mamta Devi</div></div>				Food Plaza		N	
Route	D	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 6	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	50	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	15	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	35	Source	Railway Supply		Open Wells (Nos)	1			
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	1			
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	2000						
Pay & Use Toilet				Remarks	NA						

Station

Karmahat

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	550	9	84	CC	160	5	15	1		0	80	1	1	0	17	0	0	0	0	1	N	0
2	BG	N	550	9	84	CC	160	0	8	1		0	60	0	0	0	17	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Karmahat

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	1	0	0.08	0	0	0			-	-
Actual	50	320	25	2	1	155	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Kathautiya halt		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	KAUA	FOB	0	(a) Per Day		8		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		2		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	1.6	2020-21	0.00	Touch Screen Enquiry System		N	
District	HAZARIBAGH	Clock	N	2021-22	0.83	2022-23	1	Electronic Train Indication		N	
Section	KQR-BRKA	Wheel Chairs	N	2023-24	0.66	2024-25		ATMs		0	
Km.	0049.70	Cloak Room	N	<div><div>MP Const.</div><div>Hazaribagh</div><div>MP Name</div><div>Jaiswal, Shri Manish</div><div>MLA Const.</div><div>Hazaribagh</div><div>MLA Name</div><div>Sri Pradip Prasad</div></div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 4	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	300	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		NA					

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	300	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station			Kathautiya halt						Platform Detail																
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	340	11	150	MOR	18	0	0	2		0	20	0	0	0	0	0	0	0	0	0	N	0	
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others							

Station	Kathautiya halt			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.		
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-			
As per Rec.	1	0	0.08	0	0	0			-	-			
Actual	0	18	2	0	0	20	0	See platform details	0	-			
Shortage, if any	-	-	-	-	-	-	1		-	-			

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Katkamsandi		No. of passengers dealt with:				Identified as Adarsh		N
Station Code	KKAS	FOB	1	(a) Per Day		111		Developed As		
Station Category	NSG6	Subway	0	(b) Max. at any		50		Identified for MFC		N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N
State	JHARKHAND	Public Address Sys.	Y	2019-20	0	2020-21	6.34	Touch Screen Enquiry System		N
District	HAZARIBAGH	Clock	Y	2021-22	4.28	2022-23	7.93	Electronic Train Indication		N
Section	KQR-BRKA	Wheel Chairs	N	2023-24	7.23	2024-25		ATMs		0
Km.	0055.10	Cloak Room	N	<div>MP Const. Hazaribagh MP Name Jaiswal, Shri Manish MLA Const. Hazaribagh MLA Name Sri Pradip Prasad</div>				Food Plaza		N
Route	Dspl	Refreshment Room(sqm)	Budget Hotel					N		
Electrified	Y	Trains Halting						M: 0	P : 4	
Other Items		NA	Station IInd Entry					N		
Remarks for		NA								
Resting Facility										
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM				
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0			
Circulating Area and Water										
Circulating Area		Approach Road		Water Supply						
Area (sqm)	0	Length(m)	600	Source	Railway Supply		Open Wells (Nos)	0		
Surface	Kutchra	Surface	WBM	Type	Piped		Bore Wells (Nos)	1		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	15000					
Pay & Use Toilet				Remarks	NA					

Station
Katkamsandi
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	380	10	840	MOR	144	0	0	2		0	30	0	0	2	40	0	0	0	0	1	N	0
2	BG	Y	380	10	840	MOR	144	0	0	2		0	20	0	0	1	40	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
Katkamsandi
Summary
(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	21	0	2	0	0	6			-	-
Actual	15	288	4	0	0	50	1	See platform details	0	-
Shortage, if any	-	-	-	1	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Katrasgarh		No. of passengers dealt with:				Identified as Adarsh		Y	
Station Code	KTH	FOB	0	(a) Per Day		1285		Developed As		N	
Station Category	NSG5	Subway	0	(b) Max. at any		400		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	383.00	2018-19	385.00	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	368.28	2020-21	92.74	Touch Screen Enquiry System		N	
District	DHANBAD	Clock	Y	2021-22	166.64	2022-23	275.88	Electronic Train Indication		N	
Section	DHN-CRP	Wheel Chairs	Y	2023-24	335.64	2024-25		ATMs		0	
Km.	0013.19	Cloak Room	N	<div><div>MP Const. Giridih</div><div>MP Name Choudhary, Shri Chandra</div><div>MLA Const. baghmara</div><div>MLA Name Sri Shatrughan Mahto</div></div>				Food Plaza		N	
Route	E	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 12	P : 1
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	34	Area(sqm)		29	16	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	0	Seats(Nos.)		20	10	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	1	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		1	1	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	454	Length(m)	100	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	0			
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	10000						
Pay & Use Toilet	Y			Remarks	NA						

Station

Katrasgarh

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	450	12	80	CC	340	1	5	0		0	100	2	1	3	60	1	0	0	0	0	N	0
2&3	BG	Y	450	14	76	MOR	160	0	20	0		0	28	2	1	0	20	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

Katrasgarh

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	167	0	16	1	1	48			-	-
Actual	34	500	25	6	4	158	0	See platform details	2	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station Kawar Halt				No. of passengers dealt with:				Identified as Adarsh N	
				(a) Per Day 35				Developed As	
				(b) Max. at any 10				Identified for MFC N	
				Pass. Earnings/Year(Rs. in Lac.)					
Station Code	KWAR	FOB	1	2011-12	0.00	2018-19	0.00	Tourist Facilation Center N	
Station Category	HG3	Subway	0	2019-20	2.11	2020-21	0.00	Touch Screen Enquiry System N	
Railway	ECR	Booking Windows	1	2021-22	1.36	2022-23	2.79	Electronic Train Indication N	
Division	Dhanbad	Enquiry Office	0	2023-24	2.57	2024-25			
State	JHARKHAND	Public Address Sys.	Y	Length of longest stopping train(m) 155				ATMs 0	
District	GIRIDIH	Clock	Y	<div> MP Const. Kodarma MP Name Devi, Smt. Annpurna MLA Const. Kodarma MLA Name Neera Yadav </div>				Food Plaza N	
Section	Koderma-Giridih	Wheel Chairs	N					Budget Hotel N	
Km.	0086.50	Cloak Room	N					Trains Halting M: 0 P : 4	
Route	E	Refreshment Room(sqm)						Station IInd Entry N	
Electrified	Y								
Other Items	NA								
Remarks for	NA								

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	100	Length(m)	350	Source	Railway Supply		Open Wells (Nos)		0
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)		2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		NA			

Station

Kawar Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	15	84	OPS	12	0	0	1		0	10	0	0	0	10	0	0	0	0	1	N	0
2	BG	N	330	15	84	MOR	12	0	0	1		0	10	0	0	0	10	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Kawar Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	6	0	0.4	0	0	2			-	-
Actual	15	24	2	0	0	30	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Kechki		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	KCKI	FOB	0	(a) Per Day		204		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		75		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	8.11	2018-19	8.61	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	12.46	2020-21	0.57	Touch Screen Enquiry System		N	
District	PALAMU	Clock	N	2021-22	8.77	2022-23	13.79	Electronic Train Indication		N	
Section	BRKA-GHD	Wheel Chairs	N	2023-24	14.14	2024-25		ATMs		0	
Km.	0270.99	Cloak Room	N	<div>MP Const. Chatra</div> <div>MP Name Singh, Shri Kali Charan</div> <div>MLA Const. Manika</div> <div>MLA Name Sri Ramchandra Singh</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 12	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	54	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	15	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	1000	Length(m)	50	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		NA					

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	54	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	1000	Length(m)	50	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station			Kechki																					
			Platform Detail																					
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	236	8.25	0.21	MOR	0	1	0	2		0	34	0	0	0	8	0	0	0	0	0	N	0
2	BG	N	259	9	0.25	MOR	0	13	0	0		0	24	0	0	0	0	0	0	0	0	0	N	0
*Surface Type :			CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface					MOR-Moorum				OTH-Others				

Station	Kechki			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-		
As per Rec.	31	0	3	0	0	9			-	-		
Actual	54	0	2	0	0	73	0	See platform details	0	-		
Shortage, if any	-	100	2	1	1	-	1		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Keshwari Halt		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	KSHR	FOB	0	(a) Per Day		25		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		15		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	2.81	2018-19	2.73	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	2.86	2020-21	0.11	Touch Screen Enquiry System		N	
District	GIRIDIH	Clock	N	2021-22	2.16	2022-23	4.8	Electronic Train Indication		N	
Section	PKA-MPO	Wheel Chairs	N	2023-24	3.67	2024-25		ATMs		0	
Km.	0350.19	Cloak Room	N	<div>MP Const. Kodarma MP Name Devi, Smt. Annpurna MLA Const. Bagodar MLA Name Sri Vinod Kumar singh</div>				Food Plaza		N	
Route	A	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 0 P : 2	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	25	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		NA					

Station

Keshwari Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	2	0	OPS	0	2	0	1		0	5	1	3	0	10	0	0	0	0	0	N	0
2	BG	N	350	2	0	OTH	6	0	0	0		0	8	0	0	0	10	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Keshwari Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	9	0	0.6	0	0	3			-	-
Actual	0	6	1	1	3	13	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Khalari		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	KLRE	FOB	1	(a) Per Day		1088		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		300		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	100.51	2018-19	124.75	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	174.5	2020-21	33.72	Touch Screen Enquiry System		N	
District	RANCHI	Clock	N	2021-22	125.16	2022-23	164.61	Electronic Train Indication		N	
Section	BRKA-GHD	Wheel Chairs	N	2023-24	191.26	2024-25		ATMs		0	
Km.	0156.14	Cloak Room	N	<div><div>MP Const.</div><div>Ranchi</div><div>MP Name</div><div>Seth, Shri Sanjay</div><div>MLA Const.</div><div>Kanke</div><div>MLA Name</div><div>Sri Samri Lal</div></div>				Food Plaza		N	
Route	Dspl	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 14 P : 8	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	25	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	408	Length(m)	90	Source	Railway Supply		Open Wells (Nos)	1			
Surface	Cement Concrete	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1			
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	25000						
Pay & Use Toilet	N			Remarks	NA						

Station

Khalari

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	367	8.5	84	OPS	484	3	12	2		0	64	2	1	2	12	1	0	0	0	1	N	0
3&4	BG	Y	367	8.5	84	OPS	352	3	12	1		0	64	3	2	2	14	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Khalari

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	125	0	12	0	0	36			-	-
Actual	25	836	27	6	4	136	1	See platform details	1	-
Shortage, if any	5	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Khuldil Road		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	KDRD	FOB	1	(a) Per Day		0		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		0		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	3.52	2018-19	3.53	Tourist Facilation Center		N	
State	UTTAR	Public Address Sys.	Y	2019-20	3.52	2020-21	0.00	Touch Screen Enquiry System		N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication		N	
Section	CPU-MHD	Wheel Chairs	N	Length of longest stopping train(m)		310		ATMs		0	
Km.	0157.38	Cloak Room	N	MP Const.		Robertsganj		Food Plaza		N	
Route	E	Refreshment Room(sqm)		MP Name		Shri Chhotelal		Budget Hotel		N	
Electrified	N			MLA Const.		Obra		Trains Halting		M: 0 P : 0	
Other Items	NA			MLA Name		Shri Sanjeev Gond		Station IInd Entry		N	
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	42	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	24	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	45	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	NA				

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM				
(a) Area(sqm.)	42	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	24	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	45	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station		Khuldil Road																						
		Platform Detail																						
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	304	4	84	MOR	54	8	0	2		0	32	1	1	0	14	0	0	0	0	1	N	0
2	BG	N	304	4	80	MOR	48	4	0	2		0	32	0	0	0	0	0	0	0	0	1	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone				OPS-Other Pucca Surface					MOR-Moorum				OTH-Others				

Station	Khuldil Road			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-		
As per Rec.	0	0	0	0	0	0			-	-		
Actual	42	102	4	1	1	88	1	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	-		-	-	-	

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Koderma Junction		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	KQR	FOB	2	(a) Per Day		14020		Developed As			
Station Category	NSG3	Subway	0	(b) Max. at any		1600		Identified for MFC		N	
Railway	ECR	Booking Windows	7	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	1	2011-12	1957.81	2018-19	2054.17	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	2763.7	2020-21	228.74	Touch Screen Enquiry System		N	
District	KODERMA	Clock	Y	2021-22	4051.85	2022-23	5360.54	Electronic Train Indication		Y	
Section	KQR-MPO	Wheel Chairs	Y	2023-24	6098.31	2024-25		ATMs		1	
Km.	0393.55	Cloak Room	Y	<div><div>MP Const.</div><div>Kodarma</div><div>MP Name</div><div>Devi, Smt. Annpurna</div><div>MLA Const.</div><div>Kodarma</div><div>MLA Name</div><div>Neera Yadav</div></div>				Food Plaza		Y	
Route	A	Refreshment Room(sqm)						Budget Hotel		Y	
Electrified	Y							Trains Halting		M: 100 P : 8	
Other Items	NA							Station IInd Entry		Y	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	125	Area(sqm)		27	50	Area(sqm)	75	Retiring Room		3	
(b) Seats(Nos.)	100	Seats(Nos.)		24	20	Seats(Nos.)	18	Dormitory		1	
(c) Lav.(Nos.)	3	Lav.(Nos.)		2	3	Lav.(Nos.)	3				
(d) Urinals(Nos.)	2	Urinals(Nos.)		1	1	Urinals(Nos.)	2				
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)		1	2	Bathing Cubicals(Nos.)	2				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	129	Length(m)	40	Source	Railway Supply		Open Wells (Nos)		3		
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)		2		
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)		49056					
Pay & Use Toilet	N			Remarks	Pipe line installation work completed from Tilaiya Dam to						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	125	Area(sqm)	27	50	Area(sqm)	75	Retiring Room		3
(b) Seats(Nos.)	100	Seats(Nos.)	24	20	Seats(Nos.)	18	Dormitory		1
(c) Lav.(Nos.)	3	Lav.(Nos.)	2	3	Lav.(Nos.)	3			
(d) Urinals(Nos.)	2	Urinals(Nos.)	1	1	Urinals(Nos.)	2			
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)	1	2	Bathing Cubicals(Nos.)	2			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	129	Length(m)	40	Source	Railway Supply	Open Wells (Nos)	3
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump	Bore Wells (Nos)	2
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	49056		
Pay & Use Toilet	N			Remarks	Pipe line installation work completed from Tilaiya Dam to		

Station

Koderma Junction

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	440	12.5	84	CC	1938	0	36	2		0	150	6	2	7	85	1	0	1	0	2	Y	0
2&3	BG	Y	607	15	84	CC	1260	6	32	5		0	268	4	2	12	200	2	0	0	0	2	Y	0
4&5	BG	Y	607	10	84	CC	954	8	29	4		0	332	1	7	10	150	4	0	0	0	2	Y	1
6&7	BG	Y	500	13	84	OTH	832	0	8	3		0	68	0	0	10	30	0	0	0	0	1	Y	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

Koderma Junction

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	1600 sqm	80	10	10	500	1 With Cover	High level	8	YES
As per Rec.	669	1792	64	2	2	192			-	-
Actual	125	4984	119	22	17	980	2	See platform details	4	YES
Shortage, if any	-	-	-	-	-	-	-		4	-

Desired	Facility Available	Desired	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Tiolets on end platform & circulating	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Desired	Facility Available
Improvement in the facade of the station building	
Improvement in the circulating area so as to ensure proper entry and exit of	
A lighting tower at an appropriate place to be installed for proper illumination	
Improved modern, cost effective lighting arrangements at the platforms,	
Renovated water booths	
Renovated, modern, Pay & Use toilets	
Good Waiting and Retiring Rooms with modern furniture	
Good passenger guidance system including signages and coach indication	
Improvement to the passenger service	
Improvement of booking and enquiry offices to give them a facelift	
Lighting of booking offices, the queuing area in front of booking windows	
Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station				Koderma Town Halt				No. of passengers dealt with:				Identified as Adarsh		N		
Station Code		KQRT	FOB	1	(a) Per Day		44		Developed As							
Station Category		HG3	Subway	0	(b) Max. at any		15		Identified for MFC		N					
Railway		ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)											
Division		Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N					
State		JHARKHAND	Public Address Sys.	Y	2019-20	1.76	2020-21	0.00	Touch Screen Enquiry System		N					
District		KODERMA	Clock	N	2021-22	2.62	2022-23	4.36	Electronic Train Indication		N					
Section		Koderma-Giridih	Wheel Chairs	N	2023-24	3.37	2024-25		ATMs		0					
Km.		0010.45	Cloak Room	N	<div>MP Const. Kodarma MP Name Devi, Smt. Annpurna MLA Const. Kodarma MLA Name Neera Yadav</div>				Food Plaza		N					
Route		E	Refreshment Room(sqm)	Budget Hotel					N							
Electrified		Y		Trains Halting					M: 0		P : 4					
Other Items		NA		Station IInd Entry					N							
Remarks for		NA														

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	100	Length(m)	350	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	2	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	NA				

Station			Koderma Town Halt																					
			Platform Detail																					
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	14	0	MOR	18	0	0	1		0	10	1	0	0	0	0	0	0	0	1	N	0
2&3	BG	N	330	15	0.84	MOR	18	0	0	1		0	20	0	0	0	0	0	0	0	0	1	N	0
4&5	BG	N	330	14	0	MOR	0	0	0	0		0	10	0	0	0	0	0	0	0	0	1	N	0
*Surface Type :			CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others					

Station	Koderma Town Halt			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-		
As per Rec.	9	0	0.6	0	0	3			-	-		
Actual	15	36	2	1	0	50	1	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	-		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Krishnashila		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	KRSL	FOB	1	(a) Per Day		3		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		1		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	10.54	2018-19	8.29	Tourist Facilation Center		N	
State	UTTAR	Public Address Sys.	Y	2019-20	4.51	2020-21	0.00	Touch Screen Enquiry System		N	
District	UPRADESH	Clock	Y	2021-22	0	2022-23	0.07	Electronic Train Indication		N	
Section	KRLE-SKTN	Wheel Chairs	N	2023-24	0.27	2024-25		ATMs		0	
Km.	0021.43	Cloak Room	N	<div>MP Const. Robertsganj MP Name Shri Chhotelal MLA Const. Dudhi MLA Name Smt. Rubi Prasad</div>				Food Plaza		N	
Route	E	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	N							Trains Halting		M: 2 P : 0	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	27	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	392	Length(m)	96	Source	Railway Supply		Open Wells (Nos)		0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)		0
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)		15000			
Pay & Use Toilet				Remarks		NA			

Station			Krishnashila						Platform Detail															
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	276	9	84	MOR	60	15	5	1		0	56	3	1	0	15	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface					MOR-Moorum				OTH-Others					

Station	Krishnashila			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-		
As per Rec.	0	0	0.04	0	0	0			-	-		
Actual	27	60	6	3	1	76	1	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	-		-	-	-	

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Kuju		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	KUJU	FOB	1	(a) Per Day		86		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		30		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	3.83	2020-21	0.00	Touch Screen Enquiry System		N	
District	RAMGARH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication		N	
Section	KQR-BRKA	Wheel Chairs	N	2023-24	0	2024-25		ATMs		0	
Km.	0122.20	Cloak Room	N	<div>MP Const. Hazaribagh MP Name Jaiswal, Shri Manish MLA Const. Hazaribagh MLA Name Sri Pradip Prasad</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 4	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	1000	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Black Topped	Type	Piped		Bore Wells (Nos)		1		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		15000					
Pay & Use Toilet				Remarks		NA					

Station

Kuju

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	340	11	840	OPS	0	0	0	2		0	32	0	0	0	15	0	0	0	0	1	N	0
2	BG	N	340	10	840	OPS	144	0	0	2		0	28	0	0	0	15	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Kuju

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	13	0	1.2	0	0	4			-	-
Actual	0	144	4	0	0	60	1	See platform details	0	-
Shortage, if any	15	-	-	1	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Kumandih		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	KMND	FOB	1	(a) Per Day		117		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		40		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	2.10	2018-19	2.31	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	3.47	2020-21	0.23	Touch Screen Enquiry System		N	
District	PALAMU	Clock	Y	2021-22	2.48	2022-23	4.26	Electronic Train Indication		N	
Section	BRKA-GHD	Wheel Chairs	N	2023-24	5.88	2024-25		ATMs		0	
Km.	0230.44	Cloak Room	N	<div>MP Const. Chatra MP Name Singh, Shri Kali Charan MLA Const. Manika MLA Name Sri Ramchandra Singh</div>				Food Plaza		N	
Route	Dspl	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 0 P : 8	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	18	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	210	Length(m)	125	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	NA				

Station

Kumandih

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	253	8.5	0	MOR	9	9	0	1		0	47	0	1	0	12	0	0	0	0	0	N	0
2	BG	Y	343	8.6	84	OPS	36	2	0	3		0	24	0	0	0	15	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Kumandih

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	17	0	1.6	0	0	5			-	-
Actual	18	45	4	2	3	71	1	See platform details	0	-
Shortage, if any	-	55	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Kurhagada		No. of passengers dealt with:				Identified as Adarsh		N
				(a) Per Day				Developed As		
Station Code		KAGA		FOB		1				
Station Category		NSG6		Subway		0		Identified for MFC		N
Railway		ECR		Booking Windows		2		Pass. Earnings/Year(Rs. in Lac.)		
Division		Dhanbad		Enquiry Office		0		2011-12		0.00
State		JHARKHAND		Public Address Sys.		N		2019-20		1.95
District		HAZARIBAGH		Clock		N		2021-22		1.15
Section		KQR-BRKA		Wheel Chairs		N		2023-24		1.47
Km.		0042.30		Cloak Room		N		2024-25		0.00
Route		Dspl		Refreshment Room(sqm)				Length of longest stopping train(m)		135
Electrified		Y						MP Const.		Hazaribagh
								MP Name		Jaiswal, Shri Manish
								MLA Const.		Hazaribagh
								MLA Name		Sri Pradip Prasad
Other Items		NA						Tourist Facilation Center		N
Remarks for		NA						Touch Screen Enquiry System		N
								Electronic Train Indication		N
								ATMs		0
								Food Plaza		N
								Budget Hotel		N
								Trains Halting		M: 0 P : 4
								Station IInd Entry		N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	54	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	100	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Piped	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	15000		
Pay & Use Toilet				Remarks	NA		

Station			Kurhagada																							
			Platform Detail																							
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	440	10	84	MOR	144	0	0	2		0	40	1	0	2	40	0	0	0	0	1	N	0		
2	BG	N	440	10	84	MOR	144	0	0	2		0	20	0	0	1	40	0	0	0	0	1	N	0		
*Surface Type			:	CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station	Kurhagada										Summary										(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.									
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage																				
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-																				
As per Rec.	4	0	0.4	0	0	1			-	-																				
Actual	54	288	4	1	0	60	1	See platform details	0	-																				
Shortage, if any	-	-	-	-	1	-	-		-	-																				

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Kusunda		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	KDS	FOB	0	(a) Per Day		14		Developed As				
Station Category	NSG6	Subway	0	(b) Max. at any		5		Identified for MFC		N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	2.67	2018-19	2.97	Tourist Facilation Center		N		
State	JHARKHAND	Public Address Sys.	Y	2019-20	1.06	2020-21	0.00	Touch Screen Enquiry System		N		
District	DHANBAD	Clock	Y	2021-22	1.24	2022-23	2.14	Electronic Train Indication		N		
Section	DHN-CRP	Wheel Chairs	N	2023-24	2.16	2024-25		Length of longest stopping train(m)		250	ATMs	0
Km.	0003.38	Cloak Room	N	<div>MP Const. Dhanbad</div> <div>MP Name Mahato, Shri Dulu</div> <div>MLA Const. Dhanbad</div> <div>MLA Name Sri Raj Sinha</div>				Food Plaza		N		
Route	E	Refreshment Room(sqm)						Budget Hotel		N		
Electrified	Y							Trains Halting		M: 1 P : 1		
Other Items	NA							Station IInd Entry		N		
Remarks for	NA											
Resting Facility												
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM						
(a) Area(sqm.)	48	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0		
(b) Seats(Nos.)	6	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0					
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0					
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0					
Circulating Area and Water												
Circulating Area		Approach Road		Water Supply								
Area (sqm)	0	Length(m)	100	Source	Railway Supply		Open Wells (Nos)		0			
Surface	Kutchra	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)		0			
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)		1000						
Pay & Use Toilet				Remarks		NA						

Station			Kusunda										Platform Detail											
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	184	8	72	CC	36	14	1	0		0	33	0	1	0	5	0	0	0	0	0	N	0
2	BG	N	192	10	63	CC	36	6	0	0		0	32	0	0	0	2	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station	Kusunda			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-		
As per Rec.	2	0	0.2	0	0	1			-	-		
Actual	48	72	1	0	1	71	0	See platform details	0	-		
Shortage, if any	-	28	3	1	-	-	1		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Lalgarh Bihar		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	LBT	FOB	0	(a) Per Day		329		Developed As			
Station Category	HG2	Subway	0	(b) Max. at any		135		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12		2018-19		Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20		2020-21 0.77		Touch Screen Enquiry System		N	
District	PALAMU	Clock	Y	2021-22 7.77		2022-23 21.51		Electronic Train Indication		N	
Section	BRKA-GHD	Wheel Chairs	N	2023-24 19.06		2024-25					
Km.	0308.29	Cloak Room	N	Length of longest stopping train(m)		382.5		ATMs		0	
Route	A	Refreshment Room(sqm)		MP Const.		Palamu		Food Plaza		N	
Electrified	Y			MP Name		Ram, Shri Vishnu Dayal		Budget Hotel		N	
				MLA Const.		Bishrampur		Trains Halting		M: 2 P : 12	
				MLA Name		Sri Naresh Prasad Singh		Station IInd Entry		N	
Other Items	NA										
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet	N			Remarks		NA					

Station			Lalgarh Bihar										Platform Detail											
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	1.8	0	CC	0	5	0	1		0	10	3	0	1	8	0	0	0	0	0	N	0
2	BG	N	250	1.8	0	CC	0	0	0	0	2	0	0	0	0	2	12	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface					MOR-Moorum				OTH-Others					

Station	Lalgarh Bihar			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-		
As per Rec.	85	0	5.4	0	0	24			-	-		
Actual	0	0	1	3	0	10	0	See platform details	0	-		
Shortage, if any	10	-	-	-	-	-	1		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station	Larabad	No. of passengers dealt with:				Identified as Adarsh	
Station Code	LRB	FOB	0	(a) Per Day		Developed As	
Station Category		Subway	0	(b) Max. at any		Identified for MFC	
Railway	ECR	Booking Windows		Pass. Earnings/Year(Rs. in Lac.)			
Division	Dhanbad	Enquiry Office		2011-12	0.00	2018-19	0.00
State	JHARKHAND	Public Address Sys.		2019-20	0	2020-21	0.00
District		Clock		2021-22	0	2022-23	0
Section	PKA-MPO	Wheel Chairs	N	2023-24	0	2024-25	
Km.		Cloak Room		Length of longest stopping train(m)		ATMs	
Route		Refreshment Room(sqm)		MP Const.		Food Plaza	
Electrified				MP Name		Budget Hotel	
Other Items				MLA Const.		Trains Halting	M: P : null
Remarks for	Existing Station			MLA Name		Station IInd Entry	N

Resting Facility			
WAITING HALL	WAITING ROOM	GENTS LADIES	UPPER CLASS WAITING ROOM
(a) Area(sqm.)	Area(sqm)		Area(sqm)
(b) Seats(Nos.)	Seats(Nos.)		Seats(Nos.)
(c) Lav.(Nos.)	Lav.(Nos.)		Lav.(Nos.)
(d) Urinals(Nos.)	Urinals(Nos.)		Urinals(Nos.)
(e) Bathing Cubicals	Bathing Cubicals(Nos.)		Bathing Cubicals(Nos.)
			Retiring Room 0
			Dormitory 0

Circulating Area and Water			
Circulating Area		Approach Road	Water Supply
Area (sqm)		Length(m)	Source
Surface		Surface	Open Wells (Nos)
Illumination Type	Normal Lights	Illumination Type	Bore Wells (Nos)
Pay & Use Toilet			Storage Capacity(Ltr)
			Remarks

Station Larabad

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
2							0									0	4			0	0	0		0
1							0									0	4			0	0	0		0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station Larabad

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	0 sqm	0	0	0	0	0	-	0	-
As per Rec.	0	0	0	0	0	0			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Latehar		No. of passengers dealt with:				Identified as Adarsh		Y	
Station Code	LTHR	FOB	2	(a) Per Day		2135		Developed As		N	
Station Category	NSG5	Subway	0	(b) Max. at any		650		Identified for MFC		N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	174.00	2018-19	209.08	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	298.15	2020-21	45.85	Touch Screen Enquiry System		N	
District	LATEHAR	Clock	Y	2021-22	184.41	2022-23	271.89	Electronic Train Indication		N	
Section	BRKA-GHD	Wheel Chairs	Y	2023-24	337.13	2024-25		ATMs		0	
Km.	0217.82	Cloak Room	N	<div>MP Const. Chatra</div> <div>MP Name Singh, Shri Kali Charan</div> <div>MLA Const. Latehar</div> <div>MLA Name Sri Prakash Ram</div>				Food Plaza		N	
Route	Dspl	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 22	P : 8
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	30	Area(sqm)		0	0	Area(sqm)	12	Retiring Room	0		
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	8	Dormitory	0		
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1				
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1				
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	2500	Length(m)	95	Source	Railway Supply		Open Wells (Nos)	1			
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	0			
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)		100000					
Pay & Use Toilet	Y			Remarks	NA						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	30	Area(sqm)	0	0	Area(sqm)	12	Retiring Room		0
(b) Seats(Nos.)	8	Seats(Nos.)	0	0	Seats(Nos.)	8	Dormitory		0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	Lav.(Nos.)	1			
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	Urinals(Nos.)	1			
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	2500	Length(m)	95	Source	Railway Supply	Open Wells (Nos)	1
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump	Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	100000		
Pay & Use Toilet	Y			Remarks	NA		

Station

Latehar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	560	6	84	CC	273	3	10	2		0	78	3	2	1	17	1	0	0	0	1	N	0
2	BG	Y	560	6.5	84	MOR	407	9	10	2		0	90	0	0	12	21	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Latehar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	272	0	26	1	1	78			-	-
Actual	30	680	25	5	4	184	2	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Magardaha		No. of passengers dealt with:				Identified as Adarsh		N			
Station Code	MWF	FOB	1	(a) Per Day		25		Developed As					
Station Category	NSG6	Subway	0	(b) Max. at any		8		Identified for MFC		N			
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)									
Division	Dhanbad	Enquiry Office	0	2011-12	0.65	2018-19	0.59	Tourist Facilation Center		N			
State	UTTAR	Public Address Sys.	Y	2019-20	0.69	2020-21	0.00	Touch Screen Enquiry System		N			
District	UPRADESH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication		N			
Section	SONBHADRA	Wheel Chairs	N	2023-24	0	2024-25		ATMs		0			
Km.	OBRA-MHDA	Cloak Room	N	Length of longest stopping train(m)				310		Food Plaza		N	
Route	0151.05	Refreshment Room(sqm)		MP Const.				Robertsganj		Budget Hotel		N	
Electrified	E			MP Name				Shri Chhotelal		Trains Halting		M: 0	P : 0
Other Items	N			MLA Const.				Obra		Station IInd Entry		N	
Remarks for	NA			MLA Name				Shri Sanjeev Gond					

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	16	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	NA				

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	16	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Other	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station

Magardaha

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	184	6.1	0	OTH	51	0	0	2		0	30	2	2	0	16	0	0	0	0	1	N	0
2&3	BG	Y	650	4.7	76	CC	51	0	0	2		0	30	0	0	0	32	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Magardaha

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	3	0	0.32	0	0	1			-	-
Actual	16	102	4	2	2	78	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Mahdeiya		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	MHDA	FOB	0	(a) Per Day		0		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		0		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	0.84	2018-19	0.63	Tourist Facilation Center		N	
State	MADHYA	Public Address Sys.	Y	2019-20	3.22	2020-21	0.00	Touch Screen Enquiry System		N	
District	PRADESH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication		N	
	SIDHI			2023-24	0	2024-25					
Section	CPU-MHD	Wheel Chairs	N	Length of longest stopping train(m)			131	ATMs		0	
Km.	0197.19	Cloak Room	N	MP Const.				Sidhi	Food Plaza		N
Route	E	Refreshment Room(sqm)		MP Name				Mishra, Dr. Rajesh	Budget Hotel		N
Electrified	N			MLA Const.				Devsar	Trains Halting		M: 0
				MLA Name				Shri Rajendra Meshram	Station IInd Entry		N
Other Items	NA										
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	41	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	2250	Length(m)	75	Source	Railway Supply		Open Wells (Nos)		0
Surface	Kutchra	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)		1
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)		2500			
Pay & Use Toilet				Remarks	NA				

Station

Mahdeiya

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	179	9	8.4	MOR	51	0	2	1		0	26	2	1	0	18	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete				PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station

Mahdeiya

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	0	0	0	0	0	0			-	-
Actual	41	51	3	3	2	66	0	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station Maheshpur Halt				No. of passengers dealt with:				Identified as Adarsh N	
				(a) Per Day 126				Developed As	
Station Code MHSA FOB 0				(b) Max. at any 45				Identified for MFC N	
Station Category HG2 Subway 0				Pass. Earnings/Year(Rs. in Lac.)					
Railway ECR Booking Windows 1				2011-12 0.00 2018-19 0.00				Tourist Facilation Center N	
Division Dhanbad Enquiry Office 0				2019-20 2.13 2020-21 0.00				Touch Screen Enquiry System N	
State JHARKHAND Public Address Sys. N				2021-22 2.07 2022-23 4.83				Electronic Train Indication N	
District KODERMA Clock Y				2023-24 7.39 2024-25					
Section Koderma-Giridih Wheel Chairs N				Length of longest stopping train(m) 155				ATMs 0	
Km. 0019.70 Cloak Room N				<div style="border: 1px solid black; padding: 5px;"> MP Const. Kodarma MP Name Devi, Smt. Annpurna MLA Const. Kodarma MLA Name Neera Yadav </div>				Food Plaza N	
Route E Refreshment Room(sqm)								Budget Hotel N	
Electrified Y								Trains Halting M: 2 P : 4	
								Station IInd Entry N	
Other Items 									
Remarks for NA									

Resting Facility							
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	10	Area(sqm)		0	0	Area(sqm)	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0
						Retiring Room	0
						Dormitory	0

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	200	Length(m)	200	Source	Railway Supply		Open Wells (Nos)
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks			

Station			Maheshpur Halt						Platform Detail															
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	340	15	0	MOR	9	0	0	1		0	10	0	0	0	0	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface					MOR-Moorum				OTH-Others					

Station	Maheshpur Halt			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-		
As per Rec.	28	0	1.8	0	0	8			-	-		
Actual	10	9	1	0	0	20	0	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	1		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Mahuamilan		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	MMLN	FOB	1	(a) Per Day		43		Developed As				
Station Category	NSG6	Subway	0	(b) Max. at any		20		Identified for MFC		N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	2.21	2018-19	2.30	Tourist Facilation Center		N		
State	JHARKHAND	Public Address Sys.	Y	2019-20	3.24	2020-21	0.35	Touch Screen Enquiry System		N		
District	PALAMU	Clock	Y	2021-22	3.06	2022-23	3.89	Electronic Train Indication		N		
Section	BRKA-GHD	Wheel Chairs	N	2023-24	3.95	2024-25		Length of longest stopping train(m)		176	ATMs	0
Km.	0178.16	Cloak Room	N	<div>MP Const. Chatra MP Name Singh, Shri Kali Charan MLA Const. Latehar MLA Name Sri Prakash Ram</div>				Food Plaza		N		
Route	Dspl	Refreshment Room(sqm)	Budget Hotel					N				
Electrified	Y	Trains Halting						M: 0 P : 8				
Other Items		NA						Station IInd Entry		N		
Remarks for		NA										
Resting Facility												
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM						
(a) Area(sqm.)	54	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0			
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0			
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0					
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0					
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0					
Circulating Area and Water												
Circulating Area		Approach Road		Water Supply								
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0				
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0				
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	0							
Pay & Use Toilet				Remarks	NA							

Station			Mahuamilan					Platform Detail																
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	8.5	84	MOR	84	6	0	2		0	98	1	1	0	18	0	0	0	0	1	N	0
2&3	BG	Y	600	10	84	MOR	84	3	0	2		0	98	0	0	0	16	0	0	0	0	1	N	0
4&5	BG	Y	600	7	84	MOR	48	3	0	2		0	66	0	0	0	12	0	0	0	0	1	N	0
*Surface Type			:	CC-Cement Concrete				PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others					

Station	Mahuamilan			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	150 sqm	6 tap/HP at stn	1	1	30	1	High level	0	-		
As per Rec.	8	0	0.8	0	0	2			-	-		
Actual	54	216	6	3	1	270	1	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	-		-	-	-	

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Mahuariya		No. of passengers dealt with:				Identified as Adarsh		N			
Station Code	MXY	FOB	1	(a) Per Day		51		Developed As					
Station Category	NSG6	Subway	0	(b) Max. at any		35		Identified for MFC		N			
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)									
Division	Dhanbad	Enquiry Office	0	2011-12	5.61	2018-19	5.82	Tourist Facilation Center		N			
State	UTTAR	Public Address Sys.	Y	2019-20	6.35	2020-21	0.00	Touch Screen Enquiry System		N			
District	UPRADESH	Clock	Y	2021-22	2.19	2022-23	3.32	Electronic Train Indication		N			
Section	GHD-CPU	Wheel Chairs	N	2023-24	3.28	2024-25		Length of longest stopping train(m)		176	ATMs	0	
Km.	0066.28	Cloak Room	N	MP Const.				Robertsganj		Food Plaza		N	
Route	Dspl	Refreshment		MP Name				Shri Chhotelal		Budget Hotel		N	
Electrified	Y	Room(sqm)		MLA Const.				Dudhi		Trains Halting		M: 0	P : 4
Other Items	NA			MLA Name				Smt. Rubi Prasad		Station IInd Entry		N	
Remarks for	NA												

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	56	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	65	Source	Railway Supply		Open Wells (Nos)		2
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		NA			

Station			Mahuariya						Platform Detail															
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	183.4	7.7	0	MOR	768	3	0	2		0	72	2	2	0	30	0	0	0	0	1	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface					MOR-Moorum				OTH-Others					

Station	Mahuariya			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-		
As per Rec.	15	0	1.4	0	0	4			-	-		
Actual	56	768	2	2	2	102	1	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	-		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Mandu Halt		No. of passengers dealt with:				Identified as Adarsh		N
Station Code	MNDU	FOB	0	(a) Per Day		7		Developed As		
Station Category	HG3	Subway	0	(b) Max. at any		2		Identified for MFC		N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N
State	JHARKHAND	Public Address Sys.	N	2019-20	0.05	2020-21	0.00	Touch Screen Enquiry System		N
District	HAZARIBAGH	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication		N
Section	KQR-BRKA	Wheel Chairs	N	2023-24	0	2024-25		ATMs		0
Km.	0112.50	Cloak Room	N	<div>MP Const. Hazaribagh MP Name Jaiswal, Shri Manish MLA Const. Hazaribagh MLA Name Sri Pradip Prasad</div>				Food Plaza		N
Route	Dspl	Refreshment Room(sqm)	Budget Hotel					N		
Electrified	Y		Trains Halting					M: 0	P : 4	
			Station IInd Entry					N		
Other Items	NA									
Remarks for	NA									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)	0	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	500	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	Railway supply water .				

Station			Mandu Halt										Platform Detail												
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	600	11	840	MOR	0	0	0	1		0	20	0	0	0	0	0	0	0	0	0	N	0	
*Surface Type			:	CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others					

Station	Mandu Halt			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.		
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-			
As per Rec.	1	0	0.08	0	0	0			-	-			
Actual	0	0	1	0	0	20	0	See platform details	0	-			
Shortage, if any	-	-	-	-	-	-	1		-	-			

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Mangra Halt		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	MAZ	FOB	0	(a) Per Day		80		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		30		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	0.98	2018-19	1.51	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	2.18	2020-21	0.09	Touch Screen Enquiry System		N	
District	PALAMU	Clock	Y	2021-22	1.41	2022-23	2.45	Electronic Train Indication		N	
Section	MAZ	Wheel Chairs	N	Length of longest stopping train(m)		250		ATMs		0	
Km.	0264.00	Cloak Room	N	MP Const. Chatra				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)		MP Name Singh, Shri Kali Charan				Budget Hotel		N	
Electrified	Y			MLA Const. Manika				Trains Halting		M: 0 P : 12	
				MLA Name Sri Ramchandra Singh				Station IInd Entry		N	
Other Items	NA										
Remarks for	NA										
Resting Facility											
WAITING HALL			WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM				
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0		
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0		
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0					
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0					
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0					
Circulating Area and Water											
Circulating Area			Approach Road			Water Supply					
Area (sqm)	0	Length(m)	25	Source		Railway Supply		Open Wells (Nos)		0	
Surface	Kutchra	Surface	Kutchra	Type		Hand Pump		Bore Wells (Nos)		0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		NA					

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	25	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station

Mangra Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	6	80	MOR	0	8	0	1		0	20	0	1	1	6	0	0	0	0	0	N	0
2	BG	N	220	2	0	MOR	0	0	0	1		0	20	2	0	0	10	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

Mangra Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	19	0	1.2	0	0	5			-	-
Actual	15	0	2	2	1	50	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Matari		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	MRQ	FOB	1	(a) Per Day		729		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		200		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	10.37	2018-19	10.06	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	14.88	2020-21	1.11	Touch Screen Enquiry System		N	
District	DHANBAD	Clock	Y	2021-22	9.75	2022-23	19.48	Electronic Train Indication		N	
Section	PKA-MPO	Wheel Chairs	N	2023-24	19.16	2024-25		ATMs		0	
Km.	0290.20	Cloak Room	N	<div>MP Const. Dhanbad MP Name Mahato, Shri Dulu MLA Const. Tundi MLA Name Sri Mathura Prasad Mahato</div>				Food Plaza		N	
Route	A	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 0 P : 6	
								Station IInd Entry		N	
Other Items	NA										
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	100	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	2	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	NA				

Station		Matari																						
		Platform Detail																						
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	540	13	0	CC	247	2	0	2		0	50	2	1	2	10	0	0	0	0	1	N	0
3&4	BG	Y	388	13	0	MOR	63	3	0	2		0	43	0	0	0	8	0	0	0	0	1	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone					OPS-Other Pucca Surface					MOR-Moorum					OTH-Others		

Station	Matari										Summary										(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											</

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		McCluskieganj		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	MGME	FOB	1	(a) Per Day		186		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		60		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	9.95	2018-19	10.47	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	14.63	2020-21	0.81	Touch Screen Enquiry System		N	
District	RANCHI	Clock	N	2021-22	8.47	2022-23	12.34	Electronic Train Indication		N	
Section	BRKA-GHD	Wheel Chairs	N	2023-24	132.9	2024-25		ATMs		0	
Km.	0163.40	Cloak Room	N	<div><div>MP Const.</div><div>Ranchi</div><div>MP Name</div><div>Seth, Shri Sanjay</div><div>MLA Const.</div><div>Kanke</div><div>MLA Name</div><div>Sri Samri Lal</div></div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 6 P : 8	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	108	Area(sqm)		0	0	Area(sqm)	12	Retiring Room	0		
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	2	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	15	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		100000					
Pay & Use Toilet	Y			Remarks		NA					

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	108	Area(sqm)		0	0	Area(sqm)	12	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	2	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	15	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	100000		
Pay & Use Toilet	Y			Remarks	NA		

Station
McCluskieganj
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	244	9	0	MOR	308	7	0	2		0	50	2	1	2	8	1	0	0	0	1	N	0
2&3	BG	Y	460	9	84	MOR	308	5	3	2		0	40	2	0	2	24	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
McCluskieganj
Summary
(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	25	0	2.4	0	0	7			-	-
Actual	108	616	7	6	3	130	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Meralgram		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	MQX	FOB	1	(a) Per Day		146		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		50		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	16.27	2018-19	19.85	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	29.32	2020-21	0.00	Touch Screen Enquiry System		N	
District	GARHWA	Clock	Y	2021-22	6.03	2022-23	9.61	Electronic Train Indication		Y	
Section	GHD-CPU	Wheel Chairs	N	2023-24	8.3	2024-25		ATMs		0	
Km.	0021.16	Cloak Room	N	<div>MP Const. Palamu MP Name Ram, Shri Vishnu Dayal MLA Const. Garhwa MLA Name Sri Satyendra Nath Tiwari</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 2 P : 4	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	12	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	1				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	100	Length(m)	35	Source	Railway Supply		Open Wells (Nos)		1		
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		NA					

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	12	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	100	Length(m)	35	Source	Railway Supply	Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station

Meralgram

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	6	84	CC	588	3	0	2		0	56	2	2	2	30	0	0	0	0	1	N	0
2	BG	N	600	10.9	84	CC	588	0	0	2		0	56	0	0	2	28	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Meralgram

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	21	0	2	0	0	6			-	-
Actual	15	1176	4	4	3	124	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station Mesra				No. of passengers dealt with:				Identified as Adarsh N	
				(a) Per Day				Developed As	
				(b) Max. at any				Identified for MFC N	
				Pass. Earnings/Year(Rs. in Lac.)					
Station Code	MESR	FOB	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center N	
Station Category	NSG6	Subway	0	2019-20	0	2020-21	0.00	Touch Screen Enquiry System N	
Railway	ECR	Booking Windows	1	2021-22	0	2022-23	0	Electronic Train Indication N	
Division	Dhanbad	Enquiry Office	1	2023-24	0	2024-25			
State	JHARKHAND	Public Address Sys.	Y	Length of longest stopping train(m)				ATMs 0	
District		Clock	N	<div> MP Const. Ranchi MP Name Seth, Shri Sanjay MLA Const. MLA Name </div>				Food Plaza N	
Section	BRKA-RNC	Wheel Chairs	N					Budget Hotel	
Km.	0191.05	Cloak Room	N					Trains Halting M: P : null	
Route	Dspl	Refreshment Room(sqm)						Station IInd Entry N	
Electrified	Y								
Other Items									
Remarks for									

Resting Facility					
WAITING HALL	WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	Area(sqm)			Area(sqm)	Retiring Room 0
(b) Seats(Nos.)	Seats(Nos.)			Seats(Nos.)	Dormitory 0
(c) Lav.(Nos.)	Lav.(Nos.)			Lav.(Nos.)	
(d) Urinals(Nos.)	Urinals(Nos.)			Urinals(Nos.)	
(e) Bathing Cubicals	Bathing Cubicals(Nos.)			Bathing Cubicals(Nos.)	

Circulating Area and Water			
Circulating Area		Approach Road	Water Supply
Area (sqm)		Length(m)	Source
Surface		Surface	Open Wells (Nos)
Illumination Type	High Mast Tower	Illumination Type	Bore Wells (Nos)
Pay & Use Toilet			Storage Capacity(Ltr)
			Remarks

Station

Mesra

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG						0									0	15			0	0	0		0
2&3	BG						0									0	15			0	0	0		0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

Mesra

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	0	0	0	0	0	0			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	15	100	4	1	1	20	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Mirchadhuri		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	MCQ	FOB	1	(a) Per Day		15		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		5		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	5.04	2018-19	4.82	Tourist Facilation Center		N	
State	UTTAR	Public Address Sys.	Y	2019-20	6.65	2020-21	0.00	Touch Screen Enquiry System		N	
District	UPRADESH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication		N	
Section	CPU-MHD	Wheel Chairs	N	2023-24	0.62	2024-25		ATMs		0	
Km.	0167.61	Cloak Room	N	<div><div>MP Const. Robertsganj</div><div>MP Name Shri Chhotelal</div><div>MLA Const. Obra</div><div>MLA Name Shri Sanjeev Gond</div></div>				Food Plaza		N	
Route	D	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	N							Trains Halting		M: 2 P : 0	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	18	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	100	Source	Railway Supply		Open Wells (Nos)		0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		NA			

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	18	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	100	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station			Mirchadhuri																						
Platform Detail																									
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	183	6	84	OPS	54	8	0	2		0	36	2	1	0	15	0	0	0	0	1	N	0	
2	BG	N	183	6	84	MOR	54	14	0	2		0	30	0	0	0	0	0	0	0	0	1	N	0	
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station	Mirchadhuri										Summary										(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.									
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage																				
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-																				
As per Rec.	2	0	0.2	0	0	1			-	-																				
Actual	18	108	4	2	1	66	1	See platform details	0	-																				
Shortage, if any	-	-	-	-	-	-	-		-	-	-																			

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Muirpur Road		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	MPF	FOB	1	(a) Per Day		49		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		25		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	3.98	2018-19	4.48	Tourist Facilation Center		N	
State	UTTAR	Public Address Sys.	N	2019-20	4.7	2020-21	0.00	Touch Screen Enquiry System		N	
District	PRADESH	Clock	N	2021-22	2.85	2022-23	4.44	Electronic Train Indication		N	
	SONBHADRA			2023-24	3.75	2024-25					
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)			176	ATMs		0	
Km.	0093.81	Cloak Room	N	MP Const. Robertsganj				Food Plaza		N	
Route	Dspl	Refreshment		MP Name Shri Chhotelal				Budget Hotel		N	
Electrified	Y	Room(sqm)		MLA Const. Duddhi				Trains Halting		M: 0 P : 4	
				MLA Name Shri Hari Ram				Station IInd Entry		N	
Other Items	NA										
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	55	Source	Railway Supply		Open Wells (Nos)	1	
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	NA				

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	55	Source	Railway Supply	Open Wells (Nos)	1
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station			Muirpur Road				Platform Detail																	
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	183.7	6.2	0	MOR	72	40	0	1		0	68	2	2	0	4	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station	Muirpur Road			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-		
As per Rec.	10	0	1	0	0	3			-	-		
Actual	15	72	1	2	2	68	1	See platform details	0	-		
Shortage, if any	-	-	1	-	-	-	-		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		N.S.C.B. Junction Gomoh			No. of passengers dealt with:				Identified as Adarsh		Y
Station Code	GMO	FOB	3	(a) Per Day		7038		Developed As		Y	
Station Category	NSG4	Subway	0	(b) Max. at any		800		Identified for MFC		N	
Railway	ECR	Booking Windows	7	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	1	2011-12	850.00	2018-19	850.00	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	615.16	2020-21	56.10	Touch Screen Enquiry System		N	
District	DHANBAD	Clock	Y	2021-22	918.66	2022-23	1384.23	Electronic Train Indication		Y	
Section	PKA-MPO	Wheel Chairs	Y	2023-24	1515.66	2024-25		ATMs		1	
Km.	0300.15	Cloak Room	N	<div>MP Const. Giridih MP Name Choudhary, Shri Chandra MLA Const. Tundi MLA Name Sri Mathura Prasad Mahato</div>				Food Plaza		N	
Route	A	Refreshment Room(sqm)	120					Budget Hotel		N	
Electrified	Y							Trains Halting		M: 40	P : 10
Other Items	NA							Station IInd Entry		Y	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	82	Area(sqm)		34	34	Area(sqm)	69	Retiring Room		1	
(b) Seats(Nos.)	60	Seats(Nos.)		15	10	Seats(Nos.)	25	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		2	2	Lav.(Nos.)	4				
(d) Urinals(Nos.)	0	Urinals(Nos.)		3	0	Urinals(Nos.)	3				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	1				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	400	Length(m)	100	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Cement Concrete	Surface	Black Topped	Type	Piped		Bore Wells (Nos)		1		
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)		225000					
Pay & Use Toilet	Y			Remarks		NA					

Station			N.S.C.B. Junction Gomoh							Platform Detail														
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	600	14	84	CC	707	0	36	0	585	400	120	4	6	7	156	2	1	1	0	1	Y	0
3&4	BG	Y	585	15	84	CC	1310	4	22	0	572	600	338	3	6	11	170	4	1	0	0	2	Y	2
5&6	BG	Y	337	10	84	CC	225	6	10	0		600	260	0	0	1	94	4	0	0	0	2	Y	2
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station	N.S.C.B. Junction Gomoh			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	75	600 sqm	60	6	6	300	1	High level	6	YES		
As per Rec.	335	672	32	1	1	96			-	-		
Actual	82	2242	68	15	18	828	3	See platform details	2	YES		
Shortage, if any	-	-	-	-	-	-	-		4	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Nagaruntari		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	NUQ	FOB	1	(a) Per Day		1810		Developed As				
Station Category	NSG5	Subway	0	(b) Max. at any		600		Identified for MFC		N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	205.73	2018-19	220.30	Tourist Facilation Center		N		
State	JHARKHAND	Public Address Sys.	Y	2019-20	504.45	2020-21	71.14	Touch Screen Enquiry System		N		
District	GARHWA	Clock	Y	2021-22	310.21	2022-23	533.99	Electronic Train Indication		N		
Section	GHD-CPU	Wheel Chairs	Y	2023-24	592.57	2024-25		ATMs		0		
Km.	0040.50	Cloak Room	N	Length of longest stopping train(m)				309		Food Plaza		N
Route	Dspl	Refreshment Room(sqm)		MP Const.	Palamu			Budget Hotel		N		
Electrified	Y			MP Name	Ram, Shri Vishnu Dayal			Trains Halting		M: 14	P : 4	
				MLA Const.	Bhawnathpur			Station IInd Entry		Y		
				MLA Name	Sri Anant Pratap Deo							
Other Items	NA											
Remarks for	NA											

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	90	Area(sqm)		6	0	Area(sqm)	21	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	6	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		1	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	200	Length(m)	65	Source	Railway Supply		Open Wells (Nos)	1	
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	0	
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	87168				
Pay & Use Toilet	Y			Remarks	NA				

Station
Nagaruntari
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	561	7	84	CC	520	5	14	4		0	148	2	1	1	36	1	0	0	0	1	N	0
2	BG	N	650	10.9	84	CC	1728	0	16	0		0	96	0	1	0	20	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
Nagaruntari
Summary
(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	251	0	24	1	1	72			-	-
Actual	90	2248	34	5	4	280	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Nawadih Halt		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	NWDH	FOB	1	(a) Per Day		163		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		55		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	2.68	2020-21	0.00	Touch Screen Enquiry System		N	
District	KODERMA	Clock	N	2021-22	2.6	2022-23	4.38	Electronic Train Indication		N	
Section	Koderma-Giridih	Wheel Chairs	N	2023-24	3.99	2024-25		ATMs		0	
Km.	0033.50	Cloak Room	N	<div>MP Const. Kodarma MP Name Devi, Smt. Annpurna MLA Const. Kodarma MLA Name Neera Yadav</div>				Food Plaza		N	
Route	E	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	N							Trains Halting		M: 2 P : 4	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	100	Length(m)	400	Source	Railway Supply		Open Wells (Nos)		0
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)		2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks	NA				

Station
Nawadih Halt
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	14	84	MOR	36	0	0	1		0	0	0	0	0	4	0	0	0	0	1	N	0
2	BG	N	330	14	0	MOR	36	0	0	1		0	10	0	0	0	4	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
Nawadih Halt
Summary
(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	35	0	2.2	0	0	10			-	-
Actual	15	72	2	0	0	20	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station Nawal Sahi Halt				No. of passengers dealt with:				Identified as Adarsh N	
				(a) Per Day 71				Developed As	
				(b) Max. at any 25				Identified for MFC N	
				Pass. Earnings/Year(Rs. in Lac.)					
Station Code	NWSI	FOB	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center N	
Station Category	HG3	Subway	0	2019-20	1.31	2020-21	0.00	Touch Screen Enquiry System N	
Railway	ECR	Booking Windows	1	2021-22	1.12	2022-23	2.81	Electronic Train Indication N	
Division	Dhanbad	Enquiry Office	0	2023-24	2.66	2024-25			
State	JHARKHAND	Public Address Sys.	Y	Length of longest stopping train(m) 155				ATMs 0	
District	KODERMA	Clock	Y	<div style="border: 1px solid black; padding: 5px;"> MP Const. Kodarma MP Name Devi, Smt. Annpurna MLA Const. Kodarma MLA Name Neera Yadav </div>				Food Plaza N	
Section	Koderma-Giridih	Wheel Chairs	N					Budget Hotel N	
Km.	0027.80	Cloak Room	N					Trains Halting M: 0 P : 4	
Route	E	Refreshment Room(sqm)						Station IInd Entry N	
Electrified	Y								
Other Items 									
Remarks for NA									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	100	Length(m)	250	Source	Railway Supply		Open Wells (Nos)		0
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)		1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks 					

Station

Nawal Sahi Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	14	0	MOR	9	0	0	1		0	10	0	0	0	4	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete				PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station

Nawal Sahi Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	16	0	1	0	0	5			-	-
Actual	10	9	1	0	0	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		New giridih		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	NGRH	FOB	1	(a) Per Day		423		Developed As			
Station Category	HG2	Subway	0	(b) Max. at any		150		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	1	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	0	2020-21	0.00	Touch Screen Enquiry System		N	
District	GIRIDIH	Clock	Y	2021-22	2.83	2022-23	5.82	Electronic Train Indication		N	
Section	KQR-MMD	Wheel Chairs	N	2023-24	26.75	2024-25		ATMs		0	
Km.	0103.53	Cloak Room	N	<div>MP Const. Giridih MP Name Choudhary, Shri Chandra MLA Const. Giridih MLA Name Sri Sudivya Kumar</div>				Food Plaza		N	
Route	D	Refreshment Room(sqm)	Budget Hotel					N			
Electrified	Y		Trains Halting					M: 4 P : 4			
			Station IInd Entry					N			
Other Items	NA										
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	100	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Kutchra	Type	Piped and Hand Pump		Bore Wells (Nos)	0	
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet	N			Remarks	NA				

Station
New giridih
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG						0									0	20			0	0	0		0
2&3	BG						0									0	30			0	0	0		0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station
New giridih
Summary
(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	94	0	6	0	0	27			-	-
Actual	15	0	0	0	0	0	1	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Nichitpur Halt		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	NPJE	FOB	0	(a) Per Day		968		Developed As			
Station Category	HG1	Subway	0	(b) Max. at any		250		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	19.52	2018-19	19.91	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	33.47	2020-21	2.23	Touch Screen Enquiry System		N	
District	DHANBAD	Clock	Y	2021-22	25.91	2022-23	68.68	Electronic Train Indication		N	
Section	PKA-MPO	Wheel Chairs	N	2023-24	57.18	2024-25		ATMs		0	
Km.	0285.30	Cloak Room	N	<div><div>MP Const.</div><div>Dhanbad</div><div>MP Name</div><div>Mahato, Shri Dulu</div><div>MLA Const.</div><div>baghmara</div><div>MLA Name</div><div>Sri Shatrughan Mahto</div></div>				Food Plaza		N	
Route	A	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 12	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	10	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	70	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)		2		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		NA					

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	30	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	70	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Black Topped	Type	Hand Pump	Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station			Nichitpur Halt										Platform Detail												
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	430	6	0	CC	432	0	0	1		0	25	0	0	0	8	0	0	0	0	0	N	0	
2	BG	N	330	6	0	CC	432	0	0	1		0	25	0	0	0	8	0	0	0	0	0	N	0	
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station	Nichitpur Halt			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	10	0 sqm	1 HP at stn	0	0	0	1	High level	0	-		
As per Rec.	157	0	10	1	1	45			-	-		
Actual	10	864	2	0	0	80	0	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	1		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Nimiaghat		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	NMG	FOB	1	(a) Per Day		199		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		60		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	4.17	2018-19	5.38	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	10.08	2020-21	0.20	Touch Screen Enquiry System		N	
District	GIRIDIH	Clock	Y	2021-22	7.24	2022-23	13.78	Electronic Train Indication		N	
Section	PKA-MPO	Wheel Chairs	N	2023-24	12.35	2024-25		ATMs		0	
Km.	0310.51	Cloak Room	N	<div>MP Const. Giridih MP Name Choudhary, Shri Chandra MLA Const. Dumri MLA Name Sri Jagarnath Mahto</div>				Food Plaza		N	
Route	A	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 1 P : 2	
								Station IInd Entry		N	
Other Items	NA										
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	16	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	2			
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0						
Pay & Use Toilet				Remarks	NA						

Station

Nimiaghat

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	356	15	0	MOR	170	4	0	2		0	24	2	1	1	10	0	0	0	0	0	N	0
3&4	BG	Y	256	9.3	0	MOR	27	1	0	2		0	24	0	0	1	10	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Nimiaghat

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	25	0	2.4	0	0	7			-	-
Actual	16	197	5	2	1	48	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Obra Dam		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	OBR	FOB	1	(a) Per Day		12		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		5		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	27.09	2018-19	25.30	Tourist Facilation Center		N	
State	UTTAR	Public Address Sys.	Y	2019-20	23.39	2020-21	0.00	Touch Screen Enquiry System		N	
District	UPRADESH	Clock	Y	2021-22	0	2022-23	0.19	Electronic Train Indication		N	
Section	CPU-MHDA	Wheel Chairs	N	2023-24	0.18	2024-25		ATMs		0	
Km.	0138.16	Cloak Room	N	<div>MP Const. Robertsganj MP Name Shri Chhotelal MLA Const. Obra MLA Name Shri Sanjeev Gond</div>				Food Plaza		N	
Route	E	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	N							Trains Halting		M: 6 P : 0	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	83	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	375	Length(m)	50	Source	Railway Supply		Open Wells (Nos)		0
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)		0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		112500			
Pay & Use Toilet	Y			Remarks		NA			

Station

Obra Dam

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	360	12	84	CC	51	3	12	1		0	136	2	2	2	65	1	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete				PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station

Obra Dam

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	2	0	0.2	0	0	1			-	-
Actual	83	51	13	4	2	176	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Padma		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	PDMA	FOB	1	(a) Per Day		52		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		20		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	2.54	2020-21	0.00	Touch Screen Enquiry System		N	
District	HAZARIBAGH	Clock	Y	2021-22	1.77	2022-23	4.42	Electronic Train Indication		N	
Section	KQR-BRKA	Wheel Chairs	N	2023-24	4.76	2024-25		ATMs		0	
Km.	0033.80	Cloak Room	N	<div>MP Const. Hazaribagh MP Name Jaiswal, Shri Manish MLA Const. Hazaribagh MLA Name Sri Pradip Prasad</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 4	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	50	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Black Topped	Type	Piped		Bore Wells (Nos)		1		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		15000					
Pay & Use Toilet	N			Remarks		NA					

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	15000			
Pay & Use Toilet	N			Remarks	NA			

Station			Padma										Platform Detail												
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	608	9	84	MOR	144	0	0	2		0	40	0	0	2	40	0	0	0	0	1	N	0	
2	BG	N	608	9	84	MOR	144	0	0	2		0	20	0	0	1	40	0	0	0	0	1	N	0	
*Surface Type			: CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station	Padma			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.		
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-			
As per Rec.	8	0	0.8	0	0	2			-	-			
Actual	15	288	4	0	0	60	1	See platform details	0	-			
Shortage, if any	-	-	-	1	1	-	-		-	-			

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Paharpur		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	PRP	FOB	1	(a) Per Day		2376		Developed As				
Station Category	NSG5	Subway	0	(b) Max. at any		600		Identified for MFC		N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	296.66	2018-19	252.76	Tourist Facilation Center		N		
State	BIHAR	Public Address Sys.	Y	2019-20	440.06	2020-21	63.42	Touch Screen Enquiry System		N		
District	GAYA	Clock	Y	2021-22	287.46	2022-23	411.64	Electronic Train Indication		N		
Section	PKA-MPO	Wheel Chairs	N	2023-24	444.99	2024-25		ATMs		0		
Km.	0437.30	Cloak Room	N	Length of longest stopping train(m)				540		Food Plaza		N
Route	A	Refreshment Room(sqm)		MP Const.	Gaya			Budget Hotel		N		
Electrified	Y			MP Name	Manjhi, Shri Jitan Ram			Trains Halting		M: 18	P : 0	
Other Items	NA			MLA Const.	Bodh Gaya			Station IInd Entry		Y		
Remarks for	NA			MLA Name	Kumar Sarvjeet							

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	75	Area(sqm)		18	22	Area(sqm)	50	Retiring Room	0
(b) Seats(Nos.)	12	Seats(Nos.)		10	10	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		1	1	Urinals(Nos.)	1		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		1	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	1000	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	1	
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)	2	
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)		74456			
Pay & Use Toilet				Remarks		NA			

Station

Paharpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	540	20	84	MOR	140	6	13	2		0	88	2	5	2	30	1	0	0	0	1	N	0
3&4	BG	Y	420	15	84	MOR	280	8	15	2		0	88	0	2	2	30	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Paharpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	251	0	24	1	1	72			-	-
Actual	75	420	32	4	10	208	1	See platform details	1	YES
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Parashnath		No. of passengers dealt with:				Identified as Adarsh		Y	
Station Code	PNME	FOB	2	(a) Per Day		4168		Developed As		Y	
Station Category	NSG3	Subway	0	(b) Max. at any		1000		Identified for MFC		N	
Railway	ECR	Booking Windows	7	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	1	2011-12	820.00	2018-19	820.00	Tourist Facilation Center		Y	
State	JHARKHAND	Public Address Sys.	Y	2019-20	862.42	2020-21	142.80	Touch Screen Enquiry System		N	
District	GIRIDIH	Clock	Y	2021-22	2038.24	2022-23	2669.1	Electronic Train Indication		Y	
Section	PKA-MPO	Wheel Chairs	Y	2023-24	2961.36	2024-25		ATMs		1	
Km.	0318.10	Cloak Room	N	<div>MP Const. Giridih MP Name Choudhary, Shri Chandra MLA Const. Dumri MLA Name Sri Jagarnath Mahto</div>				Food Plaza		N	
Route	A	Refreshment Room(sqm)	23.4					Budget Hotel		N	
Electrified	Y							Trains Halting		M: 27	P : 2
								Station IInd Entry		Y	
Other Items	NA										
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	132	Area(sqm)		49	49	Area(sqm)	98	Retiring Room	1
(b) Seats(Nos.)	50	Seats(Nos.)		15	15	Seats(Nos.)	30	Dormitory	0
(c) Lav.(Nos.)	10	Lav.(Nos.)		2	2	Lav.(Nos.)	4		
(d) Urinals(Nos.)	5	Urinals(Nos.)		2	2	Urinals(Nos.)	4		
(e) Bathing Cubicals	5	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	2		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	800	Length(m)	90	Source	Railway Supply		Open Wells (Nos)	1	
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)	1	
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	53000				
Pay & Use Toilet				Remarks	Work sanctioned for pressure filter plant 1x5000GPH				

Station		Parashnath																						
		Platform Detail																						
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	585	10	84	CC	800	6	49	0		0	300	0	2	10	100	1	0	0	0	0	Y	0
3&4	BG	Y	585	15	84	CC	912	7	50	1		0	262	2	3	12	110	0	0	0	0	0	Y	0
5	BG	N	480	6	84	CC	570	0	32	0		0	60	4	4	9	90	0	0	0	0	0	Y	0
*Surface Type		CC-Cement Concrete					PS-Polished Stone					OPS-Other Pucca Surface					MOR-Moorum					OTH-Others		

Station	Parashnath			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	125	1200 sqm	60	10	10	375	1 With Cover	High level	6	YES		
As per Rec.	418	840	40	2	2	120			-	-		
Actual	132	2282	132	24	22	732	2	See platform details	4	YES		
Shortage, if any	-	-	-	-	-	-	-		2	-		

Desired	Facility Available	Desired	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	No	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	No
Refreshment Room	Yes	Book stall/other stalls of essential goods	No
Parking/circulatory area with	Yes	Washable apron with jet cleaning	No
Public Phone Booth	No	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	No	Automatic Vending Machines	No
UTS		Pay & Use Tiolets on end platform & circulating	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Desired	Facility Available
Improvement in the facade of the station building	
Improvement in the circulating area so as to ensure proper entry and exit of	
A lighting tower at an appropriate place to be installed for proper illumination	
Improved modern, cost effective lighting arrangements at the platforms,	
Renovated water booths	
Renovated, modern, Pay & Use toilets	
Good Waiting and Retiring Rooms with modern furniture	
Good passenger guidance system including signages and coach indication	
Improvement to the passenger service	
Improvement of booking and enquiry offices to give them a facelift	
Lighting of booking offices, the queuing area in front of booking windows	
Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Parsabad		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	PSB	FOB	1	(a) Per Day		1143		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		300		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	61.20	2018-19	68.78	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	93.89	2020-21	0.69	Touch Screen Enquiry System		N	
District	KODERMA	Clock	Y	2021-22	69.83	2022-23	134.24	Electronic Train Indication		N	
Section	PKA-MPO	Wheel Chairs	N	2023-24	160.12	2024-25		ATMs		0	
Km.	0367.71	Cloak Room	N	<div>MP Const. Kodarma</div> <div>MP Name Devi, Smt. Annpurna</div> <div>MLA Const. Barkatha</div> <div>MLA Name Sri Amit Kumar Yadav</div>				Food Plaza		N	
Route	A	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 16 P : 0	
Other Items	NA							Station IInd Entry		Y	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	50	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	190	Length(m)	45	Source	Railway Supply		Open Wells (Nos)	1			
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	0			
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	0						
Pay & Use Toilet				Remarks	NA						

Station

Parsabad

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	539	15	84	MOR	173	4	16	2		0	60	1	5	6	15	0	0	0	0	1	N	0
3&4	BG	Y	448	9.5	84	MOR	160	3	16	1		0	56	1	2	2	15	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Parsabad

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	125	0	12	0	0	36			-	-
Actual	50	333	35	2	7	156	1	See platform details	1	-
Shortage, if any	-	-	-	2	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Pathardih Junction		No. of passengers dealt with:				Identified as Adarsh		N
				(a) Per Day				Developed As		
Station Code	PEH	FOB	1	(b) Max. at any				Identified for MFC		N
Station Category	HG2	Subway	0	Pass. Earnings/Year(Rs. in Lac.)						
Railway	ECR	Booking Windows	1	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N
Division	Dhanbad	Enquiry Office	0	2019-20	0	2020-21	0.00	Touch Screen Enquiry System		N
State	JHARKHAND	Public Address Sys.	N	2021-22	0	2022-23	0	Electronic Train Indication		N
District	DHANBAD	Clock	Y	2023-24	14.53	2024-25		ATMs		0
Section	DHN-PEH	Wheel Chairs	N	Length of longest stopping train(m)				Food Plaza		N
Km.	0030.15	Cloak Room	N	<div> MP Const. Dhanbad MP Name Mahato, Shri Dulu MLA Const. Dhanbad MLA Name Sri Raj Sinha </div>				Budget Hotel		N
Route	E	Refreshment Room(sqm)						Trains Halting		M: 4 P : 4
Electrified	Y							Station IInd Entry		N
Other Items	NA									
Remarks for	NA									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	26	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	4	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	150	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	50000				
Pay & Use Toilet	Y			Remarks	NA				

Station			Pathardih Junction							Platform Detail														
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	322.7	8.5	7	CC	15	0	0	1		0	3	2	0	0	32	0	0	0	0	1	N	0
*Surface Type :			CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others					

Station	Pathardih Junction			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-		
As per Rec.	56	0	3.6	0	0	16			-	-		
Actual	26	15	1	3	1	7	1	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	-		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Patratu		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	PTRU	FOB	1	(a) Per Day		1210		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		300		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	1	2011-12	131.38	2018-19	148.27	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	259.27	2020-21	47.16	Touch Screen Enquiry System		N	
District	RAMGARH	Clock	Y	2021-22	162.83	2022-23	250.08	Electronic Train Indication		N	
Section	BRKA-GHD	Wheel Chairs	Y	2023-24	275.96	2024-25		ATMs		0	
Km.	0120.83	Cloak Room	N	<div>MP Const. Hazaribagh</div> <div>MP Name Jaiswal, Shri Manish</div> <div>MLA Const. Barkagaon</div> <div>MLA Name Sri Roshan Lal Choudhary</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 16 P : 8	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	144	Area(sqm)		0	0	Area(sqm)	27	Retiring Room			0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	5	Dormitory			0
(c) Lav.(Nos.)	3	Lav.(Nos.)		0	0	Lav.(Nos.)	1				
(d) Urinals(Nos.)	3	Urinals(Nos.)		0	0	Urinals(Nos.)	1				
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	525	Length(m)	600	Source	Railway Supply		Open Wells (Nos)				0
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)				1
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)		54553.1					
Pay & Use Toilet				Remarks		NA					

Station

Patratu

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	418	7.25	46	OPS	1194	10	17	0		0	148	2	2	5	26	0	0	0	0	1	Y	0
2&3	BG	Y	417	10	46	OPS	387	14	15	0		0	86	0	0	2	24	0	0	0	0	1	Y	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Patratu

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec.	125	0	12	0	0	36			-	-
Actual	144	1581	32	6	6	269	1	See platform details	3	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Phaprakund		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	PPKD	FOB	1	(a) Per Day		37		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		10		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	1.24	2018-19	1.55	Tourist Facilation Center		N	
State	UTTAR	Public Address Sys.	Y	2019-20	1.67	2020-21	0.00	Touch Screen Enquiry System		N	
District	UPRADESH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication		N	
Section	OBRA-MHDA	Wheel Chairs	N	2023-24	0	2024-25		ATMs		0	
Km.	0144.80	Cloak Room	N	<div><div>MP Const.</div><div>Robertsganj</div><div>MP Name</div><div>Shri Chhotelal</div><div>MLA Const.</div><div>Obra</div><div>MLA Name</div><div>Shri Sanjeev Gond</div></div>				Food Plaza		N	
Route	E	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	N							Trains Halting		M: 0 P : 0	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	92	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	105	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	NA				

Station
Phaprakund
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	4	84	CC	48	6	0	1		0	34	1	1	0	15	0	0	0	0	1	N	0
2&3	BG	N	650	4	84	CC	54	0	0	0		0	24	0	0	0	41	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
Phaprakund
Summary
(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	4	0	0.4	0	0	1			-	-
Actual	92	102	1	1	1	78	1	See platform details	0	-
Shortage, if any	-	-	3	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Phulwartanr		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	PLJE	FOB	1	(a) Per Day		142		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		40		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	24.49	2018-19	26.82	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	15.5	2020-21	0.00	Touch Screen Enquiry System		N	
District	DHANBAD	Clock	Y	2021-22	5.39	2022-23	10.08	Electronic Train Indication		N	
Section	DHN-CRP	Wheel Chairs	N	2023-24	10.77	2024-25		ATMs		0	
Km.	0021.62	Cloak Room	N	<div>MP Const. Giridih MP Name Choudhary, Shri Chandra MLA Const. baghmara MLA Name Sri Shatrughan Mahto</div>				Food Plaza		N	
Route	E	Refreshment Room(sqm)	Budget Hotel					N			
Electrified	Y		Trains Halting					M: 1 P : 1			
			Station IInd Entry					N			
Other Items	NA										
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	85	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	56	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	40	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	0			
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0						
Pay & Use Toilet				Remarks	BCCL Water						

Station
Phulwartanr
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	214	3	30.5	CC	102	4	0	0		0	30	1	0	0	30	0	0	0	0	1	N	0
2	BG	N	214	8	75	CC	170	0	0	1		0	20	1	0	0	20	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
Phulwartanr
Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	17	0	1.6	0	0	5			-	-
Actual	85	272	1	4	2	106	1	See platform details	0	-
Shortage, if any	-	-	3	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Phusro		No. of passengers dealt with:				Identified as Adarsh		Y	
Station Code	PUS	FOB	0	(a) Per Day		695		Developed As		N	
Station Category	NSG5	Subway	0	(b) Max. at any		160		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	175.89	2018-19	191.09	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	180.48	2020-21	46.73	Touch Screen Enquiry System		N	
District	BOKARO	Clock	Y	2021-22	109.59	2022-23	173.73	Electronic Train Indication		N	
Section	GMO-BRKA	Wheel Chairs	N	2023-24	192.14	2024-25		ATMs		0	
Km.	0029.06	Cloak Room	N	<div>MP Const. Giridih</div> <div>MP Name Choudhary, Shri Chandra</div> <div>MLA Const. Bermo</div> <div>MLA Name Sri Kumar Jaimangal Singh</div>				Food Plaza		N	
Route	D	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 8 P : 6	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	76	Area(sqm)		0	0	Area(sqm)	50	Retiring Room		0	
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	20	Dormitory		0	
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	1				
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	2500	Length(m)	30	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Cement Concrete	Surface	Black Topped	Type	Piped		Bore Wells (Nos)		0		
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)		30000					
Pay & Use Toilet	Y			Remarks	Work sanctioned for 4x10000Lt. PVC tank for water Supply						

Station

Phusro

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	596	6	84	CC	384	10	32	1		0	60	1	2	4	20	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete				PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station

Phusro

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	50 sqm	8	4	4	50	0	High level	1	-
As per Rec.	67	0	6.4	0	0	19			-	-
Actual	76	384	33	3	3	100	0	See platform details	0	-
Shortage, if any	-	-	-	1	1	-	-		1	-

Desired	Facility Available	Desired	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Tiolets on end platform & circulating	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Desired	Facility Available
Improvement in the facade of the station building	
Improvement in the circulating area so as to ensure proper entry and exit of	
A lighting tower at an appropriate place to be installed for proper illumination	
Improved modern, cost effective lighting arrangements at the platforms,	
Renovated water booths	
Renovated, modern, Pay & Use toilets	
Good Waiting and Retiring Rooms with modern furniture	
Good passenger guidance system including signages and coach indication	
Improvement to the passenger service	
Improvement of booking and enquiry offices to give them a facelift	
Lighting of booking offices, the queuing area in front of booking windows	
Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Pipradih		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	PADH	FOB	1	(a) Per Day		14		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		10		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	1.87	2020-21	0.00	Touch Screen Enquiry System		N	
District	KODERMA	Clock	Y	2021-22	1	2022-23	1.36	Electronic Train Indication		N	
Section	KQR-BRKA	Wheel Chairs	N	2023-24	1.1	2024-25		ATMs		0	
Km.	0007.80	Cloak Room	N	<div>MP Const. Kodarma MP Name Devi, Smt. Annpurna MLA Const. Kodarma MLA Name Neera Yadav</div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 4	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	400	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1	
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	15000				
Pay & Use Toilet				Remarks	NA				

Station
Pipradih
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	11	84	MOR	144	0	0	2		0	40	2	0	1	40	0	0	0	0	0	N	0
2&3	BG	N	600	10	84	MOR	144	0	0	2		0	0	0	0	1	40	0	0	0	0	1	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station
Pipradih
Summary
(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	4	0	0.4	0	0	1			-	-
Actual	15	288	4	2	0	40	1	See platform details	0	-
Shortage, if any	-	-	-	-	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Pradhankhunta		No. of passengers dealt with:				Identified as Adarsh		N					
Station Code	PKA	FOB	1	(a) Per Day		1599		Developed As							
Station Category	NSG6	Subway	0	(b) Max. at any		500		Identified for MFC		N					
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)											
Division	Dhanbad	Enquiry Office	0	2011-12	18.25	2018-19	19.05	Tourist Facilation Center		N					
State	JHARKHAND	Public Address Sys.	Y	2019-20	30.82	2020-21	2.44	Touch Screen Enquiry System		N					
District	DHANBAD	Clock	Y	2021-22	13.94	2022-23	31.27	Electronic Train Indication		N					
Section	PKA-MPO	Wheel Chairs	N	2023-24	34.42	2024-25		ATMs		0					
Km.	0261.13	Cloak Room	N	Length of longest stopping train(m)354				Food Plaza		N					
Route	A	Refreshment Room(sqm)	7					MP Const.		Dhanbad		Budget Hotel		N	
Electrified	Y							MP Name		Mahato, Shri Dulu		Trains Halting		M: 4P : 7	
								MLA Const.		Sindri		Station IInd Entry		Y	
Other Items	NA			MP Const.				Sri Bablu Mahato							
Remarks for	NA														
Resting Facility															
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM									
(a) Area(sqm.)	36	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0					
(b) Seats(Nos.)	44	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0					
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0								
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0								
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0								
Circulating Area and Water															
Circulating Area		Approach Road		Water Supply											
Area (sqm)	2000	Length(m)	430	Source	Railway Supply		Open Wells (Nos)		1						
Surface	Kutchra	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)		2						
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		5000									
Pay & Use Toilet				Remarks		NA									

Station			Pradhankhunta						Platform Detail																
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1&2	BG	Y	248.7	9.3	30	CC	223	7	5	1		0	41	0	0	3	15	0	0	0	0	1	N	0	
3&4	BG	Y	248.7	13.4	30	CC	547	13	5	1		0	58	2	2	0	6	0	0	0	0	0	N	0	
5	BG	N	364	4.7	30	CC	309	0	0	1		0	35	3	0	3	16	0	0	0	0	1	N	0	
6	BG	N	131	4.7	45	MOR	248	3	0	1		0	18	0	0	0	3	0	0	0	0	0	N	0	
*Surface Type :			CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station	Pradhankhunta			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.					
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage						
Min. Facility	15	200 sqm	8 tap/HP at stn	1	1	40	1	High level	0	-						
As per Rec.	209	0	20	1	1	60			-	-						
Actual	36	1326	14	5	2	196	1	See platform details	0	-						
Shortage, if any	-	-	-	-	-	-	-		-	-	-					

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Rajhura		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code	RHR	FOB	0	(a) Per Day		292		Developed As				
Station Category	NSG6	Subway	0	(b) Max. at any		80		Identified for MFC		N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	4.87	2018-19	4.98	Tourist Facilation Center		N		
State	JHARKHAND	Public Address Sys.	Y	2019-20	9.92	2020-21	0.57	Touch Screen Enquiry System		N		
District	PALAMU	Clock	Y	2021-22	7.56	2022-23	14.06	Electronic Train Indication		N		
Section	BRKA-GHD	Wheel Chairs	Y	2023-24	12.69	2024-25		ATMs		0		
Km.	0303.15	Cloak Room	N	Length of longest stopping train(m)				176		Food Plaza		N
Route	Dspl	Refreshment Room(sqm)		MP Const.	Palamu			Budget Hotel		N		
Electrified	Y			MP Name	Ram, Shri Vishnu Dayal			Trains Halting		M: 0	P : 12	
Other Items	NA			MLA Const.	Daltonganj			Station IInd Entry		N		
Remarks for	NA			MLA Name	Sri Alok Chaurasiya							

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	30	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	35	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet	N			Remarks	NA				

Station			Rajhura																					Platform Detail									
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)									
1	BG	N	300	1.8	15	CC	54	0	0	2		0	24	5	0	2	10	0	0	0	0	0	N	0									
2&3	BG	Y	350	10.5	15	MOR	108	3	0	2	2	0	12	0	0	0	12	0	0	0	0	0	N	0									
*Surface Type			:	CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others													

Station			Summary								(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.			
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage				
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-				
As per Rec.	33	0	3.2	0	0	10			-	-				
Actual	30	162	4	5	0	66	0	See platform details	0	-				
Shortage, if any	-	-	-	-	1	-	1		-	-				

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Rakesh Bagh Halt		No. of passengers dealt with:				Identified as Adarsh		N
Station Code	RHBH	FOB	0	(a) Per Day		131		Developed As		
Station Category	HG2	Subway	0	(b) Max. at any		45		Identified for MFC		N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N
State	JHARKHAND	Public Address Sys.	Y	2019-20	4.08	2020-21	0.00	Touch Screen Enquiry System		N
District	KODERMA	Clock	N	2021-22	3.79	2022-23	7.71	Electronic Train Indication		N
Section	Koderma-Giridih	Wheel Chairs	N	2023-24	6.55	2024-25		ATMs		0
Km.	0033.80	Cloak Room	N	<div>MP Const. Kodarma MP Name Devi, Smt. Annpurna MLA Const. Kodarma MLA Name Neera Yadav</div>				Food Plaza		N
Route	E	Refreshment Room(sqm)						Budget Hotel		N
Electrified	Y							Trains Halting		M: 0 P : 4
Other Items	NA							Station IInd Entry		N
Remarks for	NA									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	100	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	1	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	NA				

Station			Rakesh Bagh Halt							Platform Detail														
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	340	15	0	MOR	10	0	0	1		0	10	0	0	0	0	0	0	0	0	0	N	0
*Surface Type :			CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others					

Station	Rakesh Bagh Halt			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-		
As per Rec.	28	0	1.8	0	0	8			-	-		
Actual	10	10	1	0	0	20	0	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	1		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Rakhitpur		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	RKJE	FOB	0	(a) Per Day		202		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		25		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	2.66	2018-19	2.85	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	5.67	2020-21	0.00	Touch Screen Enquiry System		N	
District	DHANBAD	Clock	Y	2021-22	0.89	2022-23	3.1	Electronic Train Indication		N	
Section	PKA-MPO	Wheel Chairs	N	2023-24	4.39	2024-25		ATMs		0	
Km.	0021.00	Cloak Room	N	<div><div>MP Const.</div><div>Dhanbad</div><div>MP Name</div><div>Mahato, Shri Dulu</div><div>MLA Const.</div><div>Sindri</div><div>MLA Name</div><div>Sri Bablu Mahato</div></div>				Food Plaza		N	
Route	E	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 0 P : 8	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	14	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	280	Length(m)	800	Source	Railway Supply		Open Wells (Nos)		2		
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet	N			Remarks		NA					

Station

Rakhitpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	130	5	7	CC	15	3	0	3		0	14	4	2	0	20	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Rakhitpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	10	0	1	0	0	3			-	-
Actual	15	15	3	6	2	28	0	See platform details	0	-
Shortage, if any	-	35	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Ramakunda		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	RIBP	FOB	0	(a) Per Day		23		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		10		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	0.53	2020-21	0.00	Touch Screen Enquiry System		N	
District	DHANBAD	Clock	N	2021-22	0.23	2022-23	0.87	Electronic Train Indication		N	
Section	PKA-MPO	Wheel Chairs	N	2023-24	0.99	2024-25		ATMs		0	
Km.	0000.00	Cloak Room	N	<div><div>MP Const.</div><div>Giridih</div><div>MP Name</div><div>Choudhary, Shri Chandra</div><div>MLA Const.</div><div>Tundi</div><div>MLA Name</div><div>Sri Mathura Prasad Mahato</div></div>				Food Plaza		N	
Route	A	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 2	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks	NA						

Station	Ramakunda									
Summary										
(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.										
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	6	0	0.4	0	0	2			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station	Ranchi Road			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	RRME	FOB	1	(a) Per Day		1089		Developed As		
Station Category	NSG5	Subway	0	(b) Max. at any		400		Identified for MFC	N	
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	61.00	2018-19	61.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	131.42	2020-21	40.94	Touch Screen Enquiry System	N	
District	RAMGARH	Clock	Y	2021-22	106.71	2022-23	145.24	Electronic Train Indication	N	
Section	GMO-BRKA	Wheel Chairs	N	2023-24	137.81	2024-25		ATMs	0	
Km.	0091.62	Cloak Room	N	Length of longest stopping train(m)				418	Food Plaza	N
Route	D	Refreshment Room(sqm)		MP Const.	Hazaribagh			Budget Hotel	N	
Electrified	Y			MP Name	Jaiswal, Shri Manish			Trains Halting	M: 2	
				MLA Const.	Ramgarh			Station IInd Entry	N	
				MLA Name	Smt. Mamta Devi				P : 6	
Other Items	NA									
Remarks for	NA									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	33	Area(sqm)		0	17	Area(sqm)	29	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	5	Seats(Nos.)	7	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	2	Lav.(Nos.)	2		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	1	Bathing Cubicals(Nos.)	1		

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	1470	Length(m)	65	Source	Railway Supply	Open Wells (Nos)	1
Surface	WBM	Surface	Black Topped	Type	Piped and Hand Pump	Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	17028		
Pay & Use Toilet				Remarks	NA		

Station			Ranchi Road				Platform Detail																		
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	550	12	84	CC	1472	0	22	3		0	60	4	4	6	12	2	0	0	0	1	N	0	
2	BG	N	550	12	84	CC	0	4	8	3		0	54	0	1	0	12	0	0	0	0	1	N	0	
*Surface Type :			CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station	Ranchi Road			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-		
As per Rec.	167	0	16	1	1	48			-	-		
Actual	33	1472	36	8	5	126	1	See platform details	2	-		
Shortage, if any	-	-	-	-	-	-	-		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		RAY		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	RAY	FOB	1	(a) Per Day		671		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		200		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	47.14	2018-19	65.66	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	130.6	2020-21	31.90	Touch Screen Enquiry System		N	
District	HAZARIBAGH	Clock	N	2021-22	74.83	2022-23	98.34	Electronic Train Indication		N	
Section	BRKA-GHD	Wheel Chairs	N	2023-24	99.34	2024-25		ATMs		0	
Km.	0150.10	Cloak Room	N	<div><div>MP Const.</div><div>Ranchi</div><div>MP Name</div><div>Seth, Shri Sanjay</div><div>MLA Const.</div><div>Kanke</div><div>MLA Name</div><div>Sri Samri Lal</div></div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 6 P : 8	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	225	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	60	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	4	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	2	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	20	Source	Railway Supply		Open Wells (Nos)		1		
Surface	Black Topped	Surface	WBM	Type	Piped		Bore Wells (Nos)		1		
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)		100000					
Pay & Use Toilet	N			Remarks		NA					

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	225	Area(sqm)	0	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	60	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	4	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	2	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	2	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	20	Source	Railway Supply	Open Wells (Nos)	1
Surface	Black Topped	Surface	WBM	Type	Piped	Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	100000		
Pay & Use Toilet	N			Remarks	NA		

Station
RAY
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	304	8.1	84	OPS	308	4	4	2		0	78	2	2	2	18	1	0	0	0	1	N	0
2&3	BG	Y	301	15	84	MOR	2100	2	4	1		0	68	0	0	0	18	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
RAY
Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	84	0	8	0	0	24			-	-
Actual	225	2408	11	6	4	206	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station	Rema	No. of passengers dealt with:						Identified as Adarsh	N	
Station Code	REMA	FOB	1	(a) Per Day		90	Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		25	Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N
State	JHARKHAND	Public Address Sys.	Y	2019-20	1.33	2020-21	0.00	Touch Screen Enquiry System		N
District	GIRIDIH	Clock	Y	2021-22	2.41	2022-23	4.49	Electronic Train Indication		N
Section	Koderma-Giridih	Wheel Chairs	N	2023-24	4.34	2024-25				
Km.	0055.30	Cloak Room	N	Length of longest stopping train(m)			155	ATMs	0	
Route	E	Refreshment Room(sqm)		MP Const.	Kodarma			Food Plaza	N	
Electrified	Y			MP Name	Devi, Smt. Annpurna			Budget Hotel	Y	
				MLA Const.	Kodarma			Trains Halting	M: 0	P : 4
				MLA Name	Neera Yadav			Station IInd Entry	N	
Other Items	NA									
Remarks for	NA									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	100	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	2	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	NA				

Station			Rema		Platform Detail																			
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	14	84	MOR	50	0	0	1		0	10	0	0	0	10	0	0	0	0	1	N	0
2	BG	N	330	14	84	MOR	50	0	0	1		0	12	0	0	0	10	0	0	0	0	1	N	0
*Surface Type :			CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station	Rema		Summary								(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-		
As per Rec.	16	0	1	0	0	5			-	-		
Actual	15	100	2	0	0	32	1	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	-		-	-	-	

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Renukut		No. of passengers dealt with:				Identified as Adarsh		N			
Station Code	RNQ	FOB	1	(a) Per Day		2397		Developed As					
Station Category	NSG4	Subway	0	(b) Max. at any		800		Identified for MFC		N			
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)									
Division	Dhanbad	Enquiry Office	1	2011-12	503.46	2018-19	510.46	Tourist Facilation Center		N			
State	UTTAR	Public Address Sys.	Y	2019-20	433.73	2020-21	47.49	Touch Screen Enquiry System		N			
District	UPRADESH SONBHADRA	Clock	Y	2021-22	606.92	2022-23	1038.46	Electronic Train Indication		Y			
Section	GHD-CPU	Wheel Chairs	Y	2023-24	1106.17	2024-25		ATMs		0			
Km.	0099.45	Cloak Room	N	Length of longest stopping train(m)				473		Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)		MP Const.				Robertsganj		Budget Hotel		N	
Electrified	N			MP Name				Shri Chhotelal		Trains Halting		M: 16	P : 4
Other Items	NA			MLA Const.				Obra		Station IInd Entry		Y	
Remarks for	NA			MLA Name				Shri Sanjeev Gond					

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	90	Area(sqm)		20	20	Area(sqm)	63	Retiring Room	1
(b) Seats(Nos.)	20	Seats(Nos.)		10	10	Seats(Nos.)	16	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		2	1	Lav.(Nos.)	1		
(d) Urinals(Nos.)	2	Urinals(Nos.)		2	1	Urinals(Nos.)	1		
(e) Bathing Cubicals	2	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	1350	Length(m)	240	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1	
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	278100				
Pay & Use Toilet	Y			Remarks	NA				

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sqm.)	90	Area(sqm)	20	20	Area(sqm)	63	Retiring Room	1
(b) Seats(Nos.)	20	Seats(Nos.)	10	10	Seats(Nos.)	16	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	2	1	Lav.(Nos.)	1		
(d) Urinals(Nos.)	2	Urinals(Nos.)	2	1	Urinals(Nos.)	1		
(e) Bathing Cubicals	2	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	1350	Length(m)	240	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	278100		
Pay & Use Toilet	Y			Remarks	NA		

Station		Renukut		Platform Detail																				
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	521.82	7	84	CC	632	7	30	1		0	120	3	5	6	35	1	0	0	0	1	Y	0
2	BG	N	558	10.59	84	CC	348	0	18	3		0	176	2	2	2	35	1	0	0	0	1	N	1
*Surface Type		:	CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others					

Station	Renukut		Summary							
	(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.									
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec.	335	448	32	1	1	96			-	-
Actual	90	980	52	11	13	352	1	See platform details	1	YES
Shortage, if any	-	-	-	-	-	-	-		3	-

Desired	Facility Available	Desired	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Tiolets on end platform & circulating	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Richughuta		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	RCGT	FOB	1	(a) Per Day		123		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		45		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	3.90	2018-19	4.80	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	5.88	2020-21	0.49	Touch Screen Enquiry System		N	
District	LATEHAR	Clock	Y	2021-22	6.18	2022-23	8.5	Electronic Train Indication		N	
Section	BRKA-GHD	Wheel Chairs	N	2023-24	9.42	2024-25		ATMs		0	
Km.	0203.00	Cloak Room	N	<div><div>MP Const.</div><div>Chatra</div><div>MP Name</div><div>Singh, Shri Kali Charan</div><div>MLA Const.</div><div>Latehar</div><div>MLA Name</div><div>Sri Prakash Ram</div></div>				Food Plaza		N	
Route	Dspl	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 0 P : 8	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	85	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0			
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0						
Pay & Use Toilet				Remarks	NA						

Station

Richughuta

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	180	7	84	MOR	20	12	0	2		0	20	1	1	3	17	0	0	0	0	0	N	0
2&3	BG	Y	237	17.6	0	MOR	60	2	0	2		0	24	1	0	3	22	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

Richughuta

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	19	0	1.8	0	0	5			-	-
Actual	0	80	4	2	1	44	1	See platform details	0	-
Shortage, if any	15	20	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Salai Banwa		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	SLBN	FOB	0	(a) Per Day		21		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		6		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	0.86	2018-19	0.82	Tourist Facilation Center		N	
State	UTTAR	Public Address Sys.	Y	2019-20	1.51	2020-21	0.00	Touch Screen Enquiry System		N	
District	UPRADESH	Clock	Y	2021-22	1.19	2022-23	2.08	Electronic Train Indication		N	
Section	GHD-CPU	Wheel Chairs	N	2023-24	1.5	2024-25		ATMs		0	
Km.	0134.27	Cloak Room	N	<div>MP Const. Robertsganj</div> <div>MP Name Shri Chhotelal</div> <div>MLA Const. Obra</div> <div>MLA Name Shri Sanjeev Gond</div>				Food Plaza		N	
Route	Dspl	Refreshment						Budget Hotel		N	
Electrified	N	Room(sqm)						Trains Halting		M: 0 P : 4	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	105	Source	Railway Supply		Open Wells (Nos)		1		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		NA					

Station Salai Banwa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	182	5.6	84	CC	24	5	0	3		0	34	2	2	0	25	0	0	0	0	0	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Salai Banwa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	3	0	0.24	0	0	1			-	-
Actual	15	24	3	2	2	34	0	See platform details	0	-
Shortage, if any	-	26	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Salaiya		No. of passengers dealt with:				Identified as Adarsh		N
				(a) Per Day				Developed As		
Station Code		SLIA		FOB		1				
Station Category		HG2		Subway		0		Identified for MFC		N
Railway		ECR		Booking Windows		1		Pass. Earnings/Year(Rs. in Lac.)		
Division		Dhanbad		Enquiry Office		1		2011-12		0.00
State		JHARKHAND		Public Address Sys.		N		2019-20		0
District		GIRIDIH		Clock		Y		2021-22		6.71
Section		KQR-MMD		Wheel Chairs		N		2022-23		13.26
Km.		0096.10		Cloak Room		N		2023-24		12.24
Route		D		Refreshment Room(sqm)				Length of longest stopping train(m)		172
Electrified		Y						MP Const.		Giridih
								MP Name		Choudhary, Shri Chandra
								MLA Const.		Giridih
								MLA Name		Sri Sudivya Kumar
Other Items		NA						Tourist Facilation Center		N
Remarks for		NA						Touch Screen Enquiry System		N
								Electronic Train Indication		N
								ATMs		0
								Food Plaza		N
								Budget Hotel		N
								Trains Halting		M: 0 P : 4
								Station IInd Entry		N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	100	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station		Salaiya		Platform Detail																					
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG						0									0	8			0	0	0		0	
2	BG						0									0	0			0	0	0		0	
*Surface Type		:	CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others						

Station		Summary									(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-		
As per Rec.	38	0	2.4	0	0	11			-	-		
Actual	15	0	0	0	0	0	1	See platform details	0	-		
Shortage, if any	-	-	1	-	-	-	-		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Sarmatanr		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	SMND	FOB	1	(a) Per Day		330		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		80		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	15.47	2018-19	16.46	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	25.28	2020-21	0.50	Touch Screen Enquiry System		N	
District	KODERMA	Clock	Y	2021-22	16.22	2022-23	32.28	Electronic Train Indication		N	
Section	PKA-MPO	Wheel Chairs	N	2023-24	30.45	2024-25		ATMs		0	
Km.	0376.54	Cloak Room	N	<div>MP Const. Kodarma MP Name Devi, Smt. Annpurna MLA Const. Barkatha MLA Name Sri Amit Kumar Yadav</div>				Food Plaza		N	
Route	A	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 6 P : 0	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	50	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	6	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	120	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)		11600					
Pay & Use Toilet	N			Remarks		NA					

Station

Sarmatanr

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	N	352	7.8	0	MOR	121	2	2	1		0	11	0	1	0	30	0	0	0	0	0	N	0
3&4	BG	N	433	15	0	MOR	75	4	2	1		0	12	2	3	2	30	0	0	0	0	0	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

Sarmatanr

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	33	0	3.2	0	0	10			-	-
Actual	50	196	6	2	4	29	1	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Shaktinagar		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	SKTN	FOB	1	(a) Per Day		347		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		100		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	350.13	2018-19	210.00	Tourist Facilation Center		N	
State	UTTAR	Public Address Sys.	Y	2019-20	285.52	2020-21	39.10	Touch Screen Enquiry System		N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0.24	2022-23	44.67	Electronic Train Indication		N	
Section	KRLR-SKTN	Wheel Chairs	N	Length of longest stopping train(m)			132	ATMs		0	
Km.	0081.58	Cloak Room	N	MP Const. Robertsganj				Food Plaza		N	
Route	E	Refreshment Room(sqm)		MP Name Shri Chhotelal				Budget Hotel		N	
Electrified	N			MLA Const. Dudhi				Trains Halting		M: 4 P : 0	
				MLA Name Smt. Rubi Prasad				Station IInd Entry		N	
Other Items	NA										
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	40	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	1000	Length(m)	250	Source	Railway Supply		Open Wells (Nos)	1	
Surface	Kutchra	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		136935			
Pay & Use Toilet				Remarks	NA				

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	40	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	1000	Length(m)	250	Source	Railway Supply	Open Wells (Nos)	1
Surface	Kutchra	Surface	Black Topped	Type	Piped and Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	136935		
Pay & Use Toilet				Remarks	NA		

Station			Shaktinagar																					
			Platform Detail																					
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	321	9	84	CC	51	0	10	0		0	123	4	4	3	35	0	0	0	0	0	N	0
*Surface Type :			CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface					MOR-Moorum				OTH-Others				

Station	Shaktinagar			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.		
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility	30	50 sqm	8	4	4	50	0	High level	1	-			
As per Rec.	42	0	4	0	0	12			-	-			
Actual	40	51	11	4	4	131	1	See platform details	1	-			
Shortage, if any	-	-	-	-	-	-	-		-	-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Sidhwar		No. of passengers dealt with:				Identified as Adarsh		N		
Station Code		SDWR	FOB	0	(a) Per Day				Developed As			
Station Category		NSG6	Subway	0	(b) Max. at any				Identified for MFC		N	
Railway		ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division		Dhanbad	Enquiry Office	1	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N	
State		JHARKHAND	Public Address Sys.	Y	2019-20	0	2020-21	0.00	Touch Screen Enquiry System		N	
District			Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication		N	
Section		BRKA-RNC	Wheel Chairs	N	2023-24	0	2024-25		ATMs		0	
Km.		0143.14	Cloak Room	N	<div> MP Const. Ranchi MP Name Seth, Shri Sanjay MLA Const. MLA Name </div>				Food Plaza		N	
Route		Dspl	Refreshment Room(sqm)						Budget Hotel			
Electrified		Y							Trains Halting		M: P : null	
Other Items									Station IInd Entry		N	
Remarks for												

Resting Facility					
WAITING HALL	WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	Area(sqm)			Area(sqm)	Retiring Room 0
(b) Seats(Nos.)	Seats(Nos.)			Seats(Nos.)	Dormitory 0
(c) Lav.(Nos.)	Lav.(Nos.)			Lav.(Nos.)	
(d) Urinals(Nos.)	Urinals(Nos.)			Urinals(Nos.)	
(e) Bathing Cubicals	Bathing Cubicals(Nos.)			Bathing Cubicals(Nos.)	

Circulating Area and Water			
Circulating Area		Approach Road	Water Supply
Area (sqm)		Length(m)	Source
Surface		Surface	Open Wells (Nos)
Illumination Type	Normal Lights	Illumination Type	Bore Wells (Nos)
Pay & Use Toilet			Storage Capacity(Ltr)
			Remarks

Station

Sidhwar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG						0									0	12			0	0	0		0
2&3	BG						0									0	12			0	0	0		0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

Sidhwar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	0	0	0	0	0	0			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	15	100	4	1	1	20	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station	Sijua			No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	SJA	FOB	1	(a) Per Day		46		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		15		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	5.09	2018-19	5.65	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	1.71	2020-21	0.00	Touch Screen Enquiry System		N	
District	DHANBAD	Clock	Y	2021-22	1.91	2022-23	3.2	Electronic Train Indication		N	
Section	DHN-KTH-CRP	Wheel Chairs	N	2023-24	3.31	2024-25		ATMs		0	
Km.	0010.24	Cloak Room	N	<div><div>MP Const. Giridih</div><div>MP Name Choudhary, Shri Chandra</div><div>MLA Const. baghmara</div><div>MLA Name Sri Shatrughan Mahto</div></div>				Food Plaza		N	
Route	E	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 1	P : 1
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	87	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	24	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	150	Length(m)	150	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Kutchra	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	0			
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		1000					
Pay & Use Toilet				Remarks	NA						

Station			Sijua Platform Detail																					
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	173	13	75	MOR	42	6	2	0		0	0	2	2	0	8	0	0	0	0	0	N	0
*Surface Type :			CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others					

Station			Sijua Summary								(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.		
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-			
As per Rec.	6	0	0.6	0	0	2			-	-			
Actual	87	42	2	4	4	24	1	See platform details	0	-			
Shortage, if any	-	8	-	-	-	-	-		-	-			

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Sindri B.H.		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	SDBH	FOB	1	(a) Per Day		39		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		10		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	34.76	2018-19	6.80	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	3.5	2020-21	0.00	Touch Screen Enquiry System		N	
District	DHANBAD	Clock	Y	2021-22	0.7	2022-23	2.07	Electronic Train Indication		N	
Section	DHN-SNDT	Wheel Chairs	N	2023-24	2.16	2024-25		ATMs		0	
Km.	0022.67	Cloak Room	N	<div>MP Const. Dhanbad</div> <div>MP Name Mahato, Shri Dulu</div> <div>MLA Const. Sindri</div> <div>MLA Name Sri Bablu Mahato</div>				Food Plaza		N	
Route	E	Refreshment Room(sqm)	Budget Hotel					N			
Electrified	Y	Trains Halting						M: 0 P : 8			
Other Items		NA	Station IInd Entry					N			
Remarks for		NA									
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	16	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	2	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	100	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		0					
Pay & Use Toilet	Y			Remarks		NA					

Station
Sindri B.H.
Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	128.7	6.4	7	CC	60	5	0	1		0	18	2	1	0	12	0	0	0	0	0	N	0
2	BG	N	118	6.4	7	CC	0	0	0	1		0	3	0	0	0	12	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station
Sindri B.H.
Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	4	0	0.4	0	0	1			-	-
Actual	16	60	2	2	1	23	1	See platform details	0	-
Shortage, if any	-	40	2	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Sindri Town		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	SNDT	FOB	1	(a) Per Day		383		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		100		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	46.59	2018-19	45.88	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	229.34	2020-21	62.36	Touch Screen Enquiry System		N	
District	DHANBAD	Clock	Y	2021-22	8.11	2022-23	26.65	Electronic Train Indication		N	
Section	DHN-SNDT	Wheel Chairs	N	2023-24	26.19	2024-25		ATMs		0	
Km.	0027.59	Cloak Room	N	<div>MP Const. Dhanbad MP Name Mahato, Shri Dulu MLA Const. Sindri MLA Name Sri Bablu Mahato</div>				Food Plaza		N	
Route	E	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 6	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	37	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	2	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	180	Length(m)	450	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)		1		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet	N			Remarks	NA						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	37	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	2	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	180	Length(m)	450	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	WBM	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet	N			Remarks	NA		

Station
Sindri Town

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	179.4	11.8	21	CC	183	10	0	1		0	50	1	1	2	22	1	0	0	0	0	N	0		
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																										

Station
Sindri Town

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec.	42	0	4	0	0	12			-	-
Actual	37	183	1	3	1	52	1	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Singrauli		No. of passengers dealt with:				Identified as Adarsh		Y	
Station Code	SGRL	FOB	1	(a) Per Day		2791		Developed As		Y	
Station Category	NSG4	Subway	0	(b) Max. at any		900		Identified for MFC		N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	1	2011-12	880.00	2018-19	880.00	Tourist Facilation Center		N	
State	MADHYA	Public Address Sys.	Y	2019-20	584.43	2020-21	68.10	Touch Screen Enquiry System		N	
District	PRADESH	Clock	Y	2021-22	804.97	2022-23	1208.81	Electronic Train Indication		Y	
Section	CPU-MHD	Wheel Chairs	Y	2023-24	1483.94	2024-25		ATMs		0	
Km.	0188.97	Cloak Room	Y	<div><div>MP Const.</div><div>Sidhi</div><div>MP Name</div><div>Mishra, Dr. Rajesh</div><div>MLA Const.</div><div>Devsar</div><div>MLA Name</div><div>Shri Rajendra Meshram</div></div>				Food Plaza		N	
Route	E	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	N							Trains Halting		M: 22	P : 0
Other Items	NA							Station IInd Entry		Y	
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	110	Area(sqm)		120	0	Area(sqm)	48	Retiring Room	0
(b) Seats(Nos.)	54	Seats(Nos.)		30	0	Seats(Nos.)	27	Dormitory	0
(c) Lav.(Nos.)	5	Lav.(Nos.)		1	0	Lav.(Nos.)	2		
(d) Urinals(Nos.)	2	Urinals(Nos.)		1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	5	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	2		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	1332	Length(m)	75	Source	Railway Supply		Open Wells (Nos)	0	
Surface	WBM	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	3	
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)		163440			
Pay & Use Toilet	Y			Remarks	NA				

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	110	Area(sqm)	120	0	Area(sqm)	48	Retiring Room		0
(b) Seats(Nos.)	54	Seats(Nos.)	30	0	Seats(Nos.)	27	Dormitory		0
(c) Lav.(Nos.)	5	Lav.(Nos.)	1	0	Lav.(Nos.)	2			
(d) Urinals(Nos.)	2	Urinals(Nos.)	1	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	5	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	2			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	1332	Length(m)	75	Source	Railway Supply	Open Wells (Nos)	0
Surface	WBM	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	3
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)		163440	
Pay & Use Toilet	Y			Remarks	NA		

Station			Singrauli																					
			Platform Detail																					
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	530	9	78	CC	604	5	34	0		235	240	12	2	10	72	1	0	0	0	1	N	0
2&3	BG	Y	540	10.05	76	CC	740	0	109	0		0	140	6	0	4	50	0	0	0	0	1	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others								

Station	Singrauli										Summary										(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

Desired	Facility Available	Desired	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Tiolets on end platform & circulating	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Sonardih		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	SZE	FOB	0	(a) Per Day		63		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		20		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	4.08	2018-19	4.80	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	2.7	2020-21	0.00	Touch Screen Enquiry System		N	
District	DHANBAD	Clock	Y	2021-22	2.25	2022-23	4.35	Electronic Train Indication		N	
Section	DHN-CRP	Wheel Chairs	N	2023-24	4.56	2024-25		ATMs		0	
Km.	0017.15	Cloak Room	N	<div>MP Const. Giridih MP Name Choudhary, Shri Chandra MLA Const. baghmara MLA Name Sri Shatrughan Mahto</div>				Food Plaza		N	
Route	E	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 1 P : 1	
								Station IInd Entry		N	
Other Items	NA										
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	16	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	256	Length(m)	40	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	BCCL Water & MADA Water is given in colony & station.				

Station			Sonardih						Platform Detail															
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	340	5.3	84	OTH	9	3	0	1		0	30	1	0	0	7	0	0	0	0	0	N	0
*Surface Type :			CC-Cement Concrete				PS-Polished Stone				OPS-Other Pucca Surface				MOR-Moorum				OTH-Others					

Station	Sonardih			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.	
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage		
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-		
As per Rec.	13	0	0.8	0	0	4			-	-		
Actual	16	9	1	1	0	30	0	See platform details	0	-		
Shortage, if any	-	-	-	-	-	-	1		-	-		

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Tankuppa		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	TKN	FOB	1	(a) Per Day		313		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		90		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	20.44	2018-19	24.63	Tourist Facilation Center		N	
State	BIHAR	Public Address Sys.	Y	2019-20	25.38	2020-21	0.12	Touch Screen Enquiry System		N	
District	GAYA	Clock	Y	2021-22	12.84	2022-23	26.94	Electronic Train Indication		N	
Section	PKA-MPO	Wheel Chairs	N	2023-24	28.64	2024-25		ATMs		0	
Km.	0449.72	Cloak Room	N	<div>MP Const. Gaya</div> <div>MP Name Manjhi, Shri Jitan Ram</div> <div>MLA Const. Bodh Gaya</div> <div>MLA Name Kumar Sarvjeet</div>				Food Plaza		N	
Route	A	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 10 P : 0	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	20	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	600	Length(m)	40	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks		NA					

Station

Tankuppa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	421	9	0	MOR	160	3	0	1		0	60	0	2	2	22	0	0	0	0	1	N	0
3&4	BG	Y	421	24	0	MOR	168	9	0	1		0	60	3	2	2	30	0	0	0	0	1	N	0
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																								

Station

Tankuppa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	38	0	3.6	0	0	11			-	-
Actual	20	328	4	3	4	120	1	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station	Telo	No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	TELO	FOB	1	(a) Per Day	448	Developed As		
Station Category	NSG6	Subway	0	(b) Max. at any	100	Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)				
Division	Dhanbad	Enquiry Office	0	2011-12	12.80	2018-19	16.88	
State	JHARKHAND	Public Address Sys.	N	2019-20	22.21	2020-21	1.54	
District	BOKARO	Clock	Y	2021-22	9.71	2022-23	18.7	
Section	GMO-BRKA	Wheel Chairs	N	2023-24	23.32	2024-25		
Km.	0009.25	Cloak Room	N	Length of longest stopping train(m)		300	ATMs	0
Route	A	Refreshment Room(sqm)		MP Const.	Giridih	Food Plaza	N	
Electrified	Y			MP Name	Choudhary, Shri Chandra	Budget Hotel	N	
				MLA Const.	Bermo	Trains Halting	M: 4	
				MLA Name	Sri Kumar Jaimangal Singh	Station IInd Entry	N	
Other Items	NA							
Remarks for	NA							

Resting Facility								
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sqm.)	88	Area(sqm)	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water							
Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	40	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	WBM	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet	Y			Remarks	NA		

Station		Telo		Platform Detail																				
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	244	6	0	CC	48	20	0	1		0	48	2	1	1	10	0	0	0	0	1	N	0
2&3	BG	N	244	6	0	MOR	60	12	0	1		0	52	0	0	0	12	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station		Telo		Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.			
Item ->		Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility		15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-			
As per Rec.		42	0	4	0	0	12			-	-			
Actual		88	108	2	2	1	110	1	See platform details	0	-			
Shortage, if any		-	-	2	-	-	-	-		-	-			

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Tetulmari		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	TET	FOB	1	(a) Per Day		1612		Developed As			
Station Category	NSG5	Subway	0	(b) Max. at any		450		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	82.96	2018-19	86.63	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	117.38	2020-21	1.90	Touch Screen Enquiry System		N	
District	DHANBAD	Clock	Y	2021-22	70.72	2022-23	128.2	Electronic Train Indication		N	
Section	PKA-MPO	Wheel Chairs	N	2023-24	131.91	2024-25		ATMs		0	
Km.	0280.01	Cloak Room	N	<div>MP Const. Giridih MP Name Choudhary, Shri Chandra MLA Const. baghmara MLA Name Sri Shatrughan Mahto</div>				Food Plaza		N	
Route	A	Refreshment Room(sqm)	5.4					Budget Hotel		N	
Electrified	Y							Trains Halting		M: 6 P : 6	
								Station IInd Entry		Y	
Other Items	NA										
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	36	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	160	Length(m)	170	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	0	
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	27648				
Pay & Use Toilet				Remarks	NA				

Station Tetulmari

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	330	14	84	CC	214	1	8	2		0	60	4	4	3	24	2	0	0	0	1	N	0
*Surface Type :			CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Tetulmari

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	50 sqm	8	4	4	50	0	High level	1	-
As per Rec.	188	0	18	1	1	54			-	-
Actual	36	214	10	4	4	70	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Tokisud		No. of passengers dealt with:				Identified as Adarsh		N
Station Code		TKS		FOB		0		(a) Per Day		36
Station Category		HG3		Subway		0		(b) Max. at any		15
Railway		ECR		Booking Windows		1		Pass. Earnings/Year(Rs. in Lac.)		
Division		Dhanbad		Enquiry Office		0		2011-12	1.75	2018-19 1.87
State		JHARKHAND		Public Address Sys.		N		2019-20	2.74	2020-21 0.20
District		RAMGARH		Clock		N		2021-22	2.46	2022-23 3.36
Section		BRKA-GHD		Wheel Chairs		N		2023-24	2.91	2024-25
Km.		0128.00		Cloak Room		N		Length of longest stopping train(m)		286
Route		Dspl		Refreshment Room(sqm)		N		MP Const.		Hazaribagh
Electrified		Y						MP Name		Jaiswal, Shri Manish
Other Items		NA						MLA Const.		Barkagaon
Remarks for		NA						MLA Name		Sri Roshan Lal Choudhary
								Tourist Facilation Center		N
								Developed As		
								Identified for MFC		N
								Touch Screen Enquiry System		N
								Electronic Train Indication		N
								ATMs		0
								Food Plaza		N
								Budget Hotel		N
								Trains Halting		M: 0 P : 8
								Station IInd Entry		N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	55.5	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet	Y			Remarks	NA		

Station		Tokisud																						
		Platform Detail																						
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	170	6.1	0	MOR	12	3	0	2		0	28	1	2	0	12	0	0	0	0	0	N	0
2	BG	N	170	6.1	0	OPS	12	3	0	1		0	20	2	2	0	12	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone					OPS-Other Pucca Surface					MOR-Moorum					OTH-Others		

Station	Tokisud										Summary										(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Tolra		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	TRZ	FOB	0	(a) Per Day		80		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		40		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	2.07	2018-19	2.67	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	2.5	2020-21	0.08	Touch Screen Enquiry System		N	
District	PALAMU	Clock	N	2021-22	1.7	2022-23	4.54	Electronic Train Indication		N	
Section	BRKA-GHD	Wheel Chairs	N	2023-24	4.18	2024-25		ATMs		0	
Km.	0313.22	Cloak Room	N	<div><div>MP Const.</div><div>Palamu</div><div>MP Name</div><div>Ram, Shri Vishnu Dayal</div><div>MLA Const.</div><div>Bishrampur</div><div>MLA Name</div><div>Sri Naresh Prasad Singh</div></div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0	P : 12
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	40	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	50	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	0			
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	2			
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0						
Pay & Use Toilet				Remarks	NA						

Station

Tolra

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	1.8	0	CC	0	3	0	1		0	50	5	0	2	10	0	0	0	0	0	N	0
2	BG	N	350	1.8	0	CC	0	0	0	3		0	50	0	0	0	11	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Tolra

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec.	25	0	1.6	0	0	7			-	-
Actual	40	0	4	5	0	130	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station	Tori			No. of passengers dealt with:				Identified as Adarsh		Y
Station Code	TORI	FOB	1	(a) Per Day	2742			Developed As	N	
Station Category	NSG5	Subway	0	(b) Max. at any	850			Identified for MFC	N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	330.53	2018-19	336.22	Tourist Facilation Center		N
State	JHARKHAND	Public Address Sys.	Y	2019-20	387.8	2020-21	59.39	Touch Screen Enquiry System		N
District	LATEHAR	Clock	Y	2021-22	304.03	2022-23	460.57	Electronic Train Indication		Y
Section	BRKA-GHD	Wheel Chairs	Y	2023-24	527.05	2024-25		ATMs	0	
Km.	0185.00	Cloak Room	N	Length of longest stopping train(m)				540		
Route	Dspl	Refreshment Room(sqm)		MP Const.	Chatra			Food Plaza	N	
Electrified	Y			MP Name	Singh, Shri Kali Charan			Budget Hotel	N	
				MLA Const.	Latehar			Trains Halting	M: 24	P : 10
				MLA Name	Sri Prakash Ram			Station IInd Entry	N	
Other Items	NA									
Remarks for	NA									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	81	Area(sqm)	28	15	Area(sqm)	34		Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)	12	9	Seats(Nos.)	15		Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	1	1	Lav.(Nos.)	1			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	1	Urinals(Nos.)	0			
(e) Bathing Cubicals	1	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	1			

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	1000	Length(m)	80	Source	Railway Supply		Open Wells (Nos)	1	
Surface	Cement Concrete	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	2	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	225000				
Pay & Use Toilet	Y			Remarks	NA				

Station			Tori																						
			Platform Detail																						
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	600	10.5	84	CC	792	4	8	3		0	196	4	3	4	18	1	0	0	0	1	Y	0	
2&3	BG	Y	600	11.2	84	CC	484	13	4	3		0	106	2	0	4	14	0	0	0	0	1	Y	0	
4&5	BG	Y	440	7.5	7	MOR	462	3	6	2		0	112	3	0	2	18	0	0	0	0	1	N	0	
*Surface Type :			CC-Cement Concrete					PS-Polished Stone					OPS-Other Pucca Surface					MOR-Moorum					OTH-Others		

Station	Tori										Summary									
(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.																				
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage										
Min. Facility	30	150 sqm	24	4	4	150	0	High level	3	-										
As per Rec.	355	0	34	1	1	102			-	-										
Actual	81	1738	28	13	4	475	1	See platform details	1	-										
Shortage, if any	-	-	-	-	-	-	-		2	-	-									

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Urwan Halt		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	UWAN	FOB	0	(a) Per Day		3		Developed As			
Station Category	HG3	Subway	0	(b) Max. at any		1		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	N	2019-20	0.63	2020-21	0.00	Touch Screen Enquiry System		N	
District	HAZARIBAGH	Clock	N	2021-22	0.19	2022-23	0.13	Electronic Train Indication		N	
Section	KQR-BRKA	Wheel Chairs	N	2023-24	0.06	2024-25		ATMs		0	
Km.	0013.70	Cloak Room	N	<div><div>MP Const.</div><div>Hazaribagh</div><div>MP Name</div><div>Jaiswal, Shri Manish</div><div>MLA Const.</div><div>Hazaribagh</div><div>MLA Name</div><div>Sri Pradip Prasad</div></div>				Food Plaza		N	
Route	Dspl	Refreshment Room(sqm)						Budget Hotel		N	
Electrified	Y							Trains Halting		M: 0 P : 4	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0		
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0		
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	0	Length(m)	300	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0						
Pay & Use Toilet				Remarks	NA						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	300	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station			Urwan Halt					Platform Detail																			
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)			
1	BG	N	340	9	0	MOR	0	0	0	1		0	8	0	0	0	0	0	0	0	0	0	N	0			
*Surface Type :			CC-Cement Concrete					PS-Polished Stone					OPS-Other Pucca Surface					MOR-Moorum					OTH-Others				

Station	Urwan Halt			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.		
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-			
As per Rec.	1	0	0.04	0	0	0			-	-			
Actual	0	0	1	0	0	8	0	See platform details	0	-			
Shortage, if any	-	-	-	-	-	-	1		-	-			

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Wyndhamganj		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	WDM	FOB	1	(a) Per Day		468		Developed As			
Station Category	NSG6	Subway	0	(b) Max. at any		150		Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	64.55	2018-19	87.22	Tourist Facilation Center		N	
State	UTTAR	Public Address Sys.	Y	2019-20	115.94	2020-21	0.00	Touch Screen Enquiry System		N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	37.4	2022-23	80.56	Electronic Train Indication		N	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)		309		ATMs		0	
Km.	0055.86	Cloak Room	N	MP Const.		Robertsganj		Food Plaza		N	
Route	Dspl	Refreshment		MP Name		Shri Chhotelal		Budget Hotel		N	
Electrified	Y	Room(sqm)		MLA Const.		Dudhi		Trains Halting		M: 6 P : 4	
Other Items	NA			MLA Name		Smt. Rubi Prasad		Station IInd Entry		N	
Remarks for	NA										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	30	Area(sqm)	28	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	6	Seats(Nos.)	15	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	50.17	Length(m)	55	Source	Railway Supply		Open Wells (Nos)		1
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)		0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		0			
Pay & Use Toilet				Remarks		NA			

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	30	Area(sqm)	28	0	Area(sqm)	0	Retiring Room		0
(b) Seats(Nos.)	6	Seats(Nos.)	15	0	Seats(Nos.)	0	Dormitory		0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water

Circulating Area		Approach Road		Water Supply			
Area (sqm)	50.17	Length(m)	55	Source	Railway Supply	Open Wells (Nos)	1
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station

Wyndhamganj

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	650	6	84	CC	460	5	1	3		0	88	2	2	0	0	0	0	0	0	1	N	0
2	BG	N	650	10.9	84	CC	432	10	0	2		0	48	0	0	0	35	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station

Wyndhamganj

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.

Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec.	63	0	6	0	0	18			-	-
Actual	30	892	6	2	2	157	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2025

Division : Dhanbad

Station		Yadudih		No. of passengers dealt with:				Identified as Adarsh		N	
Station Code	YDD	FOB	0	(a) Per Day		89		Developed As			
Station Category	HG2	Subway	0	(b) Max. at any		30		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	8.77	2018-19	8.95	Tourist Facilation Center		N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	11.38	2020-21	0.62	Touch Screen Enquiry System		N	
District	KODERMA	Clock	N	2021-22	9.92	2022-23	17	Electronic Train Indication		N	
Section	PKA-MPO	Wheel Chairs	N	2023-24	14.4	2024-25		ATMs		0	
Km.	0371.81	Cloak Room	N	<div>MP Const. Kodarma MP Name Devi, Smt. Annpurna MLA Const. Barkatha MLA Name Sri Amit Kumar Yadav</div>				Food Plaza		N	
Route	A	Refreshment						Budget Hotel		N	
Electrified	Y	Room(sqm)						Trains Halting		M: 4 P : 0	
Other Items	NA							Station IInd Entry		N	
Remarks for	NA										
Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room		0	
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory		0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0				
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0				
(e) Bathing Cubicals	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0				
Circulating Area and Water											
Circulating Area		Approach Road		Water Supply							
Area (sqm)	130	Length(m)	72	Source	Railway Supply		Open Wells (Nos)		0		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)		0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0					
Pay & Use Toilet				Remarks	NA						

Station			Yadudih										Platform Detail											
PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	3	0	OPS	54	1	0	1		0	8	0	3	0	20	0	0	0	0	0	N	0
2	BG	N	350	3	0	OPS	14	2	0	1		0	4	0	0	0	20	0	0	0	0	0	N	0
*Surface Type			:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface					MOR-Moorum				OTH-Others					

Station	Yadudih			Summary							(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt.		
Item ->	Waiting Hall	Shelter (sqm)	TAP/HP (nos)	Lavatories	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage			
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-			
As per Rec.	19	0	1.2	0	0	5			-	-			
Actual	0	68	2	0	3	12	0	See platform details	0	YES			
Shortage, if any	10	-	-	-	-	-	1		-	-			