

परिचालन प्रश्नोत्तरी-1

MCQs on Automatic Block System Working

1. Email *

2. 1. During Total Failure of Communication (TFC) in a Single Line section provided with Automatic Block System (ABS), which authority is required to be issued to the first train entering the block section?

Mark only one oval.

- ☐ T/B 602+T/A 912
- ☐ T/G/TH 602+T/A912
- ☐ T/G/TH 602+T/A912+T/E602
- ☐ None of the above

3.

2. What is the maximum permissible speed of a relief engine entering an Automatic Block System (ABS) section?"

Mark only one oval.

- ☐ 15 KMPH
- ☐ 25 KMPH
- ☐ 10 KMPH
- ☐ 30 KMPH

4. 3. Which authority is required to be issued to the Loco Pilot for a train running on the wrong line during TSL (Temporary Single Line) working on a double-line section?

Mark only one oval.

- ☐ T/D 912
- ☐ T/E 912
- ☐ T/E 912+T/511
- ☐ None of the above

5. 4. Which authority shall be issued by the rear station to a Loco Pilot for passing a defective MABS signal?

Mark only one oval.

- ☐ T/369(3b)
- ☐ T/369(i)
- ☐ T/A 912
- ☐ T/B 912

6. 5. Which form shall the Loco Pilot hand over to the Station Master of the receiving station?"

Mark only one oval.

- ☐ T/B 912
- ☐ T/A 912
- ☐ T/C 912
- ☐ T/D 912

7. 6. During prolonged failure of points, what is the maximum permissible speed of a train over main-line facing points?

Mark only one oval.

- ☐ 15 KMPH
- ☐ 30 KMPH
- ☐ 10 KMPH
- ☐ None of the above

8. 7. What is the permissible speed of the second train running on the wrong line during Temporary Single Line (TSL) working?

Mark only one oval.

- ☐ Sectional Speed
- ☐ 25 KMPH
- ☐ 15 KMPH
- ☐ None of the above

9. 8. On a double-line section, an automatic signal shall not assume the 'OFF' position unless the line is clear not only up to the next automatic signal, but also for an adequate distance of not less than what?

Mark only one oval.

- ☐ 120 Mtr.
- ☐ 180 Mtr.
- ☐ 400 Mtr.
- ☐ 100 Mtr.

10. 9. When the Last Stop Signal fails on a double-line ABS section, which authority shall be issued to the Loco Pilot if the train is to be dispatched?

Mark only one oval.

- ☐ PLCT
- ☐ PLCT + T/A 912
- ☐ T/D 912
- ☐ T/369(3b)

11. 10. Who is responsible for deciding that a failure of signals should be classified as a 'prolonged failure'?

Mark only one oval.

- ☐ Section Controller
- ☐ Sr. DOM/DOM/Incharge
- ☐ Sr. DSTE/DSTE
- ☐ None of the above

12. 11. Who has the authority to control the movement of trains between two block stations during a signal failure in ABS?

Mark only one oval.

- ☐ Station Master
- ☐ Section Controller
- ☐ Train Manager & LP of the Train
- ☐ None of the above

13. 12. Which of the following is not considered a means of communication during a signal failure?

Mark only one oval.

- ☐ Control Telephone
- ☐ Station to Station fixed telephone
- ☐ Walkie-Talkie
- ☐ Fixed telephone with CUG SIM

14. 13. What is the permissible speed of the second and subsequent trains working with Authority T/D-912

Mark only one oval.

- ☐ 25 KMPH
- ☐ 15 KMPH
- ☐ Sectional Speed
- ☐ 30 KMPH

15. 14. How many trains can run between two stations when the Modified Block Working System is implemented?"

Mark only one oval.

- ☐ Only one train
- ☐ Two trains
- ☐ Three trains
- ☐ More than one train depending on block sections

16. 15. During single-line working on a double-line section, by which authority shall a train running on the wrong line be received at the station ahead?"

Mark only one oval.

☐ T/A-912

☐ T/D-912

☐ T/B-602

☐ T/510

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-2

Multiple Choice Questions

1. Email *

2. 1. What is the scheduled time for turn-up of a Patrolman within?

1 point

Mark only one oval.

☐ 15 Minutes

☐ 30 Minutes

☐ 10 Minutes

☐ 20 Minutes

3. 2. What does Operating Bulletin No. 01/2025 describe?

1 point

Mark only one oval.

☐ Train Running without TM

☐ Importance of ARS

☐ Train running without Brave-van

☐ None of the above

4. 3. Running of a passenger-carrying train without a Train Manager (TM) must be permitted by whom? 1 point

Mark only one oval.

- ☐ Sr. DOM
- ☐ DOM
- ☐ Both
- ☐ Not permitted

5. 4.What is the maximum speed of the second and subsequent train running with Authority T/D-912? 1 point

Mark only one oval.

- ☐ 25/15 KMPH
- ☐ 25/10 KMPH
- ☐ Sectional Speed
- ☐ 30/10 KMPH

6. 5. While moving in a convoy during a traffic block, what should be the adequate distance between each Tower Wagon? 1 point

Mark only one oval.

- ☐ 250 Mtr.
- ☐ 200 Mtr.
- ☐ 150 Mtr.
- ☐ 300 Mtr.

7. 6. In foggy weather, what is the maximum permissible speed of a train working with FSD under the Absolute Block System 1 point

Mark only one oval.

- ☐ 75 KMPH
- ☐ 60 KMPH
- ☐ Sectional Speed
- ☐ MPS

8. 7.If a passenger train on a single line section does not arrive and the Loco Pilot/Train Manager does not communicate within 10 minutes of the prescribed arrival time, what action shall the Station Master take? 1 point

Mark only one oval.

- ☐ To Send Railway employee
- ☐ To send Light Engine
- ☐ Issue Caution order
- ☐ All of the above

9. 8. What is the maximum permissible speed while shunting a passenger train in push-back movement? 1 point

Mark only one oval.

- ☐ 15 KMPH
- ☐ 10 KMPH
- ☐ 5 KMPH
- ☐ 2/3 KMPH

10. 9.Signal is provided to protect the line?

1 point

Mark only one oval.

- ☐ Rear
- ☐ Ahead
- ☐ Both
- ☐ Adequate Distance

11. 10. A signal may be put back for a through train only in which situation?

1 point

Mark only one oval.

- ☐ To avoid the accident
- ☐ Precedence of trains
- ☐ For crossing of trains
- ☐ All of the above

12. 11. Which authority should be issued in case of a defective Intermediate Block Post (IBP) signal?

1 point

Mark only one oval.

- ☐ . T/369 3(B)
- ☐ . T/369 (1)
- ☐ T/409
- ☐ None of the above

13. 12. The modified system shall be introduced under the direction of whom? 1 point

Mark only one oval.

- ☐ Sr. DSTE
- ☐ Sr. DOM
- ☐ Both
- ☐ None of the above

14. 13. During Total Failure of Communication (TFC) in a Single Line section provided with Automatic Block System (ABS), which authority is required to be issued to the first train entering the block section? 1 point

Mark only one oval.

- ☐ T/B 602+T/A 912
- ☐ T/G/T/H 602+T/A912
- ☐ T/G/TH 602+T/A912
- ☐ None of the above.

15. 14. Which authority is required to be issued to the Loco Pilot for a train running on the wrong line during TSL (Temporary Single Line) working on a double-line section? 1 point

Mark only one oval.

- ☐ T/D 912
- ☐ T/E 912
- ☐ T/E 912+T/511
- ☐ None of the above

16. 15. When the Last Stop Signal fails on a double line Automatic Block System section, which authority shall be issued to the Loco Pilot if the train is to be dispatched? 1 point

Mark only one oval.

- ☐ PLCT
- ☐ PLCT+T/A 912
- ☐ T/D 912
- ☐ T/369(B)

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-3

1. Email *

2. 1. Which whistle code is used by Loco Pilot if fouling mark is not clear?

Mark only one oval.

- ☐ One short whistle
- ☐ Three short whistles
- ☐ One long and one short whistle
- ☐ Three long whistles

3. 2. In which condition T/409 is not issued?

Mark only one oval.

- ☐ When on track, machine is working
- ☐ When a level crossing gate is damaged
- ☐ When a lorry works in the Block section with Block Protection
- ☐ Cases of bad running of engine

4. 3. One dead locomotive will be attached in a passenger train?

Mark only one oval.

- ☐ Next to train Engine
- ☐ Front of Brake-Van
- ☐ Rear of Brake-Van
- ☐ All of the above

5. 4. The speed of Material Train over a turnout is

Mark only one oval.

- ☐ 25 kmph
- ☐ 10 kmph
- ☐ 30 kmph
- ☐ None of the above

6. 5. How many parts are there in SWR (Station Working Rules)?

Mark only one oval.

- ☐ 7
- ☐ 5
- ☐ 12
- ☐ 18

7. 6. In addition to Station Master, who can give Line Clear for a train?

Mark only one oval.

- ☐ Traffic Inspector
- ☐ Pointsman
- ☐ Both
- ☐ None of the above

8. 7. For shunting, which signal can be used?

Mark only one oval.

- ☐ Home signal
- ☐ Advance Starter signal
- ☐ Shunt signal
- ☐ All of the above

9. 8. Which authority is given to Loco Pilot for Shunting upto Home signal in a B-class single line station?

Mark only one oval.

- ☐ T/806 with Block Back
- ☐ T/806 without Block Back
- ☐ T/409
- ☐ None of the above

10. 9. T/B-409 has been issued for

Mark only one oval.

- ☐ Only for Passenger Train
- ☐ Only for Goods Train
- ☐ Both
- ☐ None of the above

11. 10. How many Motor Trolleys can be sent in a block section in convoy?

Mark only one oval.

- ☐ Three
- ☐ Five
- ☐ Nine
- ☐ None of the above

12. 11. During prolonged failure of points, what is the maximum permissible speed of a train over main-line facing points?

Mark only one oval.

- ☐ 15 KMPH
- ☐ 30 KMPH
- ☐ 10 KMPH
- ☐ None of the above

13. 12. What is the maximum permissible speed of a relief engine entering an Automatic Block System (ABS) section?"

Mark only one oval.

- ☐ 15 KMPH
- ☐ 25 KMPH
- ☐ 10 KMPH
- ☐ 30 KMPH

14. 13. After how many minutes trains are run during TFC in D/L automatic section?

Mark only one oval.

- ☐ 30 Minutes
- ☐ 25 Minutes
- ☐ 15 Minutes
- ☐ 10 Minutes

15. 14. Train parting indication in Automatic block signalling territory is

Mark only one oval.

- ☐ Track circuit clear
- ☐ Intermediate circuits showing occupied
- ☐ LV is visible
- ☐ None of the above

16. 15. What is the maximum permissible speed while shunting a passenger train in push-back movement?

Mark only one oval.

- ☐ 5 KMPH
- ☐ 10 KMPH
- ☐ 15 KMPH
- ☐ 2/3 KMPH

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-4

1. Email *

2. 1. What is the maximum permissible speed of a train during push back movement when the Brake Van is leading?

Mark only one oval.

☐ 15 kmph

☐ 25 kmph

☐ 10 kmph

☐ 5 kmph

3. 2. When the Distant Signal fails in OFF condition, which authority is issued by the Station Master?

Mark only one oval.

☐ T/369(1)

☐ Written Memo

☐ T/409

☐ None of the above

4. 3.What is the maximum permissible life of a Fog Signal (Detonator)?

Mark only one oval.

- ☐ 5 years
- ☐ 8 years
- ☐ 7 years
- ☐ 10 years

5. 4.What is the maximum permissible speed of a goods train when the signal aspect is Double Yellow?

Mark only one oval.

- ☐ 40 kmph
- ☐ 75 kmph
- ☐ 55 kmph
- ☐ 60 kmph

6. 5.Where can an IBP (Intermediate Block Post) signal be provided?

Mark only one oval.

- ☐ Only in Single line
- ☐ Only in double line
- ☐ Only in Multiple line
- ☐ All of the above

7. 6. In the OFF position, which light is shown by a Starter Indicator?

Mark only one oval.

- ☐ Red
- ☐ Yellow
- ☐ Green
- ☐ White

8. 7. What is the maximum number of dead locomotives that can be attached to a goods train under normal conditions?

Mark only one oval.

- ☐ One
- ☐ Two
- ☐ Three
- ☐ Four

9. 8. What is the maximum permissible speed of a track machine while negotiating a turnout?

Mark only one oval.

- ☐ 10 Kmph
- ☐ 15 Kmph
- ☐ 25 Kmph
- ☐ 40 Kmph

10. 9. T/369(1) may be issued in case of failure of which signal?

Mark only one oval.

- ☐ Home Signal
- ☐ Starter Signal
- ☐ Advance Starter Signal
- ☐ Shunt Signal

11. 10. Which authority is prepared by the Train Manager ?

Mark only one oval.

- ☐ T/369(1)
- ☐ T/409
- ☐ T/A602
- ☐ T/609

12. 11. If a passenger train on a single line section does not arrive and the Loco Pilot/Train Manager does not communicate within 10 minutes of the prescribed arrival time, what action shall the Station Master take?

Mark only one oval.

- ☐ To send a railway employee
- ☐ To send a light Engine
- ☐ To issue a caution order
- ☐ None of the above

13. 12. What is the maximum permissible speed of a relief engine entering an Automatic Block System (ABS) section?"

Mark only one oval.

- ☐ 15 KMPH
- ☐ 25 KMPH
- ☐ 10 KMPH
- ☐ 30 KMPH

14. 13. After how many minutes trains are run during TFC in D/L automatic section?

Mark only one oval.

- ☐ 30 Minutes
- ☐ 25 Minutes
- ☐ 15 Minutes
- ☐ 10 Minutes

15. 14. On a double-line section, an automatic signal shall not assume the 'OFF' position unless the line is clear not only up to the next automatic signal, but also for an adequate distance of not less than what?

Mark only one oval.

- ☐ 120 Mtr.
- ☐ 180 Mtr.
- ☐ 400 Mtr.
- ☐ 100 Mtr.

16. 15. What is the maximum permissible speed while shunting a passenger train in push-back movement?

Mark only one oval.

- ☐ 5 KMPH
- ☐ 10 KMPH
- ☐ 15 KMPH
- ☐ 2/3 KMPH

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-5

1. Email *

2. 1.Which authority is issued for running a train in case of TFC in a double-line section under the Absolute Block System of working? 1 point

पूर्ण ब्लॉक प्रणाली (Absolute Block System) के अंतर्गत दोहरी लाइन खंड में TFC की स्थिति में गाड़ी चलाने के लिए कौन-सा प्राधिकरण जारी किया जाता है?

Mark only one oval.

☐ T/A 602

☐ T/B 602

☐ T/C 602

☐ T/D 602

3. 2.Which authority is issued for the running of an Accident Relief Train (ART) in the Automatic Block System of working? 1 point

स्वचालित ब्लॉक प्रणाली में दुर्घटना राहत गाड़ी (ART) के संचालन हेतु कौन-सा प्राधिकरण जारी किया जाता है?

Mark only one oval.

☐ T/A 912

☐ T/A 602

☐ T/C 912

☐ None of the above / उपरोक्त में से कोई नहीं

4. 3. In the event of a SPAD by a train, whose approval is required for the further movement of the train? 1 point

यदि किसी गाड़ी द्वारा SPAD हो जाए, तो उस गाड़ी की आगे या पीछे चलाने के लिए किसकी अनुमति आवश्यक है?

Mark only one oval.

- ☐ Sr. DOM
- ☐ Station Master (SM) / स्टेशन मास्टर
- ☐ Train Manager (TM)
- ☐ Any of the above / उपरोक्त में से कोई भी

5. 4. If there is an accident of any Passenger train in a block section, what is the first duty of the Station Master/Station Supervisor? 1 point

यदि ब्लॉक सेक्शन में किसी गाड़ी का दुर्घटनाग्रस्त होना होता है, तो स्टेशन मास्टर/स्टेशन पर्यवेक्षक का प्रथम कर्तव्य क्या है?

Mark only one oval.

- ☐ To inform Control / नियंत्रण को सूचित करना
- ☐ To close the block section / ब्लॉक सेक्शन को बंद करना
- ☐ To send a Light Engine or railway employee with authority T/409/ T/409 प्राधिकरण के साथ लाइट इंजन या कर्मचारी भेजना
- ☐ None of the above / उपरोक्त में से कोई नहीं

6. 5. Which of the following is a signal? / निम्नलिखित में से कौन-सा सिग्नल है 1 point

Mark only one oval.

- ☐ Trap Indicator / ट्रैप संकेतक
- ☐ Point Indicator / पॉइंट संकेतक
- ☐ Shunting Permitted Indicator / शंटिंग परमिटेड इंडिकेटर
- ☐ None of the above / उपरोक्त में से कोई नहीं

7. 6.If the Home Signal of a station has failed and a Calling-on Signal is provided below it, which authority shall be issued by the rear station to pass the Home Signal at ON? 1 point

यदि किसी स्टेशन का होम सिग्नल फेल हो जाए और उसके नीचे कॉलिंग-ऑन सिग्नल उपलब्ध हो, तो होम सिग्नल को ON स्थिति में पार करने के लिए पीछे के स्टेशन द्वारा कौन-सा प्राधिकरण दिया जाएगा?

Mark only one oval.

- ☐ T/369(3B)
- ☐ T/369(1)
- ☐ T/409
- ☐ None of the above / उपरोक्त में से कोई नहीं

8. 7.In case of a downward gradient, where should the assisting engine be attached? 1 point

ढाल नीचे की ओर होने पर सहायक इंजन कहाँ जोड़ा जाता है?

Mark only one oval.

- ☐ Leading / आगे
- ☐ Rear / पीछे
- ☐ Middle / बीच में
- ☐ None of the above / उपरोक्त में से कोई नहीं

9. 8. Under a single authority to proceed, what is the maximum number of track machines permitted to run? 1 point

एकल प्राधिकरण पर अधिकतम कितनी ट्रैक मशीनें चलाई जा सकती हैं?

Mark only one oval.

- ☐ One / एक
- ☐ Two / दो
- ☐ Three / तीन
- ☐ Five / पाँच

10. 9. In which of the following cases is a white light used in signalling? 1 point

निम्न में से किस स्थिति में सिग्नल में सफेद प्रकाश का उपयोग किया जाता है?

Mark only one oval.

- ☐ Train parting / गाड़ी का टूटना
- ☐ Shunting / शंटिंग
- ☐ Exchanging ARS by Gateman / गेटमैन द्वारा ARS का आदान-प्रदान
- ☐ All of the above / उपरोक्त सभी

11. 10. Which signal may be taken OFF in Absolute Block System working without obtaining Line Clear? 1 point

किस सिग्नल को पूर्ण ब्लॉक प्रणाली में बिना लाइन क्लियर लिए OFF किया जा सकता है?

Mark only one oval.

- ☐ Starter Signal
- ☐ Advanced Starter Signal
- ☐ Intermediate Block Signal (IBS)
- ☐ None of the above / उपरोक्त में से कोई नहीं

12. 11. Which authority is given to Loco Pilot for shunting up to Home signal in a B-class single line station? 1 point
बी-श्रेणी एकल लाइन स्टेशन पर होम सिग्नल तक शंटिंग के लिए लोको पायलट को कौन-सा प्राधिकरण दिया जाता है?

Mark only one oval.

- ☐ T/806 with Block Back/ब्लॉक बैक सहित T/806
- ☐ T/806 without Block Back/ब्लॉक बैक के बिना T/806
- ☐ T/409
- ☐ None of the above / उपरोक्त में से कोई नहीं

13. 12. In addition to Station Master, who can give Line Clear for a train? 1 point
स्टेशन मास्टर के अतिरिक्त, ट्रेन के लिए लाइन क्लियर कौन दे सकता है?

Mark only one oval.

- ☐ Traffic Inspector/ट्रैफिक इंस्पेक्टर
- ☐ Pointsman/प्वाइंट्समैन
- ☐ Both/दोनों
- ☐ None of the above / उपरोक्त में से कोई नहीं

14. 13. How many trains can run between two stations when the Modified Block Working System is implemented? 1 point
संशोधित ब्लॉक कार्य प्रणाली (Modified Block Working System) लागू होने पर दो स्टेशनों के बीच कितनी ट्रेनें चलाई जा सकती हैं?

Mark only one oval.

- ☐ Only one train/केवल एक ट्रेन
- ☐ Two Trains/दो ट्रेनें
- ☐ Three Trains/तीन ट्रेनें
- ☐ More than one train depending on block sections/ब्लॉक सेक्शनों के आधार पर एक से अधिक ट्रेनें

15. 14. T/B-409 has been issued for
T/B-409 किसके लिए जारी किया जाता है?

1 point

Mark only one oval.

- ☐ Only for Passenger Train/केवल यात्री गाड़ी के लिए
- ☐ Only for Goods Train/केवल मालगाड़ी के लिए
- ☐ Both/दोनों
- ☐ None of the above / उपरोक्त में से कोई नहीं

16. 15. When the Last Stop Signal fails on a double-line Automatic Block
System section, which authority shall be issued to the Loco Pilot if the train
is to be dispatched ?

1 point

डबल लाइन ABS सेक्शन पर जब अंतिम स्टॉप सिग्नल फेल हो जाए, तो ट्रेन को प्रेषित करने हेतु लोको पायलट को कौन-सा प्राधिकरण दिया जाएगा?

Mark only one oval.

- ☐ PLCT
- ☐ PLCT + T/A 912
- ☐ T/D 912
- ☐ T/369(3B)

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-6

1. Email *

2. 1. Which authority is issued by the rear station to pass an IBP signal in ON position? 1 point

Mark only one oval.

☐ T/369(3B)

☐ T/369(1)

☐ T/409

☐ T/806

3. 2. Which authority is issued to a Loco Pilot to pass a MABS signal in ON position? 1 point

Mark only one oval.

☐ T/369(1)

☐ T/369(3B)

☐ T/409

☐ T/806

4. 3. Which authority is required to pass a Shunt Signal in ON position during shunting? 1 point

Mark only one oval.

- ☐ T/369(3B)
- ☐ T/409
- ☐ T/369(1)
- ☐ T/806

5. 4. What is the minimum visibility distance of a HOME signal in the MACL system? 1 point

Mark only one oval.

- ☐ 400 Meter
- ☐ 200 Meter
- ☐ 1000 Meter
- ☐ None of the above

6. 5. T/369(1) authority is issued to which of the following? 1 point

Mark only one oval.

- ☐ Loco Pilot
- ☐ Assistant Loco pilot
- ☐ Train Manager
- ☐ None of the above

7. 6. In the Absolute Block System during Temporary Single Line (TSL) working, which authority is issued to the Loco Pilot to run a train on the right line? 1 point

Mark only one oval.

- ☐ T/D 602
- ☐ T/D 602 +T/409
- ☐ T/D 602 +T/511
- ☐ T/C 602

8. 7. If a goods train does not arrive at a station within the prescribed time, after how many minutes it is treated as an Unusually Late Train? 1 point

Mark only one oval.

- ☐ 10 Minutes
- ☐ 20 Minutes
- ☐ 30 Minutes
- ☐ 40 Minutes

9. 8. After granting Line Clear, Shunting may be permitted upto? 1 point

Mark only one oval.

- ☐ Outer most facing points
- ☐ Home Signal
- ☐ Both
- ☐ None of the above

10. 9. In the event of an accident, if the adjacent line is obstructed, detonators shall be placed to protect the adjacent line in an Automatic section at a distance of ? 1 point

Mark only one oval.

- ☐ 90, 180, 190 Meters
- ☐ 600, 1200, 1210, 1220 Meters
- ☐ Both
- ☐ None of the above

11. 10. If a motor trolley is running alone, it shall be received at the next station by? 1 point

Mark only one oval.

- ☐ Putting the Signal off
- ☐ T/409
- ☐ By Hand Signal
- ☐ T/1525

12. 11. When the Last Stop Signal fails on a double-line Automatic Block System section, which authority shall be issued to the Loco Pilot if the train is to be dispatched ? 1 point

Mark only one oval.

- ☐ PLCT
- ☐ PLCT + T/A 912
- ☐ T/D 912
- ☐ T/369(3B)

13. 12. In addition to Station Master, who can give Line Clear for a train? 1 point

Mark only one oval.

- ☐ Traffic Inspector
- ☐ Pointsman
- ☐ Both
- ☐ None of the above

14. 13. How many parts are there in SWR (Station Working Rules)? 1 point

Mark only one oval.

- ☐ Seven
- ☐ Five
- ☐ Twelve
- ☐ Eighteen

15. 14. Which whistle code is used by Loco Pilot if fouling mark is not clear? 1 point

Mark only one oval.

- ☐ One Short Whistle
- ☐ Three Short Whistle
- ☐ Three long whistles
- ☐ One long and one short whistle

16. 15. T/B-409 has been issued for

1 point

Mark only one oval.

- ☐ Only for Passenger Train
 - ☐ Only for Goods Train
 - ☐ Both
 - ☐ None of the above
-

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-7

1. Email *

2. 1. In case of a traffic block, what is the maximum permissible speed of a track machine when running in a convoy? 1 point

Mark only one oval.

- ☐ Maximum Permissible Speed (MPS)
- ☐ 40KMPH
- ☐ 45 KMPH
- ☐ None of the above

3. 2. What is the maximum speed of a train when running without KAVACH? 1 point

Mark only one oval.

- ☐ Maximum Permissible Speed (MPS)
- ☐ 130 KMPH
- ☐ 140 KMPH
- ☐ 110 KMPH

4. 3. Under the Rolling Block Programme, what is the maximum advance planning period? 1 point

Mark only one oval.

- ☐ 52 Weeks
- ☐ 40 Weeks
- ☐ According to the situation
- ☐ 1 Week

5. 4. In which situation, while issuing T/369(3B), two private numbers are entered? 1 point

Mark only one oval.

- ☐ To pass an Advanced Starter signal in the ON position
- ☐ To pass the G-marker Gate signal in the ON position
- ☐ To pass the IB & G-marker (combined) signal in the ON position
- ☐ None of the above

6. 5. Which of the following statement is correct? 1 point

Mark only one oval.

- ☐ Attaching a BVZI B/V between two eight-wheeler wagons
- ☐ Attaching a BVZC B/V between two eight-wheeler wagons
- ☐ Both of the above
- ☐ None of the above

7. 6. What is the maximum permissible speed of a train while reversing in an automatic section, when the Brake Van (B/V) and Train Manager are in the rear portion of the train? 1 point

Mark only one oval.

- ☐ 10 KMPH
- ☐ 25 KMPH
- ☐ 15 KMPH
- ☐ None of the above

8. 7. Block Forward is done in which type of line? 1 point

Mark only one oval.

- ☐ Single line
- ☐ Double line
- ☐ Both single and double lines
- ☐ None of the above

9. 8. Which authority is issued during the departure of a train on a non-signalled line if the Advance Starter signal is also in the ON position? 1 point

Mark only one oval.

- ☐ T/511
- ☐ T/511 + T/369(3B)
- ☐ T/511 + T/409
- ☐ T/511 + T/369(1)

10. 9. During a power block, in which register are entries recorded by the Station Master using red ink? 1 point

Mark only one oval.

- ☐ Power Block Register
- ☐ Train Signal Register
- ☐ Both
- ☐ None of the above

11. 10. What is the permissible speed of a train during the testing of detonators? 1 point

Mark only one oval.

- ☐ 8 to 12 km/h
- ☐ 5 to 10 km/h
- ☐ 4 to 10 km/h
- ☐ None of the above

12. 11. If the Home Signal of a station has failed and a Calling-on Signal is provided below it, which authority shall be issued by the rear station to pass the Home Signal at ON? 1 point

Mark only one oval.

- ☐ T/369(3B)
- ☐ T/369(1)
- ☐ T/409
- ☐ None of the above

13. 12.During prolonged failure of points, what is the maximum permissible speed of a train over main-line facing points? 1 point

Mark only one oval.

- ☐ 10 KMPH
- ☐ 15 KMPH
- ☐ 20 KMPH
- ☐ 30 KMPH

14. 13.During single-line working on a double-line section, by which authority shall a train running on the wrong line be received at the station ahead?" 1 point

Mark only one oval.

- ☐ T/A-912
- ☐ T/D-912
- ☐ T/B 602
- ☐ T/510

15. 1 point

14. What is the maximum permissible speed of a relief engine entering an Automatic Block System (ABS) section?"

Mark only one oval.

- ☐ 15 KMPH
- ☐ 25 KMPH
- ☐ 10 KMPH
- ☐ 30 KMPH

16. 15. What is the maximum permissible speed while shunting a passenger train in push-back movement? 1 point

Mark only one oval.

- ☐ 5 KMPH
- ☐ 10 KMPH
- ☐ 15 KMPH
- ☐ 2/3 KMPH

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-8

1. Email *

2. 1. In an automatic block section, which authority is given to send a relief train? 1 point

Mark only one oval.

☐ T/B 912

☐ T/A 912

☐ T/C 912

☐ T/D 912

3. 2. When a train is required to depart from a line out of a group of lines having a common starter signal, which authority is given? 1 point

Mark only one oval.

☐ T/511

☐ T/512

☐ T/409

☐ T/369(3B)

4. 3. A railway employee directly related with train operation shall not use any intoxicating substance before starting duty or while on duty? 1 point

Mark only one oval.

- ☐ 2 hours
- ☐ 6 hours
- ☐ 8 hours
- ☐ 4 hours

5. 4. Where is a Shunting Limit Board provided? 1 point

Mark only one oval.

- ☐ S/L
- ☐ D/L
- ☐ Both
- ☐ None of the above

6. 5. Which authority is given to Pass a Starter signal at ON position ? 1 point

Mark only one oval.

- ☐ T/369(3B)
- ☐ T/369(1)
- ☐ T/806
- ☐ All of the above

7. 6. How many parts are there in a detonator register?

1 point

Mark only one oval.

- ☐ One
- ☐ Two
- ☐ Three
- ☐ Four

8. 7. In how many copies the Motor Trolley Permit (T/1525) are prepared?

1 point

Mark only one oval.

- ☐ One
- ☐ Two
- ☐ Three
- ☐ Four

9. 8. In MACL (Multi Aspect Colour Light signalling), the adequate distance for Block Overlap

1 point

Mark only one oval.

- ☐ 120 Mtr
- ☐ 180 Mtr.
- ☐ 400 Mtr.
- ☐ None

10. 9. If the headlight of a train is defective, what is the maximum permitted speed? 1 point

Mark only one oval.

- ☐ 40 KMPH
- ☐ 30 KMPH
- ☐ 15 KMPH
- ☐ 45 KMPH

11. 10. In how many copies T/409 are prepared? 1 point

Mark only one oval.

- ☐ Four
- ☐ Two
- ☐ Three
- ☐ One

12. 11. With which of the following signals is a Calling-on signal not provided? 1 point

Mark only one oval.

- ☐ Home signal
- ☐ Last Stop signal
- ☐ Starter Signal
- ☐ None of the above

13. 12. How many systems of working are prescribed in Indian Railways? 1 point

Mark only one oval.

- ☐ Five
- ☐ Four
- ☐ Seven
- ☐ Six

14. 13. If an Automatic Signal is at ON (Red) during day time, after how many minutes can a Loco Pilot pass the signal? 1 point

Mark only one oval.

- ☐ 1 Minute
- ☐ 2 Minute
- ☐ 4 Minute
- ☐ 3 Minute

15. 1 point

14. During TFC in the Absolute Block System, at what time interval should the following train be dispatched?

Mark only one oval.

- ☐ 30 Minutes
- ☐ 25 Minutes
- ☐ 15 Minutes
- ☐ None

16. 15. Which whistle code is given by a Loco Pilot in case of danger?

1 point

Mark only one oval.

- ☐ Continuous short whistles
 - ☐ One long and one short whistle
 - ☐ Three Long Whistle
 - ☐ Two long Whistle
-

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-9

1. Email *

2. 1. सामान्य एवं सहायक नियम (G&SR) में कितने परिशिष्ट (Appendix) हैं?

1 point

How many appendices are there in G&SR?

Mark only one oval.

☐ 5

☐ 6

☐ 7

☐ 12

3. 2. स्टेशन संचालन नियम (SWR) में कितनी करेक्शन स्लिप (Correction Slip) जारी की जा सकती हैं?

1 point

How many correction slips can be issued in SWR?

Mark only one oval.

☐ 7

☐ 6

☐ 5

☐ 12

4. 3. स्टेबल लोड के चलने से पहले वैगनों के हैंड ब्रेक खोलने एवं ब्रेक वैन हटाने की जिम्मेदारी किसकी है? 1 point

Who is responsible for releasing the hand brakes of wagons and brake van before the stable load starts?

Mark only one oval.

- ☐ Train Manager
- ☐ Loco Pilot
- ☐ Pointsman
- ☐ Train Manager & Loco Pilot

5. 4. शंटिंग के समय शंट सिग्नल को ON स्थिति में पास करने के लिए कौन-सा प्राधिकरण जारी किया जाता है? 1 point

Which authority is issued to pass a shunt signal at ON position during shunting?

Mark only one oval.

- ☐ T/806
- ☐ T/369(3B)
- ☐ T/509
- ☐ None of the above

6. **5. G&SR के किस नियम के अंतर्गत इंजन जोड़ने/काटने का कार्य LP/ALP की व्यक्तिगत पर्यवेक्षण में किया जाता है?** 1 point

Under which rule of G&SR is attaching/detaching of power done under the personal supervision of LP/ALP?

Mark only one oval.

- ☐ 5.13
- ☐ 8.15
- ☐ 4..57
- ☐ None

7. **6. दिन के समय लोड पर इंजन जोड़ने (coupling) के लिए कौन-सा Signal उपयोग किया जाता है?** 1 point

Which flag is used to attach power on a load during daylight?

Mark only one oval.

- ☐ Red
- ☐ Green
- ☐ White
- ☐ Red & Green

8. **7. निम्न में से कौन-सा फॉर्म ECR से हटा दिया गया है?** 1 point

Which of the following forms has been removed from ECR?

Mark only one oval.

- ☐ T/512
- ☐ T/B 409
- ☐ T/431
- ☐ None

9. 8. माल गाड़ी में अधिकतम कितने Dead इंजन जोड़े जा सकते हैं?

1 point

What is the maximum number of dead engines that can be attached to a goods train?

Mark only one oval.

- ☐ 1
- ☐ 2
- ☐ 3
- ☐ None

10. 9. शंटिंग के समय गाड़ी की अधिकतम गति क्या होगी?

1 point

What is the maximum speed of a vehicle during shunting?

Mark only one oval.

- ☐ 10KMPH
- ☐ 20 KMPH
- ☐ 15 KMPH
- ☐ 5 KMPH

11. 10. स्पीड इंडिकेटर बोर्ड अवरोध से कितने मीटर पहले लगाया जाता है

1 point

At how many meters before an obstruction is a speed indicator board installed?

Mark only one oval.

- ☐ 30 Mtr
- ☐ 15 Mtr
- ☐ 20 Mtr.
- ☐ 10 Mtr.

12. 11. पुश-बैक मूवमेंट के दौरान यात्री गाड़ी की शंटिंग करते समय अधिकतम अनुमेय गति क्या होती है? 1 point

What is the maximum permissible speed while shunting a passenger train in push-back movement?

Mark only one oval.

- ☐ 15 KMPH
- ☐ 10 KMPH
- ☐ 5 KMPH
- ☐ 20 KMPH

13. 12. दुर्घटना की स्थिति में, यदि स्वचालित खंड (Automatic Section) में समीपवर्ती लाइन अवरुद्ध हो जाए, तो उस समीपवर्ती लाइन की सुरक्षा के लिए डिटोनेटर कितनी दूरी पर लगाए जाएंगे?" In the event of an accident, if the adjacent line is obstructed, detonators shall be placed to protect the adjacent line in an Automatic section at a distance of ? 1 point

Mark only one oval.

- ☐ 90, 180, 190
- ☐ 600, 1200, 1210, 1220
- ☐ Both
- ☐ None

14. 13. डेटोनेटर (Detonator) या पटाखा सिग्नल की अधिकतम अवधि कितनी होगी ? 1 point

What will be the maximum duration of the detonator ?

Mark only one oval.

- ☐ 7 Years
- ☐ 6 Years
- ☐ 8 Years
- ☐ 10 Years

15. 14. यदि फाउलिंग मार्क स्पष्ट न हो, तो लोको पायलट द्वारा कौन-सा सीटी कोड (Whistle Code) प्रयोग किया जाता है? Which whistle code is used by Loco Pilot if fouling mark is not clear? 1 point

Mark only one oval.

- ☐ One Short Whistle
- ☐ Three Short whistle
- ☐ One long and one short whistle
- ☐ Three long Whistle

16. 15. यदि ब्लॉक सेक्शन में किसी गाड़ी का दुर्घटनाग्रस्त होना होता है, तो स्टेशन मास्टर/स्टेशन पर्यवेक्षक का प्रथम कर्तव्य क्या है? 1 point

If there is an accident of any Passenger train in a block section, what is the first duty of the Station Master/Station Supervisor?

Mark only one oval.

- ☐ To inform Control
- ☐ To close the block section
- ☐ To send a Light Engine or railway employee with authority T/409
- ☐ None of the above

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-11

1. Email *

2. 1. When a Semi-Automatic Stop signal works as an Automatic Stop signal, the "A" marker provided under the signal is 1 point

Mark only one oval.

- ☐ extinguished
- ☐ Switched "On"
- ☐ Switched "Off"
- ☐ illuminated

3. 2. When one of the Automatic stop signals in mid-section is converted under special instructions is known as. 1 point

Mark only one oval.

- ☐ Automatic Stop signal
- ☐ Semi-automatic stop signal
- ☐ Manual stop signal
- ☐ Modified semi automatic signal

4. **3.** By waving green flag by day and a white light by night up and down vertically as high and as low as possible indicate? 1 point

Mark only one oval.

- ☐ move slowly
- ☐ move towards person signaling
- ☐ train parting
- ☐ coupling

5. **4.** Is the point indicator a signal? 1 point

Mark only one oval.

- ☐ Yes
- ☐ No
- ☐ May be
- ☐ None of the above

6. **5.** G&SR Rule pertaining to Accident and unusual occurrences is mentioned in ? 1 point

Mark only one oval.

- ☐ Chapter V
- ☐ Chapter VI
- ☐ Chapter VII
- ☐ Chapter VIII

7. **6.** In the event of failure of automatic signaling & means of communication in Automatic Block System, what will be time interval between the train about to leave and the preceding train in affected section? 1 point

Mark only one oval.

- ☐ 40 Minutes
- ☐ 15 Minutes
- ☐ Booked Speed
- ☐ 25 Minutes

8. **7.** In case the Loco is not equipped with KAVACH or Loco KAVACH becomes defective the maximum speed of trains ? 1 point

Mark only one oval.

- ☐ 130 KMPH
- ☐ 110 KMPH
- ☐ 140 KMPH
- ☐ 160 KMPH

9. **8.** What is the minimum distance that should be maintained between two tower wagons when they are moving in Convoy in a traffic block? 1 point

Mark only one oval.

- ☐ 250 Meters
- ☐ 200 Meters
- ☐ 120 Meters
- ☐ None of above

10. **9.** Who is the competent authority to decide whether the speed limit during NI will be 30 kmph or not? 1 point

Mark only one oval.

- ☐ ADRM consultation with DRM
- ☐ SR DOM consultation with ADRM
- ☐ SR DOM consultation with DRM
- ☐ SR DOM consultation with CRS

11. **10.** At what speed can a passenger train be allowed to pass through a goods line? 1 point

Mark only one oval.

- ☐ 45 KMPH
- ☐ 15 KMPH
- ☐ 30 KMPH
- ☐ None of the above.

12. **11.** What is the maximum permissible speed while shunting a passenger train in push-back movement? 1 point

Mark only one oval.

- ☐ 15 KMPH
- ☐ 10 KMPH
- ☐ 5 KMPH
- ☐ 20 KMPH

13. **12.** What is the minimum visibility distance of a HOME signal in the MACL system? 1 point

Mark only one oval.

- ☐ 400 Meter
- ☐ 200 Meter
- ☐ 1000 Meter
- ☐ None of the above

14. **13.** When the Distant Signal fails in OFF condition, which authority is issued by the Station Master? 1 point

Mark only one oval.

- ☐ T/369(1)
- ☐ Written Memo
- ☐ T/409
- ☐ None of above

15. **14.** In the event of a SPAD by a train, whose approval is required for the further movement of the train? 1 point

Mark only one oval.

- ☐ Sr. DOM
- ☐ Station Master
- ☐ Train Manager
- ☐ None of the above

16. **15.** Which signal may be taken OFF in Absolute Block System working without obtaining Line Clear? 1 point

Mark only one oval.

- ☐ Starter Signal
- ☐ Advance Starter Signal
- ☐ Intermediate Block Signal
- ☐ None of the above
-

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-12

1. Email *

2. 1. Visibility test Object may be

1 point

Mark only one oval.

- ☐ Post erected for the Purpose
- ☐ Light of a fixed colour light signal
- ☐ Either A& B
- ☐ Both A & B

3. 2. No Passenger train or mixed train shall be dispatched from a station before the

1 point

Mark only one oval.

- ☐ Standard time
- ☐ Working Time Table
- ☐ Time mentioned in apps
- ☐ Advertised Time

4. **3.** The aspect of Independent Shunt Signal at ON is?

1 point

Mark only one oval.

- ☐ Stop
- ☐ Caution
- ☐ Attention
- ☐ No Light

5. **4.** Normally all the Points Shall be set for?

1 point

Mark only one oval.

- ☐ Straight Line
- ☐ Main Line
- ☐ Loop Line
- ☐ Any line

6. **5.** How many Wagons of Dangerous Goods can be attached with a Goods Train ?

1 point

Mark only one oval.

- ☐ Two
- ☐ Three
- ☐ Five
- ☐ None

7. **6.** In the event of failure of automatic signaling & means of communication in Automatic Block System, what will be time interval between the train about to leave and the preceding train in affected section? 1 point

Mark only one oval.

- ☐ 40 Minutes
- ☐ 15 Minutes
- ☐ Booked Speed
- ☐ 25 Minutes

8. **7.** Who give Permission for mock drill of ART & ARMV ? 1 point

Mark only one oval.

- ☐ DRM- Sr. DMO
- ☐ Sr. DSO – DRM
- ☐ Sr. DCM – Sr. DSO
- ☐ None of the above

9. **8.** How many dead locos can be attached with superfast train 1 point

Mark only one oval.

- ☐ One
- ☐ Two
- ☐ Three
- ☐ None of above

10. **9. Who is the competent authority to decide whether the speed limit during NI will be 30 kmph or not?** 1 point

Mark only one oval.

- ☐ ADRM consultation with DRM
- ☐ SR DOM consultation with ADRM
- ☐ SR DOM consultation with DRM
- ☐ SR DOM consultation with CRS

11. **10. In which month Railway Disaster Plan published?** 1 point

Mark only one oval.

- ☐ January
- ☐ February
- ☐ March
- ☐ April

12. **11. Impact speed of Shunting of One Box Wagon?** 1 point

Mark only one oval.

- ☐ 15 KMPH
- ☐ 8 KMPH
- ☐ 5 KMPH
- ☐ 2.5 KMPH

13. **12.** How many systems of working are applicable to Indian railways?

1 point

Mark only one oval.

- ☐ One
- ☐ Three
- ☐ Six
- ☐ Seven

14. **13.** The speed of Material Train over a turnout is ?

1 point

Mark only one oval.

- ☐ 25 KMPH
- ☐ 10KMPH
- ☐ 30 KMPH
- ☐ None of above

15. **14.** How many Motor Trolleys can be sent in a block section in convoy?

1 point

Mark only one oval.

- ☐ Three
- ☐ Five
- ☐ Nine
- ☐ None of the above

16. **15.** What is the maximum permissible speed of a train during push back movement when the Brake Van is leading? 1 point

Mark only one oval.

- ☐ 15 KMPH
- ☐ 25 KMPH
- ☐ 10 KMPH
- ☐ 5 KMPH

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-13

1. Email *

2. **1. At the time of switching OFF the OHE, in which direction shall the handle of the isolator switch be operated?** 1 point

Mark only one oval.

- ☐ Clockwise
- ☐ Anti-clockwise
- ☐ Upward
- ☐ Downward

3. **2.Which code is used to access the Relay Room for rectification of signal failure?** 1 point

Mark only one oval.

- ☐ 2
- ☐ 3
- ☐ 4
- ☐ 5

4. **3. The signal for the through trains is turned to ON position**

1 point

Mark only one oval.

- ☐ By the order of TNL
- ☐ Sr. DOM
- ☐ To avoid the accident
- ☐ All of the above

5. **4. If a train is moving in the BPAC section without the last vehicle, then that train**

1 point

Mark only one oval.

- ☐ Will be stopped by Showing danger Signal
- ☐ Stopped at the next Station
- ☐ The OHE will be OFF
- ☐ None of the above

6. **5. If the Brake Power Certificate (BPC) of a train becomes invalid, the train will run by the order of**

1 point

Mark only one oval.

- ☐ Sr. DOM
- ☐ on GDR
- ☐ Control
- ☐ All the above

7. **6. Who is the Sr. DOM of DDU Division?**

1 point

Mark only one oval.

- ☐ Uday Singh Mina
- ☐ Keshav Anand
- ☐ Abhishek Vishal
- ☐ P.K. Singh

8. **7. During train parting at night, which signal is used to communicate with LP/TM?**

1 point

Mark only one oval.

- ☐ Green
- ☐ White
- ☐ Red
- ☐ None of the above

9. **8. Which form is used for Line Clear Enquiry Message during Temporary Single Line (TSL) working?**

1 point

Mark only one oval.

- ☐ T/409
- ☐ T/A 1425
- ☐ TSR
- ☐ None of above

10. **9. Identification sheet number is used ?**

1 point

Mark only one oval.

- ☐ For taking L/C
- ☐ During Block
- ☐ At the time of accident
- ☐ None

11. **Information regarding number of Goomties to be constructed during NI is available in** 1 point*Mark only one oval.*

- ☐ TWI
- ☐ SWR
- ☐ Green Notice
- ☐ None

12. **11. Escorting will be done in C-class ODC (Over Dimensional Consignment) by?**

1 point

Mark only one oval.

- ☐ SE(C&W)
- ☐ TI
- ☐ SE(PWay)
- ☐ All of the above

13. **12. What is the maximum speed of the second train at a facing point when provided T/D 912 authority?** 1 point

Mark only one oval.

- ☐ 30 KMPH
- ☐ 15 KMPH
- ☐ Normal Speed
- ☐ 10 KMPH

14. **13. Which authority is to be given by the LP to the next block section Station Master?** 1 point

Mark only one oval.

- ☐ T/B 912
- ☐ T/C 602
- ☐ Both
- ☐ None of above

15. **14. Whose permission is required to take the TSR register outside the SM room?** 1 point

Mark only one oval.

- ☐ DRM
- ☐ Sr. DOM
- ☐ Both
- ☐ None of the above

16. **15. Two inspection cars are attached in the rear Breakvan of ?**

1 point

Mark only one oval.

- ☐ Passenger train
 - ☐ Goods Train
 - ☐ Both
 - ☐ None of the above
-

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-14

1. Email *

2. **1. What is the maximum speed restriction that can be imposed within 1 km of a neutral section?** 1 point

Mark only one oval.

- ☐ 10 KMPH
- ☐ 15 KMPH
- ☐ 30 KMPH
- ☐ 45 KMPH

3. **2. In a faulty electrified section, when power supply is restored after a train has been stopped for more than five minutes due to no tension in OHE , at what maximum speed should the loco pilot proceed towards the station from the point of restriction?** 1 point

Mark only one oval.

- ☐ 5 KMPH
- ☐ 10 KMPH
- ☐ 15 KMPH
- ☐ 30 KMPH

4. **3. Where is permission granted for the movement of goods trains or passenger trains hauled by non-electric engines during power blocks?** 1 point

Mark only one oval.

- ☐ SR 17.03
- ☐ SR 17.04
- ☐ SR 17.09
- ☐ None of the above.

5. **4. In which correction slip of the GR were instructions issued regarding careful observation of the pantograph of passing trains?** 1 point

Mark only one oval.

- ☐ Correction Slip-2
- ☐ Correction Slip-3
- ☐ Correction Slip-4
- ☐ Correction Slip-5

6. **5. At what distance from the level crossing gate is the CT board provided?** 1 point

Mark only one oval.

- ☐ 250 Meter
- ☐ 400 Meter
- ☐ 450 Meter
- ☐ 600 Meter

7. **6. On issuing which authority is the original copy retained by the Station Master for record and the carbon copy handed over to the driver?** 1 point

Mark only one oval.

- ☐ T/1410
- ☐ T/F 602
- ☐ Authority for Motor Trolley
- ☐ None

8. **7. At what distance after the loop line crossover point is the loop line clearance board installed at a station?** 1 point

Mark only one oval.

- ☐ 625 Meter
- ☐ 675 Meter
- ☐ 690 Meter
- ☐ 720 Meter

9. **8. If a patrolman does not turn up within 15 minutes of his scheduled arrival time, the Station Master on duty shall impose a speed restriction of in Night ?** 1 point

Mark only one oval.

- ☐ 15 KMPH
- ☐ 40 KMPH
- ☐ 10 KMPH
- ☐ None of above

10. **9.If the block instrument of a Station Master is not operated for how long, a fresh competency certificate must be issued by the TI/SS and SSE/SIG?** 1 point

Mark only one oval.

- ☐ 3 Months
- ☐ 6 Months
- ☐ 01 Year
- ☐ 02 Years

11. **10. For the purpose of changing the route, a signal will be considered properly switched off when at least how many lights are glowing in the junction indicator?** 1 point

Mark only one oval.

- ☐ 2
- ☐ 3
- ☐ 4
- ☐ 5

12. **11. Who grants permission to increase the sectional speed to 110 kmph?** 1 point

Mark only one oval.

- ☐ PCOM
- ☐ PCEE
- ☐ CRS
- ☐ Railway Board

13. **12. What whistle code is sounded by the Loco Pilot when the Alarm Chain Pulling (ACP) is operated?** 1 point

Mark only one oval.

- ☐ One long Two Short
- ☐ Two Short one long
- ☐ One Long
- ☐ None

14. **13. At what time before departure is it necessary for a passenger train to blow its whistle after stopping at a station ?** 1 point

Mark only one oval.

- ☐ 10 Seconds
- ☐ 15seconds
- ☐ 20 Seconds
- ☐ Not necessary

15. **14. In how many copies is the Block Demand Letter (Annexure 1/2) prepared and submitted to the Station Master?** 1 point

Mark only one oval.

- ☐ Two
- ☐ One
- ☐ Three
- ☐ None of the above

16. **15. Bright yellow circles for the exchange of “All Right” signals are provided on both sides of the track on the platform at approximately what distance from the center of the platform track?** 1 point

Mark only one oval.

- ☐ 3 Meter
- ☐ 3.5 meter
- ☐ 5 Meter
- ☐ None of the above

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-15

1. Email *

2. **1. Train parting indication in Automatic Block Signalling territory is?** 1 point

Mark only one oval.

- ☐ LV is visible
- ☐ Track circuits showing occupied
- ☐ Track circuit clear
- ☐ All of the above

3. **2. When the distant signal fails in OFF condition, which authority is issued by the SM on duty?** 1 point

Mark only one oval.

- ☐ Written memo
- ☐ T/369(1)
- ☐ T/369(3b)
- ☐ T/409

4. **3. Under a single authority to proceed, what is the maximum number of track machines permitted to run?** 1 point

Mark only one oval.

- ☐ Three
- ☐ Two
- ☐ One
- ☐ Five

5. **4. Which authority is issued to a Loco Pilot to pass a MABS signal in ON position?** 1 point

Mark only one oval.

- ☐ T/806
- ☐ T/369(1)
- ☐ T/369(3b)
- ☐ T/409

6. **5. After granting Line Clear, shunting may be permitted up to?** 1 point

Mark only one oval.

- ☐ Home signal
- ☐ Outermost facing points
- ☐ Beyond Home signal
- ☐ Shunting cannot be done

7. **6. Block Forward is done in?**

1 point

Mark only one oval.

- ☐ Single line
- ☐ Double line
- ☐ Both
- ☐ None

8. **7. Under the Rolling Block Programme, what is the maximum advance planning period?** 1 point*Mark only one oval.*

- ☐ 52 Weeks
- ☐ One Week
- ☐ 40 Weeks
- ☐ 3 days

9. **8.By waving green flag by day and a white light by night up and down vertically as high and as low as possible indicate?** 1 point*Mark only one oval.*

- ☐ Coupling
- ☐ Move Slowly
- ☐ Train parting
- ☐ None of above

10. **9.How many dead locos can be attached with superfast train?**

1 point

Mark only one oval.

- ☐ Two
- ☐ Three
- ☐ One
- ☐ None of the above

11. **10. Who grants permission to increase the sectional speed to 110 kmph?**

1 point

Mark only one oval.

- ☐ PCOM
- ☐ PCEE
- ☐ CRS
- ☐ None of the above

12. **11. Two Long Two Short (— — o o) engine city code is used for?**

1 point

Mark only one oval.

- ☐ To call Guard (TM) at Engine
- ☐ Token missed
- ☐ Both
- ☐ None of the above

13. **12. Each railway servant, who has been supplied with a copy of rules shall?** 1 point

Mark only one oval.

- ☐ Keep it pasted with all corrections
- ☐ Produce the same on demand by any of his superiors
- ☐ Both the above
- ☐ None of the above

14. **13. The competency of “SPL Class Gateman” is valid up to?** 1 point

Mark only one oval.

- ☐ Five years
- ☐ Three years
- ☐ Two years
- ☐ One year

15. **14. Line Block & Clear Register at station is** 1 point

Mark only one oval.

- ☐ Compulsory
- ☐ Not Compulsory
- ☐ Compulsory at way side station
- ☐ None of the above

16. **15. Testing of Fire Extinguisher is required?**

1 point

Mark only one oval.

- ☐ After one year
- ☐ After six month
- ☐ After three month
- ☐ None of the above

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-16

1. Email *

2. 1. While passing an automatic signal at ON in daytime with clear visibility, what is the maximum speed of the train as per SR 9.02? 1 point

Mark only one oval.

☐ 25 KMPH

☐ 15 KMPH

☐ 8 KMPH

☐ None

3. 2. In automatic section, the portion between two automatic stop signals is called what? 1 point

Mark only one oval.

☐ Neutral zone

☐ Overlapping zone

☐ Automatic block signalling section

☐ None of the above

4. **3.** In automatic block section, without line clear, for passing a signal at danger, what authority is given? 1 point

Mark only one oval.

- ☐ T/B 912
- ☐ T/C 912
- ☐ T/D 912
- ☐ T/806

5. **4.** In double line section in automatic block signalling territory, in case of accident, the line on which accident has taken place shall be protected by placing detonators. At what distances should detonators be placed? 1 point

Mark only one oval.

- ☐ 250/1 – 500/2 – 510/3
- ☐ 600 – 1200/2 – 1210/3, 1220/4
- ☐ 90/1 – 180/2 – 190/3
- ☐ None of the above

6. **5.** If a semi-automatic starter signal is showing Red, LC gate is ahead, and “AG” marker is illuminated, what does it mean? 1 point

Mark only one oval.

- ☐ gate is closed
- ☐ gate is open or defective
- ☐ Line Clear not granted
- ☐ None of the above

7. **6.** What is the normal aspect of an automatic signal?

1 point

Mark only one oval.

- ☐ Red
- ☐ Double Yellow
- ☐ Green
- ☐ None of the above

8. **7.** In foggy and dusty weather conditions, what is the maximum speed of train in automatic section?

1 point

Mark only one oval.

- ☐ 25 KMPH
- ☐ 30 KMPH
- ☐ 60 KMPH
- ☐ 75 KMPH

9. **8.** In automatic block territory, when entire signal system fails and all communication is also failed, during daytime with clear weather, what should be the speed of the train?

1 point

Mark only one oval.

- ☐ 15 KMPH
- ☐ 8 KMPH
- ☐ 30 KMPH
- ☐ 25 KMPH

10. **9.**In automatic double line section, in case of Total Failure of Communication (TFC), adjacent line shall be protected by placing detonators at what distances?

1 point

Mark only one oval.

- ☐ 90 m – 90 m – 10 m
- ☐ 250 m – 250 m – 10 m
- ☐ 600 m – 1200 m – 10 m-10m
- ☐ None of the above

11. **10.** While passing an automatic signal at ON, if obstruction is found ahead, a goods train shall stop at what distance before obstruction?

1 point

Mark only one oval.

- ☐ 150 Meter
- ☐ 300 Meter
- ☐ 400 Meter
- ☐ 200 Meter

12. **11.** In automatic signalling system, protection rules are given under which G&SR rule?

1 point

Mark only one oval.

- ☐ G&SR 9.02
- ☐ G&SR 9.10
- ☐ G&SR 9.01
- ☐ G&SR 9.09

13. **12.** If a modified semi-automatic signal in mid-section is showing Red, after how much time should driver contact through SPT? 1 point

Mark only one oval.

- ☐ 5 minutes
- ☐ 1 minute
- ☐ Immediately
- ☐ To talk with TLC

14. **13.** If modified semi-automatic signal is Red and "A" marker is illuminated, after how much time can it be passed? 1 point

Mark only one oval.

- ☐ Day 2 min / Night 4 min
- ☐ Day 2 min / Night 1 min
- ☐ Day 2 min / Night 3 min
- ☐ Day 1 min / Night 2 min

15. **14.** If it is not possible to contact through SPT, what should be the speed while passing modified semi-automatic signal at ON position in foggy weather ? 1 point

Mark only one oval.

- ☐ Maximum 15 KMPH
- ☐ Maximum 10 KMPH
- ☐ Maximum 25 KMPH
- ☐ Maximum 20 KMPH

16. **15.**If modified system is in working, what is the maximum number of trains that may be run between two stations? 1 point

Mark only one oval.

- ☐ 2
- ☐ 1
- ☐ 3
- ☐ None of the above
-

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-17

1. Email *

2. 1. What is the class/category of DDU station?

1 point

Mark only one oval.

- ☐ A Class
- ☐ B Class
- ☐ C Class
- ☐ Special Class

3. 2. Where are HABD (Hot Axle Box Detector) machines installed in DDU Division?

1 point

Mark only one oval.

- ☐ HDN
- ☐ RFJ
- ☐ BBU
- ☐ All of the above

4. **3.** Who is responsible for declaring a prolonged failure in an Automatic Signalling section? 1 point

Mark only one oval.

- ☐ AOM
- ☐ DOM
- ☐ Sr. DOM
- ☐ DRM

5. **4.** During an integrated block, how many machines are permitted to work in one block section? 1 point

Mark only one oval.

- ☐ 2
- ☐ 3
- ☐ 4
- ☐ 5

6. **5.** How many systems of working are currently in use in Indian Railways? 1 point

Mark only one oval.

- ☐ 2
- ☐ 6
- ☐ 4
- ☐ 5

7. **6.** How many chapters are there in the General & Subsidiary Rules (G&SR)?

1 point

Mark only one oval.

- ☐ 18
- ☐ 12
- ☐ 14
- ☐ 16

8. **7.** How are Subsidiary Rules issued?

1 point

Mark only one oval.

- ☐ By PCOM
- ☐ By CRS
- ☐ By DRM
- ☐ By CCRS

9. **8.** The number of correction slips issued for G&SR is

1 point

Mark only one oval.

- ☐ 12
- ☐ 10
- ☐ 9
- ☐ 11

10. **9.** Which of the following signals is NOT used for shunting operations? 1 point

Mark only one oval.

- ☐ Outer
- ☐ Home
- ☐ LSS
- ☐ All of the above

11. **10.** Which authority is given to pass a shunt signal at 'ON' position during shunting? 1 point

Mark only one oval.

- ☐ T/806
- ☐ T/36/3b
- ☐ T/369(i)
- ☐ All othe above

12. **11.** How many appendices are included in the Station Working Rules (SWR)? 1 point

Mark only one oval.

- ☐ 7
- ☐ 8
- ☐ 6
- ☐ 5

13. **12.** The Divisional Railway Manager (DRM) of DDU Division is:

1 point

Mark only one oval.

- ☐ Uday Singh Mina
- ☐ Keshav Anand
- ☐ Dilip Kumar
- ☐ None of the above

14. **13.** Which form is issued for the reception of a train on a non-signalled line?

1 point

Mark only one oval.

- ☐ T/509
- ☐ T/510
- ☐ T/511
- ☐ T/512

15. **14.** What is the normal aspect of a calling-on signal?

1 point

Mark only one oval.

- ☐ No Light
- ☐ Double Yellow
- ☐ Red
- ☐ Green

16. **15.**A semi-automatic Stop signal is identified by:

1 point

Mark only one oval.

- ☐ Illuminated'A"
 - ☐ 'A'
 - ☐ 'S"
 - ☐ None of the above
-

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-18

1. Email *

2. 1. A freight train in loaded condition, having more than 50% of its wagons fitted with BMBS, is running over a section where the gradient is steeper than 1 in 100. Under such circumstances, what is the maximum permissible speed of the train? ? 1 point

Mark only one oval.

- ☐ 30 KMPH
- ☐ 40 KMPH
- ☐ 50 KMPH
- ☐ 60 KMPH

3. 2. Speed limit of Vande Bharat trains while passing a signal at double yellow ? 1 point

Mark only one oval.

- ☐ 60 KMPH
- ☐ 90 KMPH
- ☐ 110 KMPH
- ☐ 100 KMPH

4. **3.** Enroute BPC of end-to-end rake is ?

1 point

Mark only one oval.

☐ 100%

☐ 90%

☐ 75%

☐ 70%

5. **4.** Enhanced BPC validity of BOBRN wagons ?

1 point

Mark only one oval.

☐ 9000 kms or 30 + 5 days

☐ 9000 kms or 30 days

☐ 10000 km or 35 + 5 days

☐ 7500 km or 35 + 5 days

6. **5.** How many round trips of learning are to be given to a Loco Pilot who resumes duty after 100 days of absence?

1 point

Mark only one oval.

☐ 1

☐ 2

☐ 3

☐ 4

7. **6. Competency certificate for SM joining from Absolute Block System to Automatic Block System is issued after ?** 1 point

Mark only one oval.

- ☐ One day training by sectional TI and SSE (Signal)
- ☐ Two days training by sectional TI and SSE (Signal)
- ☐ Seven days training by sectional TI and SSE (Signal)
- ☐ None of these

8. **7. Prescribed bell code for vehicles running away into the block section in single line ?** 1 point

Mark only one oval.

- ☐ Six pause five
- ☐ Six pause four
- ☐ Six pause three
- ☐ Six pause two

9. **8. Member Operations & Business Development in Railway Board is** 1 point

Mark only one oval.

- ☐ Satish Kumar
- ☐ Hari Shankar Verma
- ☐ V. Somanna
- ☐ Ravneet Singh Bittu

10. **9.** When three tower wagons are running in a convoy, what is the maximum permissible speed of the second tower wagon?

1 point

Mark only one oval.

- ☐ 20 KMPH
- ☐ 30 KMPH
- ☐ 40 KMPH
- ☐ 50 KMPH

11. **10.** POH schedule of Rajdhani and Shatabdi trains ?

1 point

Mark only one oval.

- ☐ 6 months
- ☐ 12 months
- ☐ 18 months
- ☐ 24 months

12. **11.** When a train is being received on an obstructed line, at what distance before the obstruction should a danger hand signal be exhibited?

1 point

Mark only one oval.

- ☐ 45 meters
- ☐ 20 meters
- ☐ 50 meters
- ☐ None of the above

13. **12.** By whom is the minimum stock of detonators at a station, which shall not be reduced under any circumstances, decided? 1 point

Mark only one oval.

- ☐ ADRM
- ☐ Sr. DOM
- ☐ DRM
- ☐ GM

14. **13.** When a patrolman does not turn up within the stipulated time of 15 minutes during poor visibility, what caution order shall be issued in T/409 by the Station Master on duty? 1 point

Mark only one oval.

- ☐ 20 KMPH
- ☐ 10 KMPH
- ☐ 15 KMPH
- ☐ 30 KMPH

15. **14.** Speed of all trains while entering dock platform is limited to ? 1 point

Mark only one oval.

- ☐ 15 KMPH
- ☐ 10 KMPH
- ☐ 30 KMPH
- ☐ 20 KMPH

16. **15. Who authorises the provision of the Last Stop Signal of a station being** 1 point
combined with the Distant Signal of the station in rear?

Mark only one oval.

- ☐ GM
- ☐ PCOM
- ☐ CRS
- ☐ PCSO

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-19

1. Email *

2. 1. In which category of Accident is a Track failure classified ?

1 point

Mark only one oval.

☐ D

☐ K

☐ J

☐ C

3. 2. At what speed of Wind velocity is considered dangerous for train operations ?

1 point

Mark only one oval.

☐ 60 KMPH

☐ 65 KMPH

☐ 75 KMPH

☐ 100 KMPH

4. **3.** What is the SFOORTI app used for ?

1 point

Mark only one oval.

- ☐ Monitoring freight business and management
- ☐ To issue RR note
- ☐ Monitoring punctuality of Express trains
- ☐ None of the qabove

5. **4.** After a track fit certificate is issued following an accident, who determines the duration of "disruption" if no commercial train passes within 30 minutes ?

1 point

Mark only one oval.

- ☐ GM
- ☐ DRM
- ☐ PCOM
- ☐ Sr. DOM

6. **5.** What is meant by a "Non-Block Station?"

1 point

Mark only one oval.

- ☐ A station that does not mark the boundary of a block section and where trains are not considered under block control
- ☐ A station where there are no signals.
- ☐ A station where only goods trains can stop.
- ☐ A station where there is no passenger stop.

7. **6.** For LHB design coaching stock, for how long is the certificate issued after a primary line test valid? 1 point

Mark only one oval.

- ☐ 4500 km
- ☐ 3500 km or 96 hours, whichever is earlier.
- ☐ 4500 km or 96 hours, whichever is earlier.
- ☐ 4000 km or 96 hours, whichever is earlier.

8. **7.** What is the permissible limit of a "Flat Tyre" in coaching stock ? 1 point

Mark only one oval.

- ☐ 45 mm
- ☐ 55 mm
- ☐ 50 mm
- ☐ 60mm

9. **8.** What is the frequency/period for TVU (Train Vehicle Unit) calculation? 1 point

Mark only one oval.

- ☐ 5 days
- ☐ 7 days
- ☐ 10 days
- ☐ 15 days

10. **9.** In local train operations, what does the term "Headway" represent? 1 point

Mark only one oval.

- ☐ Distance between track and platform
- ☐ The difference in time or distance between two consecutive trains
- ☐ Total length of the train
- ☐ Distance between two stations

11. **10.** What does "Dwell Time" mean in passenger train operations ? 1 point

Mark only one oval.

- ☐ The time provided for passengers to board and alight while the train is stopped at a station.
- ☐ Time taken in the workshop for train maintenance.
- ☐ Travel time between two consecutive stations.
- ☐ Total time a train remains stationary in any yard.

12. **11.** Excluding the dead engine, what should be the brake power percentage of Mail/Express trains? 1 point

Mark only one oval.

- ☐ 85%
- ☐ 90%
- ☐ 100%
- ☐ 95%

13. **12.** Which signal cannot be placed on the same post as any other signal? 1 point

Mark only one oval.

- ☐ Shunt Signal
- ☐ Calling-on Signal
- ☐ Co-acting Signal
- ☐ Repeating Signal

14. **13.** At what distance (in meters) is the Fog Signal Post (FSP) located from the First Stop Signal? 1 point

Mark only one oval.

- ☐ 180
- ☐ 270
- ☐ 600
- ☐ 250

15. **14.** Generally, a single running duty for running staff should not exceed how many hours ? 1 point

Mark only one oval.

- ☐ 8 hours
- ☐ 9 hours
- ☐ 10 hours
- ☐ 12 hours

16. **15.** BTAP wagons are used for loading which of the following materials? 1 point

Mark only one oval.

- ☐ Fly Ash
 - ☐ Alumina
 - ☐ Bulk Cement
 - ☐ All of the above
-

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-20

1. Email *

2. 1. What is the normal aspect of an automatic signal?

1 point

Mark only one oval.

- ☐ One Yellow
- ☐ Two yellow
- ☐ Green
- ☐ None of the above

3. 2. In which class of station is "Station Section" found?

1 point

Mark only one oval.

- ☐ A Class
- ☐ B Class
- ☐ C Class
- ☐ D Class

4. **3.** In which G&SR are the conditions for giving 'Line Clear' at a 'B' class station given? 1 point

Mark only one oval.

- ☐ 8.01
- ☐ 8.02
- ☐ 8.03
- ☐ 8.04

5. **4.** What is the validity (in years) of the Station Working Rules (SWR)? 1 point

Mark only one oval.

- ☐ 03
- ☐ 04
- ☐ 05
- ☐ 06

6. **5.** In how many copies is the General Caution Order issued? 1 point

Mark only one oval.

- ☐ 02
- ☐ 03
- ☐ 04
- ☐ None of the above

7. **6. What is the minimum distance of Signal Overlap at a station with Multiple Aspect Signalling?** 1 point

Mark only one oval.

- ☐ 400 Meter
- ☐ 180 Meter
- ☐ 120 Meter
- ☐ 60 Meter

8. **7. Where is the B.S.L.B. (Block Section Limit Board) placed?** 1 point

Mark only one oval.

- ☐ Single Line
- ☐ Double line
- ☐ Both above
- ☐ None of the above

9. **8. What rule is described in General Rule 5.09?** 1 point

Mark only one oval.

- ☐ Receiving a train on an obstructed line
- ☐ Starting a train from an obstructed line
- ☐ Starting a train from a line without a signal
- ☐ None of the above

10. **9.** Up to where must the line be clear to give 'Line Clear' at a Double Line station with Multiple Aspect Signalling? 1 point

Mark only one oval.

- ☐ To the outermost facing point
- ☐ To the outermost trailing point
- ☐ To the Home Signal
- ☐ All of the above

11. **10.** Which form is issued to send a relief engine/train into an occupied block section in Absolute Block System? 1 point

Mark only one oval.

- ☐ T/A 602
- ☐ T/B 602
- ☐ T/C 602
- ☐ T/D 602

12. **11.** How many Appendices are there in total in the G&SR (General and Subsidiary Rules) book? 1 point

Mark only one oval.

- ☐ 03
- ☐ 04
- ☐ 05
- ☐ 06

13. **12.** Which of the following operation systems is based on the principle of 'Space Interval'? 1 point

Mark only one oval.

- ☐ Absolute Block System
- ☐ Automatic Block System
- ☐ One Train Only System
- ☐ All of the above

14. **13.** Every railway servant should have knowledge of the rules under which rule number? 1 point

Mark only one oval.

- ☐ 2.01
- ☐ 2.02
- ☐ 2.03
- ☐ 2.04

15. **14.** The use of which signal is prohibited for shunting? 1 point

Mark only one oval.

- ☐ Outer Signal
- ☐ Home Signal
- ☐ Last Stop Signal
- ☐ All of the above

16. **15.** Which form is issued to start a train from a line that does not have a signal? 1 point

Mark only one oval.

☐ T/509

☐ T/510

☐ T/511

☐ T/512

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-21

1. Email *

2. 1. On a Double Line (D/L), how far must a train have passed the next Automatic Signal before the previous Automatic Signal changes its aspect? 1 point

Mark only one oval.

- ☐ 180 Mtr
- ☐ 400 Mtr.
- ☐ 120 Mtr.
- ☐ None of the above

3. 2. In an Automatic Section, what is the portion between two Automatic Stop Signals called? 1 point

Mark only one oval.

- ☐ Neutral Zone
- ☐ Overlapping Zone
- ☐ Automatic Block Signaling Section
- ☐ None of the above

4. **3.** After passing an Automatic Stop Signal in the 'ON' position, what is the maximum speed of the train during the day when visibility is clear? 1 point

Mark only one oval.

- ☐ 25 KMPH
- ☐ 15 KMPH
- ☐ 8 KMPH
- ☐ None of the above

5. **4.** In how many copies is the T/C 912 prepared? 1 point

Mark only one oval.

- ☐ 02
- ☐ 03
- ☐ 04
- ☐ None of the above

6. **5.** If a Semi-Automatic Stop Signal is 'RED' with a Gate ahead, and the 'AG' marker is illuminated, what does it indicate? 1 point

Mark only one oval.

- ☐ Gate is closed
- ☐ Gate is Open or defective
- ☐ Line clear not received
- ☐ None of the above

7. **6. To which station will the Loco Pilot (LP) report a defective Automatic Signal?** 1 point

Mark only one oval.

- ☐ Rear Station
- ☐ Next Station
- ☐ Reporting Station (the next station where the train stops)
- ☐ CMI

8. **7. What is the identification of a Modified Semi-Automatic Signal?** 1 point

Mark only one oval.

- ☐ 02 Blue strip and 03 white strips on the post
- ☐ 03 Blue strip and 02 white strips on the post
- ☐ Yellow and black strips on the post
- ☐ None of the above

9. **8. If the 'A' marker is illuminated and Semi-Automatic Home signal is red, how should it be passed?** 1 point

Mark only one oval.

- ☐ After waiting 5 minutes
- ☐ Upon receiving Authority
- ☐ 1 minute in the day and 2 minutes at night
- ☐ None of the above

10. **9.** In which division of the ECR (East Central Railway) Zone is the Hump Yard located? 1 point

Mark only one oval.

- ☐ DHN Division
- ☐ SPJ Division
- ☐ DDU Division
- ☐ None of the above

11. **10.** When a train passes over a 1 in 8.5 turnout, what will be its maximum speed? 1 point

Mark only one oval.

- ☐ 15 KMPH
- ☐ 10 KMPH
- ☐ 30 KMPH
- ☐ None of the above

12. **11.** On whose orders is the Maximum Permissible Speed issued? 1 point

Mark only one oval.

- ☐ PCOM
- ☐ CRS
- ☐ Sr. DOM
- ☐ None of the above

13. **12.** How many types of accidents are there in the Railway?

1 point

Mark only one oval.

- ☐ 4
- ☐ 5
- ☐ 6
- ☐ None of the above

14. **13.** When is a 'C' class ODC (Over Dimensional Consignment) operated?

1 point

Mark only one oval.

- ☐ At night
- ☐ During the day
- ☐ Both day or night
- ☐ None of the above

15. **14.** S/L Working on D/L in Absolute Block System, what is the speed of the second train?

1 point

Mark only one oval.

- ☐ 25 KMPH
- ☐ 15 KMPH
- ☐ Booked Speed
- ☐ None of the above

16. 15. What is the number of the Caution Register?

1 point

Mark only one oval.

- ☐ OP/T-71
- ☐ OP/T-91
- ☐ OP/T-81
- ☐ None of the above

17. 16. Who is the PCOM of ECR?

1 point

Mark only one oval.

- ☐ Manoj Singh
- ☐ Indu Rani Dubey
- ☐ Prabhat Kumar
- ☐ None of the above

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-22

1. Email *

2. 1. Every portion of the permanent way shall be inspected daily on foot by a railway servant. For certain lines where traffic is rare, this period can be modified to once in two days by which instructions? 1 point

Mark only one oval.

- ☐ Special Instructions
- ☐ Approved Special Instructions
- ☐ As per PWI Mandate
- ☐ Instruction by Sr. DEN

3. 2. A vehicle which can be lifted bodily off the line by four men is a ____, whereas a similar vehicle that is heavier in weight is a _____. 1 point

Mark only one oval.

- ☐ Lorry, Trolley
- ☐ Trolley, Lorry
- ☐ Trolley, Dolly
- ☐ Dolly, Motor Trolley

4. **3.** When a train is held up at the First Stop Signal (FSS) without an apparent cause, the Loco Pilot (LP) shall depute the Assistant Loco Pilot (ALP) to proceed to the station after waiting for ? 1 point

Mark only one oval.

- ☐ 2 minutes
- ☐ 5 minutes
- ☐ 10 minutes
- ☐ 15 minutes

5. **4.** During the night or in stormy weather when visibility is not clear, a train cannot be started until its headlights and speedometer are working properly. This is mentioned in which GR Rule ? 1 point

Mark only one oval.

- ☐ GR 4.12
- ☐ GR 4.19
- ☐ GR 4.14
- ☐ GR 4.18

6. **5.** The Station Master (SM) can report the negligence of duty of any staff working under him to his superior without delay, as per which GR Rule? 1 point

Mark only one oval.

- ☐ GR 2.01
- ☐ GR 2.05
- ☐ GR 2.08
- ☐ GR 5.05

7. **6.** Unless otherwise directed by Approved Special Instructions, the adequate distance for an Automatic Signal to assume an 'OFF' aspect shall not be less than ___ on a double line ? 1 point

Mark only one oval.

- ☐ 100 M
- ☐ 120 M
- ☐ 150 M
- ☐ 180 M

8. **7.** In Indian Railways, the obstruction of a Sand Hump or Snag Dead End is prohibited as per Rule No ? 1 point

Mark only one oval.

- ☐ GR 3.41
- ☐ GR 5.09
- ☐ GR 3.40
- ☐ GR 3.27

9. **8.** The provision of a VTO at a station is mentioned in which GR Rule ? 1 point

Mark only one oval.

- ☐ GR 3.19
- ☐ GR 3.16
- ☐ GR 3.61
- ☐ GR 3.07

10. **9.** At least one Automatic Signal can be converted into a Modified Semi-Automatic Stop Signal between two stations. Whose permission is required for this ? 1 point

Mark only one oval.

- ☐ CRS
- ☐ PCOM
- ☐ CTPM
- ☐ Sr.DSTE

11. **10.** Dispensation or relaxation regarding the 'Simultaneous Reception of Trains' (Rule 3.47) is granted by ? 1 point

Mark only one oval.

- ☐ Sr. DSTE
- ☐ CRS
- ☐ CPTM
- ☐ PCOM

12. **11.** On any railway having very light traffic, all signals may be dispensed with and trains will work under ? 1 point

Mark only one oval.

- ☐ Special Instructions
- ☐ Approved Special Instructions
- ☐ DRM Consent
- ☐ Railway Board Order

13. **12.** In which condition shall ARS not be required between the LP & TM of a Rajdhani Express when the train starts ? 1 point

Mark only one oval.

- ☐ From originating station
- ☐ From IBSS
- ☐ Starting after stopping outside station limits
- ☐ During run through a train

14. **13.** When shunting a group of roller-bearing fitted stock coupled together, the maximum impact speed should not exceed ? 1 point

Mark only one oval.

- ☐ 5 KMPH
- ☐ 4 KMPH
- ☐ 2.5 KMPH
- ☐ 10 KMPH

15. **14.** What is the Bell Code exchanged between Station Masters when a train is running away in the wrong direction? 1 point

Mark only one oval.

- ☐ Six pause two
- ☐ Six pause three
- ☐ Six pause four
- ☐ Six pause five

16. **15.** In case of an emergency (such as an accident) involving a total failure of communication, the SM shall personally assist in the loading of a trolley by the first available train when it is ordered by ? 1 point

Mark only one oval.

- ☐ Sr. DOM
- ☐ DRM
- ☐ Chief/Dy. Chief Controller
- ☐ Section Controller

This content is neither created nor endorsed by Google.

Google Forms

परिचालन प्रश्नोत्तरी-23

1. Email *

2. 1. No consignment with less than ____ gross clearance from the overhead contact wire will be permitted over electrified section? 1 point

Mark only one oval.

☐ 20cm

☐ 15cm

☐ 10cm

☐ 5cm

3. 2. Which is used as a Turnout Replacement machine? 1 point

Mark only one oval.

☐ TRT

☐ PQRS

☐ UNIMAT

☐ T-28

4. **3.** If any self-propelled vehicle stopped in Automatic signalling section due to short of obstruction, the distance b/w obstruction & vehicle be? 1 point

Mark only one oval.

- ☐ 150m or Two OHE Mast
- ☐ 75m or one OHE mast
- ☐ Depend on Loco Pilot's
- ☐ None of these

5. **4.** Which of the following sequence is correct 1 point

Mark only one oval.

- ☐ SIP, LOP, ESP, SWRD
- ☐ ESP, LOP, SIP, SWRD
- ☐ ESP, SIP, LOP, SWRD
- ☐ SIP, ESP, LOP, SWRD

6. **5.** Competency Certificate for use of Lorries/Trollies shall be valid for a period not exceeding? 1 point

Mark only one oval.

- ☐ one year
- ☐ Two years
- ☐ Three years
- ☐ None of these

7. **6.** In order to eliminate frequent and undue detention to road traffic at important level crossings, such gates shall not be closed for more than __ minutes at a stretch ? 1 point

Mark only one oval.

- ☐ 15 Minutes
- ☐ 10 minutes
- ☐ 20 Minutes
- ☐ None

8. **7.** What is the correct angle to hit a DCP Fire Extinguisher to avoid injury while using it? 1 point

Mark only one oval.

- ☐ 30°
- ☐ 45°
- ☐ 90°
- ☐ 60°

9. **8.** How many DCP fire extinguishers are provided in each AC coach? 1 point

Mark only one oval.

- ☐ 1
- ☐ 2
- ☐ 4
- ☐ 6

10. **9.** Who will decide in consultation with DRM that the speed during NI will be 30kmph at station or not ? 1 point

Mark only one oval.

- ☐ Sr. DOM
- ☐ PCOM
- ☐ PCE
- ☐ ADRM

11. **10.** LCB key is present in UFSBI of ? 1 point

Mark only one oval.

- ☐ Single line
- ☐ Double line
- ☐ Both single & Double line
- ☐ None

12. **11.** If a Loco Pilot's engine exploded a detonator, after how much distance he can resume authorised speed if no obstruction found? 1 point

Mark only one oval.

- ☐ 1.5 Km or 1500 Mtr.
- ☐ 1.2 Km or 1200 Mtr
- ☐ 1210 Mtr.
- ☐ 1Km or 1000 Mtr.

13. **12.** Every train shall be run on each section of the railway within the limits of speed sanctioned for that section by __ ? 1 point

Mark only one oval.

- ☐ Special Instructions
- ☐ PCE of the Zone
- ☐ Approved special Instructions by GM
- ☐ None

14. **13.** Which of the given train has higher precedence? 1 point

Mark only one oval.

- ☐ special train engaged by public
- ☐ ART returning from accident site
- ☐ Rajdhani Express
- ☐ Sub-urban train in peak rush direction

15. **14.** In UFSBI block instrument if SNOEK indication shows yellow light, what does it mean? 1 point

Mark only one oval.

- ☐ FSS of same station is at 'ON'
- ☐ FSS of same station is taken 'OFF'
- ☐ LSS of other station is taken 'OFF'
- ☐ LSS of other station is at 'ON'

16. **15.** Station Master may permit learning duties at junction stations with marshalling yard and lobby on first posting or where there is change of system/means of working of trains —

1 point

Mark only one oval.

- ☐ 3 days
- ☐ 15 days
- ☐ 8 days
- ☐ 10 days

This content is neither created nor endorsed by Google.

Google Forms

