

EAST CENTRAL RAILWAY

Run Date : 01/11/17

Depot : All Depots

## LIST OF PURCHASE ORDERS

Section : ALL

| Sr. | P.O. No. and Date  | PO Value           | PL.No    | Item Description  | POSr. | Consignee    | PO Qty   | Qty.Rcd | Dely.Dt       | Paid Val |
|-----|--|--------------------|----------|---|-------|--------------|----------|---------|---------------|----------|
| 1   | <a href="#">02168049113187</a><br>dt.03-OCT-17 on<br>M/s.UNITED<br>ENGINEERING<br>COMPANY-<br>GHAZIABAD<br><a href="#">RITES-CALL</a>  | 27578.00<br>(FP)   | 16170933 | Gasket pipe to Pump Printed<br>silicon Bead to EMD Pt. No.<br>40039270  | 001   | DSL/PTRU     | 36 Nos.  | 0       | 03-JAN-<br>18 | 0        |
|     |  |                    |          |   | 002   | DSL/SPJ      | 67 Nos.  | 0       | 03-JAN-<br>18 | 0        |
| 2   | <a href="#">14161835113188</a><br>dt.03-OCT-17 on<br>M/s.HMTD<br>ENGINEERING PVT.<br>LTD.-NAVI MUMBAI<br><a href="#">RITES-CALL</a>    | 4816000.00<br>(FP) | 45014346 | V deep groove axle pulley for<br>4.5 KW brushless alternator<br>RDSO Drg. No. SKEL-<br>3883,Alt-5 (Col.1) and<br>Confirming to RDSO Spec.<br>No. ELPS/SPEC/TL/13 March<br>1998.       | 001   | SMM/CRW/HRT  | 175 Nos. | 0       | 03-APR-<br>18 | 0        |
| 3   | <a href="#">14161916113189</a><br>dt.03-OCT-17 on<br>M/s.MAA LAXMI<br>INDUSTRY-HOWRAH<br><a href="#">RITES-CALL</a>                    | 5625984.00<br>(FP) | 33554079 | ZS Coupling 400 AMP, 750 V,<br>3 Phase,50 Hz as per RCF<br>Drg No. EDTS 105, REV-E,<br>with amend 1, 2 & 3.   | 001   | GSD/GHZ      | 17 Nos.  | 0       | 03-APR-<br>18 | 0        |
|     |  |                    |          |   | 002   | GSDGHZ       | 6 Nos.   | 0       | 03-APR-<br>18 | 0        |
| 4   | <a href="#">13161003113190</a><br>dt.03-OCT-17 on<br>M/s.MODI HITECH<br>INDIA LIMITED-<br>MEERUT<br><a href="#">RITES-CALL</a>         | 10420.00<br>(FP)   | 76010727 | Manual Metal Arc Welding<br>Electrode, Class B2, type of<br>Coating: Heavy,<br>Size:3.15mm, 10SWG, RDSO<br>Spec. no. IRS-M-28/12, with<br>Amendment no.1, Code as<br>per IS: 814-2004 | 001   | SMM/DSL/SPJ  | 508 MTR  | 0       | 01-JAN-<br>18 | 0        |
|     |  |                    |          |   | 002   | AMM/DSL/PTRU | 614 MTR  | 0       | 01-JAN-<br>18 | 0        |
| 5   | <a href="#">13161029113191</a><br>dt.03-OCT-17 on<br>M/s.M.J.TRADERS-<br>KOLKATA<br><a href="#">RITES-CALL</a>                         | 80986.00<br>(FP)   | 76217437 | Nozzle type 1/16 inch<br>Cutogen Conforming to IS:<br>7653/1975 [Re-affirmed<br>2003]   | 001   | GSD/SPJ      | 99 Nos.  | 0       | 01-JAN-<br>18 | 0        |
|     |  |                    |          |   | 002   | TRS/GMO      | 22 Nos.  | 0       | 01-JAN-<br>18 | 0        |
|     |  |                    |          |   | 003   | BOXNMGS      | 625 Nos. | 0       | 01-JAN-<br>18 | 0        |
| 6   | <a href="#">02168597113192</a><br>dt.04-OCT-17 on<br>M/s.ALLIED<br>ENGINEERING-<br>VARANASI<br><a href="#">RITES-CALL</a>              | 70508.00<br>(FP)   | 18360294 | Lamp Bulls eye 50W.<br>75V(Equipment Rack) EMD<br>Pt. No 8094886  | 001   | DSL/SPJ      | 275 Nos. | 0       | 02-JAN-<br>18 | 0        |
|     |  |                    |          |   | 002   | DSL/PTRU     | 625 Nos. | 0       | 02-JAN-<br>18 | 0        |
| 7   | <a href="#">01163346113193</a><br>dt.04-OCT-17 on<br>M/s.JAYSHREE<br>ENTERPRISES-<br>Kolkata<br><a href="#">RITES-CALL</a>             | 35422.00<br>(FP)   | 17453082 | Pantograph arm assembly<br>wiper - cab door left side -<br>right side to GM Pt. No.<br>10644153.  | 001   | DSL/SPJ      | 15 Nos.  | 0       | 04-FEB-<br>18 | 0        |
| 8   | <a href="#">01163353113194</a><br>dt.04-OCT-17 on<br>M/s.QUADRANT EPP<br>SURLON INDIA LTD.-<br>GHAZIABAD<br><a href="#">RITES-CALL</a> | 37606.00<br>(FP)   | 17453458 | Cylinder wear half nylon alloy<br>10-1/2 inch O.D. to EMD Pt.<br>No. 40075177.  | 001   | DSL/SPJ      | 15 Nos.  | 0       | 04-JAN-<br>18 | 0        |
|     |  |                    |          |   | 002   | DSL/PTRU     | 4 Nos.   | 0       | 04-JAN-<br>18 | 0        |
| 9   | <a href="#">01163229113195</a><br>dt.04-OCT-17 on<br>M/s.SIMA<br>ENGINEERING<br>WORKS-HOWRAH<br><a href="#">RITES-CALL</a>             | 35894.00<br>(FP)   | 17084507 | Stabilizer bar small 22-5/16<br>inch to EMD Pt. No.<br>40077328, DLW Drg. No.<br>42077328, Alt. C.  | 001   | DSL/PTRU     | 43 Nos.  | 0       | 01-FEB-<br>18 | 0        |
| 10  | <a href="#">01163311113196</a><br>dt.04-OCT-17 on<br>M/s.KRISHNA<br>ENGINEERING<br>COMPANY-HUBLI<br><a href="#">RITES-CALL</a>         | 104937.00<br>(FP)  | 17380236 | Gasket - Valve seat to head<br>gasket HP to EMD Pt. No.<br>8063286.   | 001   | DSL/SPJ      | 305 Nos. | 0       | 01-NOV-<br>17 | 0        |
|     |  |                    |          |   | 002   | DSL/PTRU     | 221 Nos. | 0       | 01-NOV-<br>17 | 0        |

| Sl. No. | PO No. and Date  | PO Value (FP)      | PL.No    | Item Description  | PO Sr. | SMM/CRW/HRT  | PO Qty        | Qty.Rcd | Delv.Dt       | Paid Val |
|---------|--|--------------------|----------|---|--------|--------------|---------------|---------|---------------|----------|
| 11      | <a href="#">01151763113197</a><br>dt.04-OCT-17 on<br>M/s.HITCO TOOLS<br>LIMITED-BANGALORE<br><a href="#">RITES-CALL</a>                                      | 217391.00<br>(FP)  | 72989579 | HSS twist drill parallel shank<br>(Jobber series) dia 4.2 mm.<br>Brand:HITCO / ADDISON /<br>MIRANDA / J.K. IS:5101 and<br>confirming to IS:5099   | 001    | SMM/CRW/HRT  | 1500<br>Nos.  | 0       | 27-DEC-<br>17 | 0        |
| 12      | <a href="#">01163233113198</a><br>dt.04-OCT-17 on<br>M/s.PROTIMA<br>ENTERPRISE-<br>HOWRAH<br><a href="#">RITES-CALL</a>                                      | 23521.00<br>(FP)   | 17160534 | Set of lock bolt 1 x10-5/8 to<br>EMD Pt. No./ Drg. No.<br>40078349, Rev to Alcoa Pt.<br>No. C50LR-BR32-92 and steel<br>collar to EMD Pt. No./ Drg.<br>No. 40034493, Rev to Alcoa<br>Pt. No. LC-2R32G.                         | 001    | DSL/PTRU     | 19 Nos.       | 0       | 04-JAN-<br>18 | 0        |
| 13      | <a href="#">01163239113199</a><br>dt.04-OCT-17 on<br>M/s.FREE INDIA<br>GASKET CO.-<br>KOLKATA<br><a href="#">RITES-CALL</a>                                  | 51341.00<br>(FP)   | 17270066 | Gasket sand trap mounting<br>rubber/cork 3-1/2 inch x 3-<br>1/2 inch x 1/16 inch thick to<br>EMD Pt. No. 8101197.   | 001    | DSL/SPJ      | 1198<br>Nos.  | 0       | 04-APR-<br>18 | 0        |
|         |  |                    |          |   | 002    | DSL/PTRU     | 1667<br>Nos.  | 0       | 04-APR-<br>18 | 0        |
| 14      | <a href="#">01163328113200</a><br>dt.04-OCT-17 on<br>M/s.FAIVELEY<br>TRANSPORT RAIL<br>TECHNOLOGIES<br>INDIA<br>LIMITED-.HOSUR<br><a href="#">RITES-CALL</a> | 287280.00<br>(FP)  | 17451681 | Valve ball cock 1-1/4PT<br>compressor drain, EMD Pt.<br>No. 10635243, FTIL Pt. No.<br>726102000.  | 001    | DSL/SPJ      | 8 Nos.        | 0       | 21-FEB-<br>18 | 0        |
|         |  |                    |          |   | 002    | DSL/PTRU     | 10 Nos.       | 0       | 21-FEB-<br>18 | 0        |
| 15      | <a href="#">04178250113201</a><br>dt.04-OCT-17 on<br>M/s.RAIL SOLUTION-<br>HOWRAH<br><a href="#">RITES-CALL</a>  | 571200.00<br>(FP)  | 30985821 | MODIFIED HDPE CHUTE<br>FIXING ARRANGEMENT,<br>Drawing- RDSO's Drg. No.<br>CGK4011, ITEM NO. 1 and 3<br>to 11, Alt. No. 1.   | 001    | SMM/CRW/HRT  | 602 Nos.      | 0       | 30-APR-<br>18 | 0        |
|         |  |                    |          |   | 002    | SMM/CRW/HRT  | 198 Nos.      | 0       | 30-APR-<br>18 | 0        |
| 16      | <a href="#">04178250113202</a><br>dt.04-OCT-17 on<br>M/s.B. K.<br>INDUSTRIAL<br>CORPORATION-<br>KOLKATA<br><a href="#">RITES-CALL</a>                        | 142800.00<br>(FP)  | 30985821 | MODIFIED HDPE CHUTE<br>FIXING ARRANGEMENT,<br>Drawing- RDSO's Drg. No.<br>CGK4011, ITEM NO. 1 and 3<br>to 11, Alt. No. 1.   | 001    | SMM/CRW/HRT  | 200 Nos.      | 0       | 04-APR-<br>18 | 0        |
| 17      | <a href="#">04164668113203</a><br>dt.04-OCT-17 on<br>M/s.KRISHNA<br>WAGON<br>COMPONENTS-<br>KOLKATA<br><a href="#">RITES-CALL</a>                            | 1276002.00<br>(FP) | 38146691 | Pin with Washer and Split<br>cotter to ER/Sketch No.<br>CCC/C & W -04/97, item<br>No.3, and bulb cotter to<br>RDSO's Drg No. WD-94068-<br>S-1, Item No.1 ,Alt. 4.   | 001    | GSD/GHZ      | 18002<br>Nos. | 0       | 04-FEB-<br>18 | 0        |
|         |  |                    |          |   | 002    | SMM/BOXN/MGS | 11638<br>Nos. | 0       | 04-FEB-<br>18 | 0        |
| 18      | <a href="#">06161226113204</a><br>dt.05-OCT-17 on<br>M/s.BLUE BIRD<br>TECHNICKS PVT LTD-<br>KOLKATA<br><a href="#">RITES-CALL</a>                            | 3713024.00<br>(FP) | 56050008 | Transmitter (TX) and<br>Receiver (RX) sets of<br>tokenless single line block<br>instrument as per to Specn<br>No. IRS:S-98/2001 with Amd.<br>3 as applicable of carrier<br>frequency 1800 Hz and<br>modulated frequency 65 cy | 001    | GSD/SPJ      | 112 Set       | 0       | 05-FEB-<br>18 | 0        |
| 19      | <a href="#">06161226113205</a><br>dt.05-OCT-17 on<br>M/s.TIRUPATI<br>MARKETING AND<br>SERVICES-<br>KOLKATA.<br><a href="#">RITES-CALL</a>                    | 563584.00<br>(FP)  | 56050008 | Transmitter (TX) and<br>Receiver (RX) sets of<br>tokenless single line block<br>instrument as per to Specn<br>No. IRS:S-98/2001 with Amd.<br>3 as applicable of carrier<br>frequency 1800 Hz and<br>modulated frequency 65 cy | 001    | GSD/DHN      | 5 Set         | 0       | 05-FEB-<br>18 | 0        |
|         |  |                    |          |   | 002    | GSDGHZ       | 12 Set        | 0       | 05-FEB-<br>18 | 0        |
| 20      | <a href="#">06161238113206</a><br>dt.05-OCT-17 on<br>M/s.TIRUPATI<br>MARKETING AND<br>SERVICES-<br>KOLKATA.<br><a href="#">RITES-CALL</a>                    | 4267200.00<br>(FP) | 56050045 | Transmitter (TX) and<br>Receiver (RX) sets of<br>tokenless single line block<br>instrument as per to Specn<br>No. IRS:S-98/2001 with Amd.<br>3 as applicable of carrier<br>frequency 2700.Hz and<br>modulated frequency 65 cy | 001    | GSD/SPJ      | 100 Set       | 0       | 05-FEB-<br>18 | 0        |
|         |  |                    |          |   | 002    | GSDGHZ       | 14 Set        | 0       | 05-FEB-<br>18 | 0        |
|         |  |                    |          |   | 003    | GSD/DHN      | 13 Set        | 0       | 05-FEB-<br>18 | 0        |
| 21      | <a href="#">02168052113207</a><br>dt.05-OCT-17 on  | 31878.00<br>(FP)   | 16171044 | Seal 'O' Ring strainer to EMD<br>Pt. No. 808518?  | 001    | DSL/PTRU     | 200 Nos.      | 0       | 03-JAN-       | 0        |

| Sr. | P.O. No. and Date  | PO Value          | PL.No    | Item Description  | POSr.    | Consignee   | PO Qty        | Qty.Rcd | Dely.Dt   | Paid Val |
|-----|--|-------------------|----------|---|----------|---|---------------|---------|-----------|----------|
|     | 02161969113208<br>dt.05-OCT-17 on<br>M/s.NOOR AND<br>COMPANY-LUCKNOW<br><a href="#">RITES-CALL</a>                         |                   |          |   | 002      | DSL/SPJ   | 306 Nos.      | 0       | 03-JAN-18 | 0        |
| 22  | 02161969113208<br>dt.05-OCT-17 on<br>M/s.HE<br>TECHNOCRATS-<br>SECUNDERABAD<br><a href="#">RITES-CALL</a>                  | 46719.00<br>(FP)  | 11991276 | Valve solenoid , Cummins<br>part no-3240551   | 001      | DEMU/S/SEE  | 17 Nos.       | 0       | 05-JAN-18 | 0        |
| 23  | 02152032113209<br>dt.05-OCT-17 on<br>M/s.ASSOCIATED<br>INDUSTRIAL<br>CORPORATION-<br>KOLKATA<br><a href="#">RITES-CALL</a> | 11079.00<br>(FP)  | 15329112 | COTTER PIN STEEL 3.2 MM X<br>50.8 MM DLW Drg no-<br>2P79003-064 Rev R3, DLW<br>PT. NO. 15329173   | 001      | AMM/DSL/PTRU  | 12500<br>Nos. | 0       | 05-APR-18 | 0        |
|     |  |                   |          |   | 002      | SMM/DSL/MGS   | 1003<br>Nos.  | 0       | 05-APR-18 | 0        |
|     |  |                   |          |   | 003      | SMM/DSL/SPJ   | 4083<br>Nos.  | 0       | 05-APR-18 | 0        |
| 24  | 02162034113210<br>dt.05-OCT-17 on<br>M/s.DEY BROTHERS-<br>KOLKATA<br><a href="#">RITES-CALL</a>                            | 6651.00<br>(FP)   | 15330230 | SPLIT PIN M.S 6.3X100 MM<br>IS: 549/2005  | 001      | DSL/SPJ   | 1667<br>Nos.  | 0       | 28-DEC-17 | 0        |
| 25  | 02162050113211<br>dt.05-OCT-17 on<br>M/s.SSUDYOG-NEW<br>DELHI<br><a href="#">RITES-CALL</a>                                | 135838.00<br>(FP) | 15380026 | NUT ELASTIC STOP 1 1/2<br>inch X 6TPI (UNC 3B) DLW<br>DRG SKE-1291-027, Alt-aA,   | 002      | DSL/PTRU  | 625 Nos.      | 0       | 05-APR-18 | 0        |
|     |  |                   |          |   | 003      | DSL/SPJ   | 80 Nos.       | 0       | 05-APR-18 | 0        |
|     |  |                   | 15380040 | NUT ELASTIC STOP 1.3/8<br>INCH 6 TPI DLW DRG SKE-<br>1291-0032, Alt-a   | 004      | DSL/SPJ   | 100 Nos.      | 0       | 05-APR-18 | 0        |
|     |  |                   |          |   | 005      | DSL/PTRU  | 375 Nos.      | 0       | 05-APR-18 | 0        |
|     |  |                   |          |   | 001      | DSL/PTRU  | 375 Nos.      | 0       | 05-APR-18 | 0        |
| 26  | 14141757113212<br>dt.05-OCT-17 on<br>M/s.PANKAJ<br>ELECTRONICS-NOIDA<br><a href="#">RITES-CALL</a>                         | 18975.00<br>(FP)  | 46060042 | Contactor Cat No. -TKC<br>6312,77-143 V DC Make ABB<br>or equivalent.   | 001      | GSDGHZ  | 8 Nos.        | 0       | 05-APR-18 | 0        |
|     |  |                   |          |   | 46060091 | Contactor Cat No. -A 26-30-<br>10, 415 V AC Make ABB or<br>equivalent | 002           | GSDGHZ  | 8 Nos.    | 0        |
| 27  | 12173017113213<br>dt.05-OCT-17 on<br>M/s.SAVITRI<br>TRADERS-PATNA<br><a href="#">RITES-CALL</a>                            | 15692.00<br>(FP)  | 83056701 | Envelope SE-7, size:40.5 x 15<br>cms. The envelope should be<br>made of 100 GSM buff<br>Manila/Kraft paper to be<br>printed on front in blue in<br>Hindi and English bold capital<br>letter ON INDIA<br>GOVERNMENT SERVICE Ea | 001      | GSD/SPJ   | 11834<br>Nos. | 0       | 02-FEB-18 | 0        |
|     |  |                   |          |   | 002      | GSDGHZ  | 7625<br>Nos.  | 0       | 02-FEB-18 | 0        |
| 28  | 12173017113214<br>dt.05-OCT-17 on<br>M/s.TIRUPATI<br>STATIONERY<br>PVT.LTD-KANPUR<br><a href="#">RITES-CALL</a>            | 168330.00<br>(FP) | 83056660 | Envelope SE-4, Size:13 x<br>10cms. The envelope should<br>be made of 60 GSM buff<br>manila/Kraft paper with linen<br>to be printed on front in blue<br>in Hindi and English bold<br>capital letters ON INDIA<br>GOVERNMENT SE | 001      | GSDGHZ  | 17211<br>Nos. | 0       | 02-FEB-18 | 0        |
|     |  |                   |          |   | 002      | GSD/SPJ   | 42804<br>Nos. | 0       | 02-FEB-18 | 0        |
|     |  |                   |          |   | 003      | GSD/DHN   | 833 Nos.      | 0       | 02-FEB-18 | 0        |
|     |  |                   | 83056671 | Corresponding Envelope SE-5<br>made on 60 GSM kraft paper<br>brown MG to IS:1397 Gr.-2<br>latest in size:100mm x<br>230mm length plus minus<br>2mm after folding and<br>pasting all over except one<br>side or where one flap | 004      | GSD/DHN   | 7125<br>Nos.  | 0       | 02-FEB-18 | 0        |
|     |  |                   | 83056683 | Envelope SE-6,12 x 28 cms.<br>The envelope should be<br>made of 60 GSM buff<br>manila/kraft paper IS<br>No.1397 Gr.2 printed on<br><br>front in blue in Hindi and<br>English bold capital letter as                           | 005      | GSD/DHN   | 1042<br>Nos.  | 0       | 02-FEB-18 | 0        |

| Sr. | P.O. No. and Date   | PO Value          | PL.No    | Order Description  | POSr. | Consignee | PO Qty           | Qty.Rcd | Dely.Dt   | Paid Val |
|-----|---|-------------------|----------|--|-------|-----------|------------------|---------|-----------|----------|
|     |   |                   |          | ON INDIA GOVERNMENT SERVICE  | 006   | GSDGHZ    | 18950            | 0       | 02-FEB-18 | 0        |
|     |   |                   | 83056725 | Envelope SE-8, Size:30.5 x 40.5 cms. The Envelope should be made of 100 GSM buff Manila/Kraft paper to be printed on front in blue in Hindi and English bold capital letter ON INDIA GOVERNMENT SERVICE  | 007   | GSD/SPJ   | Nos.<br>567 Nos. | 0       | 02-FEB-18 | 0        |
|     |   |                   |          |  | 008   | GSDGHZ    | 1329 Nos.        | 0       | 02-FEB-18 | 0        |
|     |   |                   |          |  | 009   | GSD/DHN   | 47768 Nos.       | 0       | 02-FEB-18 | 0        |
| 29  | <a href="#">14174951113215</a><br>dt.06-OCT-17 on<br>M/s.SHREE UDYOG-<br>PATNA<br><a href="#">RITES-CALL</a>                    | 523059.00<br>(FP) | 42087387 | Fuse link 16A bolted connection OFF set tags, type TIA 16 size A2 for rated voltage 415 Volt, AC. The rated breaking capacity shall be 80 KA, gG equivalent to L & T type HQ, size A2,IS: 13703-1993/IEC | 001   | GSD/SPJ   | 404 Nos.         | 0       | 06-APR-18 | 0        |
|     |   |                   |          |  | 002   | GSDGHZ    | 4262 Nos.        | 0       | 06-APR-18 | 0        |
|     |   |                   |          |  | 003   | CRW/HRT   | 2600 Nos.        | 0       | 06-APR-18 | 0        |
| 30  | <a href="#">14174952113216</a><br>dt.06-OCT-17 on<br>M/s.SHREE UDYOG-<br>PATNA<br><a href="#">RITES-CALL</a>                    | 253800.00<br>(FP) | 42087909 | HRC fuse link 32A,415 volt, 50 HZ, bolted off set, type TIA 32 size A2. The rated breaking capacity shall be 80 KA, gG equivalent to L & T type HQ, size A2 IS:13703-1993/IEC 60269-2-1.                 | 001   | GSDGHZ    | 2750 Nos.        | 0       | 06-APR-18 | 0        |
|     |   |                   |          |  | 002   | GSD/SPJ   | 775 Nos.         | 0       | 06-APR-18 | 0        |
| 31  | <a href="#">14179427113217</a><br>dt.06-OCT-17 on<br>M/s.VAISHNAVI<br>INTERNATIONAL-<br>BANGALORE<br><a href="#">RITES-CALL</a> | 163526.00<br>(FP) | 42089220 | HRC Fuse 40 Amp, 415V AC, size A3 off set tag type to IEC:60269-2-1/IS: 13703-1993 similar to SIEMENS cat. Ref. no.3 ref. NWTIS 40.  | 001   | GSDGHZ    | 1799 Nos.        | 0       | 06-APR-18 | 0        |
| 32  | <a href="#">14175069113218</a><br>dt.06-OCT-17 on<br>M/s.VAISHNAVI<br>INTERNATIONAL-<br>BANGALORE<br><a href="#">RITES-CALL</a> | 90439.00<br>(FP)  | 42087636 | 250 amp, HRC fuse link DIN type (Blade contacts) size-2 conforming to IS: 13703-1993/IEC 60269-2-1   | 001   | GSD/SPJ   | 130 Nos.         | 0       | 06-APR-18 | 0        |
|     |   |                   |          |  | 002   | GSDGHZ    | 11 Nos.          | 0       | 06-APR-18 | 0        |
| 33  | <a href="#">14174935113219</a><br>dt.06-OCT-17 on<br>M/s.VAISHNAVI<br>INTERNATIONAL-<br>BANGALORE<br><a href="#">RITES-CALL</a> | 278212.00<br>(FP) | 42026301 | ISI marked miniature circuit breaker conforming to IS/IEC 60898-1:2002 with rated short circuit capacity 10KA, Instantaneous tripping range:B, No. of poles (PP=protected pole):3 pole with 3 PP, rated  | 001   | GSDGHZ    | 796 Nos.         | 0       | 06-APR-18 | 0        |
|     |   |                   |          |  | 002   | GSD/SPJ   | 588 Nos.         | 0       | 06-APR-18 | 0        |
| 34  | <a href="#">14174934113220</a><br>dt.06-OCT-17 on<br>M/s.VAISHNAVI<br>INTERNATIONAL-<br>BANGALORE<br><a href="#">RITES-CALL</a> | 288846.00<br>(FP) | 42026283 | ISI marked miniature circuit breaker conforming to IS/IEC 60898-1:2002 with rated short circuit capacity 10KA, Instantaneous tripping range:B, No. of poles (PP=protected pole): 2 pole with 2 PP, rated | 001   | GSD/SPJ   | 1912 Nos.        | 0       | 06-APR-18 | 0        |
| 35  | <a href="#">06161159113221</a><br>dt.06-OCT-17 on<br>M/s.MAYUR WIRES<br>PVT LTD-<br>DIST:BARODA<br><a href="#">RITES-CALL</a>   | 497653.00<br>(FP) | 54540537 | Wire rope steel galvanised 19mm 3/4 circumferences tensile strength 95-110 kgs. per sq. mm 7x7/22 SWG i.e.consisting of 7 strands of 7 wire each 0.710 mm dia. coil weighing approx 46-50 kgs to suit sp | 001   | GSDGHZ    | 1172 Kgs.        | 0       | 06-FEB-18 | 0        |
|     |   |                   |          |  | 002   | GSD/DHN   | 1533 Kgs.        | 0       | 06-FEB-18 | 0        |
|     |   |                   |          |  | 003   | GSD/SPJ   | 1200 Kgs.        | 0       | 06-FEB-18 | 0        |
| 36  | <a href="#">01163802113222</a><br>dt.06-OCT-17 on<br>M/s.PRAG<br>POLYMERS-<br>LUCKNOW<br><a href="#">RITES-CALL</a>             | 222642.00<br>(FP) | 17480048 | Filter compressor oil spin on for EMD locomotives, EMD Pt. No. 9311037, DLW Pt. No. 17480048 OR RDSO Drg. No. SKDP-3685 and Pt. Drg. No. SKDP-3678, SKDP-3686, SKDP-3687, SKDP-3688, SKDP-3689, SKDP-369 | 001   | DSL/SPJ   | 114 Nos.         | 0       | 18-FEB-18 | 0        |
|     |   |                   |          |  | 002   | DSL/PTRU  | 57 Nos.          | 0       | 18-FEB-18 | 0        |
| 37  | <a href="#">01163292113223</a><br>dt.06-OCT-17 on<br>M/s.BHARATI AUTO   | 60244.00<br>(FP)  | 17320628 | Connector 3/8 T x 1/4 PT for air brake rack APP. crank case pressure detector APP.,  | 001   | DSL/PTRU  | 425 Nos.         | 0       | 06-JAN-18 | 0        |

| Sr. | P.O. No. and Date  | PO Value           | PL.No    | Item Description  | POSr. | Consignee | PO Qty       | Qty.Rcd | Dely.Dt       | Paid Val |
|-----|--|--------------------|----------|---|-------|-----------|--------------|---------|---------------|----------|
|     | PRODUCTS-<br>JAMNAGAR  |                    |          | DLW Pt. No. 17320628 to<br>DLW Drg. No. 118750, Alt.<br>GB, EMD Pt. No. 118750.   |       |           |              |         |               |          |
| 38  | <a href="#">01163370113224</a><br>dt.06-OCT-17 on<br>M/s.KNORR-BREMSE<br>INDIA PVT. LTD.-<br>PALWAL<br><a href="#">RITES-CALL</a>                            | 129564.00<br>(FP)  | 17457671 | KIT overhauling for EPCU 11<br>items to Knorr-Bremse Pt.<br>No. 775004  | 001   | DSL/PTRU  | 15 Nos.      | 0       | 06-APR-<br>18 | 0        |
| 39  | <a href="#">01163366113225</a><br>dt.06-OCT-17 on<br>M/s.MACO<br>CORPORATION INDIA<br>PRIVATE LTD-Kolkata<br><a href="#">RITES-CALL</a>                      | 793175.00<br>(FP)  | 17454852 | Piston pin L.P. to EMD Pt. No.<br>9537132.  | 001   | DSL/SPJ   | 89 Nos.      | 0       | 06-MAR-<br>18 | 0        |
| 40  | <a href="#">05161310113226</a><br>dt.06-OCT-17 on<br>M/s.HINDUSTAN<br>FORGINGS-HOWRAH<br><a href="#">RITES-CALL</a>  | 32480.00<br>(FP)   | 73030650 | Bolt M S Black hex head<br>round body with hex Nut Dia<br>M 12x38 mm length as per<br>IS:1363-84 or latest.   | 001   | GSD/DHN   | 367 Kgs.     | 0       | 06-FEB-<br>18 | 0        |
| 41  | <a href="#">03161657113227</a><br>dt.09-OCT-17 on<br>M/s.GALAXY<br>INSTRUMENT-<br>KOLKATA<br><a href="#">RITES-CALL</a>                                      | 88200.00<br>(FP)   | 25500454 | Auxiliary line Voltmeter,<br>moving iron type<br>152x70x133mm, Range 0-<br>600V/0-35KV, Scale 82 mm<br>for WAG5,WAG7. Specn.<br>CLW specn. no. CLW/ES/1-21  | 001   | TRS/MGS   | 39 Nos.      | 0       | 09-FEB-<br>18 | 0        |
|     |  |                    |          |   | 002   | TRS/GMO   | 21 Nos.      | 0       | 09-FEB-<br>18 | 0        |
| 42  | <a href="#">03161574113228</a><br>dt.09-OCT-17 on<br>M/s.FAIVELEY<br>TRANSPORT RAIL<br>TECHNOLOGIES<br>INDIA<br>LIMITED-.HOSUR<br><a href="#">RITES-CALL</a> | 75075.00<br>(FP)   | 25158077 | General Maintenance Kit for<br>SA-9 Independent Brake<br>Valve consisting of 04 items<br>as per (1) Inlet valve assy.<br>as per FTIL Pt. no.<br>502105000 and WABCO Pt.<br>no. 564377, Qty./Sets-01No.<br>(2) Exhaust valve | 001   | TRS/MGS   | 52 Set       | 0       | 09-MAR-<br>18 | 0        |
| 43  | <a href="#">03161347113229</a><br>dt.09-OCT-17 on<br>M/s.CONTRANSYS<br>PRIVATE LIMITED-<br>KOLKATA<br><a href="#">RITES-CALL</a>                             | 322770.00<br>(FP)  | 23883390 | Mechanism assembly.<br>Specification-SIL pt.no.S<br>000316,GSEC. Drg No-<br>GSEC/PANTO/217,<br>Cont..pt.no.C 01700.   | 001   | TRS/GMO   | 29 Nos.      | 0       | 09-FEB-<br>18 | 0        |
|     |  |                    |          |   | 002   | TRS/MGS   | 29 Nos.      | 0       | 09-FEB-<br>18 | 0        |
| 44  | <a href="#">03161290113230</a><br>dt.09-OCT-17 on<br>M/s.RIVER<br>ENGINEERING PVT<br>LTD-NOIDA<br><a href="#">RITES-CALL</a>                                 | 36129.00<br>(FP)   | 23842337 | Half bush bearing for Tap<br>changer Specification BT<br>Drg.No.AG 545649-P2,BT Pt<br>No.A-2313,AAL<br>Drg.No.9910383803002,AAL<br>pt.No.M2313.   | 001   | TRS/MGS   | 81 Nos.      | 0       | 09-JUN-<br>18 | 0        |
| 45  | <a href="#">11161238113231</a><br>dt.09-OCT-17 on<br>M/s.A. M.<br>ENGINEERING AND<br>CHEMICAL CO.-<br>KOLKATA<br><a href="#">RITES-CALL</a>                  | 82683.00<br>(FP)   | 81071425 | Pine Oil to IS 5757/1992<br>[2nd revision]  | 001   | GSDGHZ    | 1300 LTR     | 0       | 09-APR-<br>18 | 0        |
| 46  | <a href="#">01163286113232</a><br>dt.09-OCT-17 on<br>M/s.BHARATI AUTO<br>PRODUCTS-<br>JAMNAGAR<br><a href="#">RITES-CALL</a>                                 | 27778.00<br>(FP)   | 17320148 | Connector 5/8" T x 3/4 FPT<br>for pipe tube oil cooler long<br>hood cooling application,<br>DLW Pt. No. 17320148, EMD<br>Pt. No. 8040333.   | 001   | DSL/PTRU  | 143 Nos.     | 0       | 09-JAN-<br>18 | 0        |
| 47  | <a href="#">01163323113233</a><br>dt.09-OCT-17 on<br>M/s.MIDLANDS AND<br>CO.-KOLKATA<br><a href="#">RITES-CALL</a>   | 56062.00<br>(FP)   | 17451152 | Glass tube (fuel gauge), EMD<br>Pt. No. 8245707, DLW Pt.<br>No. 17451152.   | 001   | DSL/PTRU  | 71 Nos.      | 0       | 09-JAN-<br>18 | 0        |
| 48  | <a href="#">11161042113234</a><br>dt.09-OCT-17 on<br>M/s.RAKO<br><br>MERCANTILE<br>TRADERS-LUCKNOW<br><a href="#">RITES-CALL</a>                             | 1086054.00<br>(FP) | 77110304 | Paint Ready Mixed Brushing<br>Bituminous Black to IS<br>9862/1981(Reaffirmed 2009).<br><br>[Item packed in 20 ltrs new<br>and sound non returnable<br>M.S. drums to IS:2552/89  | 001   | GSD/SPJ   | 10000<br>LTR | 0       | 09-JAN-<br>18 | 0        |
|     |  |                    |          |   | 002   | GSDGHZ    | 6775 LTR     | 0       | 09-JAN-       | 0        |

| Sr | P.O. No. and Date   | PO Value           | PI. No   | Grade B-III<br>Item Description  | POSr | Consignee   | PO Qty       | Qty Rcd | Dely Dt       | Paid Val |
|----|---|--------------------|----------|--|------|-------------|--------------|---------|---------------|----------|
| 49 | <a href="#">04170476113235</a><br>dt.09-OCT-17 on<br>M/s.BLACK BURN<br>AND CO. PRIVATE<br>LTD-KOLKATA<br><a href="#">RITES-CALL</a>           | 95114.00<br>(FP)   | 31030336 | Nylon 66 bogie bush for 4.5<br>KW alternator as per RDSO<br>Specification No.<br>RDSO/PE/SPEC/AC/0006-<br>2009 [Rev. 1] and drawing<br>no. RDSO/PE/SK/TL/0085-<br>2014 [Rev. 1].   | 001  | GSDGHZ      | 2745<br>Nos. | 0       | 09-JAN-<br>18 | 0        |
| 50 | <a href="#">04173810113236</a><br>dt.09-OCT-17 on<br>M/s.BALAJI<br>ENTERPRISES-<br>BHOPAL<br><a href="#">RITES-CALL</a>                       | 8978.00<br>(FP)    | 31000496 | Set of fixed and Mobile<br>contact for magnetic<br>contactor CC-1 for BHEL.<br>Specification: KPA Drg. No.<br>ER/KPA/EL/CT. 4 HE/1298B.  | 001  | MEMU JAJ    | 95 Nos.      | 0       | 09-FEB-<br>18 | 0        |
| 51 | <a href="#">04179489113237</a><br>dt.09-OCT-17 on<br>M/s.FABRICATORS<br>INDIA-KOLKATA<br><a href="#">RITES-CALL</a>                           | 2249100.00<br>(FP) | 30984701 | WATER TANK COMPLETE<br>ASSEMBLY CAPACITY 455<br>LTRS.TWO PIECE DESIGN AS<br>PER ICF DRG.NO.ICF/SK-6-3-<br>444,SHEET-1 TO 3 ALT"M"OF<br>COL-II.   | 001  | SMM/CRW/HRT | 90 Set       | 0       | 09-FEB-<br>18 | 0        |
| 52 | <a href="#">03162968113238</a><br>dt.09-OCT-17 on<br>M/s.SENORITA<br>ENTERPRISES-<br>KOLKATA<br><a href="#">RITES-CALL</a>                    | 348390.00<br>(FP)  | 29985500 | Top/Bottom Gasket for TM<br>Blower duct Specification:-<br>ELS/GMO Drg. No.<br>TRS/GMO/E3/G-9/008/ER   | 001  | TRS/GMO     | 360 Nos.     | 0       | 09-JAN-<br>18 | 0        |
|    |   |                    |          |  | 002  | TRS/GMO     | 79 Nos.      | 0       | 09-JAN-<br>18 | 0        |
|    |   |                    |          |  | 003  | TRS/GMO     | 35 Nos.      | 0       | 09-JAN-<br>18 | 0        |
| 53 | <a href="#">03162041113239</a><br>dt.09-OCT-17 on<br>M/s.KALYANI<br>ENGINEERING<br>WORKS-GHAZIABAD<br><a href="#">RITES-CALL</a>              | 188160.00<br>(FP)  | 25985607 | Outer Bearing Stopper (CE)<br>for TM Type HS 1050 of G5<br>Locos. Specification: - Drg.<br>No. 10S-778-663 D.  | 001  | SMM/TRS/MGS | 70 Nos.      | 0       | 09-JAN-<br>18 | 0        |
| 54 | <a href="#">03162041113240</a><br>dt.09-OCT-17 on<br>M/s.SPECIAL<br>ENGINEERING<br>SERVICES LIMITED-<br>KOLKATA<br><a href="#">RITES-CALL</a> | 231840.00<br>(FP)  | 25985619 | Inner Bearing Stopper (PE)<br>for TM Type HS-1050 & HS-<br>15250. Specification: - Drg.<br>No. 10T-806-918 Alt.6.  | 001  | SMM/TRS/MGS | 46 Nos.      | 0       | 09-JAN-<br>18 | 0        |
| 55 | <a href="#">03162110113241</a><br>dt.09-OCT-17 on<br>M/s.PIONEER GEARS<br>AND EQUIPMENTS-<br>HOWRAH<br><a href="#">RITES-CALL</a>             | 147000.00<br>(FP)  | 25987045 | Cylinder lever assly RH for<br>WAG-7 lococ. Specification: -<br>CLW Drg. no. 06/3/19/142<br>Alt.1.   | 001  | TRS/GMO     | 40 Nos.      | 0       | 09-APR-<br>18 | 0        |
|    |   |                    |          |  | 002  | TRS/MGS     | 16 Nos.      | 0       | 09-APR-<br>18 | 0        |
| 56 | <a href="#">03162112113242</a><br>dt.09-OCT-17 on<br>M/s.TIRUPATI<br>ENGINEERING<br>WORKS-KOLKATA<br><a href="#">RITES-CALL</a>               | 112613.00<br>(FP)  | 25987069 | Hanger lever center assly. LH<br>for WAG-7 loco ( opposite to<br>RH) as drawn in Drg.<br>material of Bush with Hanger<br>lever may be either Mn. Steel<br>to specification IRS-R-<br>65.Specification: - CLW drg.<br>No. 06/3/ | 001  | TRS/GMO     | 30 Nos.      | 0       | 09-MAY-<br>18 | 0        |
| 57 | <a href="#">03162191113243</a><br>dt.09-OCT-17 on<br>M/s.NATIONAL<br>ENGINEERING CO.-<br>KOLKATA<br><a href="#">RITES-CALL</a>                | 125160.00<br>(FP)  | 25988402 | Foot step assembly for WAG-<br>7 locomotives. Specification:<br>- GMO Drg. No. -<br>TRS/GMO/M-1/058  | 001  | TRS/GMO     | 40 Nos.      | 0       | 09-FEB-<br>18 | 0        |
| 58 | <a href="#">03162250113244</a><br>dt.09-OCT-17 on<br>M/s.INVOLUTE<br>ENGINEERS AND<br>INDUSTRIES-<br>HOWRAH<br><a href="#">RITES-CALL</a>     | 29400.00<br>(FP)   | 25568048 | Pinion for N-32 Tap Changer.<br>Specification: BT Pt. no. -<br>AG401-1, BT drg. no. -<br>AM500436R1, RDSO drg. no.<br>- SKEL-4618.   | 001  | TRS/MGS     | 7 Nos.       | 0       | 09-APR-<br>18 | 0        |
| 59 | <a href="#">03163793113245</a><br>dt.09-OCT-17 on<br>M/s.NVJ PROJECTS   | 295808.00<br>(FP)  | 29984749 | NS Peri [Slot: L, SR] Type-XV<br>A986 B22 for WAG-9 loco.<br>Specification-ABB ID No.  | 001  | TRS/GMO     | 4 Nos.       | 0       | 09-JUL-<br>18 | 0        |



| Sr. | AND MARKET INC<br>P.O. No. and Date  | PO Value          | PL.No    | BEHL 109286R 0002<br>Item Description   | PO Sr. | Consignee    | PO Qty       | Qty.Rcd | Dely.Dt       | Paid Val |
|-----|--|-------------------|----------|---|--------|--------------|--------------|---------|---------------|----------|
| 60  | <a href="#">01163058113246</a><br>dt.09-OCT-17 on<br>M/s.PRAG<br>INDUSTRIES (INDIA)<br>PVT. LTD.-LUCKNOW<br><a href="#">RITES-CALL</a>                       | 391782.00<br>(FP) | 12088432 | TPU Seal for Gear Case<br>(Modified Half Wiper for<br>Wheel End), RDSO drg. no.<br>SKDP-3885 Alt.-1 and RDSO<br>Mod. sheet no.<br>MP.MOD.EM.02.02.99 Rev.<br>03 dated 20.04.2009.                                   | 001    | DSL/PTRU     | 366 Nos.     | 0       | 19-FEB-<br>18 | 0        |
|     |  |                   |          |   | 002    | DSL/SPJ      | 1103<br>Nos. | 0       | 19-FEB-<br>18 | 0        |
| 61  | <a href="#">03162931113247</a><br>dt.09-OCT-17 on<br>M/s.FLOWWELL<br>PUMPS AND METERS-<br>BANGALORE<br><a href="#">RITES-CALL</a>                            | 283241.00<br>(FP) | 29258352 | Maintenance Spares for SR<br>Oil Pump Flowwell make<br>consisting of two item as: [1]<br>Gasket O Ring Oil Seal for<br>model no. 1515-04 Nos./Set.<br>[2] Gasket O Ring Oil Seal for<br>model no. 1575-03 Nos./Set. | 001    | TRS/GMO      | 32 Set       | 0       | 09-JAN-<br>18 | 0        |
|     |  |                   |          |   | 002    | TRS/GMO      | 10 Set       | 0       | 09-JAN-<br>18 | 0        |
| 62  | <a href="#">03162810113248</a><br>dt.09-OCT-17 on<br>M/s.FAIVELEY<br>TRANSPORT RAIL<br>TECHNOLOGIES<br>INDIA LIMITED-<br>HOSUR<br><a href="#">RITES-CALL</a> | 586240.00<br>(FP) | 29983721 | Kit for auto drain valve (FTIL<br>Pt.No.790010105) as per<br>annexure enclosed  | 001    | TRS/GMO      | 100 Set      | 0       | 09-MAR-<br>18 | 0        |
| 63  | <a href="#">01163149113249</a><br>dt.09-OCT-17 on<br>M/s.PRAG<br>INDUSTRIES (INDIA)<br>PVT. LTD.-LUCKNOW<br><a href="#">RITES-CALL</a>                       | 575170.00<br>(FP) | 12088420 | TPU Seal for Gear Case<br>Modified Half Wiper for Motor<br>End, RDSO drg. no. SKDP-<br>3886 Alt.-1 and RDSO<br>Modification sheet no.<br>MP.MOD.EM.02.02.99 Rev.<br>03 of date 29.04.2009.                          | 001    | DSL/PTRU     | 350 Nos.     | 0       | 19-FEB-<br>18 | 0        |
|     |  |                   |          |   | 002    | DSL/SPJ      | 1103<br>Nos. | 0       | 19-FEB-<br>18 | 0        |
| 64  | <a href="#">01163099113250</a><br>dt.09-OCT-17 on<br>M/s.INSEL<br>RECTIFIERS INDIA<br>PVT LTD-DELHI<br><a href="#">RITES-CALL</a>                            | 84960.00<br>(FP)  | 12200359 | Reverse Current Diode Panel<br>Complete with Diode,<br>Resistance, Heat Sink 7<br>Mounting; 321 UMR-150,<br>1500 PIV, Type SRCD-52 or<br>similar.   | 001    | DSL/MGS      | 6 Nos.       | 0       | 09-JAN-<br>18 | 0        |
|     |  |                   |          |   | 002    | DSL/PTRU     | 10 Nos.      | 0       | 09-JAN-<br>18 | 0        |
|     |  |                   |          |   | 003    | DSL/SPJ      | 2 Nos.       | 0       | 09-JAN-<br>18 | 0        |
| 65  | <a href="#">01163318113251</a><br>dt.09-OCT-17 on<br>M/s.ACME<br>ENGINEERING<br>WORKS-HOWRAH<br><a href="#">RITES-CALL</a>                                   | 31416.00<br>(FP)  | 17390308 | Diaphragm horn air whistle<br>assembly to DLW Drg. No.<br>10585230, Item No. 7, Sheet<br>5 of 5.  | 001    | DSL/PTRU     | 220 Nos.     | 0       | 09-JAN-<br>18 | 0        |
| 66  | <a href="#">14161230113252</a><br>dt.09-OCT-17 on<br>M/s.R K INDUSTRIES-<br>KOLKATA<br><a href="#">RITES-CALL</a>  | 328601.00<br>(FP) | 42114986 | Lamp fluorescent day light<br>Bi-pin, dimension 600 mm X<br>26 mm, 18 watt, 230 volts,<br>as per RDSO specification<br>No. RDSO/PE/SPEC/TL/0011-<br>2000(Rev.1) July 2001 amdt.<br>1, section 1.                    | 001    | MEMU JAJ     | 2500<br>Nos. | 0       | 09-NOV-<br>17 | 0        |
|     |  |                   |          |   | 002    | GSD/SPJ      | 4181<br>Nos. | 0       | 09-NOV-<br>17 | 0        |
|     |  |                   |          |   | 003    | GSDGHZ       | 4458<br>Nos. | 0       | 09-NOV-<br>17 | 0        |
| 67  | <a href="#">01162014113253</a><br>dt.09-OCT-17 on<br>M/s.RANSAL INDIA<br>PVT. LTD.-KOLKATA<br><a href="#">RITES-CALL</a>                                     | 268212.00<br>(FP) | 10080922 | Spacer centre for exhaust<br>manifold flange connection,<br>DLW Drg. No. TPE-06-0018-<br>1, Alt. g, sheet 1 of 4.   | 001    | SMM/DSL/SPJ  | 25 Nos.      | 0       | 09-APR-<br>18 | 0        |
|     |  |                   |          |   | 002    | SMM/DSL/MGS  | 4 Nos.       | 0       | 09-APR-<br>18 | 0        |
|     |  |                   |          |   | 003    | AMM/DSL/PTRU | 2 Nos.       | 0       | 09-APR-<br>18 | 0        |
| 68  | <a href="#">01163277113254</a><br>dt.09-OCT-17 on<br>M/s.BIMAL<br>ENGINEERING<br>WORKS-JALANDHAR<br><a href="#">RITES-CALL</a>                               | 24675.00<br>(FP)  | 17280825 | Coupling flexible 3 inch to<br>DLW Pt. No. 17280825 and<br>EMD Pt. No. 8471160.   | 001    | DSL/PTRU     | 10 Nos.      | 0       | 09-APR-<br>18 | 0        |
| 69  | <a href="#">01163364113255</a><br>dt.09-OCT-17 on<br>M/s.MACO  | 161100.00<br>(FP) | 17454839 | Rod Assembly connecting<br>high pressure to EMD Pt. No.<br>9537130.   | 001    | DSL/PTRU     | 3 Nos.       | 0       | 09-MAR-<br>18 | 0        |

| Sr. | CO. No. and Date   | PO Value           | PL.No    | Item Description   | POSr. | Consignee    | PO Qty        | Qty.Rcd | Dely.Dt   | Paid Val |
|-----|--|--------------------|----------|--|-------|--------------|---------------|---------|-----------|----------|
|     | CORPORATION INDIA PRIVATE LTD-Kolkata<br><a href="#">RITES-CALL</a>  |                    |          |  |       |              |               |         |           |          |
| 70  | <a href="#">01163339113256</a><br>dt.09-OCT-17 on<br>M/s.R P G<br>PRODUCTS-ALIGARH<br><a href="#">RITES-CALL</a>                               | 67850.00<br>(FP)   | 17452752 | Door lock - cab right side to<br>EMD Pt. No. 10632933.   | 001   | DSL/SPJ      | 16 Nos.       | 0       | 09-JAN-18 | 0        |
|     |  |                    |          |  | 002   | DSL/PTRU     | 7 Nos.        | 0       | 09-JAN-18 | 0        |
| 71  | <a href="#">12151026113257</a><br>dt.10-OCT-17 on<br>M/s.S A<br>ENTERPRISES-<br>GORAKHPUR<br><a href="#">RITES-CALL</a>                        | 654856.00<br>(FP)  | 79070668 | Woven shirting for uniform<br>made of polyester and cotton<br>blend confirming to<br>Specification No. IS: 15852-<br>2009 except Soil Release<br>Efficiency Test and Limited<br>Flame Spread Index Test,<br>width 88/91cms. Sh | 001   | GSDGHZ       | 16856<br>MTR  | 0       | 10-MAR-18 | 0        |
| 72  | <a href="#">13161006113258</a><br>dt.10-OCT-17 on<br>M/s.USHA WELDS<br>LTD-PATNA<br><a href="#">RITES-CALL</a>                                 | 1906743.00<br>(FP) | 76010739 | Manual metal arc welding<br>electrodes class-A1(rutile<br>type), size dia x length 4X450<br>mm, type of coating-medium.<br>Specification no- IRSM 28/12<br>with amendment no.1, Code<br>as per IS:814-2004, IS/AWS<br>code     | 001   | SMM/BOXN/MGS | 156420<br>MTR | 0       | 10-APR-18 | 0        |
|     |  |                    |          |  | 002   | GSD/SPJ      | 21669<br>MTR  | 0       | 10-APR-18 | 0        |
|     |  |                    |          |  | 003   | GSD/GHZ      | 65196<br>MTR  | 0       | 10-APR-18 | 0        |
|     |  |                    |          |  | 004   | SMM/DSL/SPJ  | 1500<br>MTR   | 0       | 10-APR-18 | 0        |
|     |  |                    |          |  | 005   | AMM/TRS/GMO  | 9996<br>MTR   | 0       | 10-APR-18 | 0        |
|     |  |                    |          |  | 006   | SMM/DSL/MGS  | 1249<br>MTR   | 0       | 10-APR-18 | 0        |
|     |  |                    |          |  | 007   | SMM/TRS/MGS  | 13284<br>MTR  | 0       | 10-APR-18 | 0        |
| 73  | <a href="#">02161469113259</a><br>dt.10-OCT-17 on<br>M/s.BHARAT UDYOG-<br>VARANASI<br><a href="#">RITES-CALL</a>                               | 544257.00<br>(FP)  | 11410693 | Snubber assly for BG Motor<br>Truck RDSO Drg No.SKDL-<br>2089A, Alt-3.   | 001   | DSL/SPJ      | 25 Nos.       | 0       | 10-MAR-18 | 0        |
|     |  |                    |          |  | 002   | DSL/PTRU     | 12 Nos.       | 0       | 10-MAR-18 | 0        |
|     |  |                    |          |  | 003   | DSL/MGS      | 69 Nos.       | 0       | 10-MAR-18 | 0        |
| 74  | <a href="#">11151221113260</a><br>dt.10-OCT-17 on<br>M/s.INDIAN AIR<br>GASES LTD.-<br>MUGHALSARAI<br><a href="#">RITES-CALL</a>                | 2498402.00<br>(FP) | 81040015 | Dissolved Acetylene Gas<br>Confirming to IS:308/1988<br>with Amendment No:1<br>Reaffirmed 2005 and as per<br>general technical<br>requirement.   | 001   | BOXNMGS      | 12250<br>CUM  | 0       | 10-APR-18 | 0        |
| 75  | <a href="#">01164043113261</a><br>dt.10-OCT-17 on<br>M/s.TECHNO<br>ENGINEERING AND<br>CARBON BRUSH CO-<br>HOWRAH<br><a href="#">RITES-CALL</a> | 66931.00<br>(FP)   | 12420104 | Carbon brush for E.C.C. GR<br>MORGAN EG-0 ER DRG. No.<br>12420104 alt - 3.   | 001   | DSL/MGS      | 300 Nos.      | 0       | 09-NOV-17 | 0        |
|     |  |                    |          |  | 002   | DSL/PTRU     | 562 Nos.      | 0       | 09-NOV-17 | 0        |
|     |  |                    |          |  | 003   | DSL/SPJ      | 300 Nos.      | 0       | 09-NOV-17 | 0        |
| 76  | <a href="#">11161082113262</a><br>dt.10-OCT-17 on<br>M/s.NEO RADIANT<br>PAINTS PVT. LTD.-<br>DURGAPUR<br><a href="#">RITES-CALL</a>            | 1100800.00<br>(FP) | 77900807 | Paint ready mixed brushing<br>lead free anti corrosive<br>bituminous emulsion for ICF<br>coaches; drawing - IRS: p-<br>30/96   | 001   | CRW/HRT      | 20000<br>Kgs. | 0       | 10-JAN-18 | 0        |
| 77  | <a href="#">02161017113263</a><br>dt.10-OCT-17 on<br>M/s.VEEPEE<br>ENGINEERS-<br>VARANASI<br><a href="#">RITES-CALL</a>                        | 190575.00<br>(FP)  | 11023089 | Sand box Assembly (RH) to<br>Drg. No. SK-0775 ALT "B" (SH<br>8 of 4)   | 001   | SMM/DSL/MGS  | 40 Nos.       | 0       | 10-JAN-18 | 0        |
|     |  |                    |          |  | 002   | DSL/SPJ      | 15 Nos.       | 0       | 10-JAN-18 | 0        |
| 78  | <a href="#">02161016113264</a><br>dt.10-OCT-17 on<br>M/s.VEEPEE<br>ENGINEERS-<br>VARANASI<br><a href="#">RITES-CALL</a>                        | 190575.00<br>(FP)  | 11023077 | Sand box Assembly (LH) ,<br>DRG No. SK-0775 ALT."Bb"<br>(SH-3 054)   | 001   | DSL/SPJ      | 15 Nos.       | 0       | 10-JAN-18 | 0        |
|     |  |                    |          |  | 002   | DSL/MGS      | 40 Nos.       | 0       | 10-JAN-18 | 0        |
| 79  | <a href="#">02161003113265</a>   | 31395.00           | 11020210 | LOADING PAD SHOE   | 001   | DSL/SPJ      | 10 Nos.       | 0       |           | 0        |



| Sl.No | Contract/Date  | PO Value           | PL.No    | Vendor Description   | PO Sr. | Consignee    | PO Qty    | Qty.Rcd | Dely.Dt   | Paid Val |
|-------|--|--------------------|----------|--|--------|--------------|-----------|---------|-----------|----------|
|       | M/s.EASTERN EQUIPMENT ENTERPRISES-KOLKATA.<br><a href="#">RITES-CALL</a>   |                    |          | DRG.-11020210 ITEM 1 & 2   |        |              |           |         | 10-JAN-18 |          |
| 80    | <a href="#">02161922113266</a><br>dt.10-OCT-17 on<br>M/s.TOPMAN INDUSTRIES-HOWRAH<br><a href="#">RITES-CALL</a>              | 177062.00<br>(FP)  | 11984259 | SAFETY CLAMP FOR TRANSITION SCREW COUPLING ER DRG CCC/DL-729(ITEM 1 TO 5)  | 001    | DSL/PTRU     | 613 Nos.  | 0       | 10-MAR-18 | 0        |
|       |  |                    |          |  | 002    | DSL/SPJ      | 190 Nos.  | 0       | 10-MAR-18 | 0        |
| 81    | <a href="#">02162008113267</a><br>dt.10-OCT-17 on<br>M/s.ALFRED ENGINEERING INDUSTRIES-KOLKATA<br><a href="#">RITES-CALL</a> | 13417.00<br>(FP)   | 15031202 | CAP SCREW TOP COVER TO A/COOLER 3/8" X 16X 2.3/4" DLW DRG NO TPE-130044, ALT-t, S.N. 27  | 001    | DSL/SPJ      | 500 Nos.  | 0       | 07-FEB-18 | 0        |
|       |  |                    |          |  | 002    | DSL/PTRU     | 833 Nos.  | 0       | 07-FEB-18 | 0        |
| 82    | <a href="#">02161889113268</a><br>dt.10-OCT-17 on<br>M/s.SONI RUBBER PRODUCTS LTD-KOLKATA<br><a href="#">RITES-CALL</a>      | 28787.00<br>(FP)   | 11976822 | HOSE A/COOLER VENT TO TURBO 30" Dlw Drg No.40C77608 line-3   | 001    | DSL/PTRU     | 62 Nos.   | 0       | 08-JAN-18 | 0        |
|       |  |                    |          |  | 002    | DSL/MGS      | 30 Nos.   | 0       | 08-JAN-18 | 0        |
| 83    | <a href="#">02161955113269</a><br>dt.10-OCT-17 on<br>M/s.CBS TECHNOLOGIES PVT LTD-DELHI<br><a href="#">RITES-CALL</a>        | 87261.00<br>(FP)   | 11990521 | BEARING ASSLY. FOR LUB OIL CENTRIFUGAL CLEANER DLW Drg No. SKE-1429 Alt f item no.8,13,14 DLW Pt No.10244372   | 001    | DSL/PTRU     | 4 Nos.    | 0       | 10-JAN-18 | 0        |
|       |  |                    |          |  | 002    | DSL/SPJ      | 5 Nos.    | 0       | 10-JAN-18 | 0        |
|       |  |                    |          |  | 003    | DSL/MGS      | 1 Nos.    | 0       | 10-JAN-18 | 0        |
| 84    | <a href="#">02161465113270</a><br>dt.10-OCT-17 on<br>M/s.FRONTIER SPRINGS LIMITED-KANPUR<br><a href="#">RITES-CALL</a>       | 209952.00<br>(FP)  | 11410048 | SUSPENSION COIL SPRING INNER FOR MOTOR TRUCK RDSO SPECIFICATION NO.MP.0.4900.12 { Rev.02 of nov 12} RDSO Drg NO. SKDL-3464, ALT-5. ,   | 001    | DSL/SPJ      | 16 Nos.   | 0       | 10-MAR-18 | 0        |
|       |  |                    |          |  | 002    | DSL/MGS      | 37 Nos.   | 0       | 10-MAR-18 | 0        |
|       |  |                    |          |  | 003    | DSL/PTRU     | 2 Nos.    | 0       | 10-MAR-18 | 0        |
| 85    | <a href="#">02161372113271</a><br>dt.10-OCT-17 on<br>M/s.ESCORTS LIMITED-FARIDABAD<br><a href="#">RITES-CALL</a>             | 247175.00<br>(FP)  | 11377136 | Rubber part kit for F-2 feed valve, it consist of 24 items, Wabco Pt No-542008-84 ,item may be similar to below mentioned part no:- Sr . no. [1]. Diaphragm , Escorts Pt no. or similar-. 2002, Qt       | 001    | SMM/DSL/SPJ  | 48 Nos.   | 0       | 10-JAN-18 | 0        |
|       |  |                    |          |  | 002    | AMM/DSL/PTRU | 41 Nos.   | 0       | 10-JAN-18 | 0        |
| 86    | <a href="#">02168521113272</a><br>dt.10-OCT-17 on<br>M/s.ELIXIR ENGINEERING-BANGALORE<br><a href="#">RITES-CALL</a>          | 739200.00<br>(FP)  | 18140014 | CONTACTOR starting Auxiliary (STA) EMD Pt. No 8482180 DLW Part No. 18140014  | 001    | DSL/SPJ      | 7 Nos.    | 0       | 29-DEC-17 | 0        |
|       |  |                    |          |  | 002    | DSL/PTRU     | 1 Nos.    | 0       | 29-DEC-17 | 0        |
| 87    | <a href="#">04177556113273</a><br>dt.11-OCT-17 on<br>M/s.ARYAN EXPORTERS (P) LTD.-LUCKNOW<br><a href="#">RITES-CALL</a>      | 293731.00<br>(FP)  | 38990398 | Round plate bonded with stopper spring, Item No. 3 & 6 to Drg. No. AAL-021101, Alt. 8, Specn. No. WD-38-Misc-2004, Rev-1 of Jan 2008 and Amend No. 1 of March 2008 & Amend. No.2 of Sept 2016.           | 001    | GSD/SPJ      | 120 Nos.  | 0       | 11-JAN-18 | 0        |
|       |  |                    |          |  | 002    | BOXNMGS      | 1008 Nos. | 0       | 11-JAN-18 | 0        |
| 88    | <a href="#">04163252113274</a><br>dt.11-OCT-17 on<br>M/s.PAX ENGINEERS-HOWRAH<br><a href="#">RITES-CALL</a>                  | 15435.00<br>(FP)   | 38987156 | Poh kit for IRS design Isolating Cock (Ball Type) consisting 3(Three) items: (1) Seat ring to RDSO's SK-97003, Item No. 4, Alt. No.5. (Five) OR latest, Qty./Set - 2 Nos. (2) Sealing Washer to RDSO's S | 001    | CRW/HRT      | 300 Set   | 0       | 11-JAN-18 | 0        |
| 89    | <a href="#">04163274113275</a><br>dt.11-OCT-17 on<br>M/s.KNORR-BREMSE  | 1033200.00<br>(FP) | 38987480 | Primary Brake beam assembly to RDSO Drg. No. WD-08093-S/2, Item No. 1,   | 001    | SMM/BOXN/MGS | 90 Nos.   | 0       | 11-FEB-18 | 0        |

| Sr. | PO No. and Date  | PO Value            | PL.No    | Item Description  | POSr. | Consignee   | PO Qty        | Qty.Rcd | Dely.Dt   | Paid Val |
|-----|--|---------------------|----------|---|-------|-------------|---------------|---------|-----------|----------|
|     | NOIDA PVT LTD<br>PALWAL<br><a href="#">RITES-CALL</a>  |                     |          | Alt. 3, Specn. No. WD-23-BMBS-2008[Rev.1]   | 002   | GSDGHZ      | 30 Nos.       | 0       | 11-FEB-18 | 0        |
| 90  | <a href="#">03162816113276</a><br>dt.11-OCT-17 on<br>M/s.CG POWER AND<br>INDUSTRIAL<br>SOLUTIONS<br>LIMITED-MUMBAI<br><a href="#">RITES-CALL</a> | 4158848.00<br>(FP)  | 29983800 | Main converter Gate Unit for<br>WAG-9 loco ,Spec./Drg.:ABB<br>ID No. HUCD 320054R1001.<br>Type-GVA587A01  | 001   | TRS/GMO     | 50 Nos.       | 0       | 11-JUL-18 | 0        |
| 91  | <a href="#">03162242113277</a><br>dt.11-OCT-17 on<br>M/s.VARDHMAN<br>INDUSTRIAL<br>FASTENERS-DELHI<br><a href="#">RITES-CALL</a>                 | 1058400.00<br>(FP)  | 25308075 | Set of adopter & pedestal<br>cap bolts with nuts consisting<br>of 4 items. Specification: -<br>(1). Hex Head bolt M24x130<br>mm long to CLW drg. no. -<br>03/4/12/21 Alt.2, Qty -<br>24Nos, (2) M24 Slotted Nut<br>Qty - 24no       | 001   | TRS/MGS     | 93 Set        | 0       | 11-MAR-18 | 0        |
|     |  |                     |          |   | 002   | TRS/MGS     | 47 Set        | 0       | 11-MAR-18 | 0        |
| 92  | <a href="#">03161124113278</a><br>dt.11-OCT-17 on<br>M/s.RIVER<br>ENGINEERING PVT<br>LTD-NOIDA<br><a href="#">RITES-CALL</a>                     | 157412.00<br>(FP)   | 23560400 | Insulating ring (outer),<br>Specification-RDSO<br>drg.no.SKEL-4661,BT part<br>no. S-1219,drg.no.AM-<br>2000095-R1. AAL Drg No-<br>9980383467801 Pt. No- G-<br>1219.   | 001   | TRS/GMO     | 18 Nos.       | 0       | 11-FEB-18 | 0        |
|     |  |                     |          |   | 002   | TRS/MGS     | 5 Nos.        | 0       | 11-FEB-18 | 0        |
| 93  | <a href="#">03151882113279</a><br>dt.11-OCT-17 on<br>M/s.RIVER<br>ENGINEERING PVT<br>LTD-NOIDA<br><a href="#">RITES-CALL</a>                     | 111894.00<br>(FP)   | 25258011 | IOH maintenance schedule<br>sub kit IOH-2B of NO-32 tap<br>changer consisting of<br>following 07 uncommon<br>items of make M/s BT-[i]<br>Valve Nipple to BT Pt. No.<br>A3206, BT drg. no. AG-<br>544411-P1, Qty.- 04 Nos per        | 001   | AMM/TRS/GMO | 15 Set        | 0       | 11-JUN-18 | 0        |
| 94  | <a href="#">11151222113280</a><br>dt.11-OCT-17 on<br>M/s.INDIAN AIR<br>GASES LTD.-<br>MUGHALSARAI<br><a href="#">RITES-CALL</a>                  | 502262.00<br>(FP)   | 81040416 | Compressed Oxygen Gas for<br>Industrial use confirming to<br>IS:309/2005 [Fourth<br>Revision] as per general<br>technical requirement.  | 001   | BOXNMGS     | 23647<br>CUM  | 0       | 11-APR-18 | 0        |
| 95  | <a href="#">03161170113281</a><br>dt.11-OCT-17 on<br>M/s.ANANTASHREE<br>ENGINEERS-GAUTAM<br>BUDDH NAGAR<br><a href="#">RITES-CALL</a>            | 26621.00<br>(FP)    | 23562869 | Connecting Angle for Tap<br>changer, BT Drg.No.AM-<br>304092-P1, BT part<br>no.S2135, AAL Drg No-<br>9919000031001, AAL<br>Pt.no.G2135.   | 001   | TRS/MGS     | 4 Nos.        | 0       | 11-MAY-18 | 0        |
| 96  | <a href="#">05161641113282</a><br>dt.11-OCT-17 on<br>M/s.RESPONSIVE<br>INDUSTRIES LTD-<br>MUMBAI<br><a href="#">RITES-CALL</a>                   | 332730.00<br>(FP)   | 75989955 | FLEXIBLE POLYVINYL<br>FLOORING for NAC [size:<br>length- 14 mtr, width- 1620<br>mm, thickness- 2 mm] to<br>RDSO specn<br>No.RDSO/2006/CG-12,<br>[shade- NAC FLG-02] Rev -1<br>of August 08 with 3<br>amendments - last<br>amendment | 001   | GSD/SPJ     | 452 MTR       | 0       | 08-FEB-18 | 0        |
| 97  | <a href="#">05161241113283</a><br>dt.11-OCT-17 on<br>M/s.R B TOOLS<br>CENTRE-KOLKATA<br><a href="#">RITES-CALL</a>                               | 141600.00<br>(FP)   | 72202725 | HSS twist drill parallel shank<br>(Jobber series) dia 4 mm.<br>Brand:HITTCO / ADDISON /<br>MIRANDA / J.K. IS:5101 and<br>confirming to IS:5099  | 001   | CRW/HRT     | 10000<br>Nos. | 0       | 11-JAN-18 | 0        |
| 98  | <a href="#">05161262113284</a><br>dt.11-OCT-17 on<br>M/s.R B TOOLS<br>CENTRE-KOLKATA<br><a href="#">RITES-CALL</a>                               | 147500.00<br>(FP)   | 72989567 | HSS twist drill parallel shank<br>(Jobber series) dia 3.8 mm.<br>Brand' HITTCO / ADDISON /<br>MIRANDA / J.K. IS:5101 and<br>confirming to IS:5099   | 001   | SMM/CRW/HRT | 10000<br>Nos. | 0       | 11-JAN-18 | 0        |
| 99  | <a href="#">11151066314158</a><br>dt.11-OCT-17 on<br>M/s.Indian Oil<br>Corporation Ltd,<br>Kolkata<br><a href="#">RITES-CALL</a>                 | 55258920.00<br>(FP) | 80014318 | Multi Grade Oil, SERVO RR-<br>606 MG Plus II. Specifications<br>:- Proprietary Brand,Meets<br>IOC's Controller specns as<br>per RGC note (vi)   | 001   | DSL/PTRU    | 269000<br>LTR | 0       | 31-MAY-18 | 0        |
|     |  |                     |          |   | 002   | DSL/MGS     | 173000<br>LTR | 0       | 31-MAY-18 | 0        |
|     |  |                     |          |   | 003   | DSL/SPJ     | 269000        | 0       | 31-MAY-18 | 0        |

| Sr. | P.O. No. and Date   | PO Value           | PL.No    | Item Description  | POSr. | Consignee   | PO Qty       | Qty.Rcd | Del.Dt        | Paid Val |
|-----|---|--------------------|----------|---|-------|-------------|--------------|---------|---------------|----------|
| 100 | <a href="#">04163467113285</a><br>dt.12-OCT-17 on<br>M/s.OSIAN<br>MERCANTILES-<br>KOLKATA<br><a href="#">RITES-CALL</a>       | 1255520.00<br>(FP) | 31985944 | Silicon Diode suitable for<br>main rectifier of MEMU.M/s<br>Hind Rectifier Type<br>SH30C725, Make- Hind<br>Rectifier.   | 001   | MEMU JAJ    | 40 Nos.      | 0       | 12-JAN-<br>18 | 0        |
| 101 | <a href="#">11161226113286</a><br>dt.12-OCT-17 on<br>M/s.MAHENDRA<br>CHEMICAL WORKS-<br>KOLKATA<br><a href="#">RITES-CALL</a> | 120645.00<br>(FP)  | 81050513 | Soap liquid coach cleaning<br>composition as per RDSO<br>Specn. No. M and<br>C/PCN/101/2007 Type-1  | 001   | TRS/GMO     | 560 LTR      | 0       | 10-JAN-<br>18 | 0        |
|     |   |                    |          |   | 002   | GSDGHZ      | 5175 LTR     | 0       | 10-JAN-<br>18 | 0        |
|     |   |                    |          |   | 003   | GSD/SPJ     | 1925 LTR     | 0       | 10-JAN-<br>18 | 0        |
| 102 | <a href="#">03162776113287</a><br>dt.12-OCT-17 on<br>M/s.ARIHANT<br>ELECTRICALS-NEW<br>DELHI<br><a href="#">RITES-CALL</a>    | 176320.00<br>(FP)  | 29788018 | Fuse auxiliary 1000 V, 50<br>Amps for HB panel for WAG-<br>9 locos ,Type-CC1051 CP grc<br>20X127/50<br>CLW/ES/3/0092/B.   | 002   | TRS/GMO     | 25 Nos.      | 0       | 12-JAN-<br>18 | 0        |
|     |   |                    | 29983356 | Fuse auxiliary 1000 V, 50<br>Amps for HB panel for WAG-<br>9 locos ,Type-CC1051 CP grc<br>20X127/50<br>CLW/ES/3/0092/B.   | 001   | TRS/GMO     | 4 Nos.       | 0       | 12-JAN-<br>18 | 0        |
| 103 | <a href="#">05161224113288</a><br>dt.12-OCT-17 on<br>M/s.USHA<br>INDUSTRIES-NEW<br>DELHI<br><a href="#">RITES-CALL</a>        | 188227.00<br>(FP)  | 71010361 | Brush Varnish flat [Painting<br>Brush} 63 mm 01 IS- 384-79<br>British to IS- 1844-76  | 001   | TRS/GMO     | 146 Nos.     | 0       | 12-JUL-<br>18 | 0        |
|     |   |                    |          |   | 002   | GSDGHZ      | 424 Nos.     | 0       | 12-JUL-<br>18 | 0        |
| 104 | <a href="#">05161222113289</a><br>dt.12-OCT-17 on<br>M/s.CLIMAX<br>BRUSHWARES, NEW<br>DELHI<br><a href="#">RITES-CALL</a>     | 405436.00<br>(FP)  | 71010348 | Brush Paints & varnishes<br>(flat) Size :- 38mm as per IS<br>: 384-2002 & Bristles to<br>1844-1993 IS-384-79 &<br>Bristles to IS-1844-76                                    | 001   | BOXNMGS     | 208 Nos.     | 0       | 12-OCT-<br>18 | 0        |
|     |   |                    |          |   | 002   | GSD/DHN     | 200 Nos.     | 0       | 12-OCT-<br>18 | 0        |
|     |   |                    |          |   | 003   | GSD/SPJ     | 1766<br>Nos. | 0       | 12-OCT-<br>18 | 0        |
| 105 | <a href="#">05161221113290</a><br>dt.12-OCT-17 on<br>M/s.USHA<br>INDUSTRIES-NEW<br>DELHI<br><a href="#">RITES-CALL</a>        | 404055.00<br>(FP)  | 71010336 | Brush Paints varnishes (flat)<br>Size :- 25mm as per IS : 384-<br>2002 & Bristles to 1844-1993<br>IS-384-79 & Bristles to IS-<br>1844-76                                    | 001   | TRS/GMO     | 404 Nos.     | 0       | 12-OCT-<br>18 | 0        |
|     |   |                    |          |   | 002   | BOXNMGS     | 91 Nos.      | 0       | 12-OCT-<br>18 | 0        |
|     |   |                    |          |   | 003   | GSD/DHN     | 200 Nos.     | 0       | 12-OCT-<br>18 | 0        |
|     |   |                    |          |   | 004   | GSD/SPJ     | 1765<br>Nos. | 0       | 12-OCT-<br>18 | 0        |
| 106 | <a href="#">05161220113291</a><br>dt.12-OCT-17 on<br>M/s.CLIMAX<br>BRUSHWARES, NEW<br>DELHI<br><a href="#">RITES-CALL</a>     | 110696.00<br>(FP)  | 71010324 | Brush Paints & Varnishes<br>(flat) Size :- 12mm as per<br>IS:384-2002 with latest<br>amdt. & Bristles to 1844-75<br>with latest amdt.IS-384-79 &<br>Bristles to IS-1844-76. | 001   | TRS/GMO     | 196 Nos.     | 0       | 12-OCT-<br>18 | 0        |
|     |   |                    |          |   | 002   | TRS/MGS     | 104 Nos.     | 0       | 12-OCT-<br>18 | 0        |
|     |   |                    |          |   | 003   | GSDGHZ      | 657 Nos.     | 0       | 12-OCT-<br>18 | 0        |
|     |   |                    |          |   | 004   | GSD/DHN     | 417 Nos.     | 0       | 12-OCT-<br>18 | 0        |
| 107 | <a href="#">05161229113292</a><br>dt.12-OCT-17 on<br>M/s.CLIMAX<br>BRUSHWARES-NEW<br>DELHI<br><a href="#">RITES-CALL</a>      | 394488.00<br>(FP)  | 71051107 | wire brush<br>steel180x65x75mm Spec No<br>IRS Z4-1962.  | 001   | BOXNMGS     | 260 Nos.     | 0       | 12-OCT-<br>18 | 0        |
|     |   |                    |          |   | 002   | GSDGHZ      | 371 Nos.     | 0       | 12-OCT-<br>18 | 0        |
|     |   |                    |          |   | 003   | CRW/HRT     | 596 Nos.     | 0       | 12-OCT-<br>18 | 0        |
|     |   |                    |          |   | 004   | GSD/SPJ     | 1393<br>Nos. | 0       | 12-OCT-<br>18 | 0        |
| 108 | <a href="#">04171001113293</a><br>dt.12-OCT-17 on<br>M/s.MAHESHWARI   | 898380.00<br>(FP)  | 30020750 | Aluminium Axle Box Front<br>Cover to ICF's Drg. No. T-0-  | 001   | SMM/CRW/HRT | 744 Nos.     | 0       | 31-MAY-<br>18 | 0        |

| Sr. | PO No. and Date  | PO Value           | PL.No    | Item Description  | POSr. | Consignee | PO Qty    | Qty.Rcd | Dely.Dt   | Paid Val |
|-----|--|--------------------|----------|---|-------|-----------|-----------|---------|-----------|----------|
|     | <a href="#">EXTRE MILLS<br/>BIKANER<br/>RITES-CALL</a>   |                    |          | 2-633, Item No. 1, Alt. No. r/5.  |       |           |           |         |           |          |
| 109 | <a href="#">05161619113294</a><br>dt.12-OCT-17 on<br>M/s.FLEXO FOAM PVT<br>LTD-GURGAON<br><a href="#">RITES-CALL</a>   | 328691.00<br>(FP)  | 75326966 | Seat cushioning material size 38 x 480 x 785 mm.Drawing size as per ICF/TCN-6-1-819 alt-a/2 item 1 RDSO C-K607 (Rev.20FDECEMBER-2015 WITH amendments-1 of August-2016.                | 002   | CRW/HRT   | 72 Nos.   | 0       | 12-JAN-18 | 0        |
|     |  |                    | 75386975 | Seat cushioning material size 51 x 410 x 490 mm.As per ICF/TCN-6-1-819, Alt a/2 item 3. As per RDSO Specification No.C-K607 [Rev 2 of December-2015 with amendment-1 of August-2016]. | 001   | CRW/HRT   | 1899 Nos. | 0       | 12-JAN-18 | 0        |
| 110 | <a href="#">05161608113295</a><br>dt.12-OCT-17 on<br>M/s.BALAJEE<br>ENTERPRISES-DELHI<br><a href="#">RITES-CALL</a>  | 108177.00<br>(FP)  | 75100083 | Canvas cloth hessian (1117/1168 mm wide). IS:2818, Type 1, Part 2, Weight 305 gm per sqr. meter.  | 001   | CRW/HRT   | 2292 MTR  | 0       | 12-JAN-18 | 0        |
| 111 | <a href="#">05161031113296</a><br>dt.12-OCT-17 on<br>M/s.BIMAL<br>ENGINEERING<br>WORKS-JALANDHAR<br><a href="#">RITES-CALL</a>                               | 356470.00<br>(FP)  | 62131291 | ELBOW Galvanised 3/4 inch [20 mm], heavy grade to IS: 1879/1987, Tab 2.1, A1.   | 002   | GSDGHZ    | 343 Nos.  | 0       | 12-APR-18 | 0        |
|     |  |                    |          |   | 003   | CRW/HRT   | 8000 Nos. | 0       | 12-APR-18 | 0        |
|     |  |                    | 62131308 | ELBOW Galvanised 1 inch [25 mm] Heavy grade to IS: 1879/1987, Tab 2.1, A1.  | 001   | CRW/HRT   | 500 Nos.  | 0       | 12-APR-18 | 0        |
|     |  |                    | 62131321 | ELBOW GI, MCI, Galvanised 1-1/2 inch [40mm] heavy grade to IS:1879-1987, Tab-2.1 A1.  | 004   | GSD/SPJ   | 147 Nos.  | 0       | 12-APR-18 | 0        |
|     |  |                    |          |   | 005   | CRW/HRT   | 4000 Nos. | 0       | 12-APR-18 | 0        |
| 112 | <a href="#">03161156113297</a><br>dt.12-OCT-17 on<br>M/s.ANANTASHREE<br>ENGINEERS-GAUTAM<br>BUDDH NAGAR<br><a href="#">RITES-CALL</a>                        | 27258.00<br>(FP)   | 23562109 | Insulated Plate,Specification-BT Drg No.AG-315426-P1.B.T. Pt No.-S 1509, AAL drg no.-9910383527001, AAL Pt no.G1509   | 001   | TRS/MGS   | 11 Nos.   | 0       | 12-MAY-18 | 0        |
| 113 | <a href="#">01163274113298</a><br>dt.13-OCT-17 on<br>M/s.FREE INDIA<br>GASKET CO.-<br>KOLKATA<br><a href="#">RITES-CALL</a>                                  | 28109.00<br>(FP)   | 17272464 | Gasket flex -3/4 to EMD Pt. No. 8479543.  | 001   | DSL/PTRU  | 155 Nos.  | 0       | 13-APR-18 | 0        |
|     |  |                    |          |   | 002   | DSL/SPJ   | 89 Nos.   | 0       | 13-APR-18 | 0        |
| 114 | <a href="#">14176281113299</a><br>dt.13-OCT-17 on<br>M/s.SWAPAN<br>ENGINEERING<br>COMPANY-KOLKATA<br><a href="#">RITES-CALL</a>                              | 94710.00<br>(FP)   | 46192505 | Catenary Suspension Clamp [65 mm] complete with fasteners & locking plate as per RDSO Drawing No. RE/33/1160 Rev.-J and specification No. TI/SPC/OHE/Fittings/0130[10,13]             | 001   | GSDGHZ    | 220 Set   | 0       | 13-MAR-18 | 0        |
| 115 | <a href="#">03162868113300</a><br>dt.13-OCT-17 on<br>M/s.FAIVELEY<br>TRANSPORT RAIL<br>TECHNOLOGIES<br>INDIA LIMITED-<br>HOSUR<br><a href="#">RITES-CALL</a> | 2896692.00<br>(FP) | 29984506 | Combined Inter/After cooler for D and M make compressor as per FTIL Part No. 850030000.   | 001   | TRS/GMO   | 11 Nos.   | 0       | 02-MAR-18 | 0        |
| 116 | <a href="#">03161191113301</a><br>dt.13-OCT-17 on<br>M/s.INVOLUTE  | 37170.00<br>(FP)   | 23564209 | 3 way valve MG 6/6A for N32 Tap changer, RDSO Drg.no.SKEL-4633,BT   | 001   | TRS/GMO   | 5 Nos.    | 0       | 13-APR-18 | 0        |

| Sr. | ATTENTION<br>P.O. No. and Date   | PO Value            | PL.No    | Part No. and Item Description  | POSr.   | Consignee     | PO Qty        | Qty.Rcd   | Dely.Dt   | Paid Val |
|-----|--|---------------------|----------|--|---------|---------------|---------------|-----------|-----------|----------|
|     | 117 <a href="#">0316121113302</a><br>dt.13-OCT-17 on<br>M/s.RIVER<br>ENGINEERING PVT<br>LTD-NOIDA<br><a href="#">RITES-CALL</a>                  | 21270.00<br>(FP)    | 23566000 | Part No. AG-117999-R1,BT<br>Pt.No.A-32.<br>Guide Pin For N-32 Tap<br>Changer BT Drg No.<br>AM501613P1 BT PT.NO<br>A4540.6  | 001     | TRS/MGS       | 25 Nos.       | 0         | 13-JUN-18 | 0        |
|     | 118 <a href="#">03161128113303</a><br>dt.13-OCT-17 on<br>M/s.RIVER<br>ENGINEERING PVT<br>LTD-NOIDA<br><a href="#">RITES-CALL</a>                 | 9086.00<br>(FP)     | 23560514 | Drive shaft for Tap changer ,<br>BT Drg.no.AG-207813-P1, BT<br>part no.S1401, M/s AAL<br>Pt.no.G1401 AAL<br>drg.no.9910383581001.  | 001     | TRS/MGS       | 1 Nos.        | 0         | 13-JUN-18 | 0        |
|     | 119 <a href="#">03161009113304</a><br>dt.13-OCT-17 on<br>M/s.S.K.ENGINEERING<br>ENTERPRISE-<br>HOWRAH<br><a href="#">RITES-CALL</a>              | 45965.00<br>(FP)    | 23160858 | 1/2 inch Isolating Cock<br>without vent [ball type],CLW<br>drg.no.0/2/65/364 alt.6 ,<br>ref.5 and 6  | 001     | TRS/MGS       | 171 Nos.      | 0         | 13-MAR-18 | 0        |
|     | 120 <a href="#">03162037113305</a><br>dt.13-OCT-17 on<br>M/s.CHANDRA<br>UDYOG-HOWRAH<br><a href="#">RITES-CALL</a>                               | 418730.00<br>(FP)   | 25985553 | Brush Holder Assly for TM<br>Type HS-1050 & HS-15250 of<br>G-5 Locos. Specification: -<br>RDSO Drg. No. SKEL 4445,<br>4444, 4443, 4447, 4448,<br>4441, 4442 (TSO No.<br>POM/353/98 dtd. 20.05.98),<br>CLW Drg. No. 2TWD.095. | 001     | SMM/TRS/MGS   | 135 Nos.      | 0         | 13-MAR-18 | 0        |
|     | 121 <a href="#">04170235755114</a><br>dt.13-OCT-17 on<br>M/s.Railway Board,<br>New Delhi<br><a href="#">RITES-CALL</a>                           | 26558346.00<br>(FP) | 00989930 | Wheel solid forged/Rolled for<br>light weight coaching stock<br>(BG) Drg. No. - W/WL 1660<br>R, Alt. - 8 or latest,<br>Specification No. IRS-R-19/93<br>Part (Rev. 1), Dated-<br>February 2002                               | 001     | SMM/CRW/HRT   | 600 Nos.      | 0         | 13-OCT-18 | 0        |
|     | 122 <a href="#">03161210113306</a><br>dt.13-OCT-17 on<br>M/s.RIVER<br>ENGINEERING PVT<br>LTD-NOIDA<br><a href="#">RITES-CALL</a>                 | 137824.00<br>(FP)   | 23565986 | Guide Pin of SMGR to M/S BT<br>Pt.No.-A4540.4  | 001     | TRS/MGS       | 50 Nos.       | 0         | 13-APR-18 | 0        |
|     | 123 <a href="#">04164623113307</a><br>dt.13-OCT-17 on<br>M/s.MELBROW<br>ENGINEERING<br>WORKS PVT. LTD.-<br>KOLKATA<br><a href="#">RITES-CALL</a> | 2438497.00<br>(FP)  | 38130350 | Knuckle pivot pin with<br>washer to RDSO Drg. No.SK-<br>62724, Item-4, Alt.25. Specn.<br>No. 48-BD-2008 with Amend.<br>No. 1 of Sept, 2016.  | 001     | BOXNMGS       | 2525<br>Nos.  | 0         | 13-JUN-18 | 0        |
| 002 |  |                     |          |  | GSDGHZ  | 8133<br>Nos.  | 0             | 13-JUN-18 | 0         |          |
|     | 124 <a href="#">04162808113308</a><br>dt.13-OCT-17 on<br>M/s.MELBROW<br>ENGINEERING<br>WORKS PVT. LTD.-<br>KOLKATA<br><a href="#">RITES-CALL</a> | 1839995.00<br>(FP)  | 38106371 | Bolster liner for CASNUB<br>bogie to RDSO SK.No.77578,<br>item No.2, Alt. No.6 Spec No.<br>WD-21-CASNUB-22 NLB-93,<br>Rev.2, July, 02, With 5<br>Amendments (Last<br>amendment No. 5 issued in<br>Sept' 2016).               | 001     | GSDGHZ        | 659 Nos.      | 0         | 13-JUN-18 | 0        |
| 002 |  |                     |          |  | BOXNMGS | 29368<br>Nos. | 0             | 13-JUN-18 | 0         |          |
|     | 125 <a href="#">04164642113309</a><br>dt.13-OCT-17 on<br>M/s.MELBROW<br>ENGINEERING<br>WORKS PVT. LTD.-<br>KOLKATA<br><a href="#">RITES-CALL</a> | 1314247.00<br>(FP)  | 38140949 | Brake shoe key to IRS Drg.<br>No. W/BG-6150, Alt.No.2  | 001     | SMM/BOXN/MGS  | 30976<br>Nos. | 0         | 13-JUN-18 | 0        |
| 002 |  |                     |          |  | GSD/SPJ | 1900<br>Nos.  | 0             | 13-JUN-18 | 0         |          |
| 003 |  |                     |          |  | GSD/GHZ | 5238<br>Nos.  | 0             | 13-JUN-18 | 0         |          |
|     | 126 <a href="#">02162201113310</a><br>dt.13-OCT-17 on<br>M/s.S M TRADE LINK-<br>NEW DELHI  | 16747.00<br>(FP)    | 19011167 | Bolt Hex 5/16x24x1 inch,<br>DLW Pt No. 19011167, EMD<br>Pt No-40039256 Alt Ca  | 001     | DSL/PTRU      | 175 Nos.      | 0         | 13-FEB-18 | 0        |

| Sr. | PO No. and Date  | PO Value          | PL.No    | Item Description   | POSr.     | Consignee    | PO Qty    | Qty.Rcd | Dely.Dt   | Paid Val |
|-----|--|-------------------|----------|--|-----------|--------------|-----------|---------|-----------|----------|
| 127 | <a href="#">02161441113311</a><br>dt.13-OCT-17 on<br>M/s.ELECTROMECH-<br>NEW DELHI<br><a href="#">RITES-CALL</a>   | 270270.00<br>(FP) | 11390086 | High capacity fuel oil 1/2 inch regulating valve DLW PT NO-11663716, DLW Drg no. TPL-9864 Alt.C.   | 001       | AMM/DSL/PTRU | 10 Nos.   | 0       | 30-MAR-18 | 0        |
|     |  |                   |          |  | 002       | SMM/DSL/SPJ  | 21 Nos.   | 0       | 30-MAR-18 | 0        |
|     |  |                   |          |  | 003       | SMM/DSL/MGS  | 8 Nos.    | 0       | 30-MAR-18 | 0        |
| 128 | <a href="#">02161474113312</a><br>dt.13-OCT-17 on<br>M/s.ASSOCIATED<br>ENGINEERING<br>INDUSTRIES-DELHI<br><a href="#">RITES-CALL</a>                         | 205800.00<br>(FP) | 11420066 | COUPLING FLEXIBLE FAN SIDE (HOLE SET) WDM2 DLW DRG NO.TPL-0383, ALT-D.SHEET 1 OF 10  | 001       | AMM/DSL/PTRU | 2 Nos.    | 0       | 30-MAR-18 | 0        |
|     |  |                   |          |  | 002       | SMM/DSL/SPJ  | 6 Nos.    | 0       | 30-MAR-18 | 0        |
| 129 | <a href="#">02161473113313</a><br>dt.13-OCT-17 on<br>M/s.ASSOCIATED<br>ENGINEERING<br>INDUSTRIES-DELHI<br><a href="#">RITES-CALL</a>                         | 183750.00<br>(FP) | 11420054 | GEAR TYPE coupling engine to compressor DLW DRG NO.TPL-0091, ALT-'w'.  | 001       | AMM/DSL/PTRU | 5 Nos.    | 0       | 30-MAR-18 | 0        |
|     |  |                   |          |  | 002       | SMM/DSL/SPJ  | 2 Nos.    | 0       | 30-MAR-18 | 0        |
|     |  |                   |          |  | 003       | SMM/DSL/MGS  | 3 Nos.    | 0       | 30-MAR-18 | 0        |
| 130 | <a href="#">02161129113314</a><br>dt.13-OCT-17 on<br>M/s.VINAY PLASTIC<br>INDUSTRIES-<br>CHANDER NAGAR,<br>TRI NAGAR<br><a href="#">RITES-CALL</a>           | 221484.00<br>(FP) | 11275558 | V-BELT BX-73, COGGED RAW EDGE MOULDED, RDSO DRG SKDP-3343 ALT-2,   | 001       | DSL/MGS      | 67 Nos.   | 0       | 13-FEB-18 | 0        |
|     |  |                   |          |  | 002       | DSL/PTRU     | 312 Nos.  | 0       | 13-FEB-18 | 0        |
|     |  |                   |          |  | 003       | DSL/SPJ      | 482 Nos.  | 0       | 13-FEB-18 | 0        |
| 131 | <a href="#">01163815113315</a><br>dt.16-OCT-17 on<br>M/s.MACO<br>CORPORATION INDIA<br>PRIVATE LTD-Kolkata<br><a href="#">RITES-CALL</a>                      | 405119.00<br>(FP) | 17980148 | Bearing main roller to EMD Pt. No. 8083552.  | 001       | AMM/DSL/PTRU | 15 Nos.   | 0       | 16-MAR-18 | 0        |
|     |  |                   |          |  | 002       | SMM/DSL/SPJ  | 8 Nos.    | 0       | 16-MAR-18 | 0        |
| 132 | <a href="#">01163228113316</a><br>dt.16-OCT-17 on<br>M/s.PANKAJ<br>INTERNATIONAL-<br>LUDHIANA<br><a href="#">RITES-CALL</a>                                  | 329808.00<br>(FP) | 17084301 | Set of lock bolt to EMD Pt. No. 40022085, DLW Drg. No. 40022085, Alt. B, DLW Pt. No. 19331095 and steel collar to EMD Pt. No. 40022911 to DLW Drg. No. 40022911, Alt. D, DLW Pt. No. 17084301. | 001       | SMM/DSL/SPJ  | 96 Nos.   | 0       | 16-JAN-18 | 0        |
| 133 | <a href="#">02161301113317</a><br>dt.16-OCT-17 on<br>M/s.FAIVELEY<br>TRANSPORT RAIL<br>TECHNOLOGIES<br>INDIA LIMITED-<br>HOSUR<br><a href="#">RITES-CALL</a> | 856170.00<br>(FP) | 11360010 | Valve A9 independent brake vlv asly, WABCO Part No.564140, WABCO Test Spec No.T-2559-0,  | 001       | DSL/MGS      | 9 Nos.    | 0       | 16-JAN-18 | 0        |
|     |  |                   |          |  | 002       | DSL/PTRU     | 4 Nos.    | 0       | 16-JAN-18 | 0        |
|     |  |                   |          |  | 003       | DSL/SPJ      | 23 Nos.   | 0       | 16-JAN-18 | 0        |
| 134 | <a href="#">01163297113318</a><br>dt.16-OCT-17 on<br>M/s.MACO<br>CORPORATION INDIA<br>PRIVATE LTD-Kolkata<br><a href="#">RITES-CALL</a>                      | 750163.00<br>(FP) | 17380054 | Valve Assly Oil Pressure Relief for Air Compressor, to EMD Pt. No. 9311113.  | 001       | SMM/DSL/SPJ  | 16 Nos.   | 0       | 16-MAR-18 | 0        |
|     |  |                   |          |  | 002       | AMM/DSL/PTRU | 12 Nos.   | 0       | 16-MAR-18 | 0        |
| 135 | <a href="#">05175877113319</a><br>dt.16-OCT-17 on<br>M/s.R. A. SYSTEMS-<br>DELHI<br><a href="#">RITES-CALL</a>   | 488632.00<br>(FP) | 75207916 | Gauntlet leather with finger LH Type-II , Size -400 mm to IS: 2573/86  | 001       | GSD/SPJ      | 234 Nos.  | 0       | 16-JAN-18 | 0        |
|     |  |                   |          |  | 002       | TRS/GMO      | 350 Nos.  | 0       | 16-JAN-18 | 0        |
|     |  |                   |          |  | 003       | GSDGHZ       | 1099 Nos. | 0       | 16-JAN-18 | 0        |
|     |  |                   |          |  | 004       | BOXNMGS      | 3150 Nos. | 0       | 16-JAN-18 | 0        |
|     |  |                   | 005      | BOXNMGS  | 3150 Nos. | 0            | 16-JAN-18 | 0       |           |          |
|     |  |                   | 006      | TRS/GMO  | 350 Nos.  | 0            | 16-JAN-18 | 0       |           |          |
|     |  |                   | 007      | GSD/SPJ  | 234 Nos.  | 0            | 16-JAN-18 | 0       |           |          |
|     |  |                   | 75207928 | Gauntlet leather with finger RH Type-II, size-400 mm to IS:2573/86   |           |              |           |         |           |          |



| Sr. | P.O. No. and Date  | PO Value           | PL.No    | Item Description  | POSr.       | Consignee | PO Qty    | Qty.Rcd   | Del.Dt    | Paid Val |
|-----|--|--------------------|----------|---|-------------|-----------|-----------|-----------|-----------|----------|
|     |  |                    |          |   | 008         | GSDGHZ    | 2037 Nos. | 0         | 16-JAN-18 | 0        |
| 136 | <a href="#">14161580113320</a><br>dt.16-OCT-17 on<br>M/s.HMTD<br>ENGINEERING PVT.<br>LTD.-NAVI MUMBAI<br><a href="#">RITES-CALL</a>                    | 6698770.00<br>(FP) | 45030820 | Tensioning device assembly complete with spring and other accessories suitable for 4.5 KW transmouted 110 V DC BL alternator confirming to RDSO, Drg. No. SKEL-3940 sheet 1, Alt-5 and SKEL- 3940 sh    | 001         | GSD/GHZ   | 298 Nos.  | 0         | 16-JAN-18 | 0        |
|     |  |                    | 002      |   | GSD/SPJ     | 468 Nos.  | 0         | 16-JAN-18 | 0         |          |
|     |  |                    | 003      |   | SMM/CRW/HRT | 510 Nos.  | 0         | 16-JAN-18 | 0         |          |
| 137 | <a href="#">03161353113321</a><br>dt.16-OCT-17 on<br>M/s.GENERAL<br>STORES AND<br>ENGINEERING<br>CO.PVT.LTD.-<br>KOLKATA<br><a href="#">RITES-CALL</a> | 164430.00<br>(FP)  | 23883716 | Throttle Valve,SIL pt.no.21 Ref.No.S 000351, GSEC Pt.No.S0219,Contransys Pt.no.C01900   | 001         | TRS/GMO   | 20 Nos.   | 0         | 16-APR-18 | 0        |
|     |  |                    | 002      |   | MEMU JAJ    | 10 Nos.   | 0         | 16-APR-18 | 0         |          |
|     |  |                    | 003      |   | TRS/MGS     | 24 Nos.   | 0         | 16-APR-18 | 0         |          |
| 138 | <a href="#">03161266113322</a><br>dt.16-OCT-17 on<br>M/s.ELBE<br>INDUSTRIAL WORKS-<br>HOWRAH<br><a href="#">RITES-CALL</a>                             | 136500.00<br>(FP)  | 23708682 | Earthing switch[HOM] and spares,specification-CLW Spec. CLW/ES/S-6.   | 001         | TRS/MGS   | 1 Nos.    | 0         | 16-FEB-18 | 0        |
|     |  |                    | 002      |   | TRS/GMO     | 1 Nos.    | 0         | 16-FEB-18 | 0         |          |
| 139 | <a href="#">01163285113323</a><br>dt.16-OCT-17 on<br>M/s.SUPER SEAL<br>FLEXIBLE HOSE LTD-<br>NEW DELHI<br><a href="#">RITES-CALL</a>                   | 406277.00<br>(FP)  | 17320100 | Hose assembly brake cylinder equipment 3/4 inch I.D. x 35-11/16 inch long to EMD Pt. No. 8178806.   | 001         | DSL/PTRU  | 250 Nos.  | 0         | 16-JAN-18 | 0        |
|     |  |                    | 002      |   | DSL/SPJ     | 181 Nos.  | 0         | 16-JAN-18 | 0         |          |
| 140 | <a href="#">01163299113324</a><br>dt.16-OCT-17 on<br>M/s.MACO<br>CORPORATION INDIA<br>PRIVATE LTD-Kolkata<br><a href="#">RITES-CALL</a>                | 590284.00<br>(FP)  | 17380078 | Cylinder low pressure includes plugs to EMD Pt. No. 9518774.  | 001         | DSL/PTRU  | 1 Nos.    | 0         | 16-MAR-18 | 0        |
|     |  |                    | 002      |   | DSL/SPJ     | 4 Nos.    | 0         | 16-MAR-18 | 0         |          |
| 141 | <a href="#">01163384113325</a><br>dt.17-OCT-17 on<br>M/s.KNORR-BREMSE<br>INDIA PVT. LTD.-<br>PALWAL<br><a href="#">RITES-CALL</a>                      | 87570.00<br>(FP)   | 17457774 | Printed circuit board for 4 channel to KBIL Pt. No. 774376.   | 001         | DSL/PTRU  | 1 Nos.    | 0         | 17-APR-18 | 0        |
| 142 | <a href="#">14161661113326</a><br>dt.17-OCT-17 on<br>M/s.EASTEM WORKS-<br>KOLKATA<br><a href="#">RITES-CALL</a>  | 241085.00<br>(FP)  | 46190958 | Copper Catenary Wire ending clamp [65], ID No. 1120 as per RDSO specification RI No. 1121, 1092, 1094, IS:3091-1999, IS: 306-1983, ETI/OHE/49 (9/95) with A and C slip No. 1 to 5. and Drg.No.ETI/OHE/P | 001         | GSD/GHZ   | 450 Set   | 0         | 17-JUL-18 | 0        |
|     |  |                    | 002      |   | GSD/SPJ     | 33 Set    | 0         | 17-JUL-18 | 0         |          |
| 143 | <a href="#">01163387113327</a><br>dt.17-OCT-17 on<br>M/s.KNORR-BREMSE<br>INDIA PVT. LTD.-<br>PALWAL<br><a href="#">RITES-CALL</a>                      | 82639.00<br>(FP)   | 17457828 | Printed circuit board SS9, KBIL Pt. No. 773478.   | 001         | DSL/PTRU  | 1 Nos.    | 0         | 17-APR-18 | 0        |
| 144 | <a href="#">14161713113328</a><br>dt.17-OCT-17 on<br>M/s.POWER<br>EQUIPMENT CO.-<br>HOWRAH<br><a href="#">RITES-CALL</a>                               | 97350.00<br>(FP)   | 46530307 | 25 KV SP Isolator Complete (25 KV/1250 Amp) without earth contact assembly as per RDSO specification No. ETI/OHE/16[1/94] Rev.-2 [March-04]   | 001         | GSDGHZ    | 1 Nos.    | 0         | 17-JAN-18 | 0        |
|     |  |                    | 002      |   | GSD/SPJ     | 2 Nos.    | 0         | 17-JAN-18 | 0         |          |
| 145 | <a href="#">01163360113329</a><br>dt.17-OCT-17 on<br>M/s.PRAG<br>POLYMERS-<br>LUCKNOW  | 35611.00<br>(FP)   | 17454610 | Filter element, suction strainer to EMD Part No. 9324489 to DLW Pt. No. 17454610 or RESO Drg. No. SKDP-3675.  | 001         | DSL/PTRU  | 51 Nos.   | 0         | 23-JAN-18 | 0        |

| Sr. | PO No. and Date  | PO Value           | PL.No    | Item Description   | POSr. | Consignee   | PO Qty     | Qty.Rcd | Dely.Dt   | Paid Val |
|-----|--|--------------------|----------|--|-------|-------------|------------|---------|-----------|----------|
| 146 | <a href="#">01163400113330</a><br>dt.17-OCT-17 on<br>M/s.PRAG<br>POLYMERS-<br>LUCKNOW<br><a href="#">RITES-CALL</a>                  | 14553.00<br>(FP)   | 17459813 | AOH kit of air dryer (Prag Polymer make) consisting of 5 items as below - (1) O ring, Pt No. AD-1-10.02, Qty. - 02 Nos. (2) Gasket, Pt. No. AD-1-07-03, Qty. - 01 No. (3) Coalescer element, Pt. No. A   | 001   | DSL/PTRU    | 2 Nos.     | 0       | 20-FEB-18 | 0        |
| 147 | <a href="#">01163215113331</a><br>dt.17-OCT-17 on<br>M/s.SAWALKA KEL<br>PVT. LTD.-KOLKATA<br><a href="#">RITES-CALL</a>              | 116500.00<br>(FP)  | 17043311 | Visor assembly sun black 5-3/4 x 16-3/4 inches to EMD Pt. No. 9331382 & DLW Pt. No. 17043311.  | 001   | DSL/PTRU    | 45 Nos.    | 0       | 17-FEB-18 | 0        |
|     |  |                    |          |  | 002   | DSL/SPJ     | 89 Nos.    | 0       | 17-FEB-18 | 0        |
| 148 | <a href="#">01163381113332</a><br>dt.17-OCT-17 on<br>M/s.KNORR-BREMSE<br>INDIA PVT. LTD.-<br>PALWAL<br><a href="#">RITES-CALL</a>    | 89213.00<br>(FP)   | 17457749 | Printed circuit board DIZ, KBIL Pt. No. 774472.  | 001   | DSL/PTRU    | 1 Nos.     | 0       | 17-APR-18 | 0        |
| 149 | <a href="#">02168505113333</a><br>dt.17-OCT-17 on<br>M/s.KNORR BREMSE<br>INDIA PVT LTD-<br>PALWAL<br><a href="#">RITES-CALL</a>      | 20736.00<br>(FP)   | 18010994 | FIBREOPTIC CABLE CRU TO BVC2 NYAB/ KNORR-BREMSE PT.NO.775219 GM Part no 10634230 DLW Pt. No. 18010994  | 001   | DSL/PTRU    | 1 Nos.     | 0       | 15-APR-18 | 0        |
| 150 | <a href="#">04178555113334</a><br>dt.17-OCT-17 on<br>M/s.MAHESHWARI<br>TEXTILE MILLS-<br>BIKANER<br><a href="#">RITES-CALL</a>       | 1851528.00<br>(FP) | 30020451 | Rear cover for Axle Box gravity Die casting and Finish Machined to ICF Drg.No . T-0-2-603 Alt. C/14 Item -2, Mati. and Spec. As per Drg. Note- Weight of axle box Rear cover should be within the prescr | 001   | SMM/CRW/HRT | 221 Nos.   | 0       | 31-MAY-18 | 0        |
|     |  |                    |          |  | 002   | SMM/CRW/HRT | 1427 Nos.  | 0       | 31-MAY-18 | 0        |
| 151 | <a href="#">05161648113335</a><br>dt.17-OCT-17 on<br>M/s.RESPONSIVE<br>INDUSTRIES LTD-<br>MUMBAI<br><a href="#">RITES-CALL</a>       | 3270417.00<br>(FP) | 75990222 | Vinyl coated upholstery fabric, [artificial leather] for coaching stock, color blue upgraded, Spec. no. RDSO/2008/CG-07 sample code- ALNAC-03 [Rev.0 of Aug. 08 with 5 amendments- last amendments No. 5 | 001   | CRW/HRT     | 30737 MTR  | 0       | 17-JAN-18 | 0        |
| 152 | <a href="#">05161671113336</a><br>dt.17-OCT-17 on<br>M/s.M.R UDYOG-<br>KANPUR<br><a href="#">RITES-CALL</a>                          | 496114.00<br>(FP)  | 78050923 | GLASS TUMBULAR superior ice proof 1/2 pint capacity 284 ml to IS: 1961/68 IRCREST with Bhartiya Rail sampti in Hindi.  | 001   | GSD/DHN     | 1408 Nos.  | 0       | 17-MAY-18 | 0        |
|     |  |                    | 78055003 | TUMBLER GLASS superior ice proof 1/2 pint capacity 284 ml to IS:1961/68 IRCREST with Bhartiya Rail Sampati in Hindi.   | 002   | TRS/MGS     | 755 Nos.   | 0       | 17-MAY-18 | 0        |
|     |  |                    |          |  | 003   | GSDGHZ      | 10893 Nos. | 0       | 17-MAY-18 | 0        |
|     |  |                    |          |  | 004   | GSD/SPJ     | 8649 Nos.  | 0       | 17-MAY-18 | 0        |
|     |  |                    |          |  | 005   | TRS/GMO     | 1473 Nos.  | 0       | 17-MAY-18 | 0        |
|     |  |                    |          |  | 006   | MEMU JAJ    | 310 Nos.   | 0       | 17-MAY-18 | 0        |
| 153 | <a href="#">04174725113337</a><br>dt.17-OCT-17 on<br>M/s.LINKS<br>ENGINEERING<br>INDUSTRIES-<br>HOWRAH<br><a href="#">RITES-CALL</a> | 602831.00<br>(FP)  | 38320800 | Pin flat head size 41 dia, 163.5 long to RDSO Drg.No. L/PN-631/M, Item No. 1 to 5, Alt. 6.   | 001   | GSD/SPJ     | 63 Nos.    | 0       | 17-MAR-18 | 0        |
|     |  |                    |          |  | 002   | GSDGHZ      | 215 Nos.   | 0       | 17-MAR-18 | 0        |
|     |  |                    |          |  | 003   | BOXNMGS     | 4200 Nos.  | 0       | 17-MAR-18 | 0        |
| 154 | <a href="#">03162324113338</a><br>dt.17-OCT-17 on<br>M/s.ALASIA<br>ENGINEERING<br>COMPANY PRIVATE<br>LIMITED HOWRAH                  | 941270.00<br>(FP)  | 25822100 | FINGER CONTACT WITH FLEXIBLE SHUNT ASSLY FOR REVERSER AND COMMUTATOR FOR WAG - 7 LOCOS; Specification CLW Drg No. ATWD 101 064 Alt. 6  | 001   | TRS/MGS     | 276 Nos.   | 0       | 17-JUN-18 | 0        |

| Sr. | Item No. and Date  | PO Value           | PL.No    | Item Description  | POSr. | Consignee    | PO Qty        | Qty.Rcd | Dely.Dt   | Paid Val |
|-----|--|--------------------|----------|---|-------|--------------|---------------|---------|-----------|----------|
| 155 | <a href="#">03161010113339</a><br>dt.17-OCT-17 on<br>M/s.RECON<br>ENGINEERING CO P<br>LTD-KOLKATA<br><a href="#">RITES-CALL</a>                          | 22460.00<br>(FP)   | 23163410 | 1/2 inch safety valve T2 type<br>complete, CLW<br>Drg.no.0/3/65/63 Alt.2.   | 001   | TRS/MGS      | 21 Nos.       | 0       | 17-FEB-18 | 0        |
|     |  |                    |          |   | 002   | MEMU JAJ     | 2 Nos.        | 0       | 17-FEB-18 | 0        |
| 156 | <a href="#">04171154113340</a><br>dt.18-OCT-17 on<br>M/s.G P<br>ENTERPRISE-<br>KOLKATA<br><a href="#">RITES-CALL</a>                                     | 1835384.00<br>(FP) | 30984490 | Magazine Pocket with 1%<br>nickel [minimum] to ICF drg.<br>no. WGSC WAC-6-4-027, Col-<br>I, Alt.- f.  | 001   | GSD/SPJ      | 7867<br>Nos.  | 0       | 30-JUN-18 | 0        |
|     |  |                    |          |   | 002   | SMM/CRW/HRT  | 466 Nos.      | 0       | 30-JUN-18 | 0        |
|     |  |                    |          |   | 003   | SMM/CRW/HRT  | 30000<br>Nos. | 0       | 30-JUN-18 | 0        |
| 157 | <a href="#">01163295113341</a><br>dt.18-OCT-17 on<br>M/s.SUPER SEAL<br>FLEXIBLE HOSE LTD-<br>NEW DELHI<br><a href="#">RITES-CALL</a>                     | 440156.00<br>(FP)  | 17320896 | Hose sander black rubber 1-<br>5/16 inch I.D. solid in 25 foot<br>length to EMD Pt. No.<br>9097530.   | 001   | DSL/PTRU     | 20 Nos.       | 0       | 18-JAN-18 | 0        |
|     |  |                    |          |   | 002   | DSL/SPJ      | 88 Nos.       | 0       | 18-JAN-18 | 0        |
| 158 | <a href="#">05161267113342</a><br>dt.18-OCT-17 on<br>M/s.MECHTOOL-<br>KOLKATA<br><a href="#">RITES-CALL</a>  | 246784.00<br>(FP)  | 72987637 | Facing insert seating Unit<br>R/H R-177 turning seating<br>RH R-177-32S 3223-30 of<br>Sandvic Asia Ltd or Similar.<br>[Coated insert]   | 001   | SMM/BOXN/MGS | 230 Nos.      | 0       | 18-FEB-18 | 0        |
| 159 | <a href="#">04178615113343</a><br>dt.18-OCT-17 on<br>M/s.ESCORTS<br>LIMITED-FARIDABAD<br><a href="#">RITES-CALL</a>                                      | 177188.00<br>(FP)  | 38987650 | POH Kit for Common Pipe<br>Bracket of M/s Escorts Ltd. or<br>Knorr-Bremse India Pvt. Ltd.<br>make Consisting of Six<br>items:- 1) Sealing Ring to<br>Ek's Part No. EK-05, KBI Pt<br>No. KD-05, Qty/set - 1 No. 2)<br>'O' Ri | 001   | CRW/HRT      | 675 Set       | 0       | 18-JAN-18 | 0        |
| 160 | <a href="#">03161152113344</a><br>dt.18-OCT-17 on<br>M/s.RIVER<br>ENGINEERING PVT<br>LTD-NOIDA<br><a href="#">RITES-CALL</a>                             | 114637.00<br>(FP)  | 23561932 | Contact segment (inner),BT<br>Drg.no.AM-501105-P1,BT<br>part no.S 1215,M/s AAL<br>pt.no.G 1215,AAL Drg<br>no.9910383465006.   | 001   | TRS/GMO      | 58 Nos.       | 0       | 18-JUN-18 | 0        |
| 161 | <a href="#">03154024113345</a><br>dt.23-OCT-17 on<br>M/s.RIVER<br>ENGINEERING PVT<br>LTD-NOIDA<br><a href="#">RITES-CALL</a>                             | 42052.00<br>(FP)   | 23568781 | Needle bearing of tap<br>changer specification-BT Drg<br>No-SWT 435529-P3 BT part<br>no- A2314.5 AAL Drg No-<br>9910383811005, AAL Pt. No-<br>M2314.5   | 001   | TRS/GMO      | 7 Nos.        | 0       | 23-JUN-18 | 0        |
|     |  |                    |          |   | 002   | TRS/MGS      | 14 Nos.       | 0       | 23-JUN-18 | 0        |
| 162 | <a href="#">03162829113346</a><br>dt.23-OCT-17 on<br>M/s.BOMBARDIER<br>TRANSPORTATION<br>INDIA PRIVATE<br>LIMITED-Vadodara<br><a href="#">RITES-CALL</a> | 220800.00<br>(FP)  | 29983940 | Primary voltage transformer<br>for WAG-9/WAP-7 Loco. ABB<br>ID-HIET 401147 R0001,<br>Type-UU A225 A11, Tech<br>data-200 V-4 VAC-420 ohm.  | 001   | TRS/GMO      | 15 Nos.       | 0       | 23-OCT-18 | 0        |
| 163 | <a href="#">11161269113347</a><br>dt.23-OCT-17 on<br>M/s.MAHENDRA<br>CHEMICAL WORKS-<br>KOLKATA<br><a href="#">RITES-CALL</a>                            | 475033.00<br>(FP)  | 81039682 | Versatile Immersion<br>degreaser for ferrous & non<br>ferrous components, Brand-<br>Unikleen 11/Super clean - 18<br>Ultra clean-58 or similar.<br>Specification is attached<br>herewith                                     | 001   | CRW/HRT      | 7000<br>Kgs.  | 0       | 23-APR-18 | 0        |
| 164 | <a href="#">01163861113348</a><br>dt.23-OCT-17 on<br>M/s.HYDRAX<br>INTERNATIONAL-<br>KOLKATA<br><a href="#">RITES-CALL</a>                               | 21028.00<br>(FP)   | 17980215 | Hose flexible, Cummins Pt.<br>No. 3292418 or similar.   | 001   | DEMU/S/SEE   | 18 Nos.       | 0       | 23-JAN-18 | 0        |
| 165 | <a href="#">01163287113349</a><br>dt.23-OCT-17 on<br>M/s.BHARATI AUTO<br>PRODUCTS-   | 21131.00<br>(FP)   | 17320150 | Connector 5/8 T x 3/4 PT for<br>rack equipped, long hood<br>cooling application, power<br>plant MTG., DLW Pt. No.<br>17320150, EMD Pt. No.<br>9040222   | 001   | DSL/PTRU     | 115 Nos.      | 0       | 23-JAN-18 | 0        |

| Sr. | P.O. No. and Date   | PO Value          | PL No.   | Item Description   | POSr. | Consignee   | PO Qty      | Qty.Rcd | Dely Dt   | Paid Val |
|-----|---|-------------------|----------|--|-------|-------------|-------------|---------|-----------|----------|
| 166 | <a href="#">01162382113350</a><br>dt.23-OCT-17 on<br>M/s.KNORR-BREMSE<br>INDIA PVT. LTD.-<br>PALWAL<br><a href="#">RITES-CALL</a> | 84854.00<br>(FP)  | 17457750 | Printed circuit board ADZ2,<br>KBIL Pt. No. 775222.  | 001   | DSL/PTRU    | 1 Nos.      | 0       | 23-APR-18 | 0        |
| 167 | <a href="#">11161270113351</a><br>dt.23-OCT-17 on<br>M/s.G T Z INDIA PVT<br>LTD-KOLKATA<br><a href="#">RITES-CALL</a>             | 24638.00<br>(FP)  | 81909688 | Water based lacquer for<br>ferrous and non ferrous<br>components Brand: Aqualac<br>1001 M/super Coat<br>100/Ultralac-69 or similar   | 001   | CRW/HRT     | 240 LTR     | 0       | 06-MAY-18 | 0        |
| 168 | <a href="#">05161121113352</a><br>dt.23-OCT-17 on<br>M/s.BT POLYMERS<br>PRIVATE LIMITED-<br>KOLKATA<br><a href="#">RITES-CALL</a> | 21263.00<br>(FP)  | 62280417 | MODIFIED COACH WATER<br>INLET (CONNECTOR ) WITH<br>STRAINER to RCF<br>Specification No. MDTs-203<br>REVISION 01.   | 001   | GSDGHZ      | 25 Nos.     | 0       | 23-JAN-18 | 0        |
| 169 | <a href="#">03162934113353</a><br>dt.24-OCT-17 on<br>M/s.HIND<br>ENTERPRISES-<br>MUMBAI<br><a href="#">RITES-CALL</a>             | 456960.00<br>(FP) | 29708047 | Switch Head light/Tilting<br>[BLPR] 3-Positions, 2 Polling.<br>16A-380V-S800 A20<br>,spec/Drg No.as per CLW<br>Spec. No. CLW/ES/3/0075.  | 001   | TRS/GMO     | 21 Nos.     | 0       | 24-JUN-18 | 0        |
| 170 | <a href="#">12177027113354</a><br>dt.24-OCT-17 on<br>M/s.M.S. TEXTILES-<br>GORAKHPUR<br><a href="#">RITES-CALL</a>                | 94029.00<br>(FP)  | 79070220 | Woven suiting for uniform<br>made of polyester and cotton<br>blend confirming to<br>Specification No. IS: 15853-<br>2009 except Soil Release<br>Efficiency Test and Limited<br>Flame Spread Index Test.<br>Width 138 cms. Cons | 001   | GSDGHZ      | 1163<br>MTR | 0       | 24-FEB-18 | 0        |
| 171 | <a href="#">12177020113355</a><br>dt.24-OCT-17 on<br>M/s.RAJ GROUP-<br>VARANASI<br><a href="#">RITES-CALL</a>                     | 44526.00<br>(FP)  | 79050580 | Cloth Cotton Cellular shirting<br>preshrunk dark grey to IS:<br>1144-1980 [2nd revision]<br>with amendment no. 01<br>reaffirmed 1998. Width -<br>81/84 cms.  | 001   | GSDGHZ      | 889 MTR     | 0       | 24-FEB-18 | 0        |
| 172 | <a href="#">12177025113356</a><br>dt.24-OCT-17 on<br>M/s.RAJ GROUP-<br>VARANASI<br><a href="#">RITES-CALL</a>                     | 166753.00<br>(FP) | 79070188 | Woven Suiting for uniform<br>made of polyester & Cotton<br>blend confirming to<br>specification no. IS: 15853-<br>2009 except Soil Release<br>Efficiency Test and Limited<br>Flame Spread Index Test.<br>Width - 138 cms, Shad | 001   | GSDGHZ      | 2126<br>MTR | 0       | 24-APR-18 | 0        |
| 173 | <a href="#">02161186113357</a><br>dt.25-OCT-17 on<br>M/s.PROTIMA<br>ENTERPRISE-<br>HOWRAH<br><a href="#">RITES-CALL</a>           | 25232.00<br>(FP)  | 11340058 | PIPE CLAMP 1 inch DLW<br>DRG.NO.TPL-0012 , REV-C ,<br>DLW PT NO-11340058   | 001   | DSL/SPJ     | 62 Nos.     | 0       | 24-JAN-18 | 0        |
|     |   |                   |          |  | 002   | DSL/MGS     | 208 Nos.    | 0       | 24-JAN-18 | 0        |
| 174 | <a href="#">05161091113358</a><br>dt.25-OCT-17 on<br>M/s.LMG HYDRO<br>PNEUMATICS-<br>KOLKATA<br><a href="#">RITES-CALL</a>        | 327393.00<br>(FP) | 62339310 | 20NB seamless pipe, black,<br>heavy duty length 6m and<br>above with plain ends.,<br>Drawing- IS:1239 ( PT-1)<br>table 3.  | 001   | TRS/MGS     | 84 MTR      | 0       | 25-MAR-18 | 0        |
|     |   |                   |          |  | 002   | TRS/GMO     | 50 MTR      | 0       | 25-MAR-18 | 0        |
|     |   |                   |          |  | 003   | CRW/HRT     | 600 MTR     | 0       | 25-MAR-18 | 0        |
| 175 | <a href="#">03162197113359</a><br>dt.25-OCT-17 on<br>M/s.JAYSHREE<br>ENTERPRISES-<br>Kolkata<br><a href="#">RITES-CALL</a>        | 176400.00<br>(FP) | 25988463 | CAB WINDOW ASSEMBLY (<br>SELF BALANCING TYPE )<br>FOR M4,G5,G7 LOCO<br>,SPECIFICATION CLW Drg.<br>No. 05/01/42/60 Att.3  | 001   | SMM/TRS/MGS | 12 Nos.     | 0       | 25-MAR-18 | 0        |
|     |   |                   |          |  | 002   | AMM/TRS/GMO | 16 Nos.     | 0       | 25-MAR-18 | 0        |
| 176 | <a href="#">03163104113360</a><br>dt.25-OCT-17 on<br>M/s.AUTOMETERS<br>ALLIANCE LTD-<br>NOIDA<br><a href="#">RITES-CALL</a>       | 190922.00<br>(FP) | 29640039 | Max. current relay for WAG-<br>9/WAP-7 locomotive,<br>Specification-CLW specn no.<br>CLW/ES/3/0059/A   | 001   | TRS/GMO     | 2 Nos.      | 0       | 25-APR-18 | 0        |
| 177 |   | 230307.00         | 81035111 | Soda Caustic Technical in  | 001   | GSD/SPJ     | 666 Kgs.    | 0       | 30-APR-   | 0        |

| P.O. No. and Date   | PO V/FP            | PL.No    | Item Description  | POSr.    | Consignee  | PO Qty    | Qty.Rcd | Del.Dt    | Paid Val |           |   |
|---|--------------------|----------|---|----------|--|-----------|---------|-----------|----------|-----------|---|
| 11161217113361<br>dt.30-OCT-17 on<br>M/s.V V<br>ENTERPRISES-<br>KOLKATA<br><a href="#">RITES-CALL</a>   |                    |          | Locking Bracket for Cut Off<br>revision with amend No. 1.   | 002      | TRS/MGS  | 400 Kgs.  | 0       | 30-APR-18 | 0        |           |   |
|   |                    |          |   | 003      | GSDGHZ   | 654 Kgs.  | 0       | 30-APR-18 | 0        |           |   |
|   |                    |          |   | 004      | DSL/PTRU   | 500 Kgs.  | 0       | 30-APR-18 | 0        |           |   |
|   |                    |          |   | 005      | CRW/HRT  | 2000 Kgs. | 0       | 30-APR-18 | 0        |           |   |
| 178<br><a href="#">04179510113362</a><br>dt.30-OCT-17 on<br>M/s.VERMA<br>INDUSTRIES-<br>HOWRAH<br><a href="#">RITES-CALL</a>                          | 73343.00<br>(FP)   | 38165247 | Locking Bracket for Cut Off<br>Angle Cock to RDSO Drg. No.<br>WD-08008-S-20, Item No. 3,<br>Alt. 02.  | 001      | BOXNMGS  | 550 Nos.  | 0       | 30-JAN-18 | 0        |           |   |
| 179<br><a href="#">14161607113363</a><br>dt.30-OCT-17 on<br>M/s.PANKAJ<br>ELECTRONICS-NOIDA<br><a href="#">RITES-CALL</a>                             | 178074.00<br>(FP)  | 46060030 | Contactor Cat No. - EK-110-<br>40-11 400-415V AC Make<br>ABB or equivalent  | 002      | GSDGHZ   | 3 Nos.    | 0       | 30-JAN-18 | 0        |           |   |
|   |                    |          |   | 46060054 | Contactor cat. No. TAL 16-<br>30-01 77-143V DC Make -<br>ABB or equivalent.  | 001       | GSDGHZ  | 5 Nos.    | 0        | 30-JAN-18 | 0 |
|   |                    |          |   | 46060066 | Contactor cat. No. A -50-40-<br>00,415V AC Make - ABB or<br>equivalent   | 004       | GSDGHZ  | 5 Nos.    | 0        | 30-JAN-18 | 0 |
|   |                    |          |   | 46060078 | Contactor cat. No. TAL 16-<br>22-00 110V DC Make-ABB or<br>equivalent.   | 003       | GSDGHZ  | 5 Nos.    | 0        | 30-JAN-18 | 0 |
|   |                    |          |   | 46060080 | Contactor Cat No. -EK-110-<br>40-11 240V AC Make ABB or<br>equivalent  | 006       | GSDGHZ  | 3 Nos.    | 0        | 30-JAN-18 | 0 |
|   |                    |          |   | 46060108 | Contactor Cat No. - TAL 16-<br>40-10-77-143V DC Make ABB<br>or equivalent  | 005       | GSDGHZ  | 5 Nos.    | 0        | 30-JAN-18 | 0 |
|   |                    |          |   | 46060110 | Contactor cat. No. TAL 40-<br>30-10 77-143 Make - ABB or<br>equivalent   | 007       | GSDGHZ  | 5 Nos.    | 0        | 30-JAN-18 | 0 |
| 180<br><a href="#">14170331113364</a><br>dt.30-OCT-17 on<br>M/s.KONTACT<br>CONSORTIUM INDIA<br>PVT LTD-CHENNAI<br><a href="#">RITES-CALL</a>          | 271872.00<br>(FP)  | 46060017 | Disconnecting and earthing<br>device 8 pole 2 way, no OFF<br>on load 125 Amp ,750<br>VAC{1000V insulation} 2 NO<br>2NC with heavy duty handle<br>and pad locking arrangement<br>in earth position , mounted in<br>a stainless | 001      | GSDGHZ   | 5 Nos.    | 0       | 27-FEB-18 | 0        |           |   |
|   |                    |          |   | 002      | GSDGHZ   | 1 Nos.    | 0       | 27-FEB-18 | 0        |           |   |
| 181<br><a href="#">02168623113365</a><br>dt.30-OCT-17 on<br>M/s.KAYSONS<br>ELECTRICALS PVT.<br>LTD.-varanasi<br><a href="#">RITES-CALL</a>            | 360150.00<br>(FP)  | 18980119 | SWITCH SLIDE ENGINE RUN<br>CONT & FP. EMD Pt. No.<br>9333939, DLW Pt. No.<br>18310620   | 001      | DSL/SPJ  | 33 Nos.   | 0       | 28-JAN-18 | 0        |           |   |
|   |                    |          |   | 002      | DSL/PTRU   | 37 Nos.   | 0       | 28-JAN-18 | 0        |           |   |
| 182<br><a href="#">04164466113366</a><br>dt.30-OCT-17 on<br>M/s.FIBRO<br>PLASTICHEM (INDIA)<br>PRIVATE LTD.-<br>KOLKATA<br><a href="#">RITES-CALL</a> | 4864340.00<br>(FP) | 30982789 | FRP glass shutter assembly<br>for lavatory window RDSO<br>drg. no. SKETCH- K0046,<br>Alt.- 1 RDSO Specn no.<br>RDSO/2007/CG- 02, Rev.- 1.<br>Colour of Frame-Satin Blue.  | 001      | SMM/CRW/HRT  | 404 Nos.  | 0       | 30-APR-18 | 0        |           |   |
|   |                    |          |   | 36459884 | FRP glass shutter assembly<br>for lavatory window RDSO<br>drg. no. SKETCH- K0046,<br>Alt.- 1 RDSO Specn no.<br>RDSO/2007/CG- 02, Rev.- 1.<br>Colour of Frame-Satin Blue. | 002       | GSD/SPJ | 3199 Nos. | 0        | 30-APR-18 | 0 |
|   |                    |          |   | 003      | GSDGHZ   | 1248 Nos. | 0       | 30-APR-18 | 0        |           |   |
| 183<br><a href="#">04171102113367</a><br>dt.30-OCT-17 on<br>M/s.SUNSHINE<br>TOOLS CRAFT-  | 654506.00<br>(FP)  | 30980770 | Modified brake block bolt<br>with accessories to ICF drg.<br>no. T-3-1-801, item 5, 8 to<br>14, Alt.- e.  | 001      | GSDGHZ   | 986 Nos.  | 0       | 31-MAY-18 | 0        |           |   |
|   |                    |          |   | 002      | GSD/SPJ  | 777 Nos.  | 0       | 31-MAY-18 | 0        |           |   |

| Sr. | P.O. No. and Date  | PO Value           | PL.No    | Item Description   | POS. | SMM/CRW/HRT<br>Consignee | 500 Nos.<br>PO Qty | Qty.Rcd | Delv Dt   | Paid Val |
|-----|--|--------------------|----------|--|------|--------------------------|--------------------|---------|-----------|----------|
|     | HOWRAH<br><a href="#">RITES-CALL</a>   |                    |          |  | 004  | SMM/CRW/HRT              | 1720<br>Nos.       | 0       | 31-MAY-18 | 0        |
| 184 | <a href="#">05175617113368</a><br>dt.30-OCT-17 on<br>M/s.LMG HYDRO<br>PNEUMATICS-<br>KOLKATA<br><a href="#">RITES-CALL</a>                             | 309901.00<br>(FP)  | 62339278 | Tube steal seamless heavy<br>grade 33/42 mm as per<br>IS:1239, Part-1/2004. IS:<br>1239( PT-1)-2004  | 002  | AMM/TRS/GMO              | 50 MTR             | 0       | 30-MAR-18 | 0        |
|     |  |                    | 62339291 | Tube steal seamless heavy<br>grade26/34 mm to IS<br>Specification No-1239 ( Pt.1)<br>2004. IS: 1239 ( Pt.1) 2004.  | 001  | CRW/HRT                  | 215 MTR            | 0       | 30-MAR-18 | 0        |
|     |  |                    |          |  | 003  | SMM/CRW/HRT              | 105 MTR            | 0       | 30-MAR-18 | 0        |
|     |  |                    | 62339539 | Tube steal seamless heavy<br>grade 15/21 mm as per<br>IS:1239 ( Part-1) 2004. IS:<br>1239( PT-1)-2004  | 004  | SMM/TRS/MGS              | 83 MTR             | 0       | 30-MAR-18 | 0        |
|     |  |                    |          |  | 005  | AMM/TRS/GMO              | 100 MTR            | 0       | 30-MAR-18 | 0        |
| 185 | <a href="#">05161005113369</a><br>dt.30-OCT-17 on<br>M/s.PACIFIC<br>ENGINEERING<br>CORPORATION-<br>KOLKATA<br><a href="#">RITES-CALL</a>               | 312284.00<br>(FP)  | 60256618 | Handle Wooden For Beater to<br>IS:2892/1980.   | 001  | GSD/SPJ                  | 2375<br>Nos.       | 0       | 06-AUG-18 | 0        |
| 186 | <a href="#">04174694113370</a><br>dt.31-OCT-17 on<br>M/s.S. N.<br>MECHANICAL<br>ENTERPRISE<br>PRIVATE LIMITED-<br>HOWRAH<br><a href="#">RITES-CALL</a> | 37249.00<br>(FP)   | 38163378 | Guard Emergency Brake<br>Valve to RDSO Drg. No. SK-<br>73549, Alt. 5, Specn. No. 02-<br>ABR-02 with Amendment No.<br>4 of Sept. 2016 and<br>Appendix-G.  | 001  | GSDGHZ                   | 52 Nos.            | 0       | 31-JAN-18 | 0        |
|     |  |                    |          |  | 002  | CRW/HRT                  | 3 Nos.             | 0       | 31-JAN-18 | 0        |
| 187 | <a href="#">04174691113371</a><br>dt.31-OCT-17 on<br>M/s.LAKSHMI<br>INDUSTRIES-<br>CUDDALORE<br><a href="#">RITES-CALL</a>                             | 120674.00<br>(FP)  | 38163287 | 20 mm NB pipe for DC to DV<br>complete with flange and<br>socket. Drg. No. WD-80007-<br>S-11 item no. 11, 15 & 16,<br>Alt.-9.  | 001  | BOXNMGS                  | 176 Nos.           | 0       | 31-JAN-18 | 0        |
| 188 | <a href="#">04163831113372</a><br>dt.31-OCT-17 on<br>M/s.LAXVEN<br>SYSTEMS-<br>HYDERABAD<br><a href="#">RITES-CALL</a>                                 | 1203600.00<br>(FP) | 31670039 | Micro Controller based<br>electronic speed indicating<br>and recording system, consist<br>of recorder cum indicator,<br>indicator, pulse generator,<br>junction box, connecting<br>cable, mounting for<br>DEMU/DPC, Supply vo    | 001  | DEMU/S/SEE               | 8 Set              | 0       | 31-JAN-18 | 0        |
| 189 | <a href="#">05161484113373</a><br>dt.31-OCT-17 on<br>M/s.HINDUSTAN<br>FORGINGS-HOWRAH<br><a href="#">RITES-CALL</a>                                    | 64269.00<br>(FP)   | 73853926 | Hexagonal Head Bolt Full<br>threaded M6x45<br>long(IS:1364, PT-II, 4.6)<br>with 01 No. Spring Washer<br>(IS:3063), 02 No. Plain<br>washer(IS:2016), 01 No.<br>Hexagonal Nut(IS:1364, Pt.<br>III) All Galvanised(IS:1367,<br>PT.X | 001  | CRW/HRT                  | 15833<br>Nos.      | 0       | 28-FEB-18 | 0        |
| 190 | <a href="#">03163829113374</a><br>dt.31-OCT-17 on<br>M/s.NVJ PROJECTS<br>AND MARKETING-<br>HOWRAH<br><a href="#">RITES-CALL</a>                        | 212050.00<br>(FP)  | 29985109 | MVB Redundant Multi Bus<br>Coupler Card for central<br>electronics [Slot W in SB<br>1+2] Specification/Drg. No.<br>:-ABB ID No.-HIET<br>404239R0001 Card type-UBF<br>660A01  | 001  | TRS/GMO                  | 2 Nos.             | 0       | 30-JUN-18 | 0        |
| 191 | <a href="#">05151459113375</a><br>dt.31-OCT-17 on<br>M/s.NATIONAL<br>ENGINEERING CO.-<br>KOLKATA<br><a href="#">RITES-CALL</a>                         | 162481.00<br>(FP)  | 73327499 | Flat bended cotter, size<br>M10x22x125.<br>Drg./Specification:- RDSO<br>Drg. No.<br>RDSO/SKVL/703/Alt.2 item<br>no. 10   | 001  | TRS/GMO                  | 2668<br>Nos.       | 0       | 28-FEB-18 | 0        |
| 192 | <a href="#">12137049113376</a>   | 187950.00          | 79090552 | Cloth serge ordinary 140/142   | 001  | GSDGHZ                   |                    | 0       | 30-APR-   | 0        |



| Sl. No. | PO No.  | PO V.No.           | PL.No    | Item Description   | POSr. | Consignee | PO Qty       | Qty.Rcd | Del.Dt        | Paid Val |
|---------|---|--------------------|----------|--|-------|-----------|--------------|---------|---------------|----------|
|         | <a href="#">121100113377</a><br>dt.31-OCT-17 on<br>M/s.RAJ GROUP-<br>VARANASI<br><a href="#">RITES-CALL</a>                   |                    |          | Woven Suiting 2319/1978<br>3rd revision ,variety no-4,<br>shade- White.  |       |           | 1000<br>MTR  |         |               |          |
| 193     | <a href="#">12177032113377</a><br>dt.31-OCT-17 on<br>M/s.S A<br>ENTERPRISES-<br>GORAKHPUR<br><a href="#">RITES-CALL</a>       | 3232320.00<br>(FP) | 79070309 | Woven Suiting for uniform<br>made of polyester & Cotton<br>blend confirming to<br>specification no. IS: 15853-<br>2009 except Soil Release<br>Efficiency Test and Limited<br>Flame Spread Index Test.<br>Width - 138cms, Shade | 001   | GSDGHZ    | 41600<br>MTR | 0       | 28-FEB-<br>18 | 0        |
| 194     | <a href="#">12177038113378</a><br>dt.31-OCT-17 on<br>M/s.RAJ GROUP-<br>VARANASI<br><a href="#">RITES-CALL</a>                 | 1386845.00<br>(FP) | 79070668 | Woven shirting for uniform<br>made of polyester and cotton<br>blend confirming to<br>Specification No. IS: 15852-<br>2009 except Soil Release<br>Efficiency Test and Limited<br>Flame Spread Index Test,<br>width 88/91cms. Sh | 001   | GSDGHZ    | 36436<br>MTR | 0       | 28-FEB-<br>18 | 0        |
| 195     | <a href="#">12177040113379</a><br>dt.31-OCT-17 on<br>M/s.RAJ GROUP-<br>VARANASI<br><a href="#">RITES-CALL</a>                 | 1574074.00<br>(FP) | 79070693 | Woven shirting for uniform<br>made of polyester and cotton<br>Blend confirming to<br>specification no. IS:15852-<br>2009 except Soil Release<br>Efficiency Test and Limited<br>Flame Spread Index Test.<br>Width - 88/91 cms,  | 001   | GSDGHZ    | 42051<br>MTR | 0       | 28-FEB-<br>18 | 0        |
| 196     | <a href="#">12177123113380</a><br>dt.31-OCT-17 on<br>M/s.ACASH-NEW<br>DELHI<br><a href="#">RITES-CALL</a>                     | 693443.00<br>(FP)  | 79990113 | Bath Towel Turkish bleached<br>white size: 122x61cms as per<br>specification No. 854/1991<br>Variety No. - 4 with IR<br>monogram stamped at a<br>corner with indelible ink.<br>Detail of Monogram: - i] At<br>one corner of t  | 001   | GSD/SPJ   | 6739<br>Nos. | 0       | 30-APR-<br>18 | 0        |
| 197     | <a href="#">12151043113381</a><br>dt.31-OCT-17 on<br>M/s.NIHARIKA<br>ASSOCIATES-<br>HYDERABAD<br><a href="#">RITES-CALL</a>   | 2042789.00<br>(FP) | 79253015 | Jersey V neck blue colour<br>with wool mark having<br>smooth and silky finish using<br>Australian 64s grade of wool<br>top and finest micron up-to<br>22. Jersey to be treated with<br>special chemical to make it<br>shrink   | 002   | GSDGHZ    | 2623<br>Nos. | 0       | 31-MAR-<br>18 | 0        |
|         |   |                    | 79253027 | Jersey V neck blue colour<br>with wool mark having<br>smooth and silky finish using<br>Australian 64s grade of wool<br>top and finest micron up-to<br>22. Jersey to be treated with<br>special chemical to make it<br>shrink   | 001   | GSDGHZ    | 2026<br>Nos. | 0       | 31-MAR-<br>18 | 0        |
| 198     | <a href="#">11161316113382</a><br>dt.31-OCT-17 on<br>M/s.ENCORE INDIA<br>ENTERPRISE-<br>KOLKATA<br><a href="#">RITES-CALL</a> | 89964.00<br>(FP)   | 84114769 | Asbestos Gasket 60 x 30 x<br>5000 mm, Drawing/Specn<br>No. IS: 4687 Asbestos Gr. 1.  | 001   | TRS/MGS   | 84 Nos.      | 0       | 30-NOV-<br>17 | 0        |
| 199     | <a href="#">12177026113383</a><br>dt.31-OCT-17 on<br>M/s.RAJ GROUP-<br>VARANASI<br><a href="#">RITES-CALL</a>                 | 360617.00<br>(FP)  | 79070190 | Woven suiting for uniform<br>made of polyester and cotton<br>blend confirming to<br>Specification No. IS: 15853-<br>2009 except Soil Release<br>Efficiency Test and Limited<br>Flame Spread Index Test.                        | 001   | GSDGHZ    | 4610<br>MTR  | 0       | 30-APR-<br>18 | 0        |

| Sr   | P.O. No. and Date  | PO Value           | PI No             | Width 138 cms. Cons<br>Item Description  | POSr | Consignee | PO Qty        | Qty Rcd | Dely Dt       | Paid Val |
|--|--|--------------------|-------------------|--|------|-----------|---------------|---------|---------------|----------|
| 200  | <a href="#">02162203113384</a><br>dt.31-OCT-17 on<br>M/s.SSUDYOG-NEW<br>DELHI<br><a href="#">RITES-CALL</a>  | 64797.00<br>(FP)   | 19355105          | Nut Hex Lock 3/4-16 self<br>locking, DLW Pt No-<br>19355105, EMD Pt No-<br>8060089 Alt Lc  | 001  | DSL/PTRU  | 617 Nos.      | 0       | 28-FEB-<br>18 | 0        |
| 201  | <a href="#">03162064113385</a><br>dt.31-OCT-17 on<br>M/s.A. K.<br>INDUSTRIES-<br>KOLKATA<br><a href="#">RITES-CALL</a>                                       | 190313.00<br>(FP)  | 25986016          | Rubber Kit for C3W<br>distributor Valve comprising<br>of 24 items as per annexure<br>attached. Specification - As<br>per annexure.   | 001  | TRS/GMO   | 98 Set        | 0       | 28-FEB-<br>18 | 0        |
|  |  |                    |                   |  | 002  | TRS/MGS   | 192 Set       | 0       | 28-FEB-<br>18 | 0        |
| 202  | <a href="#">11161225113386</a><br>dt.31-OCT-17 on<br>M/s.SWASTIKA<br>INDUSTRIES-KANPUR<br><a href="#">RITES-CALL</a>   | 2539874.00<br>(FP) | 81050112          | Soap Laundry in the form of<br>Bars having approx. Size<br>50mmx50mmx370mm with<br>minimum weight 900gms<br>approx. conforming to<br>IS:285-1992 with amend. No.<br>1 to 4. Type-1 | 001  | DSL/PTRU  | 1064<br>Nos.  | 0       | 30-APR-<br>18 | 0        |
|  |  |                    |                   |  | 002  | TRS/MGS   | 1120<br>Nos.  | 0       | 30-APR-<br>18 | 0        |
|  |  |                    |                   |  | 003  | DSL/MGS   | 712 Nos.      | 0       | 30-APR-<br>18 | 0        |
|  |  |                    |                   |  | 004  | GSDGHZ    | 27736<br>Nos. | 0       | 30-APR-<br>18 | 0        |
|  |  |                    |                   |  | 005  | MEMU JAJ  | 701 Nos.      | 0       | 30-APR-<br>18 | 0        |
|  |  |                    |                   |  | 006  | MEMU JAJ  | 299 Nos.      | 0       | 30-APR-<br>18 | 0        |
|  |  |                    |                   |  | 007  | GSD/DHN   | 2000<br>Nos.  | 0       | 30-APR-<br>18 | 0        |
|  |  |                    |                   |  | 008  | GSD/SPJ   | 21600<br>Nos. | 0       | 30-APR-<br>18 | 0        |
|  |  |                    |                   |  | 009  | DSL/SPJ   | 5400<br>Nos.  | 0       | 30-APR-<br>18 | 0        |
| 203  | <a href="#">02161310113387</a><br>dt.31-OCT-17 on<br>M/s.FAIVELEY<br>TRANSPORT RAIL<br>TECHNOLOGIES<br>INDIA LIMITED-<br>HOSUR<br><a href="#">RITES-CALL</a> | 344396.00<br>(FP)  | 11360136          | VALVE C-2W RELAY WITH 5<br>MM CHOKE WABCO PART<br>NO.579991, WABCO TEST<br>SPEC NO.T-3439-0.   | 001  | DSL/SPJ   | 21 Nos.       | 0       | 20-MAR-<br>18 | 0        |
|  |  |                    |                   |  | 002  | DSL/PTRU  | 6 Nos.        | 0       | 20-MAR-<br>18 | 0        |
| 204  | <a href="#">03162818113388</a><br>dt.31-OCT-17 on<br>M/s.NVJ PROJECTS<br>AND MARKETING-<br>HOWRAH<br><a href="#">RITES-CALL</a>                              | 71832.00<br>(FP)   | 29668013          | DC link Voltage measuring<br>(voltage detector of Aux.<br>converter) for WAG-9 locos.<br>Specification:-ABB ID No.<br>3EHE 400325 R0001, Type-<br>U2 B174 B01                      | 001  | TRS/GMO   | 1 Nos.        | 0       | 31-JUL-<br>18 | 0        |
|  |  |                    |                   |  | 002  | TRS/GMO   | 3 Nos.        | 0       | 31-JUL-<br>18 | 0        |
| 205  | <a href="#">03163190113389</a><br>dt.31-OCT-17 on<br>M/s.FAIVELEY<br>TRANSPORT RAIL<br>TECHNOLOGIES<br>INDIA LIMITED-<br>HOSUR<br><a href="#">RITES-CALL</a> | 130889.00<br>(FP)  | 29169197          | Special Maintenance kit for<br>Two way Horn valve FTIL<br>Pt.no.- 790014201.   | 001  | TRS/GMO   | 293 Set       | 0       | 05-NOV-<br>17 | 0        |
| <b>TOTAL PO VALUE :</b>  |  | 193544433.00       | * END OF REPORT * |  |      |           |               |         |               |          |
| PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled; |  |                    |                   |  |      |           |               |         |               |          |