

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Sindri Marshalling Yard			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SNMY	FOB	0	(a) Per Day	67		Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time	35		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	2.31	2016-17	3.80	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	N	2017-18	2.49	2018-19	2.44	Touch Screen Enquiry System	N	
District	Dhanbad	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	DHN-SNDT	Wheel Chairs	N	Length of longest stopping train(m)				132	ATMs	0
Km.	0025.67	Cloak Room	N	MP Const.	Dhanbad			Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Pashupati Nath Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Sindri			Trains Halting	M: 0 P : 1	
				MLA Name	Sri Indrajit Mahto			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	100	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutch	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Sindri Marshalling Yard

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	121.35	7.1	7	CC	8	2	0	3		0	5	0	0	5	5	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Sindri Marshalling Yard

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	22	0	1.4	0	0	6			-	-
Actual	0	8	3	0	0	5	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Chichaki			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	CCK	FOB	1	(a) Per Day	530			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	150			Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	19.03	2016-17	27.22	Tourist Facilitation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	33.99	2018-19	30.49	Touch Screen Enquiry System	N
District	Giridih	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)		354			
Km.	0335.43	Cloak Room	N	MP Const.	Kodarma		ATMs	0	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Annapurna Debi		Food Plaza	N	
Electrified	Y			MLA Const.	Bagodar		Budget Hotel	N	
Other Items	NA			MLA Name	Sri Vinod Kumar singh		Trains Halting	M: 0	P : 4
Remarks for Station:	NA						Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	80	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	3
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Chichaki

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	244	15	6.5	CC	139	5	0	2		0	24	2	1	2	19	0	0	0	0	0	N	0
3&4	BG	Y	244	9	6.5	CC	171	3	0	2		0	36	0	0	0	19	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chichaki

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	63	0	6	0	0	18			-	-
Actual	0	310	4	2	1	60	1	See platform details	0	-
Shortage, if any	15	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Chandrapura			No. of passengers dealt with:				Identified as Adarsh	Y
Station Code	CRP	FOB	1	(a) Per Day	2230			Developed As Adarsh	N
Station Category	NSG5	Subway	0	(b) Max. at any time	500			Identified for MFC	N
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	1	2011-12	411.71	2016-17	0.00	Tourist Facilitation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	546.49	2018-19	540.79	Touch Screen Enquiry System	N
District	Bokaro	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	GMO-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)			600	ATMs	1
Km.	0016.92	Cloak Room	N	MP Const.	Giridih			Food Plaza	Y
Route	D	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Budget Hotel	N
Electrified	Y			MLA Const.	Bermo			Trains Halting	M: 48 P : 10
				MLA Name	Sri Rajendra Prasad Singh			Station IInd Entry	N
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	67	Area(sq.m)		0	0	Area(sq.m)	25	Retiring Room	0
(b) Seats(Nos.)	50	Seats(Nos.)		0	0	Seats(Nos.)	12	Dormitory	0
(c) Lav.(Nos.)	6	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	6	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	67.06	Source	Railway Supply	Open Wells (Nos)	3
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump	Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	6400		
Pay & Use Toilet	Y			Remarks	NA		

Station Name : Chandrapura

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	9	84	CC	437	5	16	0		0	100	6	6	5	46	1	0	0	0	1	Y	0
2&3	BG	Y	540	11	8.4	MOR	146	0	48	0		0	158	3	2	2	45	0	0	0	0	1	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chandrapura

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	209	0	20	1	1	60			-	-
Actual	67	582	64	16	14	320	1	See platform details	2	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Duriatnar Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DUTR	FOB	0	(a) Per Day	50			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	10			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	2.52	2018-19	0.19	Touch Screen Enquiry System	N	
District	Giridih	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	Koderma-Giridih	Wheel Chairs	N	Length of longest stopping train(m)				155	ATMs	0
Km.	0062.50	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	E	Refreshment Room(sqm)		MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 4	
				MLA Name				Station IInd Entry	N	
Other Items									
Remarks for Station:										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	100	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks			

Station Name : Duriatnar Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	14	0	MOR	18	0	0	1		0	10	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Duriatnar Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	6	0	0.4	0	0	2			-	-
Actual	10	18	1	0	0	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Nawadih Halt			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	NWDH	FOB	1	(a) Per Day	120			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	15			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	5.16	2018-19	4.48	Touch Screen Enquiry System	N
District	Koderma	Clock	N	2019-20	0			Electronic Train Indication	N
Section	Koderma-Giridih	Wheel Chairs	N	Length of longest stopping train(m)			155	ATMs	0
Km.	0033.50	Cloak Room	N	MP Const.	Koderma		Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Annapurna Debi		Budget Hotel	N	
Electrified	N			MLA Const.	Koderma		Trains Halting	M: 0	P : 4
				MLA Name	Neera Yadav		Station IInd Entry	N	
Other Items									
Remarks for Station:									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	15	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area		Approach Road			Water Supply				
Area (sqm)	100	Length(m)	400	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	2	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks					

Station Name : Nawadih Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	14	84	MOR	36	0	0	1		0	0	0	0	0	0	0	0	0	0	1	N	0
2	BG	N	330	14	0	MOR	36	0	0	1		0	10	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Nawadih Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.6	0	0	3			-	-
Actual	15	72	2	0	0	20	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Kajri Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KFT	FOB	0	(a) Per Day	170		Developed As Adarsh			
Station Category	HG2	Subway	0	(b) Max. at any time	45		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)				Tourist Facilation Center	N	
Division	Dhanbad	Enquiry Office	0	2011-12	10.96	2016-17	0.00	Touch Screen Enquiry System	N	
State	Jharkhand	Public Address Sys.	N	2017-18	15.34	2018-19	12.88	Electronic Train Indication	N	
District	Palamu	Clock	Y	2019-20	0			ATMs	0	
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)				176	Food Plaza	N
Km.	0296.16	Cloak Room	N	MP Const.	Palamu		MP Name	Vishnu Dayal Ram	Budget Hotel	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram		MP Name	Vishnu Dayal Ram	Trains Halting	M: 0 P : 6
Electrified	Y			MP Const.			MP Name	Vishnu Dayal Ram	Station IInd Entry	N
Other Items	NA			MP Name			MP Name	Vishnu Dayal Ram		
Remarks for Station:	NA			MP Const.			MP Name	Vishnu Dayal Ram		

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	21	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	9	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Kajri Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	7	0	MOR	0	4	0	1		0	20	0	0	0	6	0	0	0	0	0	N	0
2	BG	N	300	7	0	CC	0	2	0	0		0	18	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kajri Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	28	0	1.8	0	0	8			-	-
Actual	21	0	1	0	0	47	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Bermo			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BRMO	FOB	0	(a) Per Day	160		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	40		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	32.22	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	22.08	2018-19	21.36	Touch Screen Enquiry System	N	
District	Bokaro	Clock	N	2019-20	0			Electronic Train Indication	N	
Section	GMO-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				550	ATMs	0
Km.	0034.11	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	D	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	Bermo			Trains Halting	M: 1 P : 2	
				MLA Name	Sri Rajendra Prasad Singh			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	40	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	25	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Bermo

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	295	8	4.5	MOR	158	2	1	1		0	16	1	1	1	2	0	0	0	0	0	N	0	
2	BG	N	543	8	0	MOR	45	3	1	1		0	60	1	1	0	2	0	0	0	0	0	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Bermo

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	17	0	1.6	0	0	5			-	-
Actual	40	203	4	2	2	84	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Churki			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	CHRK	FOB	0	(a) Per Day	50			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	20			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	40.00	Tourist Facilation Center	N
State	Madhya Pradesh	Public Address Sys.	N	2017-18	0	2018-19	0.00	Touch Screen Enquiry System	N
District	Sidhi	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	CPU-MHDA	Wheel Chairs	N	Length of longest stopping train(m)		285		ATMs	0
Km.	0180.75	Cloak Room	N	MP Const.	Sidhi		Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Smt. Riti Pathak		Budget Hotel	N	
Electrified	N			MLA Const.	Chitrangi		Trains Halting	M: 0	P : 4
				MLA Name			Station IInd Entry	N	
Other Items	NA								
Remarks for Station:	New station								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	16	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Churki

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	260	9	0	OTH	0	0	0	2		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Churki

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	8	0	0.8	0	0	2			-	-
Actual	16	0	2	1	1	16	0	See platform details	0	-
Shortage, if any	-	50	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Tetulia			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	TNJE	FOB	0	(a) Per Day	10			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	5			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	0.06	2016-17	2.46	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	0.2	2018-19	0.00	Touch Screen Enquiry System	N
District	Dhanbad	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	DHN-CRP	Wheel Chairs	N	Length of longest stopping train(m)			250	ATMs	0
Km.	0013.19	Cloak Room	N	MP Const.	Giridih			Food Plaza	N
Route	E	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Budget Hotel	N
Electrified	Y			MLA Const.	baghmara			Trains Halting	M: 0 P : 2
				MLA Name	Sri Dhulu Mahto			Station IInd Entry	N
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	120	Length(m)	40	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Tetulia

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	77	6	0	MOR	9	2	0	1		0	10	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	77	8	0	MOR	0	7	0	0		0	56	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Tetulia

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	3	0	0.2	0	0	1			-	-
Actual	0	9	1	0	0	66	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Khalari			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	KLRE	FOB	1	(a) Per Day	850			Developed As Adarsh	
Station Category	NSG5	Subway	0	(b) Max. at any time	350			Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	100.51	2016-17	168.44	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	174.79	2018-19	173.06	Touch Screen Enquiry System	N
District	Ranchi	Clock	N	2019-20	0			Electronic Train Indication	N
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)			309	ATMs	0
Km.	0156.14	Cloak Room	N	MP Const.	Ranchi		Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Sanjay Seth		Budget Hotel	N	
Electrified	Y			MLA Const.	Kanke		Trains Halting	M: 6	P : 4
				MLA Name	Sri Samri Lal		Station IInd Entry	N	
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	32	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	408	Length(m)	90	Source	Railway Supply		Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	25000			
Pay & Use Toilet				Remarks	NA			

Station Name : Khalari

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	259	11	84	OPS	192	3	12	2		0	64	3	4	4	0	1	0	0	0	1	N	0
3&4	BG	Y	259	10	84	OPS	192	3	4	2		0	64	3	0	4	25	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Khalari

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	146	0	14	1	1	42			-	-
Actual	32	384	20	7	4	136	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		2	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Sindri Town			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SNDT	FOB	0	(a) Per Day	494			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	220			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	46.59	2016-17	48.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	250.98	2018-19	240.65	Touch Screen Enquiry System	N	
District	Dhanbad	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	DHN-SNDT	Wheel Chairs	N	Length of longest stopping train(m)				132	ATMs	0
Km.	0027.59	Cloak Room	N	MP Const.	Dhanbad			Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Pashupati Nath Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Sindri			Trains Halting	M: 0 P : 1	
Other Items	NA			MLA Name	Sri Indrajit Mahto			Station IInd Entry	N	
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	37	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	2	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	180	Length(m)	450	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Sindri Town

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	179.4	11.8	21	CC	183	10	0	1		0	50	1	1	1	8	1	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Sindri Town

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	92	0	8.8	0	0	26			-	-
Actual	37	183	1	3	1	52	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Bhurkunda			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BHKD	FOB	1	(a) Per Day		415		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		200		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	35.10	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	45.14	2018-19	42.58	Touch Screen Enquiry System	N	
District	Ramgarh	Clock	Y	2019-20	0					
Section	BRKA-GHD	Wheel Chairs	Y	Length of longest stopping train(m)				264	Electronic Train Indication	N
Km.	0112.53	Cloak Room	N	MP Const.	Hazaribagh			ATMs	0	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Jayant Sinha			Food Plaza	N	
Electrified	Y			MLA Const.	Barkagaon			Budget Hotel	N	
Other Items	NA			MLA Name	Sri Amba Prasad			Trains Halting	M: 2 P : 8	
Remarks for Station:	NA							Station IInd Entry	Y	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	20	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply					
Area (sqm)	230	Length(m)	74	Source	Railway Supply			Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump			Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	NA				

Station Name : Bhurkunda

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	408	10.4	0	MOR	84	7	0	2		0	64	2	2	1	5	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Bhurkunda

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	84	0	8	0	0	24			-	-
Actual	20	84	2	2	2	74	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Choube			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	CBH	FOB	0	(a) Per Day	318		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	80		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	17.34	2016-17	26.88	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	23.89	2018-19	20.98	Touch Screen Enquiry System	N	
District	Hazaribag	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				298	ATMs	0
Km.	0355.17	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	A	Refreshment Room(sq		MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	Y			MLA Const.	Barkatha			Trains Halting	M: 2 P : 4	
				MLA Name	Sri Amit Kumar Yadav			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq	0	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	90	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Choube

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	N	249	9.5	0	MOR	16	4	0	1		0	45	1	1	1	9	0	0	0	0	0	N	0
3&4	BG	N	417	15	0	MOR	113	4	0	2		0	60	1	0	2	14	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Choube

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	33	0	3.2	0	0	10			-	-
Actual	0	128	3	2	1	105	0	See platform details	0	-
Shortage, if any	15	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Pipradih			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	PADH	FOB	1	(a) Per Day	40		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	15		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilitation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	2.19	2018-19	2.11	Touch Screen Enquiry System	N	
District		Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				135	ATMs	0
Km.	0007.80	Cloak Room	N	<div style="border: 1px solid black; padding: 2px;"> MP Const. MP Name MLA Const. MLA Name </div>				Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)						Budget Hotel	N	
Electrified	Y							Trains Halting	M: 0	P : 4
Other Items	NA							Station IInd Entry	N	
Remarks for Station:										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	400	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	15000			
Pay & Use Toilet				Remarks	NA			

Station Name : Pipradih

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	11	84	MOR	144	0	0	2		0	40	2	0	2	82	0	0	0	0	0	N	0
2&3	BG	N	600	10	84	MOR	144	0	0	2		0		0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Pipradih

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	6	0	0.6	0	0	2			-	-
Actual	0	288	4	2	0	40	1	See platform details	0	-
Shortage, if any	15	-	-	-	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Anpara			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	ANPR	FOB	0	(a) Per Day	158		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	45		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)				Tourist Facilation Center	N
Division	Dhanbad	Enquiry Office	0	2011-12	153.53	2016-17	0.00	Touch Screen Enquiry System	N
State	Uttar Pradesh	Public Address Sys.	Y	2017-18	137.14	2018-19	126.46	Electronic Train Indication	N
District	Sonbhadra	Clock	Y	2019-20	0			ATMs	0
Section	CPU-OBRA	Wheel Chairs	Y	Length of longest stopping train(m)			242	Food Plaza	N
Km.	0060.50	Cloak Room	N	MP Const.	Robertsganj		Budget Hotel	N	
Route	E	Refreshment Room(sq.m)		MP Name	Pakauri Lal Kol		Trains Halting	M: 4 P : 2	
Electrified	N			MLA Const.	Obra		Station IInd Entry	N	
				MLA Name	Sunil Yadva				
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	37	Area(sq.m)	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	24	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1657.5	Length(m)	250	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	15300			
Pay & Use Toilet				Remarks	NA			

Station Name : Anpara

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	320	8	0	MOR	51	6	11	1		0	148	4	4	0	25	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Anpara

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	50 sqm	8	4	4	50	0	High level	1	-
As per Rec. norms	19	0	1.8	0	0	5			-	-
Actual	37	51	12	4	4	172	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Dhanbad			No. of passengers dealt with:				Identified as Adarsh	Y
Station Code	DHN	FOB	2	(a) Per Day	19900		Developed As Adarsh	N	
Station Category	NSG2	Subway	0	(b) Max. at any time	5000		Identified for MFC	N	
Railway	ECR	Booking Windows	21	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	2	2011-12	6800.00	2016-17	7086.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	5601	2018-19	5445.45	Touch Screen Enquiry System	N
District	Dhanbad	Clock	Y	2019-20	0			Electronic Train Indication	Y
Section	PKA-MPO	Wheel Chairs	Y	Length of longest stopping train(m)				532	
Km.	0270.88	Cloak Room	Y	MP Const.	Dhanbad			ATMs	2
Route	A	Refreshment Room(sq.m)	220	MP Name	Pashupati Nath Singh			Food Plaza	Y
Electrified	Y			MLA Const.	Dhanbad			Budget Hotel	N
Other Items	NA			MLA Name	Sri Raj Sinha			Trains Halting	M: 10 P : 8
Remarks for Station:	Earning increased. Now A-1 category								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	930	Area(sq.m)	72	33	Area(sq.m)	64	Retiring Room	12
(b) Seats(Nos.)	156	Seats(Nos.)	25	15	Seats(Nos.)	20	Dormitory	4
(c) Lav.(Nos.)	8	Lav.(Nos.)	2	0	Lav.(Nos.)	3		
(d) Urinals(Nos.)	18	Urinals(Nos.)	3	1	Urinals(Nos.)	2		
(e) Bathing Cubicals(Nos.)	9	Bathing Cubicals(Nos.)	2	1	Bathing Cubicals(Nos.)	3		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	999	Length(m)	30	Source	Railway Supply		Open Wells (Nos)	1
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	2
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	60000			
Pay & Use Toilet	Y			Remarks	NA			

Station Name : Dhanbad

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	605	10	80	OPS	3185	0	26	0	600	594	202	1	0	11	300	10	2	0	0	2	Y	1
2&3	BG	Y	627	15	740	OPS	4080	0	48	5	480	615	434	2	0	20	350	6	0	0	2	2	Y	1
4&5	BG	Y	411	13	76	OPS	1183	0	19	0		385	240	0	0	14	95	6	0	0	0	2	Y	1
6&7	BG	Y	585	13	82	OPS	897	5	16	0		520	102	0	0	4	105	0	0	0	0	1	N	0
8	BG	N	520	10	760	CC	576	4	10	0		0	24	1	2	10	16	0	0	0	0	0	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dhanbad

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	2500 sqm	100	12	12	750	1 With Cover	High level	10	YES
As per Rec. norms	2091	7000	200	8	8	600			-	-
Actual	930	9921	124	17	26	1218	2	See platform details	7	YES
Shortage, if any	-	-	-	-	-	-	-		3	-

Station Name : Dhanbad

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Dhanbad

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	BES			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BES	FOB	1	(a) Per Day	37		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	10		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	1.45	2018-19	1.56	Touch Screen Enquiry System	N	
District		Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				135	ATMs	0
Km.	0089.69	Cloak Room	N	<div style="border: 1px solid black; padding: 2px;"> MP Const. MP Name MLA Const. MLA Name </div>				Food Plaza	N	
Route	Dspl	Refreshment Room(sq	m)					Budget Hotel	N	
Electrified	Y							Trains Halting	M: 0	P : 4
Other Items	NA							Station IInd Entry	N	
Remarks for Station:	DHANBAD DIVISION .									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	m.) 0	Area(sq	m.) 0	0	0	Area(sq	m.) 0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	m) 0	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1
Illumination Type		Illumination Type	Y	Storage Capacity(Ltr)	15000			
Pay & Use Toilet				Remarks	NA			

Station Name : BES

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	340	11	840	MOR	0	0	0	2		0	32	0	0	0	0	0	0	0	0	0	1	N	0
2	BG	N	340	10	455	MOR	0	0	0	2		0	28	0	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : BES

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	0	0	4	0	0	60	1	See platform details	0	-
Shortage, if any	15	100	-	1	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Billi Jn			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	BXLL	FOB	0	(a) Per Day		200		Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time		50		Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	19.25	2016-17	0.00	Tourist Facilation Center	N
State	Uttar Pradesh	Public Address Sys.	Y	2017-18	19.41	2018-19	17.96	Touch Screen Enquiry System	N
District	Sonbhadra	Clock	Y	2019-20	0				
Section	CPU-GHD	Wheel Chairs	Y	Length of longest stopping train(m)			310	Electronic Train Indication	N
Km.	0135.00	Cloak Room	N	MP Const.	Robertsganj				
Route	E	Refreshment Room(sq.m)		MP Name	Pakauri Lal Kol				
Electrified	N			MLA Const.	Obra				
				MLA Name	Sunil Yadva				
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	78	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	98	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	44.5	Length(m)	55	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Kutchra	Type	Piped and Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	10800		
Pay & Use Toilet				Remarks	NA		

Station Name : Billi Jn

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	338	7	0	OPS	121	0	0	2		0	60	2	2	3	15	0	0	0	0	0	N	0
2	BG	N	182	7	0	OPS	63	0	0	2		0	20	0	0	0	6	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Billi Jn

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	21	0	2	0	0	6			-	-
Actual	78	184	4	2	2	178	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Magardaha			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MWF	FOB	0	(a) Per Day		25		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		8		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.65	2016-17	0.00	Tourist Facilation Center	N	
State	Uttar Pradesh	Public Address Sys.	Y	2017-18	1.03	2018-19	0.96	Touch Screen Enquiry System	N	
District	Sonbhadra	Clock	Y	2019-20	0					
Section	OBRA-MHDA	Wheel Chairs	N	Length of longest stopping train(m)				310	Electronic Train Indication	N
Km.	0151.05	Cloak Room	N	MP Const.	Robertsganj					
Route	E	Refreshment Room(sq.m)		MP Name	Pakauri Lal Kol					
Electrified	N				MLA Const.	Obra				
Other Items			NA	MLA Name	Sunil Yadva					
Remarks for Station:			NA			ATMs	0	Food Plaza	N	
						Budget Hotel	N	Trains Halting	M: 0 P : 6	
						Station IInd Entry	N			

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Other	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station Name : Magardaha

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	184	6.1	0	OTH	51	0	0	2		0	30	2	2	0	0	0	0	0	0	0	N	0
2	BG	N	189	4.7	0	OTH	51	0	0	2		0	30	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Magardaha

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	3	0	0.32	0	0	1			-	-
Actual	16	102	4	2	2	78	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Parashnath			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	PNME	FOB	1	(a) Per Day		1405		Developed As Adarsh	Y	
Station Category	NSG4	Subway	0	(b) Max. at any time		300		Identified for MFC	N	
Railway	ECR	Booking Windows	7	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	1	2011-12	820.00	2016-17	896.00	Tourist Facilitation Center	Y	
State	Jharkhand	Public Address Sys.	Y	2017-18	810.61	2018-19	841.67	Touch Screen Enquiry System	N	
District	Giridih	Clock	Y	2019-20	0					
Section	PKA-MPO	Wheel Chairs	Y	Length of longest stopping train(m)				487	Electronic Train Indication	Y
Km.	0318.10	Cloak Room	N	MP Const.	Giridih					
Route	A	Refreshment Room(sq.m)	23.4	MP Name	Chandra Prakash Choudhary					
Electrified	Y					MLA Const.	Dumri			
				MLA Name	Sri Jagarnath Mahto					
Other Items	NA					ATMs	1			
Remarks for Station:	NA					Food Plaza	N			
								Budget Hotel	N	
								Trains Halting	M: 6	P : 8
								Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	132	Area(sq.m)	49	49	Area(sq.m)	98	Retiring Room	1	
(b) Seats(Nos.)	50	Seats(Nos.)	15	15	Seats(Nos.)	30	Dormitory	0	
(c) Lav.(Nos.)	10	Lav.(Nos.)	2	2	Lav.(Nos.)	4			
(d) Urinals(Nos.)	5	Urinals(Nos.)	2	2	Urinals(Nos.)	4			
(e) Bathing Cubicals(Nos.)	5	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	2			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	800	Length(m)	90	Source	Railway Supply	Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	53000		
Pay & Use Toilet						Remarks	NA

Station Name : Parashnath

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	585	10	84	CC	800	6	49	0		0	300	0	2	10	100	1	0	0	0	0	Y	0
3&4	BG	Y	585	15	84	CC	912	7	50	1		0	262	2	3	12	110	0	0	0	0	0	Y	0
5	BG	N	480	6	84	CC	570	0	32	0		0	60	4	4	9	90	0	0	0	0	0	Y	0
*Surface Type		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Parashnath

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	600 sqm	60	6	6	300	1	High level	6	YES
As per Rec. norms	125	252	12	0	0	36			-	-
Actual	132	2282	132	24	22	732	1	See platform details	3	YES
Shortage, if any	-	-	-	-	-	-	-		3	-

Station Name : Parashnath

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	No	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	No
Refreshment Room	Yes	Book stall/other stalls of essential goods	No
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	No
Public Phone Booth	No	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	No	Automatic Vending Machines	No
UTS		Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Desired Facility	Facility Available
Improvement in the facade of the station building Improvement in the circulating area so as to ensure proper entry and exit of A lighting tower at an appropriate place to be installed for proper illumination Improved modern, cost effective lighting arrangements at the platforms, Renovated water booths Renovated, modern, Pay & Use toilets Good Waiting and Retiring Rooms with modern furniture Good passenger guidance system including signages and coach indication Improvement to the passenger service Improvement of booking and enquiry offices to give them a facelift Lighting of booking offices, the queuing area in front of booking windows Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Gomia			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	GMIA	FOB	1	(a) Per Day	720		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	150		Identified for MFC	N		
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	155.52	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	229.37	2018-19	237.04	Touch Screen Enquiry System	N	
District	Bokaro	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	GMO-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)				525	ATMs	0
Km.	0048.59	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	D	Refreshment Room(sq		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	Gomia			Trains Halting	M: 2 P : 2	
Other Items	NA			MLA Name	Sri Lambodar Mahto			Station IInd Entry	N	
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	93	Area(sq		0	0	Area(sq	25	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	30	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	230	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	20000			
Pay & Use Toilet				Remarks	NA			

Station Name : Gomia

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	450	7	84	CC	157	1	10	1		0	76	1	1	3	11	0	0	0	0	1	N	0
2	BG	N	450	15	84	CC	157	19	10	2		0	76	0	2	0	7	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Gomia

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	63	0	6	0	0	18			-	-
Actual	93	314	23	3	5	222	1	See platform details	0	-
Shortage, if any	-	-	-	1	-	-	-		2	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Barkakana			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BRKA	FOB	3	(a) Per Day	1780		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	650		Identified for MFC	N		
Railway	ECR	Booking Windows	6	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	1	2011-12	709.09	2016-17	840.00	Tourist Facilitation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	601.08	2018-19	659.72	Touch Screen Enquiry System	N	
District	Ramgarh	Clock	Y	2019-20	0			Electronic Train Indication	Y	
Section	LTHR-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)				380	ATMs	1
Km.	0100.62	Cloak Room	Y	MP Const.	Hazaribagh			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)	43	MP Name	Jayant Sinha			Budget Hotel	N	
Electrified	Y			MLA Const.	Barkagaon			Trains Halting	M: 28 P : 14	
				MLA Name	Sri Amba Prasad			Station IInd Entry	Y	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	68	Area(sq.m)		21	21	Area(sq.m)	21	Retiring Room	2
(b) Seats(Nos.)	25	Seats(Nos.)		22	15	Seats(Nos.)	12	Dormitory	0
(c) Lav.(Nos.)	3	Lav.(Nos.)		0	1	Lav.(Nos.)	1		
(d) Urinals(Nos.)	4	Urinals(Nos.)		0	1	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	1	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	2250	Length(m)	200	Source	Railway Supply		Open Wells (Nos)	0
Surface	WBM	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	203897.9			
Pay & Use Toilet	Y			Remarks	NA			

Station Name : Barkakana

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	Y	240	12	0	CC	20	0	6	0		165	75	0	2	0	31	3	0	0	0	3	Y	0		
2&3	BG	N	576	14.3	74	CC	608	25	23	0		758	276	4	3	12	99	3	0	0	0	3	Y	0		
4&5	BG	N	550	12.5	71	CC	1242	0	36	0		0	126	0	0	0	80	0	0	0	0	3	N	0		
1/A	BG	N	87	6	57	CC	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0		
*Surface Type		: CC-Cement Concrete					PS-Polished Stone					OPS-Other Pucca Surface					MOR-Moorum					OTH-Others				

Station Name : Barkakana

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	200 sqm	32	4	4	200	0	High level	4	-
As per Rec. norms	272	0	26	1	1	78			-	-
Actual	68	1870	65	9	11	551	3	See platform details	2	-
Shortage, if any	-	-	-	-	-	-	-		2	-

Station Name : Barkakana

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	No	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	No
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Nagaruntari			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	NUQ	FOB	0	(a) Per Day	1180			Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	500			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	205.73	2016-17	0.00	Tourist Flacation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	428.58	2018-19	491.52	Touch Screen Enquiry System	N	
District	Garhwa	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				309	ATMs	0
Km.	0040.50	Cloak Room	N	MP Const.	Palamu			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram			Budget Hotel	N	
Electrified	Y			MLA Const.	Bhawnathpur			Trains Halting	M: 5 P : 2	
				MLA Name	Sri Bhanu Pratap Sahi			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	90	Area(sq.m)		6	0	Area(sq.m)	21	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	6	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		1	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	200	Length(m)	65	Source	Railway Supply		Open Wells (Nos)	1
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	87168			
Pay & Use Toilet				Remarks	NA			

Station Name : Nagaruntari

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	561	7	85	CC	80	5	14	4		0	148	2	0	2	20	1	0	0	0	0	N	0
*Surface Type		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Nagaruntari

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	50 sqm	8	4	4	50	0	High level	1	-
As per Rec. norms	209	0	20	1	1	60			-	-
Actual	90	80	18	5	2	184	0	See platform details	0	-
Shortage, if any	-	-	-	-	2	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Chainpur			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	CNPR	FOB	1	(a) Per Day		105		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		35		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	7.30	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	8.69	2018-19	9.61	Touch Screen Enquiry System	N	
District	Hazaribag	Clock	Y	2019-20	0					
Section	GMO-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				525	Electronic Train Indication	N
Km.	0079.40	Cloak Room	N	MP Const.		Hazaribagh		ATMs	0	
Route	D	Refreshment Room(sq.m)		MP Name		Jayant Sinha		Food Plaza	N	
Electrified	Y			MLA Const.				Budget Hotel	N	
Other Items	NA			MLA Name				Trains Halting	M: 1 P : 2	
Remarks for Station:	NA							Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	17	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	20	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutchra	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	100000			
Pay & Use Toilet				Remarks	NA			

Station Name : Chainpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	180	9	0	MOR	930	7	9	2		0	20	1	1	2	22	1	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete		PS-Polished Stone		OPS-Other Pucca Surface		MOR-Moorum		OTH-Others														

Station Name : Chainpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	15	0	1.4	0	0	4			-	-
Actual	17	930	11	1	1	40	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Amlu B.H.			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	AMLO	FOB	0	(a) Per Day	155		Developed As Adarsh			
Station Category	HG2	Subway	0	(b) Max. at any time	30		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	12.05	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	12.66	2018-19	11.37	Touch Screen Enquiry System	N	
District	Bokaro	Clock	N	2019-20	0			Electronic Train Indication	N	
Section	GMO-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				400	ATMs	0
Km.	0031.08	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	D	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	Bermo			Trains Halting	M: 0 P : 2	
				MLA Name	Sri Rajendra Prasad Singh			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	11	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	3	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	55	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchu	Surface	Kutchu	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Amlo B.H.

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	140	2	0	MOR	0	1	1	0		0	12	2	2	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Amlo B.H.

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	19	0	1.2	0	0	5			-	-
Actual	11	0	1	2	2	15	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Daltonganj			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	DTO	FOB	1	(a) Per Day	6000			Developed As Adarsh	
Station Category	NSG4	Subway	0	(b) Max. at any time	1500			Identified for MFC	N
Railway	ECR	Booking Windows	8	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	1	2011-12	1274.74	2016-17	0.00	Tourist Facilitation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	1695.8	2018-19	1716.23	Touch Screen Enquiry System	N
District	Palamu	Clock	Y	2019-20	0			Electronic Train Indication	Y
Section	BRKA-GHD	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	1
Km.	0285.69	Cloak Room	N	MP Const.	Palamu			Food Plaza	Y
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram			Budget Hotel	N
Electrified	Y			MLA Const.	Daltonganj			Trains Halting	M: 28 P : 12
				MLA Name	Sri Alok Chaurasiya			Station IInd Entry	Y
Other Items	NA								
Remarks for Station:									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	168	Area(sq.m)		33	26	Area(sq.m)	40	Retiring Room	2
(b) Seats(Nos.)	83	Seats(Nos.)		20	2	Seats(Nos.)	21	Dormitory	0
(c) Lav.(Nos.)	3	Lav.(Nos.)		6	1	Lav.(Nos.)	2		
(d) Urinals(Nos.)	2	Urinals(Nos.)		3	1	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	2	Bathing Cubicals(Nos.)		2	1	Bathing Cubicals(Nos.)	2		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1400	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	2
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	2
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	40000			
Pay & Use Toilet	Y			Remarks	NA			

Station Name : Daltonganj

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	550	9	0.84	CC	655	2	39	1		0	206	5	10	8	66	3	2	0	0	0	Y	0
2&3	BG	Y	550	10	0.84	CC	595	1	36	2		0	206	3	3	7	81	1	2	0	0	0	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Daltonganj

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec. norms	627	840	60	2	2	180			-	-
Actual	168	1250	78	20	20	538	1	See platform details	4	-
Shortage, if any	-	-	-	-	-	-	-		-	YES

Station Name : **Daltonganj**

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	
Enquiry Counter	Yes	Second Class	
NTES	Yes	For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with light		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers	Yes	Signage (standardized)	No
Modular Catering Stall		Automatic Vending Machines	
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System	Yes	CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Desired Facility	Facility Available
Improvement in the facade of the station building Improvement in the circulating area so as to ensure proper entry and exit of A lighting tower at an appropriate place to be installed for proper illumination Improved modern, cost effective lighting arrangements at the platforms, Renovated water booths Renovated, modern, Pay & Use toilets Good Waiting and Retiring Rooms with modern furniture Good passenger guidance system including signages and coach indication Improvement to the passanger service Improvement of booking and enquiry offices to give them a facelift Lighting of booking offices, the queuing area in front of booking windows Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Yadudih			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	YDD	FOB	0	(a) Per Day		190		Developed As Adarsh		
Station Category	HG2	Subway	0	(b) Max. at any time		40		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	8.77	2016-17	11.65	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	13.67	2018-19	13.10	Touch Screen Enquiry System	N	
District	Koderma	Clock	N	2019-20	0					
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				280	Electronic Train Indication	N
Km.	0371.81	Cloak Room	N	MP Const.		Kodarma		ATMs	0	
Route	A	Refreshment Room(sq.m)		MP Name		Annapurna Debi		Food Plaza	N	
Electrified	Y			MLA Const.		Barkatha		Budget Hotel	N	
Other Items	NA			MLA Name		Sri Amit Kumar Yadav		Trains Halting	M: 0 P : 4	
Remarks for Station:	NA							Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	130	Length(m)	72	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Yadudih

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	260	2	0	MOR	0	1	0	1		0	24	0	0	2	1	0	0	0	0	0	N	0
2	BG	N	260	2	0	MOR	0	2	0	1		0	20	0	0	0	2	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Yadudih

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	25	0	1.6	0	0	7			-	-
Actual	0	0	2	0	0	44	0	See platform details	0	-
Shortage, if any	10	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Krishnashila			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	KRSL	FOB	0	(a) Per Day		20		Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time		10		Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	10.54	2016-17	0.00	Tourist Facilation Center	N
State	Uttar Pradesh	Public Address Sys.	Y	2017-18	9.93	2018-19	6.16	Touch Screen Enquiry System	N
District	Sonbhadra	Clock	Y	2019-20	0				
Section	KRLE-SKTN	Wheel Chairs	N	Length of longest stopping train(m)			234	Electronic Train Indication	N
Km.	0021.43	Cloak Room	N	MP Const.		Robertsganj		ATMs	0
Route	E	Refreshment Room(sqm)		MP Name		Pakauri Lal Kol		Food Plaza	N
Electrified	N			MLA Const.		Dudhi		Budget Hotel	N
Other Items	NA			MLA Name		Smt. Rubi Prasad		Trains Halting	M: 4 P : 2
Remarks for Station:	NA							Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	27	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	392	Length(m)	96	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	15000			
Pay & Use Toilet				Remarks	NA			

Station Name : Krishnashila

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	276	9	0	MOR	60	15	5	1		0	56	3	1	0	15	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Krishnashila

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	27	60	6	3	1	76	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Ranchi Road			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	RRME	FOB	1	(a) Per Day	695			Developed As Adarsh	
Station Category	NSG5	Subway	0	(b) Max. at any time	200			Identified for MFC	N
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	61.00	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	164.33	2018-19	153.56	Touch Screen Enquiry System	N
District	Ramgarh	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	GMO-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)			418	ATMs	0
Km.	0091.62	Cloak Room	N	MP Const.	Hazaribagh			Food Plaza	N
Route	D	Refreshment Room(sq.m)		MP Name	Jayant Sinha			Budget Hotel	N
Electrified	Y			MLA Const.	Ramgarh			Trains Halting	M: 2 P : 6
				MLA Name	Smt. Mamta Devi			Station IInd Entry	N
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	33	Area(sq.m)		0	17	Area(sq.m)	29	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	5	Seats(Nos.)	7	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	2	Lav.(Nos.)	2		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	1	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1470	Length(m)	65	Source	Railway Supply		Open Wells (Nos)	1
Surface	WBM	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	17028			
Pay & Use Toilet				Remarks	NA			

Station Name : Ranchi Road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	450	12.8	76	OPS	384	0	22	2		0	122	2	1	4	22	2	0	0	0	0	N	0
2	BG	N	361	8.55	0	MOR	0	4	8	1		0	40	0	1	0	19	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Ranchi Road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	84	0	8	0	0	24			-	-
Actual	33	384	33	6	2	174	1	See platform details	1	-
Shortage, if any	-	-	-	-	2	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Kawar Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KWAR	FOB	1	(a) Per Day	115		Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time	10		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	8.68	2018-19	8.05	Touch Screen Enquiry System	N	
District	Giridih	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	Koderma-Giridih	Wheel Chairs	N	Length of longest stopping train(m)				155	ATMs	0
Km.	0086.50	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	E	Refreshment Room(sqm)		MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 4	
				MLA Name				Station IInd Entry	N	
Other Items										
Remarks for Station:										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	100	Length(m)	350	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks				

Station Name : Kawar Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	15	84	OPS	12	0	0	1		0	10	0	0			0	0	0	0	1	N	0
2	BG	N	330	15	84	MOR	12	0	0	1		0	10	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kawar Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	6	0	0.4	0	0	2			-	-
Actual	15	24	2	0	0	30	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Mahuariya			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MXY	FOB	0	(a) Per Day	90			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	50			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	5.61	2016-17	0.00	Tourist Facilation Center	N	
State	Uttar Pradesh	Public Address Sys.	Y	2017-18	7.23	2018-19	6.28	Touch Screen Enquiry System	N	
District	Sonbhadra	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				176	ATMs	0
Km.	0066.28	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	Dspl	Refreshment Room(sq	Y	MP Name	Pakauri Lal Kol			Budget Hotel	N	
Electrified	Y			MLA Const.	Dudhi			Trains Halting	M: 0 P : 2	
				MLA Name	Smt. Rubi Prasad			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	56	Area(sq	0	0	Area(sq	0	Retiring Room	0	
(b) Seats(Nos.)	30	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sq	0	Length(m)	65	Source	Railway Supply	Open Wells (Nos)	2
Surface	Kutch	Surface	Kutch	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station Name : Mahuariya

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	183.4	7.7	0	MOR	51	3	0	2		0	72	2	2	0	5	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Mahuariya

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	21	0	2	0	0	6			-	-
Actual	56	51	2	2	2	102	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Budora Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BDQ	FOB	0	(a) Per Day	0		Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time	0		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	2.34	2016-17	3.90	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	N	2017-18	0.6	2018-19	0.00	Touch Screen Enquiry System	N	
District	Dhanbad	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	DHN-KTH-CRP	Wheel Chairs	N	Length of longest stopping train(m)				250	ATMs	0
Km.	0020.44	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	baghmara			Trains Halting	M: 0 P : 2	
				MLA Name	Sri Dhulu Mahto			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq	0	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	300	Source	Municipal Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	BCCL Water.			

Station Name : Budora Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	90	3	25	CC	9	3	0	1		0	10	0	0	0	4	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Budora Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	0	0	0	0	0	0			-	-
Actual	0	9	1	0	0	10	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Kuju			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	KUJU	FOB	1	(a) Per Day		60	Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		40	Identified for MFC		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	
State	Jharkhand	Public Address Sys.	Y	2017-18	3.54	2018-19	3.73	Touch Screen Enquiry System	
District		Clock	Y	2019-20	0			Electronic Train Indication	
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)			135	ATMs	
Km.	0122.20	Cloak Room	N	MP Const.				Food Plaza	
Route	Dspl	Refreshment Room(sq.m)		MP Name				Budget Hotel	
Electrified	Y			MLA Const.				Trains Halting	
Other Items	NA			MLA Name				M: 0	P : 4
Remarks for Station:									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	1000	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	15000			
Pay & Use Toilet				Remarks	NA			

Station Name : Kuju

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	340	11	840	OPS	0			2		0	32						0	0	0	0	N	0
2	BG	N	340	10	840	OPS	144			2		0	28						0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kuju

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	17	0	1.6	0	0	5			-	-
Actual	0	144	4	0	0	60	1	See platform details	0	-
Shortage, if any	15	-	-	1	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Chopan			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	CPU	FOB	1	(a) Per Day	1385			Developed As Adarsh	
Station Category	NSG5	Subway	0	(b) Max. at any time	200			Identified for MFC	N
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	1	2011-12	385.63	2016-17	488.00	Tourist Facilation Center	N
State	Uttar Pradesh	Public Address Sys.	Y	2017-18	534.38	2018-19	532.90	Touch Screen Enquiry System	N
District	Sonbhadra	Clock	Y	2019-20	0			Electronic Train Indication	Y
Section	GHD-CPU	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	0
Km.	0141.43	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N
Route	D	Refreshment Room(sq		MP Name	Pakauri Lal Kol			Budget Hotel	N
Electrified	N			MLA Const.	Obra			Trains Halting	M: 24 P : 14
				MLA Name	Sunil Yadva			Station IInd Entry	Y
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	78	Area(sq		1	20	Area(sq	20	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	25	Seats(Nos.)	25	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	1	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	1	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	1	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	681.2	Length(m)	415	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	50000			
Pay & Use Toilet				Remarks	NA			

Station Name : Chopan

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	380	6	76	PS	295	8	20	0		150	168	6	6	5	30	2	0	0	0	1	Y	0
2&3	BG	Y	540	10	82	CC	480	4	44	0		389	162	2	2	11	50	3	0	0	0	1	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chopan

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	84	0	8	0	0	24			-	-
Actual	78	775	64	11	11	410	1	See platform details	2	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Nichitpur Halt			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	NPJE	FOB	0	(a) Per Day	582			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	250			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	19.52	2016-17	28.55	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	36.01	2018-19	35.24	Touch Screen Enquiry System	N
District	Dhanbad	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)		354			
Km.	0285.30	Cloak Room	N	MP Const.	Dhanbad		ATMs	0	
Route	A	Refreshment Room(sq.m)		MP Name	Pashupati Nath Singh		Food Plaza	N	
Electrified	Y			MLA Const.	baghmara		Budget Hotel	N	
Other Items	NA			MLA Name	Sri Dhulu Mahto		Trains Halting	M: 2	P : 6
Remarks for Station:	NA						Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	10	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	70	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Nichitpur Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	6	0	CC	432	0	0	1		0	25	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	330	6	0	CC	432	0	0	1		0	25	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Nichitpur Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	157	0	10	1	1	45			-	-
Actual	10	864	2	0	0	80	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Bandhua	No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BNF	FOB	0	(a) Per Day	45	Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	20	Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)				
Division	Dhanbad	Enquiry Office	0	2011-12	5.58	2016-17	6.00	
State	Bihar	Public Address Sys.	Y	2017-18	6.18	2018-19	5.76	
District	Gaya	Clock	N	2019-20	0	Tourist Facilitation Center	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				195
Km.	0457.35	Cloak Room	N	MP Const.	Gaya	ATMs	0	
Route	A	Refreshment Room(sq.m)		MP Name	Vijay Manjhi	Food Plaza	N	
Electrified	Y			MLA Const.	Wazirganj	Budget Hotel	N	
Other Items	NA			MLA Name	Sri Awdesh Kumar Singh (Cong.)	Trains Halting	M: 0 P : 4	
Remarks for Station:	NA					Station IInd Entry	Y	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	56	Area(sq.m)		0	0	Area(sq.m)	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0
						Retiring Room	0
						Dormitory	0

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	500	Length(m)	66	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station Name : Bandhua

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	244	12	0	MOR	40	10	0	1		0	60	2	2	2	5	0	0	0	0	0	N	0
3&4	BG	Y	244	8	0	MOR	40	9	0	1		0	50	2	2	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bandhua

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	8	0	0.8	0	0	2			-	-
Actual	56	80	2	4	4	120	0	See platform details	0	-
Shortage, if any	-	20	2	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Obra Dam			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	OBRA	FOB	0	(a) Per Day	132			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	30			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)				Tourist Facilation Center	N
Division	Dhanbad	Enquiry Office	0	2011-12	27.09	2016-17	0.00	Touch Screen Enquiry System	N
State	Uttar Pradesh	Public Address Sys.	Y	2017-18	21.06	2018-19	19.32	Electronic Train Indication	N
District	Sonbhadra	Clock	Y	2019-20	0			ATMs	0
Section	CPU-MHDA	Wheel Chairs	N	Length of longest stopping train(m)			422	Food Plaza	N
Km.	0138.16	Cloak Room	N	MP Const.	Robertsganj			Budget Hotel	N
Route	E	Refreshment Room(sq.m)		MP Name	Pakauri Lal Kol			Trains Halting	M: 10 P : 6
Electrified	N			MLA Const.	Obra			Station IInd Entry	N
				MLA Name	Sunil Yadva				
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	83	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	375	Length(m)	50	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	112500		
Pay & Use Toilet				Remarks	NA		

Station Name : Obra Dam

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	360	12	0	CC	51	3	12	1		0	136	2	2	2	25	1	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Obra Dam

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	13	0	1.2	0	0	4			-	-
Actual	83	51	13	4	2	176	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Tokisud			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	TKS	FOB	0	(a) Per Day	65			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	20			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	1.75	2016-17	4.51	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	3.61	2018-19	3.00	Touch Screen Enquiry System	N
District	Ramgarh	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)			286	ATMs	0
Km.	0128.00	Cloak Room	N	MP Const.	Hazaribagh			Food Plaza	N
Route	Dspl	Refreshment Room(sq		MP Name	Jayant Sinha			Budget Hotel	N
Electrified	Y			MLA Const.	Barkagaon			Trains Halting	M: 0 P : 4
				MLA Name	Sri Amba Prasad			Station IInd Entry	N
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	10	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	55.5	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Tokisud

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	170	5	0	MOR	10	6	0	1		0	36	0	2	0	10	0	0	0	0	0	N	0
2	BG	N	170	6	0	MOR	10	3	0	1		0	36	1	2	0	3	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Tokisud

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	13	0	0.8	0	0	4			-	-
Actual	10	20	2	1	4	72	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Mahuamilan			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MMLN	FOB	0	(a) Per Day	37			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	10			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	2.21	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	3.28	2018-19	2.91	Touch Screen Enquiry System	N	
District	Palamu	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)				176	ATMs	0
Km.	0178.16	Cloak Room	N	MP Const.	Chatra			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sunil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Latehar			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Baidyanath Ram			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	54	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Mahuamilan

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	244	9.1	0	MOR	36	6	0	2		0	24	1	1	0	0	0	0	0	0	0	N	0
2	BG	N	244	9.1	0	MOR	96	3	0	2		0	30	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Mahuamilan

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	54	132	4	3	1	62	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Kechki			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KCKI	FOB	0	(a) Per Day		160		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		25		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	8.11	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	11.59	2018-19	12.03	Touch Screen Enquiry System	N	
District	Palamu	Clock	N	2019-20	0					
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)				382.5	Electronic Train Indication	N
Km.	0270.99	Cloak Room	N	MP Const.		Chatra		ATMs	0	
Route	Dspl	Refreshment Room(sq.m)		MP Name		Sunil Kumar Singh		Food Plaza	N	
Electrified	Y			MLA Const.		Manika		Budget Hotel	N	
Other Items	NA			MLA Name		Sri Ramchandra Singh		Trains Halting	M: 1 P : 6	
Remarks for Station:	NA							Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	54	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	3	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1000	Length(m)	90	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Kechki

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	236	8.25	0.21	MOR	24	1	0	2		0	50	3	0	2	6	0	0	0	0	0	N	0
2	BG	N	259	9	0.25	MOR	48	13	0	0		0	50	0	0	0	6	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kechki

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	10	0	1	0	0	3			-	-
Actual	54	72	2	4	3	120	0	See platform details	0	-
Shortage, if any	-	28	2	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Arigada			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	ARGD	FOB	1	(a) Per Day	85			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	30			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	3.33	2016-17	0.00	Tourist Facilitation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	5.02	2018-19	5.52	Touch Screen Enquiry System	N	
District	Ramgarh	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				176	ATMs	0
Km.	0133.38	Cloak Room	N	MP Const.	Hazaribagh			Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Jayant Sinha			Budget Hotel	N	
Electrified	N			MLA Const.	Barkagaon			Trains Halting	M: 0 P : 8	
				MLA Name	Sri Amba Prasad			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	8	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	105	Length(m)	35	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Piped		Bore Wells (Nos)	1
Illumination Type		Illumination Type	Y	Storage Capacity(Ltr)	15000			
Pay & Use Toilet				Remarks	NA			

Station Name : Arigada

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	11	840	MOR	0	6	0	2		0	28	2	1	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Arigada

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	19	0	1.2	0	0	5			-	-
Actual	8	0	2	2	1	28	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Ramna			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	RMF	FOB	0	(a) Per Day	354			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	125			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	25.84	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	45.27	2018-19	46.41	Touch Screen Enquiry System	N	
District	Garhwa	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				176	ATMs	0
Km.	0032.27	Cloak Room	N	MP Const.	Palamu			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Vishnu Dayal Ram			Budget Hotel	N	
Electrified	Y			MLA Const.	Bhawnathpur			Trains Halting	M: 2 P : 2	
Other Items	NA			MLA Name	Sri Bhanu Pratap Sahi			Station IInd Entry	N	
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	15	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	12	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	100	Length(m)	35	Source	Railway Supply		Open Wells (Nos)	2
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Ramna

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	178	6	85	MOR	51	0	0	2		0	68	2	2	0	8	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface					MOR-Moorum			OTH-Others						

Station Name : Ramna

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	52	0	5	0	0	15			-	-
Actual	15	51	2	4	3	80	0	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Wyndhamganj			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	WDM	FOB	0	(a) Per Day	434			Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	250			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	64.55	2016-17	0.00	Tourist Facilation Center	N	
State	Uttar Pradesh	Public Address Sys.	Y	2017-18	107.66	2018-19	115.07	Touch Screen Enquiry System	N	
District	Sonbhadra	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				309		
Km.	0055.86	Cloak Room	N	MP Const.	Robertsganj			ATMs	0	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Pakauri Lal Kol			Food Plaza	N	
Electrified	Y			MLA Const.	Dudhi			Budget Hotel	N	
Other Items	NA			MLA Name	Smt. Rubi Prasad			Trains Halting	M: 3 P : 2	
Remarks for Station:	NA							Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	21	Area(sq.m)	28	0	Area(sq.m)	0	Retiring Room	0	
(b) Seats(Nos.)	6	Seats(Nos.)	15	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	50.17	Length(m)	55	Source	Railway Supply	Open Wells (Nos)	1
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station Name : Wyndhamganj

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	411	6	45	CC	140	5	1	3		0	88	2	2	1	10	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Wyndhamganj

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	50 sqm	8	4	4	50	0	High level	1	-
As per Rec. norms	105	0	10	0	0	30			-	-
Actual	21	140	4	2	2	109	0	See platform details	0	-
Shortage, if any	9	-	4	2	2	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	RAY			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	RAY	FOB	1	(a) Per Day		700		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		300		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	47.14	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	117.68	2018-19	121.39	Touch Screen Enquiry System	N	
District	Hazaribag	Clock	N	2019-20	0					
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)				309	Electronic Train Indication	N
Km.	0150.10	Cloak Room	N	MP Const.		Ranchi		ATMs	0	
Route	Dspl	Refreshment Room(sq.m)		MP Name		Sanjay Seth		Food Plaza	N	
Electrified	Y			MLA Const.		Kanke		Budget Hotel	N	
Other Items	NA			MLA Name		Sri Samri Lal		Trains Halting	M: 0 P : 4	
Remarks for Station:	NA							Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	324	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	60	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	4	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	2	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	20	Source	Railway Supply		Open Wells (Nos)	1
Surface	Black Topped	Surface	WBM	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	100000			
Pay & Use Toilet				Remarks	NA			

Station Name : RAY

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	244	8.5	84	OPS	121	4	5	2		0	28	1	1	2	22	1	0	0	0	1	N	0
2	BG	Y	244	5	0	MOR	110	1	5	2		0	28	0	0	2	17	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : RAY

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	125	0	12	0	0	36			-	-
Actual	324	231	14	5	3	116	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Demu					No. of passengers dealt with:		Identified as Adarsh	N
Station Code	DMX	FOB	0	(a) Per Day	45	Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time	10	Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	3.70	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	1.42	2018-19	3.53	Touch Screen Enquiry System	N
District	Palamu	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)		275	ATMs		0
Km.	0211.02	Cloak Room	N	MP Const.	Chatra		Food Plaza		N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sunil Kumar Singh		Budget Hotel		N
Electrified	Y			MLA Const.	Latehar		Trains Halting		M: 0 P : 8
				MLA Name	Sri Baidyanath Ram		Station IInd Entry		N
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	105	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Demu

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	180	8.2	0	MOR	0	1	0	1		0	20	0	0	0	8	0	0	0	0	0	N	0
2	BG	N	180	4.7	0	MOR	0	0	0	1		0	20	0	0	0	8	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete		PS-Polished Stone		OPS-Other Pucca Surface		MOR-Moorum		OTH-Others														

Station Name : Demu

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	6	0	0.4	0	0	2			-	-
Actual	0	0	2	0	0	40	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Jamua			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	JAUUA	FOB	1	(a) Per Day	136		Developed As Adarsh			
Station Category	HG2	Subway	0	(b) Max. at any time	15		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	8.8	2018-19	9.13	Touch Screen Enquiry System	N	
District	Giridih	Clock	N	2019-20	0			Electronic Train Indication	N	
Section	Koderma-Giridih	Wheel Chairs	N	Length of longest stopping train(m)				ATMs	0	
Km.	0063.20	Cloak Room	N	<div style="border: 1px solid black; padding: 5px;"> MP Const. MP Name MLA Const. MLA Name </div>				Food Plaza	N	
Route	E	Refreshment Room(sq.m)						Budget Hotel	N	
Electrified	Y							Trains Halting	M:	P : null
Other Items							Station IInd Entry	N	
Remarks for Station:										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks			

Station Name : Jamua

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.6	0	0	3			-	-
Actual	0	0	0	0	0	0	1	See platform details	0	-
Shortage, if any	10	-	1	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Nimiaghat			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	NMG	FOB	1	(a) Per Day	200			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	35			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	4.17	2016-17	5.85	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	10.91	2018-19	10.18	Touch Screen Enquiry System	N
District	Giridih	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)			354	ATMs	0
Km.	0310.51	Cloak Room	N	MP Const.	Giridih			Food Plaza	N
Route	A	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Budget Hotel	N
Electrified	Y			MLA Const.	Dumri			Trains Halting	M: 2 P : 6
				MLA Name	Sri Jagarnath Mahto			Station IInd Entry	N
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Nimiaghat

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	356	15	0	MOR	170	4	0	2		0	24	2	1	1	12	0	0	0	0	0	N	0
3&4	BG	Y	256	9.3	0	MOR	27	1	0	2		0	24	0	0	0	5	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Nimiaghat

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	15	0	1.4	0	0	4			-	-
Actual	0	197	5	2	1	48	1	See platform details	0	-
Shortage, if any	15	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Barwadih			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	BRWD	FOB	2	(a) Per Day	850		Developed As Adarsh	N		
Station Category	NSG5	Subway	0	(b) Max. at any time	150		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	104.13	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	165.08	2018-19	169.87	Touch Screen Enquiry System	N	
District		Clock	Y	2019-20	0			Electronic Train Indication	Y	
Section	BRKA-CPU	Wheel Chairs	N	Length of longest stopping train(m)				500	ATMs	0
Km.	0258.00	Cloak Room	N	MP Const.	Chatra			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Sunil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Manika			Trains Halting	M: 12 P : 7	
				MLA Name	Sri Ramchandra Singh			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	50	Area(sq		0	0	Area(sq	65	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)		0	0	Seats(Nos.)	50	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	154	Length(m)	500	Source	Railway Supply		Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	189270			
Pay & Use Toilet				Remarks	NA			

Station Name : Barwadih

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	437	9.5	840	CC	96	15	14	1		0	90	5	0	1	27	1	0	0	0	0	N	0
2&3	BG	Y	440	10.5	840	CC	155	4	34	0		0	170	0	4	2	40	1	0	0	0	2	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Barwadih

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	63	0	6	0	0	18			-	-
Actual	50	251	49	6	4	335	2	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	-		2	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Rakhitpur			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	RKJE	FOB	0	(a) Per Day		158		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		60		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	2.66	2016-17	5.20	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	5.5	2018-19	5.21	Touch Screen Enquiry System	N	
District	Dhanbad	Clock	Y	2019-20	0					
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				131	Electronic Train Indication	N
Km.	0021.00	Cloak Room	N	MP Const.		Dhanbad		ATMs	0	
Route	E	Refreshment Room(sq.m)		MP Name		Pashupati Nath Singh		Food Plaza	N	
Electrified	Y			MLA Const.		Sindri		Budget Hotel	N	
Other Items	NA			MLA Name		Sri Indrajit Mahto		Trains Halting	M: 0 P : 2	
Remarks for Station:	NA							Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	15	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	14	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	280	Length(m)	800	Source	Railway Supply		Open Wells (Nos)	2
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Rakhitpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	130	5	7	CC	15	3	0	3		0	14	4	2	4	5	0	0	0	0	0	N	0
*Surface Type		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Rakhitpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	25	0	2.4	0	0	7			-	-
Actual	15	15	3	6	2	28	0	See platform details	0	-
Shortage, if any	-	35	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Singrauli			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	SGRL	FOB	1	(a) Per Day		1230		Developed As Adarsh	Y	
Station Category	NSG4	Subway	0	(b) Max. at any time		200		Identified for MFC	N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	1	2011-12	880.00	2016-17	0.00	Tourist Facilation Center	N	
State	Madhya Pradesh	Public Address Sys.	Y	2017-18	682.4	2018-19	671.30	Touch Screen Enquiry System	N	
District	Sidhi	Clock	Y	2019-20	0					
Section	CPU-MHD	Wheel Chairs	Y	Length of longest stopping train(m)				309	Electronic Train Indication	Y
Km.	0188.97	Cloak Room	N	MP Const.		Sidhi		ATMs	0	
Route	E	Refreshment Room(sq.m)		MP Name		Smt. Riti Pathak		Food Plaza	N	
Electrified	N			MLA Const.		Singrauli		Budget Hotel	N	
Other Items	NA			MLA Name				Trains Halting	M: 14 P : 4	
Remarks for Station:	NA							Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	53	Area(sq.m)		120	0	Area(sq.m)	20	Retiring Room	0
(b) Seats(Nos.)	50	Seats(Nos.)		30	0	Seats(Nos.)	18	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		1	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	2	Urinals(Nos.)		1	0	Urinals(Nos.)	2		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1332	Length(m)	350	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	3
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	63600			
Pay & Use Toilet				Remarks	NA			

Station Name : Singrauli

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	420	9	78	CC	604	5	12	0		235	106	6	7	6	30	1	0	0	0	1	N	0
2&3	BG	Y	540	10.05	76	CC	210	0	90	0		0	120	0	0	3	50	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Singrauli

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec. norms	84	112	8	0	0	24			-	-
Actual	53	814	102	10	12	324	1	See platform details	1	-
Shortage, if any	22	-	-	-	-	-	-		3	YES

Station Name : Singrauli

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with light		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Toilets on end platform & circulating area	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Nimiaghat			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	NMG	FOB	1	(a) Per Day	200			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	35			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	4.17	2016-17	5.85	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	10.91	2018-19	10.18	Touch Screen Enquiry System	N
District	Giridih	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)			354	ATMs	0
Km.	0310.51	Cloak Room	N	MP Const.	Giridih			Food Plaza	N
Route	A	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Budget Hotel	N
Electrified	Y			MLA Const.	Dumri			Trains Halting	M: 2 P : 6
				MLA Name	Sri Jagarnath Mahto			Station IInd Entry	N
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Nimiaghat

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	356	15	0	MOR	170	4	0	2		0	24	2	1	1	12	0	0	0	0	0	N	0
3&4	BG	Y	256	9.3	0	MOR	27	1	0	2		0	24	0	0	0	5	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Nimiaghat

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	15	0	1.4	0	0	4			-	-
Actual	0	197	5	2	1	48	1	See platform details	0	-
Shortage, if any	15	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Barhi			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	BRHI	FOB	1	(a) Per Day	120			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	30			Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	5.56	2018-19	5.74	Touch Screen Enquiry System	N
District	Koderma	Clock	N	2019-20	0			Electronic Train Indication	N
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)			135	ATMs	0
Km.	0022.50	Cloak Room	N	MP Const.				Food Plaza	N
Route	Dspl	Refreshment Room(sqm)		MP Name				Budget Hotel	Y
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 4
				MLA Name				Station IInd Entry	N
Other Items									
Remarks for Station:									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)		Length(m)	800	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	15000			
Pay & Use Toilet				Remarks				

Station Name : Barhi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	340	10	840	MOR	208	0	0	2		0	40	0	0	2	30	0	0	0	0	0	N	0
2	BG	Y	340	10	840	MOR	144	0	0	2		0	20	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Barhi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	13	0	1.2	0	0	4			-	-
Actual	0	352	4	0	0	60	1	See platform details	0	-
Shortage, if any	15	-	-	1	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Paharpur			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	PRP	FOB	1	(a) Per Day	1245			Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	100			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	296.66	2016-17	398.41	Tourist Facilitation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	425.67	2018-19	437.21	Touch Screen Enquiry System	N	
District	Gaya	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				540	ATMs	0
Km.	0437.30	Cloak Room	N	MP Const.	Gaya			Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Vijay Manjhi			Budget Hotel	N	
Electrified	Y			MLA Const.	Bodh Gaya			Trains Halting	M: 10 P : 4	
				MLA Name	Sri Shyam Dev Paswan			Station IInd Entry	Y	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	75	Area(sq.m)	18	22	Area(sq.m)	50	Retiring Room	0	
(b) Seats(Nos.)	12	Seats(Nos.)	10	10	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	1	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	1	Urinals(Nos.)	1			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	1	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	1000	Length(m)	50	Source	Railway Supply	Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump	Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	74456		
Pay & Use Toilet				Remarks	NA		

Station Name : Paharpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	540	20	84	MOR	140	6	13	2		0	96	2	2	1	12	1	0	0	0	1	N	0
3&4	BG	Y	420	15	84	MOR	280	8	15	2		0	88	0	2	1	10	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Paharpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	42	0	4	0	0	12			-	-
Actual	75	420	32	4	7	216	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Meralgram			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MQX	FOB	0	(a) Per Day	190			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	100			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	16.27	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	26.92	2018-19	30.33	Touch Screen Enquiry System	N	
District	Garhwa	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				180	ATMs	0
Km.	0021.16	Cloak Room	N	MP Const.	Palamu			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Vishnu Dayal Ram			Budget Hotel	N	
Electrified	Y			MLA Const.	Garhwa			Trains Halting	M: 1 P : 2	
				MLA Name	Sri Mithlesh Thakur			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	15	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	12	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	100	Length(m)	35	Source	Railway Supply		Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Meralgram

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	178	6	45	CC	132	3	0	2		0	56	2	2	2	10	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Meralgram

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	42	0	4	0	0	12			-	-
Actual	15	132	2	4	3	68	0	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	N.S.C.B. Gomoh			No. of passengers dealt with:				Identified as Adarsh	Y
Station Code	GMO	FOB	3	(a) Per Day	4545			Developed As Adarsh	Y
Station Category	NSG5	Subway	0	(b) Max. at any time	300			Identified for MFC	N
Railway	ECR	Booking Windows	6	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	1	2011-12	850.00	2016-17	559.62	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	691.42	2018-19	752.68	Touch Screen Enquiry System	N
District	Dhanbad	Clock	Y	2019-20	0			Electronic Train Indication	Y
Section	PKA-MPO	Wheel Chairs	Y	Length of longest stopping train(m)			487	ATMs	1
Km.	0300.15	Cloak Room	N	MP Const.	Giridih			Food Plaza	N
Route	A	Refreshment Room(sq.m)	120	MP Name	Chandra Prakash Choudhary			Budget Hotel	N
Electrified	Y			MLA Const.	Tundi			Trains Halting	M: 8 P : 8
				MLA Name	Sri Mathura Prasad Mahato			Station IInd Entry	Y
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	82	Area(sq.m)		34	34	Area(sq.m)	69	Retiring Room	1
(b) Seats(Nos.)	60	Seats(Nos.)		15	10	Seats(Nos.)	25	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		2	2	Lav.(Nos.)	4		
(d) Urinals(Nos.)	2	Urinals(Nos.)		3	0	Urinals(Nos.)	3		
(e) Bathing Cubicals(Nos.)	2	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	2		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	4586	Length(m)	100	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet	Y			Remarks	NA			

Station Name : N.S.C.B. Gomoh

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	600	14	6.2	CC	707	5	36	0	437	400	120	2	3	7	156	3	1	0	0	1	Y	0
3&4	BG	Y	598	15	8.4	CC	1310	7	29	0	490	600	572	3	3	11	170	4	1	0	0	2	Y	2
5&6	BG	Y	351	10	8.1	CC	420	10	10	0		402	260	0	0	1	94	4	0	0	0	2	Y	2

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : N.S.C.B. Gomoh

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5 Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	150 sqm	24	4	4	150	0	High level	3	-
As per Rec. norms	125	0	12	0	0	36			-	-
Actual	82	2437	75	15	14	1062	3	See platform details	5	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : N.S.C.B. Gomoh

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	No	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	No	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	No	Electronic Train Indicator Board	No
Water Vending Machines	Yes	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	No	CCTV for announcement & security purpose	
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	No

Desired Facility	Facility Available
Improvement in the facade of the station building Improvement in the circulating area so as to ensure proper entry and exit of A lighting tower at an appropriate place to be installed for proper illumination Improved modern, cost effective lighting arrangements at the platforms, Renovated water booths Renovated, modern, Pay & Use toilets Good Waiting and Retiring Rooms with modern furniture Good passenger guidance system including signages and coach indication Improvement to the passenger service Improvement of booking and enquiry offices to give them a facelift Lighting of booking offices, the queuing area in front of booking windows Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Bhandaridah			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	BHME	FOB	0	(a) Per Day	57		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	20		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	5.69	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	4.77	2018-19	4.26	Touch Screen Enquiry System	N
District	Bokaro	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	GMO-BRKA	Wheel Chairs	N	Length of longest stopping train(m)			525	ATMs	0
Km.	0023.56	Cloak Room	N	MP Const.	Giridih		Food Plaza	N	
Route	D	Refreshment Room(sq		MP Name	Chandra Prakash Choudhary		Budget Hotel	N	
Electrified	Y			MLA Const.	Bermo		Trains Halting	M: 1 P : 2	
				MLA Name	Sri Rajendra Prasad Singh		Station IInd Entry	N	
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq	39	Area(sq	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	20	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	Na			

Station Name : Bhandaridah

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	230	8	0	MOR	138	10	1	2		0	32	1	1	0	5	0	0	0	0	0	N	0
2	BG	N	243	7	0	MOR	0	10	0	1		0	40	0	0	0	10	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bhandaridah

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	8	0	0.8	0	0	2			-	-
Actual	39	138	4	1	1	102	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Chianki			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	CNF	FOB	0	(a) Per Day	80			Developed As Adarsh	
Station Category	HG2	Subway	0	(b) Max. at any time	15			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	3.97	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	5.35	2018-19	4.85	Touch Screen Enquiry System	N
District	Palamu	Clock	N	2019-20	0			Electronic Train Indication	N
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)			176	ATMs	0
Km.	0278.26	Cloak Room	N	MP Const.	Palamu		Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram		Budget Hotel	N	
Electrified	Y			MLA Const.	Daltonganj		Trains Halting	M: 0	P : 6
				MLA Name	Sri Alok Chaurasiya		Station IInd Entry	N	
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	21	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	9	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	170	Length(m)	74	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Chianki

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	303	7	0.62	MOR	0	0	0	1		0	20	3	0	0	6	0	0	0	0	0	N	0
2	BG	N	307	6	0.82	MOR	0	2	0	1		0	20	0	0	0	6	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chianki

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.6	0	0	3			-	-
Actual	21	0	2	3	0	49	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Jogeshwar Bihar			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	JGBR	FOB	0	(a) Per Day	65		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	25		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	3.13	2016-17	0.00	Tourist Facilitation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	4.09	2018-19	4.03	Touch Screen Enquiry System	N	
District	Bokaro	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	GMO-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				300	ATMs	0
Km.	0074.61	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	D	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	Gomia			Trains Halting	M: 0 P : 2	
				MLA Name	Sri Lambodar Mahto			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	17	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Jogeshwar Bihar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	275	4	0	MOR	60	3	0	2		0	20	1	1	0	8	0	0	0	0	0	N	0
2	BG	N	275	4	0	MOR	60	3	0	2		0	20	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Jogeshwar Bihar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	10	0	1	0	0	3			-	-
Actual	17	120	4	2	1	60	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Matari			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MRQ	FOB	0	(a) Per Day	510		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	150		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	10.37	2016-17	14.88	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	15.36	2018-19	15.27	Touch Screen Enquiry System	N	
District	Dhanbad	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				354	ATMs	0
Km.	0290.20	Cloak Room	N	MP Const.	Dhanbad			Food Plaza	N	
Route	A	Refreshment Room(sq		MP Name	Pashupati Nath Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Tundi			Trains Halting	M: 4 P : 6	
				MLA Name	Sri Mathura Prasad Mahato			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	15	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	100	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Matari

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	404	13	0	CC	247	2	0	2		0	50	2	1	2	16	0	0	0	0	0	N	0
3&4	BG	Y	388	13	0	MOR	63	3	0	2		0	43	0	0	0	16	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Matari

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	63	0	6	0	0	18			-	-
Actual	15	310	4	2	1	123	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Khuldil Road			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	KDRD	FOB	0	(a) Per Day	93			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	20			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	3.52	2016-17	0.00	Tourist Facilation Center	N
State	Uttar Pradesh	Public Address Sys.	Y	2017-18	4.41	2018-19	3.96	Touch Screen Enquiry System	N
District	Sonbhadra	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	CPU-MHD	Wheel Chairs	N	Length of longest stopping train(m)			310	ATMs	0
Km.	0157.38	Cloak Room	N	MP Const.	Robertsganj		Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Pakauri Lal Kol		Budget Hotel	N	
Electrified	N			MLA Const.	Obra		Trains Halting	M: 0	P : 6
				MLA Name	Sunil Yadva		Station IInd Entry	N	
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	42	Area(sq	0	0	Area(sq	0	Retiring Room	0	
(b) Seats(Nos.)	24	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	45	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Khuldil Road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	304	4	0.8	MOR	54	8	0	2		0	32	1	1	0	3	0	0	0	0	0	N	0
2	BG	N	304	4	0.8	MOR	48	4	0	2		0	32	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Khuldil Road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	8	0	0.8	0	0	2			-	-
Actual	42	102	4	1	1	88	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Chhipadohar			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	CPDR	FOB	0	(a) Per Day	170			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	50			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	14.72	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	16.75	2018-19	15.36	Touch Screen Enquiry System	N
District		Clock	N	2019-20	0			Electronic Train Indication	N
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)			400	ATMs	0
Km.	0248.00	Cloak Room	N	MP Const.	Chatra			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sunil Kumar Singh			Budget Hotel	N
Electrified	Y			MLA Const.	Manika			Trains Halting	M: 2 P : 4
				MLA Name	Sri Ramchandra Singh			Station IInd Entry	N
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	87	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	14	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	110	Length(m)	100	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Chhipadohar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	200	2	0	CC	144	2	0	1		0	43	2	2	0	10	0	0	0	0	0	N	0
2	BG	N	220	2	0	MOR	36	9	0	1		0	37	0	0	0	12	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chhipadohar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	21	0	2	0	0	6			-	-
Actual	87	180	2	3	3	94	0	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Dilwa			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	DLW	FOB	0	(a) Per Day	22			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	10			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	0.55	2016-17	1.40	Tourist Flacation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	0.96	2018-19	1.12	Touch Screen Enquiry System	N
District	Nawada	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)			195	ATMs	0
Km.	0410.14	Cloak Room	N	MP Const.	Nawada			Food Plaza	N
Route	A	Refreshment Room(sq.m)		MP Name	Chandan Singh			Budget Hotel	N
Electrified	Y			MLA Const.	Rajauli			Trains Halting	M: 0 P : 4
				MLA Name	Sri Kanhaiya Kumar			Station IInd Entry	N
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)	15	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)	30	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	200	Length(m)	98	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Dilwa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	200	12	0	MOR	48	0	0	2		0	24	1	0	0	3	0	0	0	0	0	N	0
3	BG	Y	200	18	0	MOR	40	1	0	1		0	50	0	0	0	2	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dilwa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	16	88	3	2	1	122	0	See platform details	0	-
Shortage, if any	-	12	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Renukoot			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	RNQ	FOB	1	(a) Per Day	1229			Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	450			Identified for MFC	N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	1	2011-12	503.46	2016-17	0.00	Tourist Facilitation Center	N	
State	Uttar Pradesh	Public Address Sys.	Y	2017-18	485.28	2018-19	461.41	Touch Screen Enquiry System	N	
District	Sonbhadra	Clock	Y	2019-20	0			Electronic Train Indication	Y	
Section	GHD-CPU	Wheel Chairs	Y	Length of longest stopping train(m)				473	ATMs	0
Km.	0099.45	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Pakauri Lal Kol			Budget Hotel	N	
Electrified	N			MLA Const.	Obra			Trains Halting	M: 8 P : 2	
				MLA Name	Sunil Yadva			Station IInd Entry	Y	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	90	Area(sq.m)	20	20	Area(sq.m)	63	Retiring Room	1	
(b) Seats(Nos.)	20	Seats(Nos.)	10	10	Seats(Nos.)	16	Dormitory	0	
(c) Lav.(Nos.)	2	Lav.(Nos.)	2	1	Lav.(Nos.)	1			
(d) Urinals(Nos.)	2	Urinals(Nos.)	2	1	Urinals(Nos.)	1			
(e) Bathing Cubicals(Nos.)	2	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	1			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	1350	Length(m)	240	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	278100		
Pay & Use Toilet	Y			Remarks	NA		

Station Name : Renukoot

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	521.82	7	85	CC	632	7	30	1		0	120	3	5	10	47	1	0	0	0	1	Y	0
2	BG	N	558	10.59	85	CC	348	0	18	3		0	176	2	2	2	33	1	0	0	0	1	N	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Renukoot

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	188	0	18	1	1	54			-	-
Actual	90	980	52	11	13	352	1	See platform details	1	YES
Shortage, if any	-	-	-	-	-	-	-		1	-

Station Name : Renukoot

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with light		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Toilets on end platform & circulating area	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Karma halt			No. of passengers dealt with:				Identified as Adarsh	N			
Station Code	KMHT	FOB	0	(a) Per Day		10	Developed As Adarsh					
Station Category	NSG6	Subway	0	(b) Max. at any time		5	Identified for MFC			N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	0.36	2016-17	0.55	Tourist Facilation Center			N	
State	Jharkhand	Public Address Sys.	Y	2017-18	0.44	2018-19	0.47	Touch Screen Enquiry System			N	
District	Hazaribag	Clock	Y	2019-20	0			Electronic Train Indication			N	
Section	GMO-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				176	ATMs			0
Km.	0084.20	Cloak Room	N	MP Const.	Hazaribagh			Food Plaza			N	
Route	D	Refreshment Room(sq.m)		MP Name	Jayant Sinha			Budget Hotel			N	
Electrified	Y			MLA Const.	Ramgarh			Trains Halting			M: 0 P : 6	
				MLA Name	Smt. Mamta Devi			Station IInd Entry			N	
Other Items	NA											
Remarks for Station:	NA											

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	17	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	90	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Karma halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	274	4.25	0	MOR	48	10	0	2		0	35	1	1	0	1	0	0	0	0	0	N	0
2	BG	N	274	4	0	MOR	54	2	0	2		0	20	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Karma halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	2	0	0.2	0	0	1			-	-
Actual	17	102	4	1	1	55	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Jarangdih			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	JAN	FOB	0	(a) Per Day		185		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		30		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	14.94	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	14.72	2018-19	13.13	Touch Screen Enquiry System	N	
District	Bokaro	Clock	N	2019-20	0					
Section	GMO-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				525	Electronic Train Indication	N
Km.	0037.21	Cloak Room	N	MP Const.	Giridih			ATMs	0	
Route	D	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Food Plaza	N	
Electrified	Y			MLA Const.	Bermo			Budget Hotel	N	
Other Items	NA			MLA Name	Sri Rajendra Prasad Singh			Trains Halting	M: 2 P : 4	
Remarks for Station:	NA							Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	15	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	45	Source	Railway Supply		Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Jarangdih

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	151	4	7.6	MOR	160	4	0	2		0	16	1	1	0	6	0	0	0	0	0	N	0
2	BG	N	151	10	76	MOR	160	4	0	2		0	20	1	1	0	6	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Jarangdih

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	13	0	1.2	0	0	4			-	-
Actual	15	320	4	2	2	44	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Mirchadhuri			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	MCQ	FOB	0	(a) Per Day	125			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	30			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	5.04	2016-17	0.00	Tourist Facilation Center	N
State	Uttar Pradesh	Public Address Sys.	Y	2017-18	7.1	2018-19	6.90	Touch Screen Enquiry System	N
District	Sonbhadra	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	CPU-MHD	Wheel Chairs	N	Length of longest stopping train(m)			310	ATMs	0
Km.	0167.61	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N
Route	D	Refreshment Room(sq.m)		MP Name	Pakauri Lal Kol			Budget Hotel	N
Electrified	N			MLA Const.	Obra			Trains Halting	M: 0 P : 6
				MLA Name	Sunil Yadva			Station IInd Entry	N
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	18	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	100	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station Name : Mirchadhuri

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	183	6	0	OPS	54	8	0	2		0	36	2	1	0	0	0	0	0	0	0	N	0
2	BG	N	183	6	0	MOR	54	14	0	2		0	30	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Mirchadhuri

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	13	0	1.2	0	0	4			-	-
Actual	18	108	4	2	1	66	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Bholidih Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BLME	FOB	0	(a) Per Day	47			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	25			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	N	2017-18	2.1	2018-19	1.81	Touch Screen Enquiry System	N	
District	Giridih	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				0	ATMs	0
Km.		Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	A	Refreshment Room(sq		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	N			MLA Const.	Dumri			Trains Halting	M: 0 P : 2	
				MLA Name	Sri Jagarnath Mahto			Station IInd Entry	N	
Other Items									
Remarks for Station:										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq	0	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sq	0	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutch	Surface		Type	Hand Pump	Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type		Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks		

Station Name : Bholdih Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	295	6.5	0	CC	9	0	0	1		0	5	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	295	5.4	0	MOR	0	0	0	1		0	10	0	0			0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bholdih Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	16	0	1	0	0	5			-	-
Actual	0	9	2	0	0	15	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Lalgarh Bihar			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	LBHT	FOB	0	(a) Per Day	287			Developed As Adarsh	
Station Category	HG2	Subway	0	(b) Max. at any time	50			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	5.95	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	14.42	2018-19	14.99	Touch Screen Enquiry System	N
District	Palamu	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)			382.5	ATMs	0
Km.	0308.29	Cloak Room	N	MP Const.	Palamu		Food Plaza	N	
Route	A	Refreshment Room(sq		MP Name	Vishnu Dayal Ram		Budget Hotel	N	
Electrified	Y			MLA Const.	Bishrampur		Trains Halting	M: 2	P : 6
				MLA Name	Sri Ramchandra Chandrawansi		Station IInd Entry	N	
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq	0	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	30	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet	N			Remarks	NA			

Station Name : Lalgarh Bihar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	260	8	15	CC	0	0	0	1		0	10	3	2	0	10	0	0	0	0	0	N	0
2	BG	N	280	3	15	CC	0	0	0	0	2	0	22	0	3	0	10	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Lalgarh Bihar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	31	0	2	0	0	9			-	-
Actual	0	0	1	3	5	32	0	See platform details	0	-
Shortage, if any	10	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Sindri			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SDBH	FOB	1	(a) Per Day	56			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	20			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	34.76	2016-17	8.56	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	4.12	2018-19	3.86	Touch Screen Enquiry System	N	
District	Dhanbad	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	DHN-SNDT	Wheel Chairs	N	Length of longest stopping train(m)				222		
Km.	0022.67	Cloak Room	N	MP Const.	Dhanbad			ATMs	0	
Route	E	Refreshment Room(sq.m)		MP Name	Pashupati Nath Singh			Food Plaza	N	
Electrified	Y			MLA Const.	Sindri			Budget Hotel	N	
Other Items	NA			MLA Name	Sri Indrajit Mahto			Trains Halting	M: 0 P : 2	
Remarks for Station:	NA							Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	2	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	100	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Sindri

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	128.7	6.4	7	CC	60	5	0	1		0	18	2	1	4	2	0	0	0	0	1	N	0
2	BG	N	118	6.4	7	CC	0	0	0	1		0	3	0	0		2	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Sindri

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	8	0	0.8	0	0	2			-	-
Actual	16	60	2	2	1	23	1	See platform details	0	-
Shortage, if any	-	40	2	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Kumandi			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KMND	FOB	0	(a) Per Day	35		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	10		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	2.10	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	3.05	2018-19	2.55	Touch Screen Enquiry System	N	
District	Palamu	Clock	N	2019-20	0			Electronic Train Indication	N	
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)				176	ATMs	0
Km.	0230.44	Cloak Room	N	MP Const.	Chatra			Food Plaza	N	
Route	Dspl	Refreshment Room(sqm)		MP Name	Sunil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Manika			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Ramchandra Singh			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	210	Length(m)	125	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Kumandi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	244	8.5	0	MOR	0	9	0	1		0	24	0	1	0	6	0	0	0	0	0	N	0
2	BG	N	244	9.2	0	MOR	0	0	0	1		0	28	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kumandi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	0	0	2	0	1	52	0	See platform details	0	-
Shortage, if any	15	100	2	1	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Garhwa Road			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	GHD	FOB	1	(a) Per Day	3305			Developed As Adarsh		
Station Category	NSG4	Subway	0	(b) Max. at any time	1200			Identified for MFC	N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	1	2011-12	631.00	2016-17	0.00	Tourist Facilitation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	903.24	2018-19	927.29	Touch Screen Enquiry System	N	
District	Palamu	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	BRKA-GHD	Wheel Chairs	Y	Length of longest stopping train(m)				540	ATMs	0
Km.	0318.45	Cloak Room	N	MP Const.	Palamu			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram			Budget Hotel	N	
Electrified	Y			MLA Const.	Bishrampur			Trains Halting	M: 30 P : 12	
				MLA Name	Sri Ramchandra Chandrawansi			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	75	Area(sq.m)	55	18	Area(sq.m)	35	Retiring Room	0	
(b) Seats(Nos.)	50	Seats(Nos.)	60	20	Seats(Nos.)	18	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	2	1	Lav.(Nos.)	2			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	2	0	Bathing Cubicals(Nos.)	1			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	350	Length(m)	25	Source	Railway Supply		Open Wells (Nos)	1
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	450000			
Pay & Use Toilet	Y			Remarks	NA			

Station Name : Garhwa Road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	516	14	83	CC	586	0	15	1		0	80	5	6	9	70	2	8	0	0	1	N	0
2&3	BG	Y	553	12.3	76	OPS	586	2	28	0		0	70	1	2	8	100	1	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Garhwa Road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec. norms	502	672	48	2	2	144			-	-
Actual	75	1171	47	11	8	298	1	See platform details	2	YES
Shortage, if any	-	-	-	-	-	-	-		2	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Tetulmari			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	TET	FOB	1	(a) Per Day		1625		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time		150		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	82.96	2016-17	98.98	Tourist Flacation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	145.13	2018-19	147.31	Touch Screen Enquiry System	N	
District	Dhanbad	Clock	Y	2019-20	0					
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				354	Electronic Train Indication	N
Km.	0280.01	Cloak Room	N	MP Const.		Giridih		ATMs	0	
Route	A	Refreshment Room(sq.m)	5.4	MP Name		Chandra Prakash Choudhary		Food Plaza	N	
Electrified	Y				MLA Const.		baghmara		Budget Hotel	N
Other Items		NA			MLA Name		Sri Dhulu Mahto		Trains Halting	M: 4 P : 4
Remarks for Station:		NA							Station IInd Entry	Y

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	36	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	160	Length(m)	170	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	27648			
Pay & Use Toilet				Remarks	NA			

Station Name : Tetulmari

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	330	14	0.84	CC	214	1	8	2		0	60	4	4	3	19	2	0	0	0	1	N	0
*Surface Type		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Tetulmari

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	50 sqm	8	4	4	50	0	High level	1	-
As per Rec. norms	63	0	6	0	0	18			-	-
Actual	36	214	10	4	4	70	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Dumari Bihar			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	DMBR	FOB	0	(a) Per Day	30			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	15			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	0.96	2016-17	0.00	Tourist Facilitation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	1.83	2018-19	1.39	Touch Screen Enquiry System	N
District	Bokaro	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	GMO-BRKA	Wheel Chairs	N	Length of longest stopping train(m)			300	ATMs	0
Km.	0055.44	Cloak Room	N	MP Const.	Giridih			Food Plaza	N
Route	D	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Budget Hotel	N
Electrified	Y			MLA Const.	Gomia			Trains Halting	M: 0 P : 2
				MLA Name	Sri Lambodar Mahto			Station IInd Entry	N
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	12	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Dumari Bihar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	273	5	0	MOR	48	6	0	2		0	16	1	1	0	3	0	0	0	0	0	N	0
2&3	BG	N	273	5	0	MOR	54	4	0	2		0	24	0	1	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dumari Bihar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	6	0	0.6	0	0	2			-	-
Actual	12	102	4	2	2	65	0	See platform details	0	-
Shortage, if any	3	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Gurpa			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	GAP	FOB	0	(a) Per Day	140			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	15			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	12.33	2016-17	17.80	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	16.69	2018-19	15.73	Touch Screen Enquiry System	N	
District	Gaya	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)		540			ATMs	0
Km.	0425.54	Cloak Room	N	MP Const.	Gaya			Food Plaza	N	
Route	A	Refreshment Room(sq		MP Name	Vijay Manjhi			Budget Hotel	N	
Electrified	Y			MLA Const.	Bodh Gaya			Trains Halting	M: 4 P : 4	
				MLA Name	Sri Shyam Dev Paswan			Station IInd Entry	Y	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	16	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	150	Length(m)	30	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	113500			
Pay & Use Toilet				Remarks	NA			

Station Name : Gurpa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	342	15	0	MOR	160	6	1	1		0	52	2	0	2	20	0	0	0	0	0	N	0
3&4	BG	Y	352	10	0	MOR	96	5	0	1		0	46	4	1	1	18	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Gurpa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	6	0	0.6	0	0	2			-	-
Actual	16	256	3	6	1	116	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Jorashank			No. of passengers dealt with:				Identified as Adarsh	N		
Station Code	JASH	FOB	0	(a) Per Day		0	Developed As Adarsh				
Station Category	HG3	Subway	0	(b) Max. at any time		10	Identified for MFC			N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center			N
State	Jharkhand	Public Address Sys.	Y	2017-18	0.39	2018-19	2.00	Touch Screen Enquiry System			N
District	Giridih	Clock	N	2019-20	0						
Section	Koderma-Giridih	Wheel Chairs	N	Length of longest stopping train(m)			155	Electronic Train Indication			N
Km.	0079.20	Cloak Room	N	MP Const.		Kodarma	ATMs		0		
Route	E	Refreshment Room(sq.m)		MP Name		Annapurna Debi	Food Plaza		N		
Electrified	Y				MLA Const.		Budget Hotel		N		
Other Items			MLA Name		Trains Halting		M: 0	P : 4		
Remarks for Station:											

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	10	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area		Approach Road			Water Supply				
Area (sqm)	100	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	0		
Surface	Kutchha	Surface	Kutchha	Type	Hand Pump	Bore Wells (Nos)	1		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks				

Station Name : Jorashank

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	15	0	MOR	18	0	0	1		0	10	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Jorashank

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	6	0	0.4	0	0	2			-	-
Actual	10	18	1	0	0	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Rajhura			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	RHR	FOB	0	(a) Per Day	192		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	60		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	4.87	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	10.26	2018-19	9.35	Touch Screen Enquiry System	N
District	Palamu	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	BRKA-GHD	Wheel Chairs	Y	Length of longest stopping train(m)				176	
Km.	0303.15	Cloak Room	N	MP Const.	Palamu		ATMs	0	
Route	Dspl	Refreshment Room(sq	Y	MP Name	Vishnu Dayal Ram		Food Plaza	N	
Electrified	Y			MLA Const.	Daltonganj		Budget Hotel	N	
Other Items	NA			MLA Name	Sri Alok Chaurasiya		Trains Halting	M: 0 P : 6	
Remarks for Station:	NA						Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq	30	Area(sq	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	35	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet	N			Remarks	NA			

Station Name : Rajhura

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	240	3.5	15	CC	42	0	0	2		0	20	5	0	1	6	0	0	0	0	0	N	0
2&3	BG	N	240	10.5	15	MOR	63	0	0	2	2	0	30	0	2	0	10	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Rajhura

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	25	0	2.4	0	0	7			-	-
Actual	30	105	4	5	2	80	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Richughuta			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	RCGT	FOB	0	(a) Per Day	60			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	15			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	3.90	2016-17	0.00	Tourist Flacation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	5.87	2018-19	5.35	Touch Screen Enquiry System	N	
District	Palamu	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)				176	ATMs	0
Km.	0203.00	Cloak Room	N	MP Const.	Chatra			Food Plaza	N	
Route	Dspl	Refreshment Room(sqm)		MP Name	Sunil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Latehar			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Baidyanath Ram			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	85	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Richughuta

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	176	5	0	MOR	42	3	0	2		0	20	1	1	0	8	0	0	0	0	0	N	0
2	BG	N	237	17.6	0	MOR	60	2	0	2		0	24	1	0	0	10	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Richughuta

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	6	0	0.6	0	0	2			-	-
Actual	0	102	4	2	1	44	0	See platform details	0	-
Shortage, if any	15	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Keshwari Halt			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	KSHR	FOB	0	(a) Per Day	50			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	15			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	2.81	2016-17	3.88	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	3.7	2018-19	3.11	Touch Screen Enquiry System	N
District	Giridih	Clock	N	2019-20	0			Electronic Train Indication	N
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)		280			
Km.	0350.19	Cloak Room	N	MP Const.	Kodarma		ATMs	0	
Route	A	Refreshment Room(sq		MP Name	Annapurna Debi		Food Plaza	N	
Electrified	Y			MLA Const.	Bagodar		Budget Hotel	N	
Other Items	NA			MLA Name	Sri Vinod Kumar singh		Trains Halting	M: 0	P : 4
Remarks for Station:	NA						Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq	0	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	25	Source	Railway Supply		Open Wells (Nos)	0
Surface		Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Keshwari Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	0	0	0	MOR	0	3	0	1		0	5	0	0	0	3	0	0	0	0	0	N	0
2	BG	N	247	3	0	MOR	6	2	0	0		0	10	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Keshwari Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.6	0	0	3			-	-
Actual	0	6	1	0	0	15	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Mangra Halt			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	MAZ	FOB	0	(a) Per Day	65			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	15			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	0.98	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	5.35	2018-19	4.85	Touch Screen Enquiry System	N
District	Palamu	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	MAZ	Wheel Chairs	N	Length of longest stopping train(m)			250	ATMs	0
Km.	0264.00	Cloak Room	N	MP Const.	Chatra		Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sunil Kumar Singh		Budget Hotel	N	
Electrified	Y			MLA Const.	Manika		Trains Halting	M: 0	P : 4
				MLA Name	Sri Ramchandra Singh		Station IInd Entry	N	
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	10	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	25	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Mangra Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	7	0	MOR	0	11	0	1		0	7	0	0	0	10	0	0	0	0	0	N	0
2	BG	N	300	9	0	MOR	0	2	0	0		0	7	1	0	0	10	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Mangra Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.6	0	0	3			-	-
Actual	10	0	1	1	0	34	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Tundu Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	TNO	FOB	0	(a) Per Day	0		Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time	0		Identified for MFC	N		
Railway	ECR	Booking Windows	0	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	2.75	2016-17	4.86	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	N	2017-18	0.7	2018-19	0.01	Touch Screen Enquiry System	N	
District	Dhanbad	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	DHN-CRP	Wheel Chairs	N	Length of longest stopping train(m)				250	ATMs	0
Km.	0017.96	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	baghmara			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Dhulu Mahto			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	10	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	35	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Piped		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	BCCL Water			

Station Name : Tundu Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	154	6	0	MOR	30	2	1	0		0	20	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others								

Station Name : Tundu Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	0	0	0	0	0	0			-	-
Actual	10	30	1	0	0	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Patherdih Bazar			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	PBQ	FOB	1	(a) Per Day		245		Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time		125		Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	33.73	2016-17	45.67	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	48.25	2018-19	48.12	Touch Screen Enquiry System	N
District	Dhanbad	Clock	N	2019-20	0				
Section	DHN-PEH	Wheel Chairs	N	Length of longest stopping train(m)			250	Electronic Train Indication	N
Km.	0014.00	Cloak Room	N	MP Const.		Dhanbad		ATMs	0
Route	E	Refreshment Room(sq.m)		MP Name		Pashupati Nath Singh		Food Plaza	N
Electrified	Y			MLA Const.		Dhanbad		Budget Hotel	N
Other Items	NA			MLA Name		Sri Raj Sinha		Trains Halting	M: 1 P : 2
Remarks for Station:	NA							Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	29	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	290	Length(m)	55	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Patherdih Bazar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	76	4	8	MOR	0	2	0	2		0	0	0	0	1	9	0	0	0	0	1	N	0
2	BG	N	320	6	32	MOR	15	2	0	0		0	56	0	1	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Patherdih Bazar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	78	0	5	0	0	23			-	-
Actual	29	15	2	2	1	76	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Gujhandi			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	GJD	FOB	1	(a) Per Day		35		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		10		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	2.06	2016-17	3.56	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	3.79	2018-19	3.39	Touch Screen Enquiry System	N	
District	Koderma	Clock	Y	2019-20	0					
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				540	Electronic Train Indication	N
Km.	0403.45	Cloak Room	N	MP Const.		Kodarma		ATMs	0	
Route	A	Refreshment Room(sq.m)		MP Name		Annapurna Debi		Food Plaza	N	
Electrified	Y			MLA Const.		Kodarma		Budget Hotel	N	
Other Items	NA			MLA Name		Neera Yadav		Trains Halting	M: 6 P : 4	
Remarks for Station:	NA							Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	15	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	500	Length(m)	90	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	139912			
Pay & Use Toilet				Remarks	NA			

Station Name : Gujhandi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	N	422	10	0	MOR	94	11	10	1		0	32	2	1	1	20	0	0	0	0	1	N	1
3&4	BG	N	422	15	0	MOR	160	13	12	1		0	68	1	2	1	40	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Gujhandi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	15	254	24	3	3	100	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Tankuppa			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	TKN	FOB	0	(a) Per Day	365			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	100			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	20.44	2016-17	27.84	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	25.67	2018-19	25.28	Touch Screen Enquiry System	N	
District	Gaya	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)		590			ATMs	0
Km.	0449.72	Cloak Room	N	MP Const.	Gaya				Food Plaza	N
Route	A	Refreshment Room(sqm)		MP Name	Vijay Manjhi				Budget Hotel	N
Electrified	Y			MLA Const.	Bodh Gaya				Trains Halting	M: 8 P : 4
				MLA Name	Sri Shyam Dev Paswan				Station IInd Entry	Y
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	20	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	600	Length(m)	40	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Tankuppa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	421	9	0	MOR	160	3	0	1		0	60	0	2	1	20	0	0	0	0	0	N	0
3&4	BG	Y	421	24	0	MOR	168	9	0	1		0	60	2	2	2	18	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Tankuppa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	42	0	4	0	0	12			-	-
Actual	20	328	4	2	4	120	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Urwan Halt			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	UWAN	FOB	0	(a) Per Day	20			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	5			Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	1.19	2018-19	1.01	Touch Screen Enquiry System	N
District		Clock	N	2019-20	0			Electronic Train Indication	N
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)			135	ATMs	
Km.	0013.70	Cloak Room	N	MP Const.				Food Plaza	N
Route	Dspl	Refreshment Room(sq		MP Name				Budget Hotel	N
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 4
				MLA Name				Station IInd Entry	
Other Items									
Remarks for Station:									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq	0	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq		Length(m)	300	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type		Illumination Type	N	Storage Capacity(Ltr)		0		
Pay & Use Toilet				Remarks				

Station Name : Urwan Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	340	9	0	MOR	0	0	0	1		0	8	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface					MOR-Moorum			OTH-Others						

Station Name : Urwan Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	3	0	0.2	0	0	1			-	-
Actual	0	0	1	0	0	8	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Tori			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	TORI	FOB	1	(a) Per Day	1225			Developed As Adarsh	N	
Station Category	NSG5	Subway	0	(b) Max. at any time	350			Identified for MFC	N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	330.53	2016-17	364.45	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	372.08	2018-19	373.53	Touch Screen Enquiry System	N	
District		Clock	Y	2019-20	0			Electronic Train Indication	Y	
Section	BRKA-GHD	Wheel Chairs	Y	Length of longest stopping train(m)				540	ATMs	0
Km.	0185.00	Cloak Room	N	MP Const.	Chatra			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sunil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Latehar			Trains Halting	M: 13 P : 4	
				MLA Name	Sri Baidyanath Ram			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	54	Area(sq.m)	28	15	Area(sq.m)	34	Retiring Room	0	
(b) Seats(Nos.)	25	Seats(Nos.)	12	9	Seats(Nos.)	15	Dormitory	0	
(c) Lav.(Nos.)	1	Lav.(Nos.)	1	1	Lav.(Nos.)	1			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	1	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	1			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	1000	Length(m)	80	Source	Railway Supply	Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	250000		
Pay & Use Toilet				Remarks	NA		

Station Name : Tori

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	11.3	84	CC	240	4	8	3		0	36	1	4	4	18	1	0	0	0	1	Y	0
2&3	BG	N	600	10.2	84	CC	240	5	8	3		0	20	3	1	2	8	0	0	0	0	1	Y	0
4&5	BG	Y	437	7.5	80	MOR	208	3	8	2		0	44	3	0	0	0	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Tori

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	150 sqm	24	4	4	150	0	High level	3	-
As per Rec. norms	146	0	14	1	1	42			-	-
Actual	54	688	34	11	6	161	1	See platform details	2	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Nawalsahi Halt			No. of passengers dealt with:				Identified as Adarsh	N			
Station Code	SWSI	FOB	0	(a) Per Day		67	Developed As Adarsh					
Station Category	HG3	Subway	0	(b) Max. at any time		10	Identified for MFC			N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center			N	
State	Jharkhand	Public Address Sys.	Y	2017-18	2.89	2018-19	2.55	Touch Screen Enquiry System			N	
District	Koderma	Clock	Y	2019-20	0							
Section	Koderma-Giridih	Wheel Chairs	N	Length of longest stopping train(m)				155	Electronic Train Indication			N
Km.	0027.80	Cloak Room	N	MP Const.	Kodarma	ATMs					0	
Route	E	Refreshment Room(sq.m)		MP Name	Annapurna Debi	Food Plaza					N	
Electrified	Y				MLA Const.	Kodarma	Budget Hotel					N
Other Items								Trains Halting	M: 0	P : 4		
Remarks for Station:								Station IInd Entry	N			

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	10	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area		Approach Road			Water Supply				
Area (sqm)	100	Length(m)	250	Source	Railway Supply	Open Wells (Nos)	0		
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	1		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks				

Station Name : Nawalsahi Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	14	0	MOR	9	0	0	1		0	10	0	0	0	4	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Nawalsahi Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	6	0	0.4	0	0	2			-	-
Actual	10	9	1	0	0	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Rema			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	REMA	FOB	1	(a) Per Day	53		Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time	10		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	2.77	2018-19	2.31	Touch Screen Enquiry System	N	
District	Giridih	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	Koderma-Giridih	Wheel Chairs	N	Length of longest stopping train(m)				155	ATMs	0
Km.	0055.30	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	E	Refreshment Room(sqm)		MP Name	Annapurna Debi			Budget Hotel	Y	
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 4	
				MLA Name				Station IInd Entry	N	
Other Items										
Remarks for Station:										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	100	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	2	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks					

Station Name : Rema

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	330	14	84	MOR	50	0	0	1		0	10	0	0	0	0	0	0	0	0	0	1	N	0
2	BG	N	330	14	84	MOR	50	0	0	1		0	12	0	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Rema

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	6	0	0.4	0	0	2			-	-
Actual	15	100	2	0	0	32	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Patratu			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	PTRU	FOB	1	(a) Per Day		780		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time		150		Identified for MFC	N	
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	1	2011-12	131.38	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	237.27	2018-19	235.08	Touch Screen Enquiry System	N	
District	Ramgarh	Clock	Y	2019-20	0					
Section	BRKA-GHD	Wheel Chairs	Y	Length of longest stopping train(m)				600	Electronic Train Indication	N
Km.	0120.83	Cloak Room	N	MP Const.	Hazaribagh			ATMs	0	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Jayant Sinha			Food Plaza	N	
Electrified	Y			MLA Const.	Barkagaon			Budget Hotel	N	
Other Items	NA			MLA Name	Sri Amba Prasad			Trains Halting	M: 7 P : 4	
Remarks for Station:	NA							Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	144	Area(sq.m)		0	0	Area(sq.m)	27	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	5	Dormitory	0
(c) Lav.(Nos.)	3	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	3	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	525	Length(m)	15	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	7570.82			
Pay & Use Toilet				Remarks	NA			

Station Name : Patratu

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	415	6.95	76	CC	600	26	18	0		0	140	10	10	4	47	0	0	0	0	0	Y	0
2&3	BG	Y	440	10.3	76	CC	197	29	18	0		0	144	0	0	2	32	0	0	0	0	0	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Patratu

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	63	0	6	0	0	18			-	-
Actual	144	797	36	14	14	319	1	See platform details	3	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Padma			No. of passengers dealt with:				Identified as Adarsh	N					
Station Code	PDMA	FOB	1	(a) Per Day		65		Developed As Adarsh						
Station Category	NSG6	Subway	0	(b) Max. at any time		10		Identified for MFC	N					
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)										
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N					
State	Jharkhand	Public Address Sys.	N	2017-18	2.65	2018-19	2.68	Touch Screen Enquiry System	N					
District		Clock	Y	2019-20	0									
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				135	Electronic Train Indication	N				
Km.	0033.80	Cloak Room	N	<table border="1"> <tr><td>MP Const.</td></tr> <tr><td>MP Name</td></tr> <tr><td>MLA Const.</td></tr> <tr><td>MLA Name</td></tr> </table>				MP Const.	MP Name	MLA Const.	MLA Name	ATMs	0	
MP Const.														
MP Name														
MLA Const.														
MLA Name														
Route	Dspl	Refreshment Room(sqm)		Food Plaza	N									
Electrified	Y			Budget Hotel	N									
Other Items	NA			Trains Halting	M: 0	P : 4								
Remarks for Station:				Station IInd Entry	N									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	15000			
Pay & Use Toilet				Remarks	NA			

Station Name : Padma

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	608	9	84	MOR	144	0	0	2		0	40	0	0	2	35	0	0	0	0	0	N	0
2	BG	N	608	9	84	MOR	144	0	0	2		0	20	0	0	0	35	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Padma

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	0	288	4	0	0	60	1	See platform details	0	-
Shortage, if any	15	-	-	1	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Tolra					No. of passengers dealt with:		Identified as Adarsh	N
Station Code	TRZ	FOB	0	(a) Per Day	87	Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time	20	Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	2.07	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	4.27	2018-19	3.55	Touch Screen Enquiry System	N
District	Palamu	Clock	N	2019-20	0			Electronic Train Indication	N
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)		176	ATMs		0
Km.	0313.22	Cloak Room	N	MP Const.	Palamu		Food Plaza		N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram		Budget Hotel		N
Electrified	Y			MLA Const.	Bishrampur		Trains Halting		M: 0 P : 6
				MLA Name	Sri Ramchandra Chandrawansi		Station IInd Entry		N
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	40	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	50	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Tolra

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	305	2.5	0	CC	0	3	0	1		0	60	3	0	0	5	0	0	0	0	0	N	0
2	BG	N	305	2.5	0	CC	0	0	0	1		0	60	0	0	0	3	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Tolra

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	13	0	0.8	0	0	4			-	-
Actual	40	0	2	3	0	150	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Phusro			No. of passengers dealt with:				Identified as Adarsh	Y
Station Code	PUS	FOB	0	(a) Per Day	455			Developed As Adarsh	N
Station Category	NSG6	Subway	0	(b) Max. at any time	100			Identified for MFC	N
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	175.89	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	203.96	2018-19	192.02	Touch Screen Enquiry System	N
District	Bokaro	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	GMO-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)			525	ATMs	0
Km.	0029.06	Cloak Room	N	MP Const.	Giridih			Food Plaza	N
Route	D	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Budget Hotel	N
Electrified	Y			MLA Const.	Bermo			Trains Halting	M: 3 P : 2
				MLA Name	Sri Rajendra Prasad Singh			Station IInd Entry	N
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	76	Area(sq.m)		0	0	Area(sq.m)	50	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	20	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	820	Length(m)	30	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	10000			
Pay & Use Toilet				Remarks	NA			

Station Name : Phusro

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	398	13	76	CC	318	3	14	1		0	142	4	2	4	20	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Phusro

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	42	0	4	0	0	12			-	-
Actual	76	318	15	6	4	182	0	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Telo					No. of passengers dealt with:		Identified as Adarsh	N
Station Code	TELO	FOB	1	(a) Per Day	315	Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	150	Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	12.80	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	20.94	2018-19	22.17	Touch Screen Enquiry System	N
District	Bokaro	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	GMO-BRKA	Wheel Chairs	N	Length of longest stopping train(m)		525	ATMs		0
Km.	0009.25	Cloak Room	N	MP Const.	Giridih		Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary		Budget Hotel	N	
Electrified	Y			MLA Const.	Bermo		Trains Halting	M: 1	P : 3
Other Items	NA			MLA Name	Sri Rajendra Prasad Singh		Station IInd Entry	N	
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	88	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	40	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Telo

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	9.55	0	MOR	173	1	0	2		0	66	1	1	0	10	0	0	0	0	0	N	0
2&3	BG	N	130	6.6	0	MOR	57	10	0	2		0	112	0	0	0	6	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Telo

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	63	0	6	0	0	18			-	-
Actual	88	230	4	2	1	188	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Shaktinagar			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	SKTN	FOB	0	(a) Per Day	365			Developed As Adarsh	
Station Category	NSG5	Subway	0	(b) Max. at any time	80			Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	350.13	2016-17	0.00	Tourist Facilation Center	N
State	Uttar Pradesh	Public Address Sys.	Y	2017-18	424.95	2018-19	373.36	Touch Screen Enquiry System	N
District	Sonbhadra	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	KRLR-SKTN	Wheel Chairs	N	Length of longest stopping train(m)				132	
Km.	0081.58	Cloak Room	N	MP Const.	Robertsganj			ATMs	0
Route	E	Refreshment Room(sq.m)		MP Name	Pakauri Lal Kol			Food Plaza	N
Electrified	N			MLA Const.	Dudhi			Budget Hotel	N
Other Items	NA			MLA Name	Smt. Rubi Prasad			Trains Halting	M: 4 P : 2
Remarks for Station:	NA							Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	1000	Length(m)	250	Source	Railway Supply	Open Wells (Nos)	1
Surface	Kutchra	Surface	Black Topped	Type	Piped and Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	136935		
Pay & Use Toilet				Remarks	NA		

Station Name : Shaktinagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	321	9	84	CC	51	0	10	0		0	123	4	4	3	35	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Shaktinagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	50 sqm	8	4	4	50	0	High level	1	-
As per Rec. norms	33	0	3.2	0	0	10			-	-
Actual	16	51	11	4	4	131	0	See platform details	1	-
Shortage, if any	14	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Latehar			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	LTHR	FOB	1	(a) Per Day		758		Developed As Adarsh	N	
Station Category	NSG5	Subway	0	(b) Max. at any time		150		Identified for MFC	N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	174.00	2016-17	155.68	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	265.81	2018-19	282.34	Touch Screen Enquiry System	N	
District		Clock	Y	2019-20	0					
Section	BRKA-GHD	Wheel Chairs	Y	Length of longest stopping train(m)				308	Electronic Train Indication	N
Km.	0217.82	Cloak Room	N	MP Const.	Chatra					
Route	Dspl	Refreshment Room(sqm)		MP Name	Sunil Kumar Singh					
Electrified	Y			MLA Const.	Latehar					
Other Items	NA			MLA Name	Sri Baidyanath Ram					
Remarks for Station:	NA					ATMs	0	Food Plaza	N	
						Budget Hotel	N	Trains Halting	M: 22 P : 8	
						Station IInd Entry	N			

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	23	Area(sqm)		0	0	Area(sqm)	12	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	8	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	2500	Length(m)	95	Source	Railway Supply	Open Wells (Nos)	1
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	100000		
Pay & Use Toilet				Remarks	NA		

Station Name : Latehar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	565	6.7	84	CC	257	3	12	2		0	36	2	2	2	16	1	0	0	0	1	N	0
2&3	BG	Y	570	8.5	84	CC	676	3	12	2		0	32	0	0	2	10	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete	PS-Polished Stone	OPS-Other Pucca Surface	MOR-Moorum	OTH-Others																	

Station Name : Latehar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	63	0	6	0	0	18			-	-
Actual	23	934	29	4	4	84	1	See platform details	1	-
Shortage, if any	7	-	-	-	-	16	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Hazaribagh Town			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	HZBN	FOB	1	(a) Per Day	210		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	100		Identified for MFC			
Railway	ECR	Booking Windows	5	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	1	2011-12	0.00	2016-17	6.80	Tourist Facilitation Center		
State	Jharkhand	Public Address Sys.	N	2017-18	18.36	2018-19	15.09	Touch Screen Enquiry System		
District	Hazaribag	Clock	Y	2019-20	0					
Section	KQR-HZBN	Wheel Chairs	N	Length of longest stopping train(m)				340	Electronic Train Indication	
Km.	0079.60	Cloak Room	N	MP Const.		Hazaribagh		ATMs	0	
Route	E	Refreshment Room(sq		MP Name		Jayant Sinha		Food Plaza	N	
Electrified	N			MLA Const.		Hazaribagh		Budget Hotel	N	
Other Items	No			MLA Name		Sri Manish Jaiswal		Trains Halting	M: 2 P : 4	
Remarks for Station:	New line station in DHANBAD division .									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	930	Area(sq		0	0	Area(sq	29	Retiring Room	2
(b) Seats(Nos.)	24	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	1
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	3500	Length(m)	800	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	4
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	100000			
Pay & Use Toilet				Remarks	No			

Station Name : Hazaribagh Town

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	591	11	840	CC	144	0	10	1		250	40	2	1	12	45	0	0	0	0	0	N	0
2	BG	Y	616	10	840	CC	144	0	6	1		0	20	1	1	6	45	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Hazaribagh Town

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	42	0	4	0	0	12			-	-
Actual	930	288	18	5	4	84	1	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Mirchadhuri			No. of passengers dealt with:				Identified as Adarsh	N		
Station Code	MCQ	FOB	0	(a) Per Day		125	Developed As Adarsh				
Station Category	NSG6	Subway	0	(b) Max. at any time		30	Identified for MFC				
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	5.04	2016-17	0.00	Tourist Facilation Center		N	
State	Uttar Pradesh	Public Address Sys.	Y	2017-18	7.1	2018-19	6.90	Touch Screen Enquiry System			N
District	Sonbhadra	Clock	Y	2019-20	0						
Section	CPU-MHD	Wheel Chairs	N	Length of longest stopping train(m)			310	Electronic Train Indication			N
Km.	0167.61	Cloak Room	N	MP Const.	Robertsganj	ATMs					0
Route	D	Refreshment Room(sq.m)		MP Name	Pakauri Lal Kol	Food Plaza					N
Electrified	N			MLA Const.	Obra	Budget Hotel					N
Other Items	NA			MLA Name	Sunil Yadva	Trains Halting			M: 0	P : 6	
Remarks for Station:	NA						Station IInd Entry			N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	18	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	100	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station Name : Mirchadhuri

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	183	6	0	OPS	54	8	0	2		0	36	2	1	0	0	0	0	0	0	0	N	0
2	BG	N	183	6	0	MOR	54	14	0	2		0	30	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Mirchadhuri

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	13	0	1.2	0	0	4			-	-
Actual	18	108	4	2	1	66	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Kathautiya halt			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	KAUA	FOB	0	(a) Per Day		50	Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time		15	Identified for MFC		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	
State	Jharkhand	Public Address Sys.	N	2017-18	2.36	2018-19	2.08	Touch Screen Enquiry System	
District		Clock	N	2019-20	0				
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)			135	Electronic Train Indication	
Km.	0049.70	Cloak Room	N	MP Const.		ATMs			
Route	Dspl	Refreshment Room(sq.m)		MP Name		Food Plaza			
Electrified	Y			MLA Const.		Budget Hotel			
Other Items				MLA Name		Trains Halting		M: 0	P : 4
Remarks for Station:				Station IInd Entry		N			

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area			Approach Road			Water Supply			
Area (sqm)		Length(m)	300	Source	Railway Supply	Open Wells (Nos)	0		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)					
Pay & Use Toilet				Remarks					

Station Name : Kathautiya halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	340	11	150	MOR	0	0	0	2		0	20	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Kathautiya halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.6	0	0	3			-	-
Actual	0	0	2	0	0	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Bokaro Thermal			No. of passengers dealt with:				Identified as Adarsh	Y
Station Code	BKRO	FOB	1	(a) Per Day		608		Developed As Adarsh	N
Station Category	NSG5	Subway	0	(b) Max. at any time		150		Identified for MFC	N
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	193.99	2016-17	62.45	Tourist Facilitation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	225.69	2018-19	230.73	Touch Screen Enquiry System	N
District	Bokaro	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	GMO-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)				525	
Km.	0042.93	Cloak Room	N	MP Const.	Giridih			ATMs	0
Route	D	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Food Plaza	N
Electrified	Y			MLA Const.	Gomia			Budget Hotel	N
Other Items	NA			MLA Name	Sri Lambodar Mahto			Trains Halting	M: 2 P : 2
Remarks for Station:	NA							Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	51	Area(sq.m)		0	0	Area(sq.m)	18	Retiring Room	0
(b) Seats(Nos.)	35	Seats(Nos.)		0	0	Seats(Nos.)	10	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	200	Length(m)	10	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Other	Type	Piped	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	5000		
Pay & Use Toilet				Remarks	NA		

Station Name : Bokaro Thermal

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	450	9	84	MOR	273	2	8	0		0	56	4	4	1	16	0	0	0	0	0	N	0
2	BG	N	450	11	45	MOR	36	5	8	1		0	20	0	0	0	14	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bokaro Thermal

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	63	0	6	0	0	18			-	-
Actual	51	309	17	5	6	121	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		2	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Maheshpur Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MHSA	FOB	0	(a) Per Day	51		Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time	10		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	N	2017-18	2.86	2018-19	2.60	Touch Screen Enquiry System	N	
District	Koderma	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	Koderma-Giridih	Wheel Chairs	N	Length of longest stopping train(m)				155	ATMs	0
Km.	0019.70	Cloak Room	N	MP Const.	Koderma			Food Plaza	N	
Route	E	Refreshment Room(sqm)		MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	Y			MLA Const.	Koderma			Trains Halting	M: 0 P : 4	
				MLA Name	Neera Yadav			Station IInd Entry	N	
Other Items									
Remarks for Station:										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)		Length(m)	200	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks			

Station Name : Maheshpur Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	340	15	0	MOR	9	0	0	1		0	10	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others								

Station Name : Maheshpur Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	6	0	0.4	0	0	2			-	-
Actual	10	9	1	0	0	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Digwar			No. of passengers dealt with:				Identified as Adarsh	N				
Station Code	DIWR	FOB	0	(a) Per Day	40		Developed As Adarsh						
Station Category	HG3	Subway	0	(b) Max. at any time	20		Identified for MFC	N					
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)									
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N				
State	Jharkhand	Public Address Sys.	N	2017-18	2.59	2018-19	2.50	Touch Screen Enquiry System	N				
District	Ramgarh	Clock	N	2019-20	0			Electronic Train Indication	N				
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)				176	ATMs	0			
Km.	0087.10	Cloak Room	N	<table border="1"> <tr><td>MP Const.</td></tr> <tr><td>MP Name</td></tr> <tr><td>MLA Const.</td></tr> <tr><td>MLA Name</td></tr> </table>				MP Const.	MP Name	MLA Const.	MLA Name	Food Plaza	N
MP Const.													
MP Name													
MLA Const.													
MLA Name													
Route	E	Refreshment Room(sq	m)	Budget Hotel	N								
Electrified	Y			Trains Halting	M: 0	P : 6							
Other Items	NA			Station IInd Entry	N								
Remarks for Station:													

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM				
(a) Area(sq	m.) 11	Area(sq	m)	0	0	Area(sq	m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	m)	0	Length(m)	15	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump	Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Digwar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	251	7	0	CC	81	1	0	0		0	30	0	0	0	10	0	0	0	0	0	N	0
*Surface Type		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Digwar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	13	0	0.8	0	0	4			-	-
Actual	11	81	0	0	0	30	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Koderma			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KQR	FOB	2	(a) Per Day		5850	Developed As Adarsh			
Station Category	NSG3	Subway	0	(b) Max. at any time		1000	Identified for MFC			
Railway	ECR	Booking Windows	7	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	1	2011-12	1957.81	2016-17	2920.00	Tourist Facilation Center		
State	Jharkhand	Public Address Sys.	Y	2017-18	2905.54	2018-19	2996.68	Touch Screen Enquiry System		
District	Koderma	Clock	Y	2019-20	0					
Section	KQR-MPO	Wheel Chairs	Y	Length of longest stopping train(m)			572	Electronic Train Indication		
Km.	0393.55	Cloak Room	Y	MP Const.	Kodarma			ATMs	1	
Route	A	Refreshment Room(sq.m)		MP Name	Annapurna Debi			Food Plaza	Y	
Electrified	Y				MLA Const.	Kodarma			Budget Hotel	Y
Other Items	NA				MLA Name	Neera Yadav			Trains Halting	M: 38 P : 16
Remarks for Station:	NA								Station IInd Entry	Y

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	100	Area(sq.m)		27	50	Area(sq.m)	75	Retiring Room	3
(b) Seats(Nos.)	100	Seats(Nos.)		24	20	Seats(Nos.)	18	Dormitory	1
(c) Lav.(Nos.)	3	Lav.(Nos.)		2	3	Lav.(Nos.)	3		
(d) Urinals(Nos.)	2	Urinals(Nos.)		1	1	Urinals(Nos.)	2		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		1	2	Bathing Cubicals(Nos.)	2		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	129	Length(m)	40	Source	Railway Supply	Open Wells (Nos)	3
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump	Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	49056		
Pay & Use Toilet				Remarks	NA		

Station Name : Koderma

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	440	12.5	84	PS	1920	8	36	2		0	150	6	2	18	85	1	0	1	0	2	N	0
2&3	BG	Y	607	15	84	CC	1260	6	32	5		0	268	4	2	12	50	2	0	0	0	2	Y	0
4&5	BG	N	607	10	84	CC	954	8	29	4		0	332	0	4	10	70	4	0	0	0	2	Y	1
6&7	BG	N	500	13	84	OTH	832	0	8	3		0	68	0	0	8	20	0	0	0	0	2	Y	0
*Surface Type		: CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Koderma

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	1600 sqm	80	10	10	500	1 With Cover	High level	8	YES
As per Rec. norms	418	1120	40	2	2	120			-	-
Actual	100	4966	119	21	14	980	2	See platform details	3	YES
Shortage, if any	25	-	-	-	-	-	-		5	-

Station Name : Koderma

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Desired Facility	Facility Available
Improvement in the facade of the station building Improvement in the circulating area so as to ensure proper entry and exit of A lighting tower at an appropriate place to be installed for proper illumination Improved modern, cost effective lighting arrangements at the platforms, Renovated water booths Renovated, modern, Pay & Use toilets Good Waiting and Retiring Rooms with modern furniture Good passenger guidance system including signages and coach indication Improvement to the passenger service Improvement of booking and enquiry offices to give them a facelift Lighting of booking offices, the queuing area in front of booking windows Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Bansinallah Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BNSL	FOB	0	(a) Per Day	30			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	10			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	3.17	2016-17	3.90	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	4.15	2018-19	3.73	Touch Screen Enquiry System	N	
District	Gaya	Clock	N	2019-20	0			Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				195	ATMs	0
Km.	0443.86	Cloak Room	N	MP Const.	Gaya			Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Vijay Manjhi			Budget Hotel	N	
Electrified	Y			MLA Const.	Bodh Gaya			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Shyam Dev Paswan			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	300	Length(m)	40	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Bansinallah Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	366	3	0	MOR	8	0	0	1		0	20	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	279	3	0	MOR	8	0	0	0		0	20	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bansinallah Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	6	0	0.4	0	0	2			-	-
Actual	0	15	1	0	0	40	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Hehegara			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	HHG	FOB	0	(a) Per Day	65			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	15			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	2.70	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	3.84	2018-19	2.95	Touch Screen Enquiry System	N
District	Palamu	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)			176	ATMs	0
Km.	0241.00	Cloak Room	N	MP Const.	Chatra		Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sunil Kumar Singh		Budget Hotel	N	
Electrified	Y			MLA Const.	Manika		Trains Halting	M: 0	P : 8
				MLA Name	Sri Ramchandra Singh		Station IInd Entry	N	
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	75	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	105	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Hehegara

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	225	7	0	CC	0	11	0	2		0	40	0	0	0	12	0	0	0	0	0	N	0
2	BG	N	225	7.5	0	MOR	0	10	0	1		0	40	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Hehegara

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.6	0	0	3			-	-
Actual	75	0	3	1	0	88	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Jogidih			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	JGF	FOB	0	(a) Per Day		22		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		10		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.86	2016-17	0.00	Tourist Facilation Center	N	
State	Uttar Pradesh	Public Address Sys.	Y	2017-18	1.12	2018-19	1.00	Touch Screen Enquiry System	N	
District	Sonbhadra	Clock	Y	2019-20	0					
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				180	Electronic Train Indication	N
Km.	0110.19	Cloak Room	N	MP Const.	Robertsganj					
Route	Dspl	Refreshment Room(sq.m)		MP Name	Pakauri Lal Kol					
Electrified	N			MLA Const.	Obra					
				MLA Name	Sunil Yadva					
Other Items	NA			ATMs	0					
Remarks for Station:	Na			Food Plaza	N					
				Budget Hotel	N					
				Trains Halting	M: 0	P : 2				
				Station IInd Entry	N					

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Piped and Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	6000			
Pay & Use Toilet				Remarks	NA			

Station Name : Jogidih

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	180	5.6	0	MOR	60	3	1	1		0	48	2	2	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface					MOR-Moorum			OTH-Others						

Station Name : Jogidih

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	16	60	2	2	2	48	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Charhi			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	CHRI	FOB	1	(a) Per Day	22			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	10			Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	1.22	2018-19	1.38	Touch Screen Enquiry System	N
District		Clock	Y	2019-20	0			Electronic Train Indication	N
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)			135	ATMs	0
Km.	0101.11	Cloak Room	N	MP Const.				Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name				Budget Hotel	N
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 4
				MLA Name				Station IInd Entry	N
Other Items	NA								
Remarks for Station:									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	40	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Piped		Bore Wells (Nos)	1
Illumination Type		Illumination Type	Y	Storage Capacity(Ltr)	15000			
Pay & Use Toilet				Remarks	NA			

Station Name : Charhi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	11	84	MOR	0	0	0	2		0	32	2	0	0	0	0	0	0	0	0	N	0
2	BG	N	600	10	84	MOR	0	0	0	2		0	28	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Charhi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	0	0	4	2	0	60	1	See platform details	0	-
Shortage, if any	15	100	-	-	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Kansar Nawada			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	KSNA	FOB	1	(a) Per Day	32			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	10			Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	1.59	2018-19	1.89	Touch Screen Enquiry System	N
District		Clock	Y	2019-20	0			Electronic Train Indication	N
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)			135	ATMs	0
Km.	0072.80	Cloak Room	N	MP Const.				Food Plaza	N
Route	Dspl	Refreshment Room(sq		MP Name				Budget Hotel	N
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 4
				MLA Name				Station IInd Entry	N
Other Items	NA								
Remarks for Station:									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	400	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	15000			
Pay & Use Toilet				Remarks	NA			

Station Name : Kansar Nawada

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	360	11	84	OPS	208		0	2		0	30	0	0	2	30	0	0	0	0	1	N	0
2	BG	N	360	10	84	MOR	144	0	0	2		0	15	0	0	0	30	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kansar Nawada

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	0	352	4	0	0	45	1	See platform details	0	-
Shortage, if any	15	-	-	1	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Kurhagada			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	KAGA	FOB	1	(a) Per Day	58		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	10		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	2.44	2018-19	2.34	Touch Screen Enquiry System	N
District		Clock	N	2019-20	0			Electronic Train Indication	N
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)			135	ATMs	0
Km.	0042.30	Cloak Room	N	MP Const.				Food Plaza	N
Route	Dspl	Refreshment Room(sq		MP Name				Budget Hotel	N
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 4
				MLA Name				Station IInd Entry	N
Other Items	NA								
Remarks for Station:									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq	0	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	100	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Piped		Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	15000			
Pay & Use Toilet				Remarks	NA			

Station Name : Kurhagada

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	440	10	84	MOR	144	0	0	2		0	40	0	0	2	30	0	0	0	0	0	N	0
2	BG	N	440	10	84	MOR	144	0	0	1		0	20	0	0	0	30	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kurhagada

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	0	288	3	0	0	60	1	See platform details	0	-
Shortage, if any	15	-	1	1	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Chowdharibandh			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	CDB	FOB	0	(a) Per Day		65		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		20		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	3.45	2016-17	4.85	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	4.25	2018-19	3.68	Touch Screen Enquiry System	N	
District	Giridih	Clock	Y	2019-20	0					
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				354	Electronic Train Indication	N
Km.	0327.34	Cloak Room	N	MP Const.		Kodarma		ATMs	0	
Route	A	Refreshment Room(sq.m)		MP Name		Annapurna Debi		Food Plaza	N	
Electrified	Y			MLA Const.		Bagodar		Budget Hotel	N	
Other Items	NA			MLA Name		Sri Vinod Kumar singh		Trains Halting	M: 0 P : 4	
Remarks for Station:	NA							Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Chowdharibandh

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	344	15	0	MOR	139	2	0	2		0	12	2	2	2	8	0	0	0	0	0	N	0
3&4	BG	Y	264	12	0	CC	15	4	0	2		0	16	0	0	0	6	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chowdharibandh

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	8	0	0.8	0	0	2			-	-
Actual	0	154	4	2	2	28	0	See platform details	0	-
Shortage, if any	15	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Rakeshbag Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	RHBH	FOB	0	(a) Per Day	158		Developed As Adarsh			
Station Category	HG2	Subway	0	(b) Max. at any time	20		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	7.32	2018-19	6.28	Touch Screen Enquiry System	N	
District	Koderma	Clock	N	2019-20	0			Electronic Train Indication	N	
Section	Koderma-Giridih	Wheel Chairs	N	Length of longest stopping train(m)				155	ATMs	0
Km.	0033.80	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	E	Refreshment Room(sqm)		MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 4	
				MLA Name				Station IInd Entry	N	
Other Items										
Remarks for Station:										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	100	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	1	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks					

Station Name : Rakeshbag Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	340	15	0	MOR	10	0	0	1		0	10	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others								

Station Name : Rakeshbag Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	13	0	0.8	0	0	4			-	-
Actual	10	10	1	0	0	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Jharokhas			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	JRQ	FOB	0	(a) Per Day	30			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	20			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	2.52	2016-17	0.00	Tourist Facilation Center	N	
State	Uttar Pradesh	Public Address Sys.	Y	2017-18	2.54	2018-19	1.97	Touch Screen Enquiry System	N	
District	Sonbhadra	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				176	ATMs	0
Km.	0085.16	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Pakauri Lal Kol			Budget Hotel	N	
Electrified	Y			MLA Const.	Dudhi			Trains Halting	M: 0 P : 4	
				MLA Name	Smt. Rubi Prasad			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	66	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	35	Source	Railway Supply	Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station Name : Jharokhas

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	184.25	5.6	45	CC	72	3	0	1		0	76	2	2	0	6	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Jharokhas

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	8	0	0.8	0	0	2			-	-
Actual	66	72	1	2	2	96	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Salaibanwa			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SLBN	FOB	0	(a) Per Day	17			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	8			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.86	2016-17	0.00	Tourist Facilation Center	N	
State	Uttar Pradesh	Public Address Sys.	Y	2017-18	1.44	2018-19	1.41	Touch Screen Enquiry System	N	
District	Sonbhadra	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				180	ATMs	0
Km.	0134.27	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Pakauri Lal Kol			Budget Hotel	N	
Electrified	N			MLA Const.	Obra			Trains Halting	M: 0 P : 2	
				MLA Name	Sunil Yadva			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	15	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	105	Source	Railway Supply	Open Wells (Nos)	1
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station Name : Salaibanwa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	182	5.6	85	CC	52	5	0	3		0	34	2	2	0	6	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Salaibanwa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	3	0	0.32	0	0	1			-	-
Actual	15	52	3	2	2	34	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Dhanwar			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DNWR	FOB	1	(a) Per Day	120			Developed As Adarsh		
Station Category	HG2	Subway	0	(b) Max. at any time	14			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	6.15	2018-19	5.64	Touch Screen Enquiry System	N	
District	Giridih	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	KQR-GRD	Wheel Chairs	N	Length of longest stopping train(m)				155	ATMs	0
Km.	0048.84	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 4	
				MLA Name				Station IInd Entry	N	
Other Items									
Remarks for Station:										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	15	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	100	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	4
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks			

Station Name : Dhanwar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	330	14	84	OPS	36	0	0	2		0	24	0	0	0	0	0	0	0	0	0	1	N	0
2&3	BG	Y	330	14	84	OPS	36	0	0	3		0	10	0	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dhanwar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.56	0	0	3			-	-
Actual	15	72	5	0	0	44	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Koderma Town Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KQRT	FOB	1	(a) Per Day		43		Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time		10		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	2.22	2018-19	2.17	Touch Screen Enquiry System	N	
District	Koderma	Clock	N	2019-20	0					
Section	Koderma-Giridih	Wheel Chairs	N	Length of longest stopping train(m)				155	Electronic Train Indication	N
Km.	0010.45	Cloak Room	N	MP Const.		Kodarma		ATMs	0	
Route	E	Refreshment Room(sqm)		MP Name		Annapurna Debi		Food Plaza	N	
Electrified	Y			MLA Const.		Kodarma		Budget Hotel		
Other Items				MLA Name		Neera Yadav		Trains Halting	M: 0 P : 4	
Remarks for Station:				Station IInd Entry				N		

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	15	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area		Approach Road			Water Supply				
Area (sqm)	100	Length(m)	350	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	2	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet					Remarks				

Station Name : Koderma Town Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	14	0	MOR	18	0	0	1		0	10	1	0	0	0	0	0	0	0	1	N	0
2&3	BG	N	330	15	0.84	MOR	18	0	0	1		0	20	0	0	0	0	0	0	0	0	1	N	0
4&5	BG	N	330	14	0	MOR	0	0	0	0		0	10	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Koderma Town Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	6	0	0.4	0	0	2			-	-
Actual	15	36	2	1	0	50	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	McCluskieganj			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	MGME	FOB	1	(a) Per Day		138		Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time		50		Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	9.95	2016-17	8.98	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	13.56	2018-19	13.99	Touch Screen Enquiry System	N
District	Ranchi	Clock	N	2019-20	0				
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)			309	Electronic Train Indication	N
Km.	0163.40	Cloak Room	N	MP Const.	Ranchi				
Route	Dspl	Refreshment Room(sqm)		MP Name	Sanjay Seth				
Electrified	Y			MLA Const.	Kanke				
				MLA Name	Sri Samri Lal				
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	108	Area(sqm)		0	0	Area(sqm)	12	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	2	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	15	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	100000			
Pay & Use Toilet				Remarks	NA			

Station Name : McCluskieganj

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	244	8.7	0	MOR	144	6	0	2		0	25	2	1	2	5	1	0	0	0	1	N	0
2&3	BG	Y	244	8.7	0	MOR	144	5	3	2		0	30	0	0	2	7	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : McCluskieganj

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	21	0	2	0	0	6			-	-
Actual	108	288	7	4	3	95	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Jamuni Halt			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	JMX	FOB	0	(a) Per Day	10			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	5			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	0.94	2016-17	2.45	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	0.27	2018-19	0.09	Touch Screen Enquiry System	N
District	Dhanbad	Clock	N	2019-20	0			Electronic Train Indication	N
Section	DHN-CRP	Wheel Chairs	N	Length of longest stopping train(m)			250	ATMs	0
Km.	0023.96	Cloak Room	N	MP Const.	Giridih			Food Plaza	N
Route	E	Refreshment Room(sq		MP Name	Chandra Prakash Choudhary			Budget Hotel	N
Electrified	Y			MLA Const.	baghmara			Trains Halting	M: 0 P : 2
				MLA Name	Sri Dhulu Mahto			Station IInd Entry	N
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	BCCL WATER			

Station Name : Jamuni Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	154	7	30	MOR	9	3	0	1		0	20	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Jamuni Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	3	0	0.2	0	0	1			-	-
Actual	0	9	1	0	0	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Kurhagada			No. of passengers dealt with:				Identified as Adarsh	N					
Station Code	KAGA	FOB	1	(a) Per Day		58		Developed As Adarsh						
Station Category	NSG6	Subway	0	(b) Max. at any time		10		Identified for MFC	N					
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)										
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N					
State	Jharkhand	Public Address Sys.	N	2017-18	2.44	2018-19	2.34	Touch Screen Enquiry System	N					
District		Clock	N	2019-20	0									
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				135	Electronic Train Indication	N				
Km.	0042.30	Cloak Room	N	<table border="1"> <tr><td>MP Const.</td></tr> <tr><td>MP Name</td></tr> <tr><td>MLA Const.</td></tr> <tr><td>MLA Name</td></tr> </table>				MP Const.	MP Name	MLA Const.	MLA Name	ATMs	0	
MP Const.														
MP Name														
MLA Const.														
MLA Name														
Route	Dspl	Refreshment Room(sq.m)		Food Plaza	N									
Electrified	Y			Budget Hotel	N									
Other Items	NA			Trains Halting	M: 0	P : 4								
Remarks for Station:				Station IInd Entry	N									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room 0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	100	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Piped	Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	15000		
Pay & Use Toilet				Remarks	NA		

Station Name : Kurhagada

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	440	10	84	MOR	144	0	0	2		0	40	0	0	2	30	0	0	0	0	0	N	0
2	BG	N	440	10	84	MOR	144	0	0	1		0	20	0	0	0	30	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kurhagada

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	0	288	3	0	0	60	1	See platform details	0	-
Shortage, if any	15	-	1	1	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Sarmatand			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SMND	FOB	0	(a) Per Day		395	Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time		50	Identified for MFC			
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	15.47	2016-17	26.44	Tourist Facilation Center		
State	Jharkhand	Public Address Sys.	Y	2017-18	27.35	2018-19	25.93	Touch Screen Enquiry System		
District	Koderma	Clock	Y	2019-20	0					
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				298	Electronic Train Indication	
Km.	0376.54	Cloak Room	N	MP Const.	Kodarma			ATMs	0	
Route	A	Refreshment Room(sq.m)		MP Name	Annapurna Debi			Food Plaza	N	
Electrified	Y			MLA Const.	Barkatha			Budget Hotel	N	
Other Items	NA			MLA Name	Sri Amit Kumar Yadav			Trains Halting	M: 0 P : 6	
Remarks for Station:	NA							Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	50	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	6	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	120	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	11600		
Pay & Use Toilet				Remarks	NA		

Station Name : Sarmatand

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	N	252	7	0	MOR	160	2	0	1		0	8	0	1	1	14	0	0	0	0	0	N	0
3&4	BG	N	433	15	0	MOR	75	10	0	1		0	9	1	0	0	18	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Sarmatand

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	21	0	2	0	0	6			-	-
Actual	50	235	2	1	1	23	0	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Hendigir			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	HNDR	FOB	0	(a) Per Day	153			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	40			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	3.70	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	7.73	2018-19	6.85	Touch Screen Enquiry System	N	
District	Hazaribag	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)				286	ATMs	0
Km.	0136.62	Cloak Room	N	MP Const.	Hazaribagh			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Jayant Sinha			Budget Hotel	N	
Electrified	Y			MLA Const.	Barkagaon			Trains Halting	M: 0 P : 5	
				MLA Name	Sri Amba Prasad			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	22	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	6	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	15	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	3785.41			
Pay & Use Toilet				Remarks	NA			

Station Name : Hendigir

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	222	7	0	MOR	48	3	2	1		0	45	1	2	0	8	0	0	0	0	0	N	0
2&3	BG	Y	240	8	0	MOR	54	5	4	0		0	44	0	2	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Hendigir

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	17	0	1.6	0	0	5			-	-
Actual	22	102	7	2	4	95	0	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	DOKRA					No. of passengers dealt with:	Identified as Adarsh	N	
Station Code	DOKRA	FOB	0			(a) Per Day	Developed As Adarsh		
Station Category		Subway	0			(b) Max. at any time	Identified for MFC	N	
Railway	ECR	Booking Windows				Pass. Earnings/Year(Rs. in Lac.)			
Division	Dhanbad	Enquiry Office		2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	0	2018-19	0.00	Touch Screen Enquiry System	N
District		Clock	N	2019-20	0			Electronic Train Indication	N
Section		Wheel Chairs	N			Length of longest stopping train(m)		ATMs	0
Km.		Cloak Room	N			MP Const.		Food Plaza	N
Route		Refreshment Room(sqm)				MP Name		Budget Hotel	
Electrified	Y					MLA Const.		Trains Halting	M: P : null
						MLA Name		Station IInd Entry	N
Other Items									
Remarks for Station:									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)		Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Piped	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks			

Station Name : DOKRA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	0 sqm	0	0	0	0	0	-	0	-
As per Rec. norms	0	0	0	0	0	0			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Sonardih			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	SZE	FOB	0	(a) Per Day	65			Developed As Adarsh	
Station Category	HG2	Subway	0	(b) Max. at any time	20			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	4.08	2016-17	5.66	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	1.38	2018-19	5.23	Touch Screen Enquiry System	N
District	Dhanbad	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	DHN-CRP	Wheel Chairs	N	Length of longest stopping train(m)		250			
Km.	0017.15	Cloak Room	N	MP Const.	Giridih			ATMs	0
Route	E	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Food Plaza	N
Electrified	Y			MLA Const.	baghmara			Budget Hotel	N
Other Items	NA			MLA Name	Sri Dhulu Mahto			Trains Halting	M: 0 P : 2
Remarks for Station:	NA							Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	256	Length(m)	40	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	WBM	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	BCCL Water & MADA Water is given in colony & station.		

Station Name : Sonardih

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	147	5.3	25	CC	9	3	0	1		0	30	1	0	1	4	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Sonardih

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	13	0	0.8	0	0	4			-	-
Actual	16	9	1	1	0	30	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Phaprakund			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	PPKD	FOB	0	(a) Per Day	37			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	10			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)				Tourist Facilation Center	N
Division	Dhanbad	Enquiry Office	0	2011-12	1.24	2016-17	0.00	Touch Screen Enquiry System	N
State	Uttar Pradesh	Public Address Sys.	Y	2017-18	2.13	2018-19	1.88	Electronic Train Indication	N
District	Sonbhadra	Clock	Y	2019-20	0			ATMs	0
Section	OBRA-MHDA	Wheel Chairs	N	Length of longest stopping train(m)			310	Food Plaza	N
Km.	0144.80	Cloak Room	N	MP Const.	Robertsganj			Budget Hotel	N
Route	E	Refreshment Room(sq.m)		MP Name	Pakauri Lal Kol			Trains Halting	M: 0 P : 6
Electrified	N			MLA Const.	Obra			Station IInd Entry	N
				MLA Name	Sunil Yadva				
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	92	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	105	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station Name : Phaprakund

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	190.9	4	0	OTH	48	6	0	1		0	34	1	1	0	0	0	0	0	0	0	0	N	0
2	BG	N	190.9	4	0	OTH	54	0	0	0		0	24	0	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Phaprakund

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	92	102	1	1	1	78	0	See platform details	0	-
Shortage, if any	-	-	3	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Deonagar			No. of passengers dealt with:				Identified as Adarsh	N					
Station Code	DNH	FOB	0	(a) Per Day	30			Developed As Adarsh						
Station Category	HG2	Subway	0	(b) Max. at any time	15			Identified for MFC	N					
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)										
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilitation Center	N					
State	Jharkhand	Public Address Sys.	N	2017-18	1.63	2018-19	1.57	Touch Screen Enquiry System	N					
District		Clock	N	2019-20	0			Electronic Train Indication	N					
Section	DHN-CRP	Wheel Chairs	N	Length of longest stopping train(m)				ATMs						
Km.	0000.00	Cloak Room	N	<table border="1"> <tr><td>MP Const.</td></tr> <tr><td>MP Name</td></tr> <tr><td>MLA Const.</td></tr> <tr><td>MLA Name</td></tr> </table>				MP Const.	MP Name	MLA Const.	MLA Name	Food Plaza		N
MP Const.														
MP Name														
MLA Const.														
MLA Name														
Route	E	Refreshment Room(sq.m)		Budget Hotel		N								
Electrified	Y			Trains Halting		M:	P : null							
Other Items								Station IInd Entry						
Remarks for Station:														

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply	
Area (sqm)	0	Length(m)	0	Source	Open Wells (Nos)
Surface	Kutchra	Surface	Kutchra	Type	Bore Wells (Nos)
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	
Pay & Use Toilet				Remarks	

Station Name : Deonagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.6	0	0	3			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	10	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Ramakunda			No. of passengers dealt with:				Identified as Adarsh	N				
Station Code	RIBP	FOB	0	(a) Per Day	12			Developed As Adarsh					
Station Category	HG3	Subway	0	(b) Max. at any time	5			Identified for MFC	N				
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)									
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N				
State	Jharkhand	Public Address Sys.	N	2017-18	0.51	2018-19	0.41	Touch Screen Enquiry System	N				
District		Clock	N	2019-20	0			Electronic Train Indication	N				
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)		250							
Km.	0000.00	Cloak Room	N	<table border="1"> <tr><td>MP Const.</td></tr> <tr><td>MP Name</td></tr> <tr><td>MLA Const.</td></tr> <tr><td>MLA Name</td></tr> </table>		MP Const.	MP Name	MLA Const.	MLA Name			ATMs	0
MP Const.													
MP Name													
MLA Const.													
MLA Name													
Route	A	Refreshment Room(sq.m)				Food Plaza	N	Budget Hotel	N				
Electrified	Y					Trains Halting	M: 0	P : 2					
Other Items	NA					Station IInd Entry	N						
Remarks for Station:													

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet					Remarks	NA	

Station Name : Ramakunda

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	3	0	0.2	0	0	1			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Karaila Road			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	KRLR	FOB	0	(a) Per Day		55	Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		12	Identified for MFC		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	1.98	2016-17	0.00	Tourist Facilitation Center	
State	Madhya Pradesh	Public Address Sys.	Y	2017-18	3.66	2018-19	3.79	Touch Screen Enquiry System	
District	Sidhi	Clock	Y	2019-20	0			Electronic Train Indication	
Section	KRLR-SKTN	Wheel Chairs	N	Length of longest stopping train(m)			310	ATMs	
Km.	0175.47	Cloak Room	N	MP Const.		Sidhi	Food Plaza		
Route	E	Refreshment Room(sq.m)		MP Name		Smt. Riti Pathak	Budget Hotel		
Electrified	N			MLA Const.		Singrauli	Trains Halting		
Other Items	NA			MLA Name			M: 0	P : 6	
Remarks for Station:	NA						Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	20	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	160	Length(m)	45	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	15300		
Pay & Use Toilet				Remarks	NA		

Station Name : Karaila Road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	182	6	0	CC	54	6	8	1		0	36	2	2	0	20	0	0	0	0	0	N	0
*Surface Type		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Karaila Road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5 Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	5	0	0.48	0	0	1			-	-
Actual	20	54	9	2	2	36	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Pradhankhanta			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	PKA	FOB	1	(a) Per Day	1470			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	450			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	18.25	2016-17	32.45	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	30.96	2018-19	30.64	Touch Screen Enquiry System	N	
District	Dhanbad	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				354		
Km.	0261.13	Cloak Room	N	MP Const.	Dhanbad			ATMs	0	
Route	A	Refreshment Room(sq	7	MP Name	Pashupati Nath Singh			Food Plaza	N	
Electrified	Y			MLA Const.	Dhanbad			Budget Hotel	N	
Other Items	NA			MLA Name	Sri Raj Sinha			Trains Halting	M: 2 P : 4	
Remarks for Station:	NA							Station IInd Entry	Y	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	36	Area(sq	0	0	Area(sq	0	Retiring Room	0	
(b) Seats(Nos.)	44	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	200	Length(m)	430	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutch	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	5000			
Pay & Use Toilet				Remarks	NA			

Station Name : Pradhankhanta

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1&2	BG	Y	244	12	40	MOR	36	7	4	1		0	34	0	0	0	10	0	0	0	0	1	N	0	
3&4	BG	Y	250	25	45	MOR	112	10	4	1		0	30	2	2	4	12	0	0	0	0	0	N	0	
5	BG	N	146	6	0	MOR	30	2	0	1		0	14	0	0	0	5	0	0	0	0	1	N	0	
6	BG	N	139	6	45	MOR	20	10	0	1		0	12	0	0	0	5	0	0	0	0	1	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Pradhankhanta

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	200 sqm	8 tap/HP at stn	1	1	40	1	High level	0	-
As per Rec. norms	188	0	18	1	1	54			-	-
Actual	36	198	12	2	2	134	1	See platform details	0	-
Shortage, if any	-	2	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Dudhinagar			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DXN	FOB	0	(a) Per Day		370		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time		100		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	59.82	2016-17	0.00	Tourist Facilation Center	N	
State	Uttar Pradesh	Public Address Sys.	Y	2017-18	155.08	2018-19	173.56	Touch Screen Enquiry System	N	
District	Sonbhadra	Clock	Y	2019-20	0					
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				309	Electronic Train Indication	N
Km.	0078.31	Cloak Room	N	MP Const.	Robertsganj			ATMs	0	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Pakauri Lal Kol			Food Plaza	N	
Electrified	Y			MLA Const.	Dudhi			Budget Hotel	N	
Other Items	NA			MLA Name	Smt. Rubi Prasad			Trains Halting	M: 5 P : 2	
Remarks for Station:	NA							Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	80	Area(sq.m)		28	0	Area(sq.m)	20	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)		15	0	Seats(Nos.)	16	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	100	Length(m)	165	Source	Railway Supply		Open Wells (Nos)	1
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	94280			
Pay & Use Toilet				Remarks	NA			

Station Name : Dudhinagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	480	6	85	CC	60	6	13	1		0	88	2	2	0	15	0	0	0	0	0	N	0
2&3	BG	N	560	10	85	CC	48	0	12	1		0	32	2	0	0	5	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dudhinagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	42	0	4	0	0	12			-	-
Actual	80	108	27	6	4	169	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		2	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Katkamsandi			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	KKAS	FOB	1	(a) Per Day	145			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	35			Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	Y	2017-18	6.86	2018-19	6.89	Touch Screen Enquiry System	N
District		Clock	Y	2019-20	0			Electronic Train Indication	N
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)		135			
Km.	0055.10	Cloak Room	N	MP Const.				ATMs	0
Route	Dspl	Refreshment Room(sq		MP Name				Food Plaza	N
Electrified	Y	Room(sq		MLA Const.				Budget Hotel	N
Other Items				MLA Name				Trains Halting	M: 0 P : 4
Remarks for Station:								Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq		Length(m)	600	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	WBM	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	15000			
Pay & Use Toilet				Remarks				

Station Name : Katkamsandi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	380	10	840	MOR	144	0	0	2		0	30	0	0	2	30	0	0	0	0	1	N	0
2	BG	Y	380	10	840	MOR	144	0	0	2		0	20	0	0	0	30	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Katkamsandi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	15	0	1.4	0	0	4			-	-
Actual	0	288	4	0	0	50	1	See platform details	0	-
Shortage, if any	15	-	-	1	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Parsabad			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	PSB	FOB	1	(a) Per Day	685		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	70		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	61.20	2016-17	99.45	Tourist Facilitation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	101.36	2018-19	99.78	Touch Screen Enquiry System	N	
District	Koderma	Clock	Y	2019-20	0		Electronic Train Indication	N		
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				690	ATMs	0
Km.	0367.71	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	Y			MLA Const.	Barkatha			Trains Halting	M: 2 P : 4	
				MLA Name	Sri Amit Kumar Yadav			Station IInd Entry	Y	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	50	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	190	Length(m)	45	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Parsabad

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	437	15	0.7	MOR	173	4	0	1		0	19	2	2	1	20	0	0	0	0	1	N	0
3&4	BG	Y	350	9.5	0.7	MOR	160	3	0	1		0	22	1	2	2	18	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Parsabad

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	29	0	2.8	0	0	8			-	-
Actual	50	333	2	3	4	81	1	See platform details	0	-
Shortage, if any	-	-	14	1	-	19	-		2	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Danea			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DNEA	FOB	0	(a) Per Day		67		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		25		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	2.62	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	3.88	2018-19	3.64	Touch Screen Enquiry System	N	
District	Bokaro	Clock	Y	2019-20	0					
Section	GMO-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				300	Electronic Train Indication	N
Km.	0066.42	Cloak Room	Y	MP Const.		Giridih		ATMs	0	
Route	D	Refreshment Room(sq.m)		MP Name		Chandra Prakash Choudhary		Food Plaza	N	
Electrified	Y			MLA Const.		Gumla		Budget Hotel	N	
Other Items	NA			MLA Name		Sri Bhusan Tirkey		Trains Halting	M: 0 P : 2	
Remarks for Station:	NA							Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	80	Length(m)	810	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Danae

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	351	16	0	MOR	54	12	0	2		0	22	1	1	0	5	1	0	0	0	0	N	0	
2	BG	N	351	12	0	MOR	51	18	0	2		0	20	0	0	0	0	0	1	0	0	0	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Danae

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	10	0	1	0	0	3			-	-
Actual	16	105	4	2	1	52	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Pathardih			No. of passengers dealt with:				Identified as Adarsh	N					
Station Code	PEH	FOB	1	(a) Per Day		245		Developed As Adarsh						
Station Category	HG2	Subway	0	(b) Max. at any time		125		Identified for MFC	N					
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)										
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N					
State	Jharkhand	Public Address Sys.	N	2017-18	48.25	2018-19	48.12	Touch Screen Enquiry System	N					
District		Clock	Y	2019-20	0									
Section	DHN-PEH	Wheel Chairs	N	Length of longest stopping train(m)				222	Electronic Train Indication	N				
Km.	0030.15	Cloak Room	N	<table border="1"> <tr><td>MP Const.</td></tr> <tr><td>MP Name</td></tr> <tr><td>MLA Const.</td></tr> <tr><td>MLA Name</td></tr> </table>				MP Const.	MP Name	MLA Const.	MLA Name	ATMs	0	
MP Const.														
MP Name														
MLA Const.														
MLA Name														
Route	E	Refreshment Room(sq.m)		Food Plaza	N									
Electrified	Y			Budget Hotel	N									
Other Items				Trains Halting	M: 1	P : 2								
Remarks for Station:								Station IInd Entry						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	26	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	4	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	150	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	WBM	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks			

Station Name : Pathardih

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	322.7	8.5	7	CC	15	0	0	1		0	3	2	0	0	8	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Pathardih

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	78	0	5	0	0	23			-	-
Actual	26	15	1	3	1	7	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Garhwa					No. of passengers dealt with:		Identified as Adarsh	N	
Station Code	GHQ	FOB	0	(a) Per Day		1125	Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time		400	Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	374.00	2016-17	0.00	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	521.4	2018-19	553.20	Touch Screen Enquiry System	N	
District	Garhwa	Clock	Y	2019-20	0	Electronic Train Indication			N	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)		376	ATMs			0
Km.	0010.01	Cloak Room	N	MP Const.	Palamu		Food Plaza			N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram		Budget Hotel			N
Electrified	N			MLA Const.	Garhwa		Trains Halting		M: 8 P : 2	
Other Items	NA			MLA Name	Sri Mithlesh Thakur		Station IInd Entry			N
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	88	Area(sq.m)		0	0	Area(sq.m)	21	Retiring Room	0
(b) Seats(Nos.)	12	Seats(Nos.)		0	0	Seats(Nos.)	20	Dormitory	0
(c) Lav.(Nos.)	3	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	100	Length(m)	35	Source	Railway Supply		Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	4000			
Pay & Use Toilet				Remarks	NA			

Station Name : Garhwa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	561	6.5	85	CC	158	2	8	4		0	152	2	2	4	35	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Garhwa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	50 sqm	8	4	4	50	0	High level	1	-
As per Rec. norms	167	0	16	1	1	48			-	-
Actual	88	158	12	6	3	184	0	See platform details	1	YES
Shortage, if any	-	-	-	-	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Bhuli			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	BLI	FOB	0	(a) Per Day	375			Developed As Adarsh	
Station Category	HG2	Subway	0	(b) Max. at any time	100			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	16.80	2016-17	60.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	22.13	2018-19	27.36	Touch Screen Enquiry System	N
District	Dhanbad	Clock	Y	2019-20	0			Electronic Train Indication	N
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)		354			
Km.	0274.50	Cloak Room	N	MP Const.	Dhanbad		ATMs	0	
Route	A	Refreshment Room(sq		MP Name	Pashupati Nath Singh		Food Plaza	N	
Electrified	Y			MLA Const.	Dhanbad		Budget Hotel	N	
Other Items	NA			MLA Name	Sri Raj Sinha		Trains Halting	M: 0	P : 4
Remarks for Station:	NA						Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	12	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	16	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	30	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Bhuli

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	10	0	MOR	36	0	0	1		0	20	1	1	0	5	0	0	0	0	0	N	0
2	BG	N	300	6	0	MOR	18	0	0	1		0	20	0	0	0	4	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bhuli

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	63	0	4	0	0	18			-	-
Actual	12	54	2	1	1	56	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Gurmurah			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	GMX	FOB	0	(a) Per Day	23			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	10			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.86	2016-17	0.00	Tourist Facilation Center	N	
State	Uttar Pradesh	Public Address Sys.	Y	2017-18	1.27	2018-19	1.09	Touch Screen Enquiry System	N	
District	Sonbhadra	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				180	ATMs	0
Km.	0119.16	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Pakauri Lal Kol			Budget Hotel	N	
Electrified	N			MLA Const.	Obra			Trains Halting	M: 0 P : 2	
				MLA Name	Sunil Yadva			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	Na									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	60	Source	Railway Supply	Open Wells (Nos)	1
Surface	Kutchra	Surface	Kutchra	Type	Piped and Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	18547		
Pay & Use Toilet				Remarks	NA		

Station Name : Gurmurah

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	170	5	0	MOR	60	27	8	2		0	32	2	2	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Gurmurah

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	16	60	10	2	2	32	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Mandu Halt			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	MNDU	FOB	0	(a) Per Day	10			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	5			Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N
State	Jharkhand	Public Address Sys.	N	2017-18	0.88	2018-19	0.52	Touch Screen Enquiry System	N
District		Clock	N	2019-20	0			Electronic Train Indication	N
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)			135	ATMs	0
Km.	0112.50	Cloak Room	N	MP Const.				Food Plaza	N
Route	Dspl	Refreshment Room(sq		MP Name				Budget Hotel	
Electrified	Y	Room(sq		MLA Const.				Trains Halting	M: 0 P : 4
				MLA Name				Station IInd Entry	
Other Items									
Remarks for Station:									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq	0	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sq		Length(m)	500	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutch	Surface	Black Topped	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type		Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	Railway supply water .		

Station Name : Mandu Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	11	840	MOR	0	0		1		0	20			0			0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Mandu Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	3	0	0.2	0	0	1			-	-
Actual	0	0	1	0	0	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Hazaribagh Road			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	HZD	FOB	1	(a) Per Day	1965		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	300		Identified for MFC	N		
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	1	2011-12	400.00	2016-17	660.00	Tourist Facilation Center	Y	
State	Jharkhand	Public Address Sys.	Y	2017-18	765.3	2018-19	760.05	Touch Screen Enquiry System	N	
District	Giridih	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	Y	Length of longest stopping train(m)				686	ATMs	1
Km.	0345.17	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	Y			MLA Const.	Bagodar			Trains Halting	M: 28 P : 4	
				MLA Name	Sri Vinod Kumar singh			Station IInd Entry	Y	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	265	Area(sq.m)		35	35	Area(sq.m)	35	Retiring Room	1
(b) Seats(Nos.)	28	Seats(Nos.)		12	16	Seats(Nos.)	12	Dormitory	0
(c) Lav.(Nos.)	4	Lav.(Nos.)		2	1	Lav.(Nos.)	2		
(d) Urinals(Nos.)	2	Urinals(Nos.)		1	0	Urinals(Nos.)	2		
(e) Bathing Cubicals(Nos.)	2	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	2		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1250	Length(m)	30	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	25500			
Pay & Use Toilet	Y			Remarks	NA			

Station Name : Hazaribagh Road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	600	15	75	CC	240	8	20	0		0	24	2	0	4	45	3	0	0	0	1	N	0
3&4	BG	Y	600	12.5	75	CC	575	9	16	1		0	28	1	0	6	32	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Hazaribagh Road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	125	0	12	0	0	36			-	-
Actual	265	815	37	12	5	120	1	See platform details	1	YES
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Dhanbad

Station Name	Herodih			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	HRE	FOB	0	(a) Per Day		195		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		60		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	12.31	2016-17	1.88	Tourist Facilation Center	N	
State	Jharkhand	Public Address Sys.	Y	2017-18	16.97	2018-19	14.91	Touch Screen Enquiry System	N	
District	Koderma	Clock	Y	2019-20	0					
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				298	Electronic Train Indication	N
Km.	0384.29	Cloak Room	N	MP Const.	Kodarma			ATMs	0	
Route	A	Refreshment Room(sq.m)		MP Name	Annapurna Debi			Food Plaza	N	
Electrified	Y			MLA Const.	Barkatha			Budget Hotel	N	
Other Items	NA			MLA Name	Sri Amit Kumar Yadav			Trains Halting	M: 2 P : 4	
Remarks for Station:	NA							Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	54	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1	Length(m)	25	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Herodih

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	394	15	0	MOR	113	1	0	2		0	36	0	0	2	16	0	0	0	0	0	N	0
3&4	BG	Y	248	9	0	MOR	138	10	0	2		0	16	2	0	2	10	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Herodih

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	25	0	2.4	0	0	7			-	-
Actual	54	251	4	4	1	72	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-