

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Karhagola Road</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	CRR	FOB	1	(a) Per Day	1400		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	348		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	99.39	2016-17	163.06	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	182.03	2018-19	188.25	Touch Screen Enquiry System	N
District	Katihar	Clock	Y	2019-20	194.45			Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	0
Km.	0022.12	Cloak Room	N	MP Const.	Katihar			Food Plaza	N
Route	Dspl	Refreshment Room(sq		MP Name	Dulal Chandra Goswami			Budget Hotel	N
Electrified	Y			MLA Const.	Barari			Trains Halting	M: 18 P : 8
				MLA Name	Sri Neeraj Kumar (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	114	Area(sq		20	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	70	Seats(Nos.)		15	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		1	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	640	Length(m)	1018	Source	Railway Supply		Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000			
Pay & Use Toilet				Remarks				

Station Name : Karhagola Road

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	8	26	CC	760	7	12	2		0	110	2	3	3	0	1	0	0	0	0	N	0
2-3	BG	Y	540	10	55	CC	773	0	0	2		0	125	0	1	4	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Karhagola Road

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	146	0	13.92	1	1	42			-	-
Actual	114	1533	16	3	4	320	1	See platform details	1	-
Shortage, if any	-	-	-	1	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Benipati Pirapur Halt</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	BNPT	FOB	0	(a) Per Day	48		Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	25		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	3.29	2016-17	1.54	Tourist Facilitation Center	N
State	Bihar	Public Address Sys.	N	2017-18	1.55	2018-19	4.13	Touch Screen Enquiry System	N
District	Vaishali	Clock	N	2019-20	4.98			Electronic Train Indication	N
Section	HJP-MFP	Wheel Chairs	N	Length of longest stopping train(m)			270	ATMs	0
Km.	0023.54	Cloak Room	N	MP Const.	Vaishali		Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Rama Kishor Singh (LJP)		Budget Hotel	N	
Electrified	N			MLA Const.	Vaishali		Trains Halting	M: 0 P : 8	
				MLA Name	Sri Raj Kishore Singh (JDU)		Station IInd Entry	N	
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	39	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room 0
(b) Seats(Nos.)	29	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	132	Source	Railway Supply		Open Wells (Nos) 0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos) 0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	02 nos. Hand pumps provided		

Station Name : Benipati Pirapur Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	298	3.2	0	OTH	0	7	0	1		0	36	0	1	0	0	0	0	0	0	0	N	0
2	BG		348	2.4	0	CC	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Benipati Pirapur Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	16	0	1	0	0	5			-	-
Actual	39	0	1	0	1	65	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Ramdayalu Nagar</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	RD	FOB	1	(a) Per Day	249			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	59			Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	9.13	2016-17	9.54	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	8.55	2018-19	8.38	Touch Screen Enquiry System	N
District	Muzaffarpur	Clock	N	2019-20	9.07			Electronic Train Indication	N
Section	HJP-MFP	Wheel Chairs	N	Length of longest stopping train(m)			270	ATMs	0
Km.	0047.75	Cloak Room	N	MP Const.	Muzaffarpur			Food Plaza	N
Route	Dspl	Refreshment Room(sq		MP Name	Ajay Nishad (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Muzaffarpur			Trains Halting	M: 0 P : 8
				MLA Name	Sri Suresh Kumar Sharma (BJP)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	55	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	42	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	78	Length(m)	609	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided			

Station Name : Ramdayalu Nagar

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	291	11.75	84	OTH	151	10	0	2		0	84	3	0	2	0	0	0	0	0	0	N	0
2	BG	N	350	9	84	CC	0	0	0	1		0	60	2	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Ramdayalu Nagar

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	25	0	2.36	0	0	7			-	-
Actual	55	151	3	5	0	186	1	See platform details	0	-
Shortage, if any	-	-	1	-	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Kharik</b>			<b>No. of passengers dealt with:</b>				<b>Identified as Adarsh</b>	<b>Y</b>
<b>Station Code</b>	<b>KHQ</b>	<b>FOB</b>	<b>0</b>	<b>(a) Per Day</b>		<b>160</b>		<b>Developed As Adarsh</b>	<b>N</b>
<b>Station Category</b>	<b>NSG6</b>	<b>Subway</b>	<b>0</b>	<b>(b) Max. at any time</b>				<b>Identified for MFC</b>	<b>N</b>
<b>Railway</b>	<b>ECR</b>	<b>Booking Windows</b>	<b>1</b>	<b>Pass. Earnings/Year(Rs. in Lac.)</b>					
<b>Division</b>	<b>Sonepur</b>	<b>Enquiry Office</b>	<b>0</b>	<b>2011-12</b>	<b>10.00</b>	<b>2016-17</b>	<b>11.99</b>	<b>Tourist Facilation Center</b>	<b>N</b>
<b>State</b>	<b>Bihar</b>	<b>Public Address Sys.</b>	<b>Y</b>	<b>2017-18</b>	<b>10.16</b>	<b>2018-19</b>	<b>10.36</b>	<b>Touch Screen Enquiry System</b>	<b>N</b>
<b>District</b>	<b>Bhagalpur</b>	<b>Clock</b>	<b>N</b>	<b>2019-20</b>	<b>9.71</b>			<b>Electronic Train Indication</b>	<b>N</b>
<b>Section</b>	<b>BJU-KIR</b>	<b>Wheel Chairs</b>	<b>N</b>	<b>Length of longest stopping train(m)</b>			<b>270</b>	<b>ATMs</b>	<b>0</b>
<b>Km.</b>	<b>0064.68</b>	<b>Cloak Room</b>	<b>N</b>	<b>MP Const.</b>	<b>Bhagalpur</b>			<b>Food Plaza</b>	<b>N</b>
<b>Route</b>	<b>Dspl</b>	<b>Refreshment Room(sq</b>	<b>m)</b>	<b>MP Name</b>	<b>Sri Ajay Kumar Mandal</b>			<b>Budget Hotel</b>	<b>N</b>
<b>Electrified</b>	<b>Y</b>			<b>MLA Const.</b>	<b>Bihpur</b>			<b>Trains Halting</b>	<b>M: 0 P : 8</b>
				<b>MLA Name</b>	<b>Varsha Rani (RJD)</b>			<b>Station IInd Entry</b>	<b>N</b>
<b>Other Items</b>	<b>-</b>								
<b>Remarks for Station:</b>	<b>-</b>								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM				
(a) Area(sq	m.) 122	Area(sq	m)	0	0	Area(sq	m)	0	Retiring Room	0
(b) Seats(Nos.)	24	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply					
Area (sq	m)	750	Length(m)	900	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	01 Nos. Hand Pump provided				

Station Name : Kharik

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	354	9	20	OPS	232	6	0	2		0	65	2	1	0	0	0	0	0	0	0	N	0
2 & 3	BG	Y	550	10.5	20	OTH	0	6	0	2		0	30	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kharik

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	0	0	0	0	0	0			-	-
Actual	122	232	4	2	1	119	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Naugachia</b>			No. of passengers dealt with:				Identified as Adarsh	Y
Station Code	NNA	FOB	1	(a) Per Day	2800			Developed As Adarsh	Y
Station Category	NSG4	Subway	0	(b) Max. at any time	3400			Identified for MFC	N
Railway	ECR	Booking Windows	8	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	1	2011-12	486.98	2016-17	913.40	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	909.07	2018-19	981.64	Touch Screen Enquiry System	N
District	Bhagalpur	Clock	Y	2019-20	987.07			Electronic Train Indication	Y
Section	BJU-KIR	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	0
Km.	0056.72	Cloak Room	N	MP Const.	Bhagalpur			Food Plaza	N
Route	Dspl	Refreshment Room(sqm)		MP Name	Sri Ajay Kumar Mandal			Budget Hotel	N
Electrified	Y			MLA Const.	Gopalpur			Trains Halting	M: 60 P : 8
				MLA Name	Sri Narendra Kumar Niraj (JDU)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	538	Area(sq.m)		21	16	Area(sq.m)	0	Retiring Room	1
(b) Seats(Nos.)	80	Seats(Nos.)		12	25	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		2	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	6000	Length(m)	3480	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	68260			
Pay & Use Toilet	Y			Remarks				

Station Name : Naugachia

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	550	11	76	CC	1165	2	21	1		0	299	5	2	7	0	7	0	0	0	1	N	0
2 & 3	BG	N	550	10.4	84	CC	884	0	28	1		0	290	3	3	4	0	1	0	0	0	1	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Naugachia

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec. norms	1422	1904	136	5	5	408			-	-
Actual	538	2049	51	10	7	706	1	See platform details	2	YES
Shortage, if any	-	-	-	-	-	-	-		2	-

Station Name : Naugachia

Summary As per Modern Station

<b>Desired Facility</b>	<b>Facility Available</b>
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Barauni Jn</b>			No. of passengers dealt with:				Identified as Adarsh	Y
Station Code	BJU	FOB	2	(a) Per Day	5261		Developed As Adarsh	N	
Station Category	NSG3	Subway	0	(b) Max. at any time	1086		Identified for MFC	N	
Railway	ECR	Booking Windows	11	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	1	2011-12	2709.49	2016-17	3453.17	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	3529.79	2018-19	2786.33	Touch Screen Enquiry System	N
District	Begusarai	Clock	Y	2019-20	3215.41		Electronic Train Indication	N	
Section	BJU-SPJ	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	3
Km.	0179.02	Cloak Room	Y	MP Const.	Begusarai			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)	92.5	MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Teghra			Trains Halting	M: 118 P : 28
				MLA Name	Sri Birendra Kumar (RJD)			Station IInd Entry	Y
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	644	Area(sq.m)		50	25	Area(sq.m)	25	Retiring Room	5
(b) Seats(Nos.)	159	Seats(Nos.)		18	12	Seats(Nos.)	12	Dormitory	1
(c) Lav.(Nos.)	5	Lav.(Nos.)		2	1	Lav.(Nos.)	1		
(d) Urinals(Nos.)	2	Urinals(Nos.)		2	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	2480	Length(m)	200	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	4
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	1162800			
Pay & Use Toilet	Y			Remarks	-			

Station Name : Barauni Jn

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
2 & 3	BG	N	600	10	84	CC	6753	2	47	0	477	1050	137	0	1	4	0	2	0	0	0	0	N	0	
4 & 5	BG	N	600	24	84	OTH	67148	0	103	0	471	1050	342	14	4	40	0	11	0	0	0	0	N	0	
6 & 7	BG	N	595	15	84	CC	83467	0	66	0	450	1050	468	6	2	20	0	12	0	0	0	0	N	0	
8 & 9	BG	N	600	10	84	CC	43549	0	96	0	550	1100	260	0	2	28	0	12	0	0	0	0	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Barauni Jn

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	1600 sqm	80	10	10	500	1 With Cover	High level	8	YES
As per Rec. norms	454	1216	43.44	2	2	130			-	-
Actual	644	200917	312	29	13	1408	2	See platform details	8	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Barauni Jn

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	No	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

<b>Desired Facility</b>	<b>Facility Available</b>
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	No
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Gawchhari</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	GAI	FOB	1	(a) Per Day	238		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	55		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	10.50	2016-17	13.40	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	10.88	2018-19	15.00	Touch Screen Enquiry System	N
District	Khagaria	Clock	N	2019-20	15.03			Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)			270	ATMs	0
Km.	0100.58	Cloak Room	N	MP Const.	Khagaria			Food Plaza	N
Route	Dspl	Refreshment Room(sq		MP Name	Ajay Kumar Mandal			Budget Hotel	N
Electrified	Y			MLA Const.	Parbatta			Trains Halting	M: 0 P : 8
				MLA Name	Sri Panna Singh Lal Patel			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	28	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	210	Length(m)	700	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks				

Station Name : Gawchhari

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	5	55	CC	208	0	0	2		0	50	2	1	0	0	0	0	0	0	0	N	0
2 & 3	BG	N	350	10	0	CC	0	0	0	2		0	36	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Gawchhari

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	23	0	2.2	0	0	7			-	-
Actual	28	208	4	2	1	111	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Lakho</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	LAK	FOB	0	(a) Per Day	152			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	104			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	111.74	2016-17	8.61	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	7.94	2018-19	8.04	Touch Screen Enquiry System	N
District	Begusarai	Clock	N	2019-20	9.52			Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)		248			
Km.	0156.49	Cloak Room	N	MP Const.	Begusarai		ATMs	0	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Giriraj Singh (BJP)		Food Plaza	N	
Electrified	Y			MLA Const.	Matihani		Budget Hotel	N	
Other Items	-			MLA Name	Sri Narendra Kumar Singh (JDU)		Trains Halting	M: 0	P : 8
Remarks for Station:	-						Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	30	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	12	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	500	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000			
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided			

Station Name : Lakho

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	6.3	0	OTH	320	11	12	2		0	48	4	4	0	12	0	0	0	0	0	N	0
2 & 3	BG	N	350	10	45	CC	320	0	0	2		0	120	0	0	0	12	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Lakho

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	43	0	4.16	0	0	12			-	-
Actual	30	640	16	4	4	180	0	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Nayagoan</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	NYO	FOB	1	(a) Per Day	376		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	250		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	20.29	2016-17	25.85	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	24.75	2018-19	27.70	Touch Screen Enquiry System	N	
District	Saran	Clock	N	2019-20	26.75			Electronic Train Indication	N	
Section	CI-HJP	Wheel Chairs	N	Length of longest stopping train(m)				518	ATMs	0
Km.	0283.82	Cloak Room	Y	MP Const.	Chhapra			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Shri Rajiv Pratap Rudhi (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Sonepur			Trains Halting	M: 6 P : 10	
				MLA Name	Dr. Ramanuj Prasad (RJD)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	36	Area(sq.m)	48	48	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	40	40	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	1	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	906.25	Length(m)	95	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	03 Nos. Hand Pump provided			

Station Name : Nayagoan

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	559.6	6	70	OTH	114	11	7	2		0	100	1	4	0	0	0	0	0	0	1	N	0	
2	BG	N	503	8	90	OTH	112	19	4	1		0	80	1	2	0	0	0	0	0	0	1	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Nayagoan

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	105	0	10	0	0	30			-	-
Actual	36	226	14	3	7	220	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Nayagoan

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	No	Waiting Room (with bathing facility)	
Cloak Room	No	Upper Class	No
Enquiry Counter	Yes	Second Class	Yes
NTES	No	For Ladies (combined upper & second class)	No
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	No	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	No
Public Phone Booth	No	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	No
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	No	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	No	Facilities of station building including facade	Yes

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Chakmakrand</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	CKRD	FOB	0	(a) Per Day	176		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	53		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	4.00	2016-17	5.98	Tourist Facilitation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	5.55	2018-19	4.43	Touch Screen Enquiry System	N	
District	Vaishali	Clock	Y	2019-20	5.4			Electronic Train Indication	N	
Section	HJP-BCA	Wheel Chairs	N	Length of longest stopping train(m)				270	ATMs	0
Km.	0260.44	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Hajipur			Trains Halting	M: 0 P : 12	
				MLA Name	Sri Awdesh Singh (BJP)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	30	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	03 Nos. Hand Pump provided.			

Station Name : Chakmakrand

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	8	0	OTH	60	0	0	3		0	18	0	6	0	0	0	0	0	0	0	N	0
2	BG	N	540	4	0	OTH	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chakmakrand

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	22	0	2.12	0	0	6			-	-
Actual	30	60	3	0	6	36	0	See platform details	0	-
Shortage, if any	-	40	1	1	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Chakiya Thermal</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BTPH	FOB	0	(a) Per Day	15		Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time	50		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	0.43	2016-17	0.00	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	N	2017-18	0	2018-19	0.00	Touch Screen Enquiry System	N	
District	Begusarai	Clock	Y	2019-20	0			Electronic Train Indication	N	
Section	BJU-SAE	Wheel Chairs	N	Length of longest stopping train(m)				270	ATMs	0
Km.	0008.60	Cloak Room	N	MP Const.	Begusarai			Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Teghra			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Birendra Kumar (RJD)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	14	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	01 Hand Pump provided.			

Station Name : Chakiya Therrmal

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	3	0	CC	60	0	0	1		0	8	0	0	0	3	0	0	0	0	0	N	0
2	BG	N	300	2	0	CC	60	0	0	0		0	8	0	0	0	3	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chakiya Therrmal

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	31	0	2	0	0	9			-	-
Actual	14	120	1	0	0	24	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Dhobauli Halt</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	DHBI	FOB	0	(a) Per Day	12			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	9			Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	0.35	2016-17	0.21	Tourist Facilitation Center	N
State	Bihar	Public Address Sys.	N	2017-18	0.22	2018-19	0.31	Touch Screen Enquiry System	N
District	Vaishali	Clock	N	2019-20	0.3			Electronic Train Indication	N
Section	HJP-BCA	Wheel Chairs	N	Length of longest stopping train(m)			225	ATMs	0
Km.	0253.80	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Raghopur			Trains Halting	M: 0 P : 2
				MLA Name	Sri Tejaswi Yadav (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	36	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	44	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	01 No. Hand Pump provided.			

Station Name : Dhobauli Halt

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	300	3.25	0	CC	40	0	0	1		0	10	0	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	150	3.25	0	OTH	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dhobauli Halt

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	6	0	0.36	0	0	2			-	-
Actual	36	40	1	0	0	54	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Harpur Bochaha Halt</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	HBP	FOB	0	(a) Per Day	161		Developed As Adarsh			
Station Category	HG2	Subway	0	(b) Max. at any time	47		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	6.68	2016-17	6.32	Tourist Facilitation Center	N	
State	Bihar	Public Address Sys.	N	2017-18	4.08	2018-19	4.83	Touch Screen Enquiry System	N	
District	Samastipur	Clock	N	2019-20	4.57			Electronic Train Indication	N	
Section	BCA-HJP	Wheel Chairs	N	Length of longest stopping train(m)				270	ATMs	0
Km.	0210.63	Cloak Room	N	MP Const.	Ujiarpur			Food Plaza	Y	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Nityanand Rai (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Sarairanjan			Trains Halting	M: 0 P : 12	
				MLA Name	Sri Vijay Kumar Choudhary (JDU)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	10	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room 0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos) 0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos) 0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	01 No. Hand Pump provided		

Station Name : Harpur Bochaha Halt

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	6	0	CC	60	5	0	1		0	30	3	0	0	0	0	0	0	0	0	N	0
2	BG		480	6	0	CC	80	0	0	0		0	24	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Harpur Bochaha Halt

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	29	0	1.88	0	0	8			-	-
Actual	10	140	1	3	0	54	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Banikpur Halt</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	BNPR	FOB	0	(a) Per Day		319		Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time				Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	1.10	2016-17	1.43	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	N	2017-18	1.24	2018-19	0.99	Touch Screen Enquiry System	N
District	Bhagalpur	Clock	N	2019-20	0.72			Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)			225	ATMs	0
Km.	0051.90	Cloak Room	N	MP Const.	Bhagalpur			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Ajay Kumar Mandal			Budget Hotel	N
Electrified	Y			MLA Const.	Gopalpur			Trains Halting	M: 0 P : 2
				MLA Name	Sri Narendra Kumar Niraj (JDU)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	30	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	300	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	03 NoS. Hand Pump provided			

Station Name : Banikpur Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	3	0	CC	25	4	0	2		0	30	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	300	3	0	OTH	25	4	0	1		0	0	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Banikpur Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	0	0	0	0	0	0			-	-
Actual	30	50	3	0	0	50	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Semapur</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	SMO	FOB	1	(a) Per Day	927		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	478		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)				Tourist Facilation Center	N
Division	Sonapur	Enquiry Office	0	2011-12	190.23	2016-17	122.71	Touch Screen Enquiry System	N
State	Bihar	Public Address Sys.	Y	2017-18	130.14	2018-19	137.71	Electronic Train Indication	N
District	Katihar	Clock	N	2019-20	144.37		ATMs	0	
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)			450	Food Plaza	N
Km.	0011.26	Cloak Room	N	MP Const.	Katihar			Budget Hotel	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Dulal Chandra Goswami			Trains Halting	M: 14 P : 8
Electrified	Y			MLA Const.	Katihar			Station IInd Entry	N
				MLA Name	Shri Niraj Kumar Yadav				
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	99	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	86	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	234.45	Length(m)	300	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000			
Pay & Use Toilet				Remarks				

Station Name : Semapur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	335	8	20	CC	177	5	12	3		0	75	3	3	2	0	1	0	0	0	0	N	0
2	BG	N	335	3	22	OPS	110	0	0	3		0	45	0	6	0	0	1	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Semapur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	200	0	19.12	1	1	57			-	-
Actual	99	287	18	3	9	206	1	See platform details	1	-
Shortage, if any	-	-	-	1	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Dholi</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DOL	FOB	1	(a) Per Day	2408			Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	566			Identified for MFC	N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	181.82	2016-17	454.05	Tourist Facilitation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	439.64	2018-19	467.62	Touch Screen Enquiry System	N	
District	Muzaffarpur	Clock	Y	2019-20	487.12			Electronic Train Indication	N	
Section	MFP-SPJ	Wheel Chairs	Y	Length of longest stopping train(m)		495			ATMs	0
Km.	0060.95	Cloak Room	N	MP Const.	Muzaffarpur				Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Ajay Nishad (BJP)				Budget Hotel	N
Electrified	Y			MLA Const.	Sakra				Trains Halting	M: 18 P : 10
				MLA Name	Sri Lal Babu Ram (RJD)				Station IInd Entry	N
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	86	Area(sq.m)	29	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1610	Length(m)	430	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	16000			
Pay & Use Toilet				Remarks	03 Nos. Hand Pump provided.			

Station Name : Dholi

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	506	10	31	CC	160	15	14	2		0	192	2	2	2	0	1	0	0	0	1	N	0
2	BG	N	432	6	52	CC	272	0	12	1		0	154	2	5	0	0	1	0	0	0	1	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dholi

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	237	0	22.64	1	1	68			-	-
Actual	86	432	29	5	7	364	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Danauli Phulwaria</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	DPL	FOB	0	(a) Per Day	2401		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	115		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	7.14	2016-17	17.97	Tourist Facilitation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	15.71	2018-19	14.98	Touch Screen Enquiry System	N
District	Begusarai	Clock	N	2019-20	17.09			Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)			405	ATMs	0
Km.	0151.66	Cloak Room	N	MP Const.	Begusarai			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Sahibpur Kamal			Trains Halting	M: 2 P : 8
				MLA Name	Parveen Umanullah			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	152	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	60	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	300	Length(m)	325	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided.			

Station Name : Danauli Phulwaria

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	490	8	45	CC	3072	7	6	2		0	94	2	1	0	8	1	0	0	0	0	N	0
2 & 3	BG	N	332	10	45	CC	2560	2	6	2		0	60	0	0	0	8	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Danauli Phulwaria

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	48	0	4.6	0	0	14			-	-
Actual	152	5632	16	2	1	214	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Permanandpur</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	PMU	FOB	1	(a) Per Day	49			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	35			Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	1.65	2016-17	2.76	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	2.65	2018-19	2.56	Touch Screen Enquiry System	N
District	Saran	Clock	N	2019-20	2.65			Electronic Train Indication	N
Section	CI-HJP	Wheel Chairs	N	Length of longest stopping train(m)			518	ATMs	0
Km.	0279.10	Cloak Room	N	MP Const.	Chhapra			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Shri Rajiv Pratap Rudhi (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Sonepur			Trains Halting	M: 2 P : 10
				MLA Name	Dr. Ramanuj Prasad (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	24	Area(sq.m)	24	24	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	50	50	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1716	Length(m)	500	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided			

Station Name : Permandpur

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	365.3	8	52	OTH	114	0	0	2		0	20	1	3	0	0	0	0	0	0	1	N	0
2	BG	N	363	7.3	57	OPS	114	0	0	2		0	16	1	3	0	0	0	0	0	0	1	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Permandpur

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	15	0	1.4	0	0	4			-	-
Actual	24	228	4	2	6	106	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Majanupur Nawada Halt</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	MPNH	FOB	0	(a) Per Day	20		Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	11		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	0.58	2016-17	1.66	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	N	2017-18	1.04	2018-19	1.22	Touch Screen Enquiry System	N
District	Begusarai	Clock	N	2019-20	1.2			Electronic Train Indication	N
Section	BJU-SPJ	Wheel Chairs	N	Length of longest stopping train(m)			270	ATMs	0
Km.	0190.70	Cloak Room	N	MP Const.	Begusarai			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Teghra			Trains Halting	M: 0 P : 6
				MLA Name	Sri Birendra Kumar (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	10	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	01 No. Hand Pump provided			

Station Name : Majanupur Nawada Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	200	3	0	CC	0	0	0	1		0	8	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	200	5	0	CC	0	0	0	1		0	8	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Majanupur Nawada Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	7	0	0.44	0	0	2			-	-
Actual	10	0	2	0	0	16	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

**Passenger Amenities Details As on : 31/03/2020**

Division : Sonepur

<b>Station Name</b>	<b>Nazirganj</b>			<b>No. of passengers dealt with:</b>				<b>Identified as Adarsh</b>	N			
<b>Station Code</b>	NAZJ	<b>FOB</b>	1	(a) Per Day		121	<b>Developed As Adarsh</b>					
<b>Station Category</b>	NSG6	<b>Subway</b>	0	(b) Max. at any time		121	<b>Identified for MFC</b>			N		
<b>Railway</b>	ECR	<b>Booking Windows</b>	1	<b>Pass. Earnings/Year(Rs. in Lac.)</b>								
<b>Division</b>	Sonepur	<b>Enquiry Office</b>	0	2011-12	16.52	2016-17	17.55	<b>Tourist Facilation Center</b>			N	
<b>State</b>	Bihar	<b>Public Address Sys.</b>	Y	2017-18	14.16	2018-19	16.58	<b>Touch Screen Enquiry System</b>			N	
<b>District</b>	Samastipur	<b>Clock</b>	N	2019-20	16.96				<b>Electronic Train Indication</b>			N
<b>Section</b>	SPJ-MFP	<b>Wheel Chairs</b>	N	<b>Length of longest stopping train(m)</b>				405	<b>ATMs</b>			0
<b>Km.</b>	0018.91	<b>Cloak Room</b>	N	<b>MP Const.</b>	Ujiarpur				<b>Food Plaza</b>			N
<b>Route</b>	Dspl	<b>Refreshment Room(sq.m)</b>		<b>MP Name</b>	Nityanand Rai (BJP)				<b>Budget Hotel</b>			N
<b>Electrified</b>	Y			<b>MLA Const.</b>	Ujiarpur				<b>Trains Halting</b>			M: 4      P : 14
				<b>MLA Name</b>	Sri Alok Kumar Mehta				<b>Station IInd Entry</b>			N
<b>Other Items</b>	-											
<b>Remarks for Station:</b>	-											

**Resting Facility**

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	40	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

**Circulating Area and Water Supply**

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	0	<b>Source</b>	Railway Supply	Open Wells (Nos)	0
Surface	Other	Surface	Kutchha	<b>Type</b>	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	<b>Storage Capacity(Ltr)</b>	0		
<b>Pay &amp; Use Toilet</b>				<b>Remarks</b>	04 Nos. hand Pump provided.		

Station Name : Nazirganj

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	9	45	CC	300	4	0	2		0	96	2	1	0	0	0	0	0	0	0	N	0
2	BG	N	340	6	0	CC	300	0	0	2		0	79	0	1	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Nazirganj

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	51	0	4.84	0	0	15			-	-
Actual	40	600	4	2	2	195	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Katareah</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	KTRH	FOB	0	(a) Per Day	319		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	87		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	14.07	2016-17	21.38	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	19.79	2018-19	21.44	Touch Screen Enquiry System	N
District	Bhagalpur	Clock	N	2019-20	20.64		Electronic Train Indication	N	
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)			450	ATMs	0
Km.	0045.85	Cloak Room	N	MP Const.	Bhagalpur			Food Plaza	N
Route	Dspl	Refreshment Room(sq		MP Name	Sri Ajay Kumar Mandal			Budget Hotel	N
Electrified	Y			MLA Const.	Gopalpur			Trains Halting	M: 6 P : 8
				MLA Name	Sri Narendra Kumar Niraj (JDU)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	115	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	178	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks				

Station Name : Katareah

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	368	10	0	CC	100	1	0	2		0	40	2	2	0	0	0	0	0	0	0	N	0
2	BG	N	560	10	20	CC	300	0	0	2		0	114	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Katareah

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	36	0	3.48	0	0	10			-	-
Actual	115	400	4	2	2	194	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Teghra</b>			<b>No. of passengers dealt with:</b>				Identified as Adarsh	N
Station Code	TGA	FOB	1	(a) Per Day	353		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	76		Identified for MFC	N	
Railway	ECR	Booking Windows	1	<b>Pass. Earnings/Year(Rs. in Lac.)</b>					
Division	Sonapur	Enquiry Office	0	2011-12	33.42	2016-17	383.55	Tourist Facilitation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	0	2018-19	32.78	Touch Screen Enquiry System	N
District	Begusarai	Clock	N	2019-20	139.2			Electronic Train Indication	N
Section	SPJ-BJU	Wheel Chairs	N	<b>Length of longest stopping train(m)</b>			405	ATMs	0
Km.	0186.64	Cloak Room	N	MP Const.	Begusarai			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Teghra			Trains Halting	M: 4 P : 26
				MLA Name	Sri Birendra Kumar (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	146	Area(sq.m)		19	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		18	10	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		2	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		1	1	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	850	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided			

Station Name : Teghra

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	355	17	50	CC	136	5	1	3		0	120	3	2	0	0	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Teghra

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	32	0	3.04	0	0	9			-	-
Actual	146	136	4	6	4	188	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Basudeopur Chandel</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BDDA	FOB	0	(a) Per Day	176		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	49		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	4.46	2016-17	6.16	Tourist Facilitation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	5.46	2018-19	5.09	Touch Screen Enquiry System	N	
District	Vaishali	Clock	Y	2019-20	4.12			Electronic Train Indication	N	
Section	BCA-HJP	Wheel Chairs	N	Length of longest stopping train(m)				270	ATMs	0
Km.	0233.16	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Mahnar			Trains Halting	M: 0 P : 12	
				MLA Name	Sri Umesh Singh Kushwaha (JDU)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	Halt Station									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	42	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	48	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided			

Station Name : Basudeopur Chandel

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	4	0	CC	124	15	0	2		0	88	2	3	0	0	0	0	0	0	0	N	0
*Surface Type		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Basudeopur Chandel

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	20	0	1.96	0	0	6			-	-
Actual	42	124	2	2	3	128	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

**Passenger Amenities Details As on : 31/03/2020**

Division : Sonepur

<b>Station Name</b>	<b>Tilrath</b>			<b>No. of passengers dealt with:</b>				<b>Identified as Adarsh</b>	<b>N</b>	
<b>Station Code</b>	TIL	<b>FOB</b>	0	<b>(a) Per Day</b>		167		<b>Developed As Adarsh</b>		
<b>Station Category</b>	NSG6	<b>Subway</b>	0	<b>(b) Max. at any time</b>		83		<b>Identified for MFC</b>	<b>N</b>	
<b>Railway</b>	ECR	<b>Booking Windows</b>	1	<b>Pass. Earnings/Year(Rs. in Lac.)</b>						
<b>Division</b>	Sonepur	<b>Enquiry Office</b>	0	2011-12	5.33	2016-17	18.21	<b>Tourist Facilation Center</b>	<b>N</b>	
<b>State</b>	Bihar	<b>Public Address Sys.</b>	Y	2017-18	20.31	2018-19	20.59	<b>Touch Screen Enquiry System</b>	<b>N</b>	
<b>District</b>	Begusarai	<b>Clock</b>	N	2019-20	20.41					
<b>Section</b>	BJU-KIR	<b>Wheel Chairs</b>	Y	<b>Length of longest stopping train(m)</b>				270	<b>Electronic Train Indication</b>	<b>N</b>
<b>Km.</b>	0170.73	<b>Cloak Room</b>	N	<b>MP Const.</b>		Begusarai		<b>ATMs</b>	0	
<b>Route</b>	D	<b>Refreshment Room(sq.m)</b>		<b>MP Name</b>		Sri Giriraj Singh (BJP)		<b>Food Plaza</b>	N	
<b>Electrified</b>	Y			<b>MLA Const.</b>		Matihani		<b>Budget Hotel</b>	N	
<b>Other Items</b>	-			<b>MLA Name</b>		Sri Narendra Kumar Singh (JDU)		<b>Trains Halting</b>	M: 0 P : 8	
<b>Remarks for Station:</b>	3 HAND PUMP PROVIDED									

**Resting Facility**

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	34	Area(sq.m)		0	0	Area(sq.m)	0	<b>Retiring Room</b>	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	<b>Dormitory</b>	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

**Circulating Area and Water Supply**

Circulating Area		Approach Road		Water Supply				
<b>Area (sqm)</b>	273	<b>Length(m)</b>	50	<b>Source</b>	Railway Supply		<b>Open Wells (Nos)</b>	0
<b>Surface</b>	Black Topped	<b>Surface</b>	Cement Concrete	<b>Type</b>	Hand Pump		<b>Bore Wells (Nos)</b>	0
<b>Illumination Type</b>	Normal Lights	<b>Illumination Type</b>	N	<b>Storage Capacity(Ltr)</b>	0			
<b>Pay &amp; Use Toilet</b>				<b>Remarks</b>	4 Nos. Hand Pump provided			

Station Name : Tiltrath

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	368	15	45	OTH	100	12	0	2		0	25	3	1	0	10	0	0	0	0	0	N	0
2	BG	N	404	8.7	45	OTH	0	0	0	2		0	25	0	0	0	8	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Tiltrath

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	35	0	3.32	0	0	10			-	-
Actual	34	100	4	3	1	70	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Muzaffarpur Jn.</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	MFP	FOB	2	(a) Per Day	19299		Developed As Adarsh		
Station Category	NSG2	Subway	0	(b) Max. at any time	4039		Identified for MFC	N	
Railway	ECR	Booking Windows	24	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	1	2011-12	10157.36	2016-17	0.00	Tourist Facilitation Center	Y
State	Bihar	Public Address Sys.	Y	2017-18	0	2018-19	9142.93	Touch Screen Enquiry System	N
District	Muzaffarpur	Clock	Y	2019-20	7948.16			Electronic Train Indication	Y
Section	MFP-SPJ	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	2
Km.	0086.51	Cloak Room	Y	MP Const.	Muzaffarpur			Food Plaza	Y
Route	Dspl	Refreshment Room(sq.m)	114.09	MP Name	Ajay Nishad (BJP)			Budget Hotel	Y
Electrified	Y			MLA Const.	Muzaffarpur			Trains Halting	M: 120 P : 26
				MLA Name	Sri Suresh Kumar Sharma (BJP)			Station IInd Entry	Y
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	857	Area(sq.m)	42	25	Area(sq.m)	26	Retiring Room	12	
(b) Seats(Nos.)	160	Seats(Nos.)	48	30	Seats(Nos.)	18	Dormitory	1	
(c) Lav.(Nos.)	11	Lav.(Nos.)	1	1	Lav.(Nos.)	1			
(d) Urinals(Nos.)	3	Urinals(Nos.)	2	0	Urinals(Nos.)	1			
(e) Bathing Cubicals(Nos.)	4	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	1			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	8700	Length(m)	720	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	6
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	11447686			
Pay & Use Toilet	Y			Remarks	-			

Station Name : Muzaffarpur Jn.

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	482.05	10	65	PS	4418	0	31	0	392	378	444	7	1	46	0	0	12	0	0	0	Y	0	
2 & 5	BG	N	411.97	10.05	84	PS	3936	0	42	0	434	348	280	0	0	10	0	0	0	0	0	0	Y	0	
3 & 4	BG	N	591.93	9.55	52	PS	4709	0	38	0	602	492	360	0	0	41	0	0	0	0	0	0	Y	0	
6 & 7	BG	N	370.9	11	84	OPS	901	0	32	0		214	56	7	4	0	0	0	0	0	0	0	Y	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Muzaffarpur Jn.

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	2000 sqm	80	12	12	600	1 With Cover	High level	8	YES
As per Rec. norms	1689	4524	161.56	6	6	485			-	-
Actual	857	13964	146	28	11	1396	2	See platform details	8	YES
Shortage, if any	-	-	-	-	1	-	-		-	-

Station Name : Muzaffarpur Jn.

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Muzaffarpur Jn.

Summary As per Modern Station

<b>Desired Facility</b>	<b>Facility Available</b>
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Garhara Halt</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	GHZ	FOB	0	(a) Per Day	20			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	2			Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	0.07	2016-17	0.00	Tourist Facilitation Center	N
State	Bihar	Public Address Sys.	N	2017-18	0	2018-19	0.00	Touch Screen Enquiry System	N
District	Begusarai	Clock	N	2019-20	0			Electronic Train Indication	N
Section	BJU-SAE	Wheel Chairs	N	Length of longest stopping train(m)			270	ATMs	0
Km.	0012.95	Cloak Room	N	MP Const.	Begusarai			Food Plaza	N
Route	E	Refreshment Room(sq.m)		MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Teghra			Trains Halting	M: 0 P : 8
				MLA Name	Sri Birendra Kumar (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	1 HAND PUMP PROVIDED								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	54	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	24	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	1500	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	1HAND PUMP PROVIDED			

Station Name : Garhara Halt

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	315	3	0	CC	90	0	0	1		0	16	0	0	0	1	0	0	0	0	0	N	0
2	BG	N	302	3	0	CC	30	0	0	0		0	8	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Garhara Halt

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	1	0	0.08	0	0	0			-	-
Actual	54	120	1	1	0	48	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Basadiha Halt</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	BSRA	FOB	0	(a) Per Day	3			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	12			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	0.61	2016-17	0.57	Tourist Facilitation Center	N
State	Bihar	Public Address Sys.	N	2017-18	0.44	2018-19	0.28	Touch Screen Enquiry System	N
District	Samastipur	Clock	N	2019-20	0.14			Electronic Train Indication	N
Section	BJU-SPJ	Wheel Chairs	N	Length of longest stopping train(m)			225	ATMs	0
Km.	0015.39	Cloak Room	N	MP Const.	Ujiarpur			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Nityanand Rai (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Ujiarpur			Trains Halting	M: 0 P : 2
				MLA Name	Sri Alok Kumar Mehta (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	22	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 Nos. hand Pump provided.			

Station Name : Basadiha Halt

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	250	4	0	CC	0	0	0	1		0	20	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	250	4	0	CC	0	0	0	1		0	20	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Basadiha Halt

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	8	0	0.48	0	0	2			-	-
Actual	22	0	2	0	0	60	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

**Passenger Amenities Details As on : 31/03/2020**

Division : Sonepur

<b>Station Name</b>	<b>Desari</b>			<b>No. of passengers dealt with:</b>				<b>Identified as Adarsh</b>	<b>N</b>
<b>Station Code</b>	DES	<b>FOB</b>	1	(a) Per Day	799			<b>Developed As Adarsh</b>	
<b>Station Category</b>	NSG5	<b>Subway</b>	0	(b) Max. at any time	260			<b>Identified for MFC</b>	<b>N</b>
<b>Railway</b>	ECR	<b>Booking Windows</b>	3	<b>Pass. Earnings/Year(Rs. in Lac.)</b>					
<b>Division</b>	Sonepur	<b>Enquiry Office</b>	0	2011-12	103.68	2016-17	325.78	<b>Tourist Facilation Center</b>	<b>N</b>
<b>State</b>	Bihar	<b>Public Address Sys.</b>	Y	2017-18	318.25	2018-19	299.96	<b>Touch Screen Enquiry System</b>	<b>N</b>
<b>District</b>	Vaishali	<b>Clock</b>	Y	2019-20	336.82			<b>Electronic Train Indication</b>	<b>N</b>
<b>Section</b>	HJP-BCA	<b>Wheel Chairs</b>	Y	<b>Length of longest stopping train(m)</b>			540	<b>ATMs</b>	0
<b>Km.</b>	0246.47	<b>Cloak Room</b>	N	<b>MP Const.</b>	Hajipur			<b>Food Plaza</b>	N
<b>Route</b>	Dspl	<b>Refreshment Room(sq.m)</b>		<b>MP Name</b>	Sri Pasupati Nath Paras (LJP)			<b>Budget Hotel</b>	N
<b>Electrified</b>	Y			<b>MLA Const.</b>	Raja Pakar			<b>Trains Halting</b>	M: 8 P : 12
				<b>MLA Name</b>	Sri Shivchandra Ram (RJD)			<b>Station IInd Entry</b>	N
<b>Other Items</b>	-								
<b>Remarks for Station:</b>	-5 HAND PUMP PROVIDED								

**Resting Facility**

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	105	Area(sq.m)		0	0	Area(sq.m)	26	<b>Retiring Room</b>	0
(b) Seats(Nos.)	52	Seats(Nos.)		0	0	Seats(Nos.)	23	<b>Dormitory</b>	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	2		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

**Circulating Area and Water Supply**

Circulating Area		Approach Road		Water Supply				
<b>Area (sqm)</b>	241.4	<b>Length(m)</b>	43	<b>Source</b>	Railway Supply		<b>Open Wells (Nos)</b>	0
<b>Surface</b>	Black Topped	<b>Surface</b>	Black Topped	<b>Type</b>	Hand Pump		<b>Bore Wells (Nos)</b>	0
<b>Illumination Type</b>	Normal Lights	<b>Illumination Type</b>	N	<b>Storage Capacity(Ltr)</b>	0			
<b>Pay &amp; Use Toilet</b>				<b>Remarks</b>	05 Nos. Hand Pump provided			

Station Name : Desari

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	9	92	CC	675	10	0	3		0	100	3	4	4	0	1	0	0	0	1	N	0
2	BG	N	364	7	96	OTH	160	5	0	2		0	60	0	3	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Desari

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	109	0	10.4	0	0	31			-	-
Actual	105	835	5	5	7	235	1	See platform details	1	-
Shortage, if any	-	-	11	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>GRAM KHARIKA HALT</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	GKHT	FOB	1	(a) Per Day	198		Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	66		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	9.68	2016-17	9.04	Tourist Facilitation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	5.65	2018-19	6.94	Touch Screen Enquiry System	N
District	Vaishali	Clock	Y	2019-20	0.64			Electronic Train Indication	N
Section	HJP-BCA	Wheel Chairs	Y	Length of longest stopping train(m)			270	ATMs	0
Km.	0248.58	Cloak Room	N	MP Const.	Hajipur		Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)		Budget Hotel	N	
Electrified	Y			MLA Const.	Raja Pakar		Trains Halting	M: 0 P : 12	
				MLA Name	Sri Shivchandra Ram (RJD)		Station IInd Entry	N	
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	36	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room 0
(b) Seats(Nos.)	44	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	314	Length(m)	25	Source	Railway Supply		Open Wells (Nos) 0
Surface	Cement Concrete	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos) 0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	01 No. Hand Pump provided.		

Station Name : GRAM KHARIKA HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	3	0	CC	60	1	0	1		0	20	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : GRAM KHARIKA HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5 Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	41	0	2.64	0	0	12			-	-
Actual	36	60	1	0	0	64	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

**Passenger Amenities Details As on : 31/03/2020**

Division : Sonepur

<b>Station Name</b>	<b>Sathajagat</b>			<b>No. of passengers dealt with:</b>				<b>Identified as Adarsh</b>	N		
<b>Station Code</b>	STJT	<b>FOB</b>	1	(a) Per Day		47	<b>Developed As Adarsh</b>				
<b>Station Category</b>	NSG6	<b>Subway</b>	0	(b) Max. at any time		46	<b>Identified for MFC</b>			N	
<b>Railway</b>	ECR	<b>Booking Windows</b>	1	<b>Pass. Earnings/Year(Rs. in Lac.)</b>							
<b>Division</b>	Sonepur	<b>Enquiry Office</b>	1	2011-12	7.30	2016-17	14.17	<b>Tourist Facilation Center</b>			N
<b>State</b>	Bihar	<b>Public Address Sys.</b>	Y	2017-18	7.35	2018-19	8.08	<b>Touch Screen Enquiry System</b>			N
<b>District</b>	Begusarai	<b>Clock</b>	N	2019-20	8.15						
<b>Section</b>	SPJ-BJU	<b>Wheel Chairs</b>	N	<b>Length of longest stopping train(m)</b>			405	<b>Electronic Train Indication</b>			N
<b>Km.</b>	0006.64	<b>Cloak Room</b>	N	<b>MP Const.</b>	Begusarai			<b>ATMs</b>			0
<b>Route</b>	Dspl	<b>Refreshment Room(sq.m)</b>		<b>MP Name</b>	Sri Giriraj Singh (BJP)			<b>Food Plaza</b>			N
<b>Electrified</b>	Y			<b>MLA Const.</b>	Bachhwara			<b>Budget Hotel</b>			N
<b>Other Items</b>	-			<b>MLA Name</b>	Sri Ramdeo Rai (Cong)			<b>Trains Halting</b>		M: 2	P : 12
<b>Remarks for Station:</b>	-						<b>Station IInd Entry</b>		N		

**Resting Facility**

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	47	Area(sq.m)		0	0	Area(sq.m)	0	<b>Retiring Room</b>	0
(b) Seats(Nos.)	4	Seats(Nos.)		0	0	Seats(Nos.)	0	<b>Dormitory</b>	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

**Circulating Area and Water Supply**

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	400	<b>Source</b>	Railway Supply		<b>Open Wells (Nos)</b>	0
Surface	Other	Surface	Cement Concrete	<b>Type</b>	Hand Pump		<b>Bore Wells (Nos)</b>	0
Illumination Type	Normal Lights	Illumination Type	N	<b>Storage Capacity(Ltr)</b>	0			
<b>Pay &amp; Use Toilet</b>				<b>Remarks</b>	04 Nos. Hand Pump provided.			

Station Name : Sathajagat

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	258	10	50	CC	100	1	0	2		0	39	3	2	0	0	0	0	0	0	0	N	0
2	BG	N	258	5	0	OTH	0	0	0	2		0	8	3	2	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Sathajagat

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	19	0	1.84	0	0	6			-	-
Actual	47	100	4	6	4	51	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Hajipur</b>			<b>No. of passengers dealt with:</b>				Identified as Adarsh	N
Station Code	HJP	FOB	2	(a) Per Day	13745		Developed As Adarsh		
Station Category	NSG3	Subway	0	(b) Max. at any time	6000		Identified for MFC	N	
Railway	ECR	Booking Windows	22	<b>Pass. Earnings/Year(Rs. in Lac.)</b>					
Division	Sonepur	Enquiry Office	1	2011-12	2433.84	2016-17	3489.46	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	3222.48	2018-19	3142.09	Touch Screen Enquiry System	N
District	Vaishali	Clock	Y	2019-20	2841.04			Electronic Train Indication	Y
Section	CI-HJP	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	1
Km.	0266.96	Cloak Room	Y	MP Const.	Hajipur			Food Plaza	Y
Route	Dspl	Refreshment Room(sq.m)	67.17	MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	Y
Electrified	Y			MLA Const.	Hajipur			Trains Halting	M: 102 P : 20
				MLA Name	Sri Awdesh Singh (BJP)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	204	Area(sq.m)		36	35	Area(sq.m)	70	Retiring Room	5
(b) Seats(Nos.)	563	Seats(Nos.)		20	20	Seats(Nos.)	0	Dormitory	1
(c) Lav.(Nos.)	8	Lav.(Nos.)		2	2	Lav.(Nos.)	4		
(d) Urinals(Nos.)	4	Urinals(Nos.)		1	1	Urinals(Nos.)	2		
(e) Bathing Cubicals(Nos.)	6	Bathing Cubicals(Nos.)		2	2	Bathing Cubicals(Nos.)	4		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	9286	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	250000			
Pay & Use Toilet	Y			Remarks	02 No. Hand Pump provided.			

Station Name : Hajipur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	640	10	75	PS	5120	2	52	1		0	624	20	20	33	320	8	0	0	0	1	Y	0
2&3	BG	Y	600	9.4	84	OTH	2880	0	57	2		0	280	14	16	12	250	7	0	0	0	1	Y	0
4&5	BG	Y	540	10	84	CC	1683	0	48	0			210		5	0	60			0	0	0	N	1

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Hajipur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5 Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	1200 sqm	60	10	10	375	1 With Cover	High level	6	YES
As per Rec. norms	2509	5040	240	9	9	720			-	-
Actual	204	9683	160	50	49	1717	2	See platform details	4	YES
Shortage, if any	-	-	-	-	-	-	-		2	-

Station Name : Hajipur

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	No
Public Phone Booth	Yes	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Hajipur

Summary As per Modern Station

<b>Desired Facility</b>	<b>Facility Available</b>
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Khudiram Bose Pusa</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KRBP	FOB	1	(a) Per Day	1781		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	386		Identified for MFC	N		
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	94.89	2016-17	289.87	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	293.02	2018-19	295.93	Touch Screen Enquiry System	N	
District	Samastipur	Clock	N	2019-20	284.72			Electronic Train Indication	N	
Section	MFP-SPJ	Wheel Chairs	N	Length of longest stopping train(m)				473	ATMs	0
Km.	0048.28	Cloak Room	N	MP Const.	Samastipur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Ram Chandra Paswan (LJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Kalyanpur			Trains Halting	M: 16 P : 10	
				MLA Name				Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	97	Area(sq.m)	13	23	Area(sq.m)	0	Retiring Room	0	
(b) Seats(Nos.)	30	Seats(Nos.)	0	1	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1513	Length(m)	389	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	03 Nos. hand Pump provided.			

Station Name : Khudiram Bose Pusa

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	10	63	CC	160	7	0	2		0	170	2	2	3	0	1	0	0	0	1	N	0
2	BG	N	445	7	90	CC	232	0	0	1		0	150	2	3	0	0	0	0	0	0	1	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Khudiram Bose Pusa

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	161	0	15.44	1	1	46			-	-
Actual	97	392	3	4	5	351	1	See platform details	1	-
Shortage, if any	-	-	13	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Ujiyarpur</b>			<b>No. of passengers dealt with:</b>				<b>Identified as Adarsh</b>	<b>N</b>
<b>Station Code</b>	UJP	<b>FOB</b>	1	(a) Per Day	131			<b>Developed As Adarsh</b>	
<b>Station Category</b>	NSG6	<b>Subway</b>	0	(b) Max. at any time	108			<b>Identified for MFC</b>	<b>N</b>
<b>Railway</b>	ECR	<b>Booking Windows</b>	1	<b>Pass. Earnings/Year(Rs. in Lac.)</b>					
<b>Division</b>	Sonepur	<b>Enquiry Office</b>	1	2011-12	19.57	2016-17	71.27	<b>Tourist Facilation Center</b>	<b>N</b>
<b>State</b>	Bihar	<b>Public Address Sys.</b>	Y	2017-18	84.21	2018-19	21.40	<b>Touch Screen Enquiry System</b>	<b>N</b>
<b>District</b>	Samastipur	<b>Clock</b>	N	2019-20	126.17			<b>Electronic Train Indication</b>	<b>N</b>
<b>Section</b>	SPJ-BJU	<b>Wheel Chairs</b>	N	<b>Length of longest stopping train(m)</b>			405	<b>ATMs</b>	0
<b>Km.</b>	0025.35	<b>Cloak Room</b>	N	<b>MP Const.</b>	Ujiarpur			<b>Food Plaza</b>	N
<b>Route</b>	Dspl	<b>Refreshment Room(sq.m)</b>		<b>MP Name</b>	Nityanand Rai (BJP)			<b>Budget Hotel</b>	N
<b>Electrified</b>	Y			<b>MLA Const.</b>	Ujiarpur			<b>Trains Halting</b>	M: 5 P : 14
				<b>MLA Name</b>	Sri Alok Kumar Mehta			<b>Station IInd Entry</b>	N
<b>Other Items</b>	-								
<b>Remarks for Station:</b>	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	42	Area(sq.m)		0	0	Area(sq.m)	0	<b>Retiring Room</b>	0
(b) Seats(Nos.)	18	Seats(Nos.)		0	0	Seats(Nos.)	0	<b>Dormitory</b>	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
<b>Area (sqm)</b>	40	<b>Length(m)</b>	1200	<b>Source</b>	Railway Supply		<b>Open Wells (Nos)</b>	0
<b>Surface</b>	Black Topped	<b>Surface</b>	Other	<b>Type</b>	Hand Pump		<b>Bore Wells (Nos)</b>	0
<b>Illumination Type</b>	Normal Lights	<b>Illumination Type</b>	N	<b>Storage Capacity(Ltr)</b>	0			
<b>Pay &amp; Use Toilet</b>				<b>Remarks</b>	02 Nos. Hand Pump provided.			

Station Name : Ujyarpur

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1 & 2	BG	Y	538	8	47	OTH	143	10	0	2		0	60	2	1	2	0	1	0	0	0	0	N	0
3	BG	N	358	8	60	OTH	0	8	0	1		0	60	2	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Ujyarpur

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	45	0	4.32	0	0	13			-	-
Actual	42	143	3	4	1	138	1	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Shahdei Bizurg</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	SDG	FOB	0	(a) Per Day	465			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	156			Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	19.09	2016-17	26.19	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	24.48	2018-19	23.46	Touch Screen Enquiry System	N
District	Vaishali	Clock	Y	2019-20	24.5			Electronic Train Indication	N
Section	HJP-BCA	Wheel Chairs	Y	Length of longest stopping train(m)			270	ATMs	0
Km.	0241.57	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Raja Pakar			Trains Halting	M: 0 P : 12
				MLA Name	Sri Shivchandra Ram (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	30	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	3	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	193.5	Length(m)	40	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	03 Nos. Hand Pump			

Station Name : Shahdei Bizurg

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	392	7	60	CC	165	11	0	2		0	80	3	3	0	0	0	0	0	0	0	N	0
2	BG	N	335	10	60	CC	69	0	0	1		0	30	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Shahdei Bizurg

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	65	0	6.24	0	0	19			-	-
Actual	30	234	3	6	3	110	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Dalsingh Sarai</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DSS	FOB	2	(a) Per Day	894		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	396		Identified for MFC	N		
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	1	2011-12	498.95	2016-17	1133.11	Tourist Facilitation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	1082.17	2018-19	579.91	Touch Screen Enquiry System	N	
District	Samastipur	Clock	N	2019-20	1004.43			Electronic Train Indication	N	
Section	BJU-SPJ	Wheel Chairs	Y	Length of longest stopping train(m)				540	ATMs	0
Km.	0011.27	Cloak Room	Y	MP Const.	Ujiarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Nityanand Rai (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Ujiarpur			Trains Halting	M: 36 P : 14	
				MLA Name	Sri Alok Kumar Mehta			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	75	Area(sq.m)	20	20	Area(sq.m)	45	Retiring Room	0	
(b) Seats(Nos.)	24	Seats(Nos.)	0	0	Seats(Nos.)	12	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	1	Lav.(Nos.)	2			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	2			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	2			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	2450	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	4000			
Pay & Use Toilet				Remarks	-			

Station Name : Dalsingh Sarai

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	84	CC	530	4	26	2		0	232	4	2	2	0	4	0	0	0	0	N	0
2	BG	N	600	7	84	CC	485	4	14	1		0	146	0	2	2	0	3	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dalsingh Sarai

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	166	0	15.84	1	1	48			-	-
Actual	75	1015	43	8	6	414	2	See platform details	1	YES
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Singhol</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	SHHT	FOB	0	(a) Per Day	30		Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	18		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	0.80	2016-17	1.22	Tourist Facilitation Center	N
State	Bihar	Public Address Sys.	N	2017-18	1.13	2018-19	1.18	Touch Screen Enquiry System	N
District	Begusarai	Clock	N	2019-20	0.81			Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)			225	ATMs	0
Km.	0168.00	Cloak Room	N	MP Const.	Begusarai			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Begusarai			Trains Halting	M: 0 P : 4
				MLA Name	Sri Amita Bhushan (Cong.)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	1 HAND PUMP PROVIDED								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	33	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	01 no. Hand Pump provided			

Station Name : Singhol

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	225	4	0	CC	0	0	0	1		0	32	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	235	4	0	CC	0	0	0	0		0	25	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Singhol

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	11	0	0.72	0	0	3			-	-
Actual	33	0	1	0	0	82	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Ambika Bhawani Halt</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	AABH	FOB	0	(a) Per Day	7			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	5			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	0.72	2016-17	0.27	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	N	2017-18	0.33	2018-19	0.24	Touch Screen Enquiry System	N	
District	Saran	Clock	Y	2019-20	0.46			Electronic Train Indication	N	
Section	CI-SEE	Wheel Chairs	N	Length of longest stopping train(m)				270	ATMs	0
Km.	0299.45	Cloak Room	N	MP Const.	Chhapra			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Shri Rajiv Pratap Rudhi (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Sonepur			Trains Halting	M: 0 P : 4	
				MLA Name	Dr. Ramanuj Prasad (RJD)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	42	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	37	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	01 No. Hand Pump provided.			

Station Name : Ambika Bhawani Halt

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	217.12	2.3	0	OTH	5	0	0	1		0	25	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	300	3	0	OTH	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Ambika Bhawani Halt

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	3	0	0.2	0	0	1			-	-
Actual	42	5	1	0	0	25	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Bharatkhand</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	BRKB	FOB	0	(a) Per Day	2			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	2			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	0.70	2016-17	0.65	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	N	2017-18	0.38	2018-19	0.50	Touch Screen Enquiry System	N
District	Khagaria	Clock	N	2019-20	0.13			Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)		270		ATMs	0
Km.	0085.86	Cloak Room	N	MP Const.	Khagaria			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Ajay Kumar Mandal			Budget Hotel	N
Electrified	Y			MLA Const.	Parbatta			Trains Halting	M: 0 P : 6
				MLA Name	Sri Panna Singh Lal Patel			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	30	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks				

Station Name : Bharatkhand

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	325	5	0	CC	58	1	0	1		0	10	0	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	325	5	0	OTH	0	0	0	0		0	20	0	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bharatkhand

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	1	0	0.08	0	0	0			-	-
Actual	30	58	1	0	0	60	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Mahnar Road</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MNO	FOB	0	(a) Per Day	831		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	194		Identified for MFC	N		
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	1	2011-12	80.06	2016-17	201.70	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	N	2017-18	234.49	2018-19	232.04	Touch Screen Enquiry System	N	
District	Vaishali	Clock	Y	2019-20	251.15			Electronic Train Indication	N	
Section	BCA-HJP	Wheel Chairs	Y	Length of longest stopping train(m)				540	ATMs	0
Km.	0236.64	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Mahnar			Trains Halting	M: 6 P : 12	
				MLA Name	Sri Umesh Singh Kushwaha (JDU)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	72	Area(sq.m)	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	55	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	986	Length(m)	21.5	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided			

Station Name : Mahnar Road

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	6	92	CC	720	13	0	2		0	219	3	4	3	0	1	0	0	0	0	N	0
2	BG	N	540	5	0	OTH	60	0					25							0	0	0		0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Mahnar Road

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	81	0	7.76	0	0	23			-	-
Actual	72	780	2	3	4	299	0	See platform details	1	-
Shortage, if any	-	-	14	1	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Vidyapati Dham</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	VPDA	FOB	0	(a) Per Day	1052			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	250			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	36.70	2016-17	118.12	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	N	2017-18	118.11	2018-19	143.60	Touch Screen Enquiry System	Y	
District	Samastipur	Clock	Y	2019-20	165.39			Electronic Train Indication	N	
Section	BCA-HJP	Wheel Chairs	Y	Length of longest stopping train(m)		428			ATMs	0
Km.	0206.46	Cloak Room	Y	MP Const.	Ujiarpur				Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Nityanand Rai (BJP)				Budget Hotel	N
Electrified	N			MLA Const.	Sarairanjan				Trains Halting	M: 2 P : 12
				MLA Name	Sri Vijay Kumar Choudhary (JDU)				Station IInd Entry	N
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	255	Area(sq.m)	0	0	Area(sq.m)	0	Retiring Room	0	
(b) Seats(Nos.)	160	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	231	Length(m)	42	Source	Railway Supply	Open Wells (Nos)	0
Surface	Other	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	03 Nos. Hand Pump provided		

Station Name : Vidyapati Dham

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	650	11.4	0.84	PS	315	9	0	4		0	90	3	3	2	0	1	0	0	0	0	N	0
2	BG	N	650	11	0.84	PS	610	0	0	1		0	84	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Vidyapati Dham

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	105	0	10	0	0	30			-	-
Actual	255	925	5	3	3	334	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Goraul</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	GRL	FOB	0	(a) Per Day	845		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	246		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	115.55	2016-17	137.28	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	139.44	2018-19	151.09	Touch Screen Enquiry System	N	
District	Vaishali	Clock	N	2019-20	177.13			Electronic Train Indication	N	
Section	HJP-MFP	Wheel Chairs	N	Length of longest stopping train(m)				518	ATMs	0
Km.	0027.90	Cloak Room	N	MP Const.	Vaishali			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Rama Kishor Singh (LJP)			Budget Hotel	Y	
Electrified	Y			MLA Const.	Vaishali			Trains Halting	M: 10 P : 8	
				MLA Name	Sri Raj Kishore Singh (JDU)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	107	Area(sq		21	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	50	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		1	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	188.7	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided.			

Station Name : Goraul

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	519	16	84	CC	600	16	0	2		0	82	2	1	2	0	0	0	0	0	0	N	0
2	BG	N	568	11.5	75	OTH	300	0	0	0		0	76	0	1	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Goraul

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	103	0	9.84	0	0	30			-	-
Actual	107	900	2	3	2	208	0	See platform details	1	-
Shortage, if any	-	-	14	1	2	-	-		1	-

**Passenger Amenities Details As on : 31/03/2020**

Division : Sonepur

<b>Station Name</b>	<b>Umesh Nagar</b>			<b>No. of passengers dealt with:</b>				<b>Identified as Adarsh</b>	N		
<b>Station Code</b>	UMNR	<b>FOB</b>	0	(a) Per Day		126	<b>Developed As Adarsh</b>				
<b>Station Category</b>	NSG6	<b>Subway</b>	0	(b) Max. at any time		95	<b>Identified for MFC</b>			N	
<b>Railway</b>	ECR	<b>Booking Windows</b>	1	<b>Pass. Earnings/Year(Rs. in Lac.)</b>							
<b>Division</b>	Sonepur	<b>Enquiry Office</b>	0	2011-12	2.30	2016-17	5.36	<b>Tourist Facilation Center</b>			N
<b>State</b>	Bihar	<b>Public Address Sys.</b>	Y	2017-18	5.6	2018-19	5.28	<b>Touch Screen Enquiry System</b>			N
<b>District</b>	Khagaria	<b>Clock</b>	N	2019-20	5.66						
<b>Section</b>	BJU-KIR	<b>Wheel Chairs</b>	N	<b>Length of longest stopping train(m)</b>			270	<b>Electronic Train Indication</b>			N
<b>Km.</b>	0130.74	<b>Cloak Room</b>	N	<b>MP Const.</b>	Khagaria			<b>ATMs</b>			0
<b>Route</b>	Dspl	<b>Refreshment Room(sq.m)</b>		<b>MP Name</b>	Ajay Kumar Mandal			<b>Food Plaza</b>			N
<b>Electrified</b>	Y			<b>MLA Const.</b>	Khagaria			<b>Budget Hotel</b>			N
<b>Other Items</b>	-			<b>MLA Name</b>	Smt Punam Devi Yadav (JDU)			<b>Trains Halting</b>		M: 0	P : 8
<b>Remarks for Station:</b>	-							<b>Station IInd Entry</b>		N	

**Resting Facility**

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	72	Area(sq.m)	0	0	0	Area(sq.m)	0	<b>Retiring Room</b>	0
(b) Seats(Nos.)	25	Seats(Nos.)	0	0	0	Seats(Nos.)	0	<b>Dormitory</b>	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

**Circulating Area and Water Supply**

Circulating Area		Approach Road		Water Supply			
<b>Area (sqm)</b>	0	<b>Length(m)</b>	0	<b>Source</b>	Railway Supply	<b>Open Wells (Nos)</b>	0
<b>Surface</b>	Kutchra	<b>Surface</b>	Other	<b>Type</b>	Hand Pump	<b>Bore Wells (Nos)</b>	0
<b>Illumination Type</b>	Normal Lights	<b>Illumination Type</b>	N	<b>Storage Capacity(Ltr)</b>	0		
<b>Pay &amp; Use Toilet</b>				<b>Remarks</b>	04 Nos. Hand Pump provided		

Station Name : Umesh Nagar

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	282	7	0	CC	352	5	0	2		0	24	2	1	0	0	0	0	0	0	0	N	0
2 & 3	BG	N	350	10	0	CC	176	0	0	2		0	24	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Umesh Nagar

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	40	0	3.8	0	0	11			-	-
Actual	72	528	4	2	1	73	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Bihat Halt</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	BEHT	FOB	0	(a) Per Day	50			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	31			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	1.54	2016-17	1.20	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	N	2017-18	1.45	2018-19	1.52	Touch Screen Enquiry System	N
District	Begusarai	Clock	N	2019-20	1.12			Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)		270			
Km.	0174.28	Cloak Room	N	MP Const.	Begusarai			ATMs	0
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Giriraj Singh (BJP)			Food Plaza	N
Electrified	Y			MLA Const.	Teghra			Budget Hotel	N
Other Items	-			MLA Name	Sri Birendra Kumar (RJD)			Trains Halting	M: 0 P : 6
Remarks for Station:	1 HAND PUMP PROVIDED								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	45	Area(sq.m)	0	0	Area(sq.m)	0	Retiring Room	0	
(b) Seats(Nos.)	28	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	01 No. Hand Pump provided			

Station Name : Bihat Halt

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	492	8	0	OTH	0	0	0	1		0	20	0	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	400	3	0	CC	0	0	0	0		0	20	0	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bihat Halt

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	19	0	1.24	0	0	6			-	-
Actual	45	0	1	0	0	68	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Pachpatia Deoria Halt</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	PPDA	FOB	0	(a) Per Day	70			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	14			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	1.18	2016-17	2.39	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	N	2017-18	2.26	2018-19	2.16	Touch Screen Enquiry System	N
District	Saran	Clock	N	2019-20	1.77			Electronic Train Indication	N
Section	CI-HJP	Wheel Chairs	N	Length of longest stopping train(m)		270			
Km.	0303.78	Cloak Room	N	MP Const.	Chhapra		ATMs	0	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Shri Rajiv Pratap Rudhi (BJP)		Food Plaza	N	
Electrified	Y			MLA Const.	Garkha		Budget Hotel	N	
Other Items	-			MLA Name	Sri Muneshwar Chaudhary (RJD)		Trains Halting	M: 0	P : 8
Remarks for Station:	-						Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	42	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	70	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	80	Length(m)	65.78	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 Hand Pump provided			

Station Name : Pachpatia Deoria Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	290	5.1	0	OTH	40	0	0	1		0	60	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	292	5.5	0	OTH	40	0	0	1		0	16	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Pachpatia Deoria Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.56	0	0	3			-	-
Actual	42	80	2	0	0	146	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Goldinganj</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	GJH	FOB	1	(a) Per Day	229		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	57		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	9.12	2016-17	14.15	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	N	2017-18	15.06	2018-19	19.26	Touch Screen Enquiry System	N
District	Saran	Clock	N	2019-20	20.77		Electronic Train Indication	N	
Section	CI-HJP	Wheel Chairs	N	Length of longest stopping train(m)			518	ATMs	0
Km.	0315.24	Cloak Room	N	MP Const.	Chhapra			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Shri Rajiv Pratap Rudhi (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Garkha			Trains Halting	M: 2 P : 10
				MLA Name	Sri Muneshwar Chaudhary (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	33	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	493	Length(m)	500	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	05 Nos. Hand Pump provided.			

Station Name : Goldinganj

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	349.6	6.8	0.54	OTH	112	0	0	2		0	100	2	1	0	0	0	0	0	0	0	N	0
2	BG	N	491.2	7.1	0.76	CC	114	2	0	2		0	50	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Goldinganj

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	24	0	2.28	0	0	7			-	-
Actual	33	226	4	2	1	170	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Dighwara</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	DGA	FOB	1	(a) Per Day	1620		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	850		Identified for MFC	N	
Railway	ECR	Booking Windows	5	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	1	2011-12	202.93	2016-17	465.19	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	N	2017-18	469.09	2018-19	487.87	Touch Screen Enquiry System	N
District	Saran	Clock	Y	2019-20	531.33			Electronic Train Indication	N
Section	CI-HJP	Wheel Chairs	N	Length of longest stopping train(m)			518	ATMs	0
Km.	0295.77	Cloak Room	N	MP Const.	Chhapra			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Shri Rajiv Pratap Rudhi (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Sonepur			Trains Halting	M: 28 P : 10
				MLA Name	Dr. Ramanuj Prasad (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	45	Area(sq.m)		0	11	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		1	20	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)		1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1200	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	4000			
Pay & Use Toilet				Remarks	01No. Hand Pump provided.			

Station Name : Dighwara

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	548	6	0.47	OTH	405	2	4	1		0	95	4	4	3	0	1	0	0	0	1	N	0
2	BG	N	501.69	10	105	OPS	244	5	16	0		0	64	0	0	2	0	0	0	0	0	1	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dighwara

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	355	0	34	1	1	102			-	-
Actual	45	649	21	8	6	220	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Bakhri</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BKHR	FOB	0	(a) Per Day	218		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	44		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	4.31	2016-17	6.27	Tourist Facilitation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	5.83	2018-19	6.67	Touch Screen Enquiry System	N	
District	Katihar	Clock	N	2019-20	7.58			Electronic Train Indication	N	
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)				248	ATMs	0
Km.	0029.76	Cloak Room	N	MP Const.	Katihar			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Dulal Chandra Goswami			Budget Hotel	N	
Electrified	Y			MLA Const.	Barari			Trains Halting	M: 4 P : 4	
				MLA Name	Sri Neeraj Kumar (RJD)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	31	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	100	Length(m)	300	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	05 Nos. Hand Pump provided			

Station Name : Bakhri

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	6	10	CC	330	0	0	2		0	30	1	3	0	0	0	0	0	0	0	N	0
2	BG	N	350	6	0	CC	150	2	0	2		0	30	0	3	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bakhri

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	18	0	1.76	0	0	5			-	-
Actual	31	480	4	1	6	70	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

**Passenger Amenities Details As on : 31/03/2020**

Division : Sonepur

<b>Station Name</b>	<b>Dubaha</b>					No. of passengers dealt with:	Identified as Adarsh	N		
Station Code	DUBH	FOB	1	(a) Per Day	577	Developed As Adarsh				
Station Category	NSG6	Subway	0	(b) Max. at any time	148	Identified for MFC	N			
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	21.34	2016-17	23.56	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	18.72	2018-19	19.26	Touch Screen Enquiry System	N	
District	Muzaffarpur	Clock	N	2019-20	22.47					
Section	MFP-SPJ	Wheel Chairs	N	Length of longest stopping train(m)				405	Electronic Train Indication	N
Km.	0054.72	Cloak Room	N	MP Const.	Muzaffarpur				ATMs	0
Route	Dspl	Refreshment Room(sq		MP Name	Ajay Nishad (BJP)				Food Plaza	N
Electrified	Y			MLA Const.	Sakra				Budget Hotel	N
Other Items	-			MLA Name	Sri Lal Babu Ram (RJD)				Trains Halting	M: 2 P : 10
Remarks for Station:	-							Station IInd Entry	N	

**Resting Facility**

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	20	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

**Circulating Area and Water Supply**

Circulating Area		Approach Road		Water Supply				
Area (sq	581	Length(m)	120	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	05 Nos. Hand Pump provided.			

Station Name : Dubaha

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	345	9	45	OTH	182	6	0	3		0	102	3	1	0	0	1	0	0	0	1	N	0
2	BG	N	345	6	0	OTH	0	1	0	2		0	48	2	0	0	0	1	0	0	0	1	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dubaha

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	62	0	5.92	0	0	18			-	-
Actual	20	182	5	5	1	160	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Shahpur Patoree</b>			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	SPP	FOB	1	(a) Per Day	2196		Developed As Adarsh	N		
Station Category	NSG5	Subway	0	(b) Max. at any time	155		Identified for MFC	N		
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	206.88	2016-17	535.44	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	468.17	2018-19	470.46	Touch Screen Enquiry System	N	
District	Samastipur	Clock	Y	2019-20	478.55			Electronic Train Indication	N	
Section	BCA-HJA	Wheel Chairs	N	Length of longest stopping train(m)				540	ATMs	0
Km.	0229.18	Cloak Room	N	MP Const.	Ujiarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Nityanand Rai (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Morwa			Trains Halting	M: 12 P : 12	
				MLA Name	Sri Vidya Sagar Singh Nishad			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	219	Area(sq.m)		0	0	Area(sq.m)	21	Retiring Room	0
(b) Seats(Nos.)	45	Seats(Nos.)		0	0	Seats(Nos.)	36	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	231	Length(m)	30	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	91000			
Pay & Use Toilet	Y			Remarks	36 taps+1 hp			

Station Name : Shahpur Patoree

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	8	92	CC	632	2	16	1		0	190	3	4	10	0	1	0	0	0	1	N	0
2	BG	N	600	8	84	PS	750	0	20	0		0	100	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Shahpur Patoree

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	65	0	6.2	0	0	19			-	-
Actual	219	1382	37	4	4	371	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Chaksikandar</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	CSR	FOB	1	(a) Per Day	198		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	66		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	9.68	2016-17	10.91	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	8.38	2018-19	8.53	Touch Screen Enquiry System	N	
District	Vaishali	Clock	Y	2019-20	8.59			Electronic Train Indication	N	
Section	HJP-BCA	Wheel Chairs	Y	Length of longest stopping train(m)				270	ATMs	0
Km.	0250.64	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Raghopur			Trains Halting	M: 0 P : 12	
				MLA Name	Sri Tejaswi Yadav (RJD)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	15	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	162	Length(m)	25	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	03 Nos. Hand Pump provided.			

Station Name : Chaksikandar

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	194	8.7	58	CC	172	3	0	2		0	56	3	0	1	0	0	0	0	0	0	N	0
2	BG	N	336	9	58	CC	60	0	0	1		0	8	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chaksikandar

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	28	0	2.64	0	0	8			-	-
Actual	15	232	3	3	0	64	1	See platform details	0	-
Shortage, if any	-	-	1	-	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Sherpur Dhipura</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	SPPA	FOB	0	(a) Per Day	9		Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	2		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	0.51	2016-17	0.20	Tourist Facilitation Center	N
State	Bihar	Public Address Sys.	N	2017-18	0.07	2018-19	0.08	Touch Screen Enquiry System	N
District	Samastipur	Clock	N	2019-20	0.08		Electronic Train Indication	N	
Section	Ex. BCA-HJP	Wheel Chairs	N	Length of longest stopping train(m)			270	ATMs	0
Km.	0201.50	Cloak Room	N	MP Const.	Ujarpur			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Nityanand Rai (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Sarairanjan			Trains Halting	M: 0 P : 12
				MLA Name	Sri Vijay Kumar Choudhary (JDU)			Station IInd Entry	N
Other Items	-								
Remarks for Station:									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	20	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	1 No. Hand Pump provided			

Station Name : Sherpur Dhipura

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	316	6	10	CC	60	6	0	1		0	60	0	0	0	0	0	0	0	0	0	N	0
2	BG		480	6	0	CC	80	0	0	0		0	24	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Sherpur Dhipura

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	1	0	0.08	0	0	0			-	-
Actual	20	140	1	0	0	84	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Akshyawatrai nagar</b>			<b>No. of passengers dealt with:</b>				Identified as Adarsh	N
Station Code	AYRN	FOB	1	(a) Per Day	592		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	155		Identified for MFC	N	
Railway	ECR	Booking Windows	3	<b>Pass. Earnings/Year(Rs. in Lac.)</b>					
Division	Sonapur	Enquiry Office	0	2011-12	40.89	2016-17	255.28	Tourist Facilitation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	244.32	2018-19	265.43	Touch Screen Enquiry System	N
District	Vaishali	Clock	Y	2019-20	264.06			Electronic Train Indication	N
Section	HJP-BCA	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	0
Km.	0256.36	Cloak Room	N	MP Const.	Hajipur		Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)		Budget Hotel	N	
Electrified	Y			MLA Const.	Raghopur		Trains Halting	M: 4 P : 12	
				MLA Name	Sri Tejaswi Yadav (RJD)		Station IInd Entry	N	
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	105	Area(sq.m)		0	0	Area(sq.m)	26	Retiring Room	0
(b) Seats(Nos.)	57	Seats(Nos.)		0	0	Seats(Nos.)	12	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	2		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	584.2	Length(m)	42	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	09 Nos. Hand Pump provided.			

Station Name : Akshyawatrai nagar

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	9	94	CC	505	9	0	5		0	160	9	2	5	0	0	0	0	0	0	N	0
2	BG	N	540	5	80	CC	660	0	0	4		0	100	0	0	2	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Akshyawatrai nagar

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	65	0	6.2	0	0	19			-	-
Actual	105	1164	9	11	2	329	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Bhagwanpur</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BNR	FOB	1	(a) Per Day	1558		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	454		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	58.78	2016-17	0.00	Tourist Facilitation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	234.36	2018-19	238.76	Touch Screen Enquiry System	N	
District	Vaishali	Clock	N	2019-20	239.14			Electronic Train Indication	N	
Section	HJP-MFP	Wheel Chairs	N	Length of longest stopping train(m)				518	ATMs	0
Km.	0019.79	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Lalganj			Trains Halting	M: 14 P : 8	
				MLA Name	Sri Raj Kumar Sah (LJP)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	24	Area(sq.m)	13	0	Area(sq.m)	0	Retiring Room	0	
(b) Seats(Nos.)	15	Seats(Nos.)	15	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	1	Lav.(Nos.)	1	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	92.4	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	04 Nos. hand Pump provided.			

Station Name : Bhagwanpur

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	597.35	8	56	CC	254	2	0	2		0	160	3	0	4	0	0	0	0	0	1	N	0
2 & 3	BG	Y	596	11	90	OTH	300	0	0	0		0	0	0	0	0	0	0	0	0	0	1	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bhagwanpur

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	190	0	18.16	1	1	54			-	-
Actual	24	554	2	5	0	190	1	See platform details	0	-
Shortage, if any	-	-	2	-	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Karpurigram</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KPGM	FOB	1	(a) Per Day	196		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	56		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	15.87	2016-17	76.19	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	87.67	2018-19	96.00	Touch Screen Enquiry System	N	
District	Samastipur	Clock	N	2019-20	97.73			Electronic Train Indication	N	
Section	MFP-SPJ	Wheel Chairs	N	Length of longest stopping train(m)				495	ATMs	0
Km.	0041.84	Cloak Room	N	MP Const.	Samastipur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Ram Chandra Paswan (LJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Samastipur			Trains Halting	M: 10 P : 10	
				MLA Name	Sri Md. Akhtarul Islam Shaheen			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	103	Area(sq		0	0	Area(sq	16	Retiring Room	1
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	690	Length(m)	343	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	16000			
Pay & Use Toilet				Remarks	02 No.s Hand Pump provided.			

Station Name : Karpurigram

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	376	8	84	CC	489	8	8	0		0	138	2	1	3	0	0	0	0	0	1	N	0
2	BG	N	376	9	84	CC	309	0	8	2		0	132	0	0	1	0	0	0	0	0	1	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Karpurigram

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	23	0	2.24	0	0	7			-	-
Actual	103	798	18	4	1	280	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Awatarnagar</b>			<b>No. of passengers dealt with:</b>				Identified as Adarsh	N	
Station Code	ATNR	FOB	1	(a) Per Day	243		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	49		Identified for MFC	N		
Railway	ECR	Booking Windows	2	<b>Pass. Earnings/Year(Rs. in Lac.)</b>						
Division	Sonepur	Enquiry Office	0	2011-12	9.09	2016-17	10.58	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	N	2017-18	11.06	2018-19	12.69	Touch Screen Enquiry System	N	
District	Saran	Clock	N	2019-20	11.18			Electronic Train Indication	N	
Section	CI-SEE	Wheel Chairs	N	<b>Length of longest stopping train(m)</b>				518	ATMs	0
Km.	0301.41	Cloak Room	N	MP Const.	Chhapra			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Shri Rajiv Pratap Rudhi (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Garkha			Trains Halting	M: 2 P : 10	
				MLA Name	Sri Muneshwar Chaudhary (RJD)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	69	Area(sq.m)		20	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)		40	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	346.1	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided.			

Station Name : Awatarnagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	256.85	5	65	OTH	215	5	0	2		0	100	2	2	2	0	0	0	0	0	1	N	0	
2	BG	N	309	8	50	CC	114	11	0	2		0	69	2	1	0	0	0	0	0	0	1	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Awatarnagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	20	0	1.96	0	0	6			-	-
Actual	69	329	4	4	3	234	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Mohiuddinnagar</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MOG	FOB	0	(a) Per Day	1293			Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	329			Identified for MFC	N	
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	118.57	2016-17	299.84	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	283.35	2018-19	244.63	Touch Screen Enquiry System	N	
District	Samastipur	Clock	Y	2019-20	307.68			Electronic Train Indication	N	
Section	BCA-HJP	Wheel Chairs	N	Length of longest stopping train(m)		540			ATMs	0
Km.	0215.64	Cloak Room	N	MP Const.	Ujiarpur				Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Nityanand Rai (BJP)				Budget Hotel	N
Electrified	Y			MLA Const.	Mohiuddinnagar				Trains Halting	M: 8 P : 12
				MLA Name	Smt Ejya Yadav (RJD)				Station IInd Entry	N
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	200	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	231	Length(m)	32	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	03 Nos. Hand Pump provided			

Station Name : Mohiuddinnagar

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	617	11.4	84	PS	795	10	0	4		0	100	3	4	1	0	0	0	0	0	0	N	0
2	BG	N	650	11	84	PS	540	0	0	1		0	100	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Mohiuddinnagar

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	138	0	13.16	0	0	39			-	-
Actual	200	1335	5	3	4	230	0	See platform details	1	-
Shortage, if any	-	-	11	1	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Pasraha</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	PSR	FOB	0	(a) Per Day	704		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	145		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	53.83	2016-17	74.77	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	60.03	2018-19	66.00	Touch Screen Enquiry System	N
District	Khagaria	Clock	N	2019-20	63.11			Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)			540	ATMs	0
Km.	0092.10	Cloak Room	N	MP Const.	Khagaria		Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Ajay Kumar Mandal		Budget Hotel	N	
Electrified	Y			MLA Const.	Parbatta		Trains Halting	M: 4 P : 8	
				MLA Name	Sri Panna Singh Lal Patel		Station IInd Entry	N	
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	171	Area(sq.m)	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	125	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	462	Length(m)	670	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks				

Station Name : Pasraha

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	360	9	25	CC	188	1	0	3		0	70	2	2	0	0	0	0	0	0	0	0	N	0
2	BG	N	320	3	25	CC	0	0	0	2		0	15	0	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Pasraha

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	61	0	5.8	0	0	17			-	-
Actual	171	188	5	2	2	210	0	See platform details	0	-
Shortage, if any	-	-	11	2	2	-	-		2	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Sahebpur Kamal</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	SKJ	FOB	1	(a) Per Day	941		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	357		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	39.82	2016-17	103.23	Tourist Facilitation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	91.58	2018-19	103.32	Touch Screen Enquiry System	N
District	Begusarai	Clock	N	2019-20	95.02			Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)			518	ATMs	0
Km.	0136.78	Cloak Room	N	MP Const.	Begusarai			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Sahebpur Kamal			Trains Halting	M: 10 P : 8
				MLA Name	Shreenarayan Yadav (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-05 HAND PUMP PROVIDED								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	120	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	80	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	300	Length(m)	100	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000			
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided			

Station Name : Sahebpur Kamal

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	546	9	84	OTH	1024	12	0	3		0	56	3	1	2	10	0	0	0	0	0	N	0
2	BG	N	550	10	84	CC	960	0	0	4		0	24	0	1	0	10	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Sahebpur Kamal

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	149	0	14.28	1	1	43			-	-
Actual	120	1984	7	3	2	160	1	See platform details	0	-
Shortage, if any	-	-	9	1	2	-	-		2	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Sarai</b>			<b>No. of passengers dealt with:</b>				Identified as Adarsh	N	
Station Code	SAI	FOB	0	(a) Per Day	257			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	71			Identified for MFC	N	
Railway	ECR	Booking Windows	2	<b>Pass. Earnings/Year(Rs. in Lac.)</b>						
Division	Sonepur	Enquiry Office	0	2011-12	10.39	2016-17	87.95	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	74.28	2018-19	86.96	Touch Screen Enquiry System	N	
District	Vaishali	Clock	Y	2019-20	106.81			Electronic Train Indication	N	
Section	HJP-MFP	Wheel Chairs	N	<b>Length of longest stopping train(m)</b>		428			ATMs	0
Km.	0010.86	Cloak Room	N	MP Const.	Hajipur				Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)				Budget Hotel	N
Electrified	Y			MLA Const.	Lalganj				Trains Halting	M: 2 P : 8
				MLA Name	Sri Raj Kumar Sah (LJP)				Station IInd Entry	N
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	132	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	99	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	630	Length(m)	27	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	16000			
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided			

Station Name : Sarai

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	427.5	6.7	35	CC	144	8	16	2		0	135	3	2	2	0	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Sarai

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	30	0	2.84	0	0	9			-	-
Actual	132	144	18	3	2	234	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Sonpur</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	SEE	FOB	1	(a) Per Day	2708			Developed As Adarsh	
Station Category	NSG3	Subway	0	(b) Max. at any time	543			Identified for MFC	N
Railway	ECR	Booking Windows	11	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	1	2011-12	787.21	2016-17	1025.73	Tourist Facilitation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	902.84	2018-19	924.01	Touch Screen Enquiry System	N
District	Saran	Clock	Y	2019-20	860.9			Electronic Train Indication	Y
Section	CI-SEE	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	2
Km.	0272.54	Cloak Room	N	MP Const.	Chhapra			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)	178.45	MP Name	Shri Rajiv Pratap Rudhi (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Sonapur			Trains Halting	M: 72 P : 18
				MLA Name	Dr. Ramanuj Prasad (RJD)			Station IInd Entry	Y
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	730	Area(sq.m)		37	41	Area(sq.m)	41	Retiring Room	1
(b) Seats(Nos.)	55	Seats(Nos.)		12	12	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	4	Lav.(Nos.)		2	2	Lav.(Nos.)	1		
(d) Urinals(Nos.)	9	Urinals(Nos.)		0	1	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		1	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	600	Length(m)	700	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	240000			
Pay & Use Toilet	N			Remarks	-			

Station Name : Sonpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1 & 2	BG	Y	720	24.7	72	CC	7508	0	84	0		0	375	5	2	13	0	8	0	0	0	1	Y	0
3 & 4	BG	Y	630	9.8	84	PS	2064	0	33	0	518	650	292	0	0	8	0	10	0	0	0	1	Y	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Sonpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	800 sqm	40	10	10	250	1 With Cover	High level	4	YES
As per Rec. norms	227	304	21.72	1	1	65			-	-
Actual	730	9572	117	14	12	746	1	See platform details	4	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Sonpur

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	No	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	No	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Thanabihpur</b>			No. of passengers dealt with:				Identified as Adarsh	Y
Station Code	THB	FOB	1	(a) Per Day	1168			Developed As Adarsh	Y
Station Category	NSG5	Subway	0	(b) Max. at any time	800			Identified for MFC	N
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	1	2011-12	144.63	2016-17	309.00	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	285.64	2018-19	350.00	Touch Screen Enquiry System	N
District	Bhagalpur	Clock	Y	2019-20	327.73			Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	0
Km.	0072.87	Cloak Room	N	MP Const.	Bhagalpur			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Ajay Kumar Mandal			Budget Hotel	N
Electrified	N			MLA Const.	Bihpur			Trains Halting	M: 16 P : 8
				MLA Name	Varsha Rani (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	87	Area(sq.m)	25	0	Area(sq.m)	0	Retiring Room	0	
(b) Seats(Nos.)	40	Seats(Nos.)	13	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	2	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	1	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	3480	Length(m)	3480	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	477000			
Pay & Use Toilet	Y			Remarks				

Station Name : Thanabihpur

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	597	15.4	25	OPS	2189	3	18	1		0	250	3	2	10	0	0	0	0	0	0	N	0
2 & 3	BG	Y	560	10	25	CC	418	0	16	0		0	40	0	0	2	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Thanabihpur

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	335	0	32	1	1	96			-	-
Actual	87	2607	35	5	3	343	1	See platform details	1	-
Shortage, if any	-	-	-	-	1	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Turki</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	TUR	FOB	0	(a) Per Day	270		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	71		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	7.00	2016-17	9.38	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	8.73	2018-19	7.95	Touch Screen Enquiry System	N	
District	Muzaffarpur	Clock	N	2019-20	7.46			Electronic Train Indication	N	
Section	HJP-MFP	Wheel Chairs	N	Length of longest stopping train(m)				270	ATMs	0
Km.	0039.96	Cloak Room	N	MP Const.	Muzaffarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Ajay Nishad (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Kurhani			Trains Halting	M: 0 P : 8	
				MLA Name	Sri Kedar Prasad Gupta (BJP)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	38	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	6	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	240	Length(m)	308	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	05 Nos. Hand Pump provided			

Station Name : Turki

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	345	5	42	OTH	161	3	0	3		0	54	3	0	2	0	0	0	0	0	0	0	N	0
2 & 3	BG	Y	578	10.5	0	OTH	0	0	0	1		0	60	0	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Turki

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	30	0	2.84	0	0	9			-	-
Actual	38	161	4	3	0	120	0	See platform details	0	-
Shortage, if any	-	-	-	-	1	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Khagaria</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	KGG	FOB	1	(a) Per Day	9123		Developed As Adarsh		
Station Category	NSG3	Subway	0	(b) Max. at any time	1717		Identified for MFC	N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	1	2011-12	1454.96	2016-17	2369.62	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	2247.35	2018-19	2345.45	Touch Screen Enquiry System	N
District	Khagaria	Clock	Y	2019-20	2370.01		Electronic Train Indication	Y	
Section	BJU-KIR	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	0
Km.	0123.50	Cloak Room	Y	MP Const.	Khagaria			Food Plaza	N
Route	Dspl	Refreshment Room(sq	24.35	MP Name	Ajay Kumar Mandal			Budget Hotel	N
Electrified	Y			MLA Const.	Khagaria			Trains Halting	M: 70 P : 18
				MLA Name	Smt Punam Devi Yadav (JDU)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	296	Area(sq		24	25	Area(sq	0	Retiring Room	1
(b) Seats(Nos.)	40	Seats(Nos.)		25	25	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	2	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	5758	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	309128			
Pay & Use Toilet				Remarks	02 No. Hand Pump provided			

Station Name : Khagaria

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	9	84	OPS	2704	4	24	1		0	450	6	8	6	0	4	0	0	0	0	N	0
2 & 3	BG	N	540	10	84	OPS	1153	6	48	1		0	287	0	0	3	0	4	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Khagaria

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	800 sqm	40	10	10	250	1 With Cover	High level	4	YES
As per Rec. norms	718	962	68.68	3	3	206			-	-
Actual	296	3857	74	9	9	827	1	See platform details	2	YES
Shortage, if any	-	-	-	1	1	-	-		2	-

Station Name : Khagaria

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	No
Public Phone Booth	Yes	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	No	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Khagaria

Summary As per Modern Station

<b>Desired Facility</b>	<b>Facility Available</b>
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	No
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Ghoswar Halt</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	GWH	FOB	0	(a) Per Day	8			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	687			Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	0.45	2016-17	0.19	Tourist Facilitation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	0.77	2018-19	0.83	Touch Screen Enquiry System	N
District	Vaishali	Clock	N	2019-20	0.59			Electronic Train Indication	N
Section	HJP-MFP	Wheel Chairs	N	Length of longest stopping train(m)			270	ATMs	0
Km.	0005.36	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N
Electrified	N			MLA Const.	Hajipur			Trains Halting	M: 0 P: 4
				MLA Name	Sri Awdesh Singh (BJP)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	12	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	6	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	565	Length(m)	390	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 No. Hand Pump provided.			

Station Name : Ghoswar Halt

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	422	4.05	65	CC	28	0	0	1		0	12	1	2	0	0	0	0	0	0	0	N	0
2	BG	N	504.5	4.05	0	CC	28	35	0	1		0	12	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Ghoswar Halt

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	431	0	27.48	2	2	124			-	-
Actual	12	56	2	2	2	30	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Maheshkhunt</b>			No. of passengers dealt with:				Identified as Adarsh	Y
Station Code	MSK	FOB	1	(a) Per Day	1339			Developed As Adarsh	N
Station Category	NSG5	Subway	0	(b) Max. at any time	175			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	234.86	2016-17	278.10	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	259.26	2018-19	225.00	Touch Screen Enquiry System	N
District	Khagaria	Clock	N	2019-20	298.14			Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)			540	ATMs	0
Km.	0104.52	Cloak Room	N	MP Const.	Khagaria			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Ajay Kumar Mandal			Budget Hotel	N
Electrified	Y			MLA Const.	Parbatta			Trains Halting	M: 10 P : 8
				MLA Name	Sri Panna Singh Lal Patel			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	58	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1360	Length(m)	400	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet	Y			Remarks				

Station Name : Maheshkhunt

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	436	9	84	CC	490	8	0	4		0	85	6	3	5	0	2	0	0	0	0	N	0
2	BG	N	533	7	84	OPS	164	3	0	2		0	125	2	3	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Maheshkhunt

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	73	0	7	0	0	21			-	-
Actual	58	654	6	8	6	210	1	See platform details	1	-
Shortage, if any	-	-	10	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Chaidha Banni Halt</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	CDBN	FOB	0	(a) Per Day	35			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	5			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	4.64	2016-17	3.89	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	N	2017-18	3.19	2018-19	3.00	Touch Screen Enquiry System	N
District	Khagaria	Clock	N	2019-20	1.87			Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)		286			
Km.	0110.12	Cloak Room	N	MP Const.	Khagaria			ATMs	0
Route	Dspl	Refreshment Room(sq.m)		MP Name	Ajay Kumar Mandal			Food Plaza	N
Electrified	Y			MLA Const.	Beldaur			Budget Hotel	N
Other Items	-			MLA Name	Sri Panna Lal Singh Patel			Trains Halting	M: 0 P : 8
Remarks for Station:	-							Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	32	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	02Nos. Hand Pump provided.		

Station Name : Chaidha Banni Halt

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	360	9	0	CC	58	0	0	2		0	20	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	360	4	0	CC	58	9	0	1		0	30	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chaidha Banni Halt

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	3	0	0.2	0	0	1			-	-
Actual	32	116	3	0	0	80	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Kursela</b>			<b>No. of passengers dealt with:</b>				<b>Identified as Adarsh</b>	<b>N</b>
<b>Station Code</b>	KUE	<b>FOB</b>	1	<b>(a) Per Day</b>		1400		<b>Developed As Adarsh</b>	
<b>Station Category</b>	NSG5	<b>Subway</b>	0	<b>(b) Max. at any time</b>		250		<b>Identified for MFC</b>	<b>N</b>
<b>Railway</b>	ECR	<b>Booking Windows</b>	1	<b>Pass. Earnings/Year(Rs. in Lac.)</b>					
<b>Division</b>	Sonepur	<b>Enquiry Office</b>	0	2011-12	114.02	2016-17	209.37	<b>Tourist Facilation Center</b>	<b>N</b>
<b>State</b>	Bihar	<b>Public Address Sys.</b>	Y	2017-18	218.16	2018-19	240.13	<b>Touch Screen Enquiry System</b>	<b>N</b>
<b>District</b>	Katihar	<b>Clock</b>	N	2019-20	261.78				
<b>Section</b>	BJU-KIR	<b>Wheel Chairs</b>	N	<b>Length of longest stopping train(m)</b>			540	<b>ATMs</b>	0
<b>Km.</b>	0039.21	<b>Cloak Room</b>	N	<b>MP Const.</b>	Katihar			<b>Food Plaza</b>	N
<b>Route</b>	Dspl	<b>Refreshment Room(sq.m)</b>		<b>MP Name</b>	Dulal Chandra Goswami			<b>Budget Hotel</b>	N
<b>Electrified</b>	Y			<b>MLA Const.</b>	Barari			<b>Trains Halting</b>	M: 16 P : 8
				<b>MLA Name</b>	Sri Neeraj Kumar (RJD)			<b>Station IInd Entry</b>	N
<b>Other Items</b>	-								
<b>Remarks for Station:</b>	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	72	Area(sq.m)	21	0	Area(sq.m)	0	Retiring Room	0	
(b) Seats(Nos.)	40	Seats(Nos.)	25	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	1	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	735	Length(m)	800	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	75000			
Pay & Use Toilet	N			Remarks				

Station Name : Kursela

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	7	30	CC	643	4	6	2		0	80	4	0	2	0	0	0	0	0	0	N	0
2 & 3	BG	Y	540	10.65	30	CC	450	1	30	2		0	50	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kursela

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	105	0	10	0	0	30			-	-
Actual	72	1093	40	5	1	195	1	See platform details	1	-
Shortage, if any	-	-	-	-	3	-	-		1	-

**Passenger Amenities Details As on : 31/03/2020**

Division : Sonepur

<b>Station Name</b>	<b>Mansi Junction</b>			<b>No. of passengers dealt with:</b>				<b>Identified as Adarsh</b>	<b>Y</b>
<b>Station Code</b>	MNE	FOB	2	(a) Per Day	3750		<b>Developed As Adarsh</b>	<b>N</b>	
<b>Station Category</b>	NSG4	Subway	0	(b) Max. at any time	250		<b>Identified for MFC</b>	<b>N</b>	
<b>Railway</b>	ECR	Booking Windows	4	<b>Pass. Earnings/Year(Rs. in Lac.)</b>					
<b>Division</b>	Sonepur	Enquiry Office	1	2011-12	650.29	2016-17	1047.22	<b>Tourist Facilation Center</b>	<b>N</b>
<b>State</b>	Bihar	Public Address Sys.	Y	2017-18	988.67	2018-19	1056.87	<b>Touch Screen Enquiry System</b>	<b>N</b>
<b>District</b>	Khagaria	Clock	Y	2019-20	1059.23			<b>Electronic Train Indication</b>	<b>N</b>
<b>Section</b>	BJU-KIR	Wheel Chairs	Y	<b>Length of longest stopping train(m)</b>				540	
<b>Km.</b>	0115.05	Cloak Room	N	MP Const.	Khagaria			<b>ATMs</b>	0
<b>Route</b>	Dspl	Refreshment Room(sq	98	MP Name	Ajay Kumar Mandal			<b>Food Plaza</b>	N
<b>Electrified</b>	Y			MLA Const.	Khagaria			<b>Budget Hotel</b>	N
<b>Other Items</b>	-			MLA Name	Smt Punam Devi Yadav (JDU)			<b>Trains Halting</b>	M: 46 P : 18
<b>Remarks for Station:</b>	-							<b>Station IInd Entry</b>	Y

**Resting Facility**

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq	524	Area(sq		25	25	Area(sq	0	<b>Retiring Room</b> 0
(b) Seats(Nos.)	112	Seats(Nos.)		23	23	Seats(Nos.)	0	<b>Dormitory</b> 0
(c) Lav.(Nos.)	0	Lav.(Nos.)		2	2	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)		1	0	Urinals(Nos.)	0	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	0	

**Circulating Area and Water Supply**

Circulating Area		Approach Road		Water Supply			
Area (sq	2032	Length(m)	1450	Source	Railway Supply		<b>Open Wells (Nos)</b> 0
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		<b>Bore Wells (Nos)</b> 2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	185000		
Pay & Use Toilet	Y			Remarks			

Station Name : Mansi Junction

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	6	84	CC	441	2	16	2		0	110	0	3	3	0	1	0	0	0	0	N	0
2 & 3	BG	Y	600	29	84	CC	1749	14	42	1		0	253	6	2	17	0	2	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Mansi Junction

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec. norms	105	140	10	0	0	30			-	-
Actual	524	2190	61	10	6	521	2	See platform details	2	YES
Shortage, if any	-	-	-	-	-	-	-		2	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Barauni Flag</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	BUJ	FOB	0	(a) Per Day	119		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	26		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	6.30	2016-17	11.65	Tourist Facilitation Center	N
State	Bihar	Public Address Sys.	N	2017-18	7.16	2018-19	7.60	Touch Screen Enquiry System	N
District	Begusarai	Clock	N	2019-20	7.82			Electronic Train Indication	N
Section	BJU-SPJ	Wheel Chairs	N	Length of longest stopping train(m)			270	ATMs	0
Km.	0182.05	Cloak Room	N	MP Const.	Begusarai			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Teghra			Trains Halting	M: 0 P : 12
				MLA Name	Sri Birendra Kumar (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	42	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room 0
(b) Seats(Nos.)	24	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos) 0
Surface	Kutchra	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos) 0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	01 No. Hand Pump provided.		

Station Name : Barauni Flag

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	338	7	0	CC	100	0	0	2		0	28	2	2	0	0	2	0	0	0	0	N	0
2	BG	N	330	4	0	CC	0	0	0	0		0	36	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Barauni Flag

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	11	0	1.04	0	0	3			-	-
Actual	42	100	2	2	2	88	0	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Nandani Lagunia</b>			<b>No. of passengers dealt with:</b>				Identified as Adarsh	N	
Station Code	NNNL	FOB	0	(a) Per Day	56			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	33			Identified for MFC	N	
Railway	ECR	Booking Windows	2	<b>Pass. Earnings/Year(Rs. in Lac.)</b>				Tourist Facilation Center	N	
Division	Sonepur	Enquiry Office	0	2011-12	1.47	2016-17	2.68	Touch Screen Enquiry System	N	
State	Bihar	Public Address Sys.	N	2017-18	2.42	2018-19	2.62	Electronic Train Indication	N	
District	Samastipur	Clock	N	2019-20	3.01			ATMs	0	
Section	BCA-HJP	Wheel Chairs	N	<b>Length of longest stopping train(m)</b>				270	Food Plaza	N
Km.	0223.39	Cloak Room	N	MP Const.	Ujiarpur			Budget Hotel	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Nityanand Rai (BJP)			Trains Halting	M: 0 P : 12	
Electrified	Y			MLA Const.	Mohiuddinnagar			Station IInd Entry	N	
				MLA Name	Smt Ejya Yadav (RJD)					
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	120	Area(sq.m)	0	0	Area(sq.m)	0	Retiring Room	0	
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	03 No. Hand Pump Provided			

Station Name : Nandani Lagunia

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	11	84	CC	200	9	0	2		0	36	3	3	0	0	0	0	0	0	0	N	0
2	BG	N	600	11.3	84	CC	120						48							0	0	0		0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Nandani Lagunia

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	14	0	1.32	0	0	4			-	-
Actual	120	320	2	3	3	94	0	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Kurhani</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KHI	FOB	0	(a) Per Day	297		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	90		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	8.68	2016-17	10.24	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	8.94	2018-19	8.27	Touch Screen Enquiry System	N	
District	Muzaffarpur	Clock	N	2019-20	6.66			Electronic Train Indication	N	
Section	HJP-MFP	Wheel Chairs	N	Length of longest stopping train(m)				270	ATMs	0
Km.	0033.81	Cloak Room	N	MP Const.	Muzaffarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Ajay Nishad (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Kurhani			Trains Halting	M: 0 P : 8	
				MLA Name	Sri Kedar Prasad Gupta (BJP)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	27	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	372.4	Length(m)	52.7	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided.			

Station Name : Kurhani

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	340.48	8	40	OTH	139	4	0	1		0	50	3	0	0	0	0	0	0	0	0	N	0
2 & 3	BG	Y	585	10.3	0	OTH	0	0	0	1		0	60	0	0	0	50	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kurhani

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	38	0	3.6	0	0	11			-	-
Actual	27	139	2	3	0	128	0	See platform details	0	-
Shortage, if any	-	-	2	-	1	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Sanha</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SANH	FOB	0	(a) Per Day	26		Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time	13		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	0.38	2016-17	1.26	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	N	2017-18	1.27	2018-19	1.22	Touch Screen Enquiry System	N	
District	Begusarai	Clock	N	2019-20	1.2			Electronic Train Indication	N	
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)				225	ATMs	0
Km.	0140.00	Cloak Room	N	MP Const.	Begusarai			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Sahebpur Kamal			Trains Halting	M: 0 P : 2	
				MLA Name	Shreenarayan Yadav (RJD)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	10	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	300	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 No. Hand Pump provided			

Station Name : Sanha

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	280	4	0	CC	0	0	0	0		0	20	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	250	4	0	CC	0	0	0	1		0	20	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Sanha

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	8	0	0.52	0	0	2			-	-
Actual	10	0	1	0	0	60	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Belari Halt</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BLRI	FOB	0	(a) Per Day	9		Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time	11		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	0.52	2016-17	0.92	Tourist Facilitation Center	N	
State	Bihar	Public Address Sys.	N	2017-18	0.74	2018-19	1.00	Touch Screen Enquiry System	N	
District	Samastipur	Clock	N	2019-20	0.64			Electronic Train Indication	N	
Section	BJU-SPJ	Wheel Chairs	N	Length of longest stopping train(m)				225	ATMs	0
Km.	0029.33	Cloak Room	N	MP Const.	Ujiarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Nityanand Rai (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Ujiarpur			Trains Halting	M: 0 P : 2	
				MLA Name	Sri Alok Kumar Mehta (RJD)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	55	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided.			

Station Name : Belari Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	9	0	CC	0	0	0	1		0	16	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	300	6	0	OTH	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Belari Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	7	0	0.44	0	0	2			-	-
Actual	55	0	1	0	0	36	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

**Passenger Amenities Details As on : 31/03/2020**

Division : Sonepur

<b>Station Name</b>	<b>Fateha Halt</b>			<b>No. of passengers dealt with:</b>				<b>Identified as Adarsh</b>	N			
<b>Station Code</b>	FAH	<b>FOB</b>	0	(a) Per Day		78	<b>Developed As Adarsh</b>					
<b>Station Category</b>	HG3	<b>Subway</b>	0	(b) Max. at any time		22	<b>Identified for MFC</b>			N		
<b>Railway</b>	ECR	<b>Booking Windows</b>	1	<b>Pass. Earnings/Year(Rs. in Lac.)</b>								
<b>Division</b>	Sonepur	<b>Enquiry Office</b>	0	2011-12	2.02	2016-17	3.64	<b>Tourist Facilation Center</b>			N	
<b>State</b>	Bihar	<b>Public Address Sys.</b>	N	2017-18	1.43	2018-19	2.01	<b>Touch Screen Enquiry System</b>			N	
<b>District</b>	Begusarai	<b>Clock</b>	N	2019-20	2.26							
<b>Section</b>	BCA-HJP	<b>Wheel Chairs</b>	N	<b>Length of longest stopping train(m)</b>				270	<b>Electronic Train Indication</b>			N
<b>Km.</b>	0199.61	<b>Cloak Room</b>	N	<b>MP Const.</b>	Begusarai							
<b>Route</b>	Dspl	<b>Refreshment Room(sq.m)</b>		<b>MP Name</b>	Sri Giriraj Singh (BJP)							
<b>Electrified</b>	Y			<b>MLA Const.</b>	Bachhwara							
<b>Other Items</b>	-			<b>MLA Name</b>	Sri Ramdeo Rai (Cong)							
<b>Remarks for Station:</b>	-						<b>ATMs</b>	0				
							<b>Food Plaza</b>	N				
							<b>Budget Hotel</b>	N				
							<b>Trains Halting</b>	M: 0	P : 4			
							<b>Station IInd Entry</b>	N				

**Resting Facility**

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	6	Area(sq.m)		0	0	Area(sq.m)	0	<b>Retiring Room</b>	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	<b>Dormitory</b>	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

**Circulating Area and Water Supply**

Circulating Area		Approach Road		Water Supply			
<b>Area (sqm)</b>	0	<b>Length(m)</b>	0	<b>Source</b>	Railway Supply	<b>Open Wells (Nos)</b>	0
<b>Surface</b>	Kutchra	<b>Surface</b>	Kutchra	<b>Type</b>	Hand Pump	<b>Bore Wells (Nos)</b>	0
<b>Illumination Type</b>	Normal Lights	<b>Illumination Type</b>	N	<b>Storage Capacity(Ltr)</b>	0		
<b>Pay &amp; Use Toilet</b>				<b>Remarks</b>	01 No. Hand Pump provided.		

Station Name : Fateha Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	475	6	0	CC	80	0	0	1		0	48	0	0	0	0	0	0	0	0	0	0	N	0
2	BG		450	6	0	CC	80	0	0	1		0	48	0	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Fateha Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	14	0	0.88	0	0	4			-	-
Actual	6	160	2	0	0	96	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Narayanpur</b>			<b>No. of passengers dealt with:</b>				Identified as Adarsh	Y
Station Code	NNR	FOB	0	(a) Per Day	906		Developed As Adarsh	N	
Station Category	NSG5	Subway	0	(b) Max. at any time	430		Identified for MFC	N	
Railway	ECR	Booking Windows	1	<b>Pass. Earnings/Year(Rs. in Lac.)</b>					
Division	Sonapur	Enquiry Office	0	2011-12	57.11	2016-17	146.18	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	144.62	2018-19	200.00	Touch Screen Enquiry System	N
District	Bhagalpur	Clock	N	2019-20	183.29			Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)			540	ATMs	0
Km.	0080.50	Cloak Room	N	MP Const.	Bhagalpur			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Ajay Kumar Mandal			Budget Hotel	N
Electrified	Y			MLA Const.	Bihpur			Trains Halting	M: 10 P : 8
				MLA Name	Varsha Rani (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	147	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	125	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	208	Length(m)	500	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet	Y			Remarks				

Station Name : Narayanpur

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	612	10	84	CC	144	2	4	2		0	235	4	1	3	0	0	0	0	0	0	N	0
2	BG	N	510	8.5	0	CC	0	0	0	2		0	25	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Narayanpur

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	180	0	17.2	1	1	52			-	-
Actual	147	144	8	4	1	385	0	See platform details	0	-
Shortage, if any	-	-	8	-	3	-	-		2	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Silaut</b>					No. of passengers dealt with:	Identified as Adarsh	N		
Station Code	SLT	FOB	1	(a) Per Day	519	Developed As Adarsh				
Station Category	NSG6	Subway	0	(b) Max. at any time	131	Identified for MFC	N			
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	23.21	2016-17	27.25	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	19.65	2018-19	27.40	Touch Screen Enquiry System	N	
District	Muzaffarpur	Clock	N	2019-20	20.08					
Section	MFP-SPJ	Wheel Chairs	N	Length of longest stopping train(m)				405	ATMs	0
Km.	0074.20	Cloak Room	N	MP Const.	Muzaffarpur				Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Ajay Nishad (BJP)				Budget Hotel	N
Electrified	Y			MLA Const.	Muzaffarpur				Trains Halting	M: 2 P : 10
				MLA Name	Sri Suresh Kumar Sharma (BJP)				Station IInd Entry	N
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	85	Area(sq.m)	33	0	Area(sq.m)	0	Retiring Room	0	
(b) Seats(Nos.)	20	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	300	Length(m)	420	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided			

Station Name : Silaut

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	353	9	45	CC	157	7	0	2		0	100	2	0	0	0	1	0	0	0	0	N	0
2	BG	N	350	8	74	OTH	320	5	0	1		0	130	2	1	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Silaut

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	55	0	5.24	0	0	16			-	-
Actual	85	477	3	5	2	250	1	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Siho</b>	No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SSO	FOB	1	(a) Per Day	667	Developed As Adarsh		
Station Category		Subway	0	(b) Max. at any time	155	Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)				
Division	Sonapur	Enquiry Office	0	2011-12	12.90	2016-17	15.12	
State	Bihar	Public Address Sys.	Y	2017-18	9.17	2018-19	10.60	
District	Muzaffarpur	Clock	N	2019-20	10.23			
Section	MFP-SPJ	Wheel Chairs	N	Length of longest stopping train(m)			405	
Km.	0067.88	Cloak Room	N	MP Const.	Muzaffarpur		ATMs	0
Route	Dspl	Refreshment Room(sq.m)		MP Name	Ajay Nishad (BJP)		Food Plaza	N
Electrified	Y			MLA Const.	Sakra		Budget Hotel	N
Other Items	-			MLA Name	Sri Lal Babu Ram (RJD)		Trains Halting	M: 2 P : 10
Remarks for Station:	-						Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	46	Area(sq.m)		0	0	Area(sq.m)	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0
						Retiring Room	0
						Dormitory	0

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	318	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	3 Nos. Hand Pump provided			

Station Name : Siho

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	9	0	OTH	161	8	0	1		0	104	3	1	0	0	1	0	0	0	1	N	0
2	BG	N	500	9	92	OTH	309	0	0	2		0	146	0	0	0	0	0	0	0	0	1	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Siho

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	0 sqm	0	0	0	0	0	-	0	-
As per Rec. norms	97	0	6.2	0	0	28			-	-
Actual	46	470	3	3	1	270	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Bagrigram Halt</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	BIGH	FOB	0	(a) Per Day	19			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	14			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	0.54	2016-17	0.73	Tourist Facilitation Center	N
State	Bihar	Public Address Sys.	N	2017-18	0	2018-19	0.40	Touch Screen Enquiry System	N
District	Bhagalpur	Clock	N	2019-20	0.33			Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)		225			
Km.	0068.10	Cloak Room	N	MP Const.	Bhagalpur		ATMs	0	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Ajay Kumar Mandal		Food Plaza	N	
Electrified	Y			MLA Const.	Bihpur		Budget Hotel	N	
Other Items	-			MLA Name	Varsha Rani (RJD)		Trains Halting	M: 0	P : 2
Remarks for Station:	-						Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	33	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	35	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided.			

Station Name : Bagrigram Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	300	3	0	OTH	0	0	0	1		0	10	0	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	250	3	0	OTH	0	0	0	1		0	10	0	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bagrigram Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.56	0	0	3			-	-
Actual	33	0	2	0	0	60	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Bithauli Flag</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	BTHL	FOB	0	(a) Per Day	19			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	23			Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	1.54	2016-17	0.44	Tourist Facilitation Center	N
State	Bihar	Public Address Sys.	N	2017-18	0.69	2018-19	0.95	Touch Screen Enquiry System	N
District	Vaishali	Clock	N	2019-20	0.31			Electronic Train Indication	N
Section	HJP-MFP	Wheel Chairs	N	Length of longest stopping train(m)			270	ATMs	0
Km.	0015.28	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Lalganj			Trains Halting	M: 0 P : 8
				MLA Name	Sri Raj Kumar Sah (LJP)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	47	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	35	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	55	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 Nos. Hand pump provided.			

Station Name : Bithauli Flag

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	235.6	3.3	0	CC	50	3	0	1		0	60	0	2	0	0	0	0	0	0	0	N	0
2	BG		350	4.2	0	CC	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bithauli Flag

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	10	0	0.92	0	0	3			-	-
Actual	47	50	1	0	2	95	0	See platform details	0	-
Shortage, if any	-	50	3	1	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Begusarai</b>			No. of passengers dealt with:				Identified as Adarsh	Y
Station Code	BGS	FOB	1	(a) Per Day	6843			Developed As Adarsh	N
Station Category	NSG4	Subway	0	(b) Max. at any time	1290			Identified for MFC	N
Railway	ECR	Booking Windows	6	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	1	2011-12	689.43	2016-17	1834.69	Tourist Facilitation Center	N
State	Bihar	Public Address Sys.	Y	2017-18	1788.52	2018-19	1849.89	Touch Screen Enquiry System	N
District	Begusarai	Clock	Y	2019-20	1936.88			Electronic Train Indication	Y
Section	BJU-KIR	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	0
Km.	0164.00	Cloak Room	N	MP Const.	Begusarai			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Begusarai			Trains Halting	M: 58 P : 8
				MLA Name	Sri Amita Bhushan (Cong.)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	162	Area(sq.m)	26	26	Area(sq.m)	0	Retiring Room	1	
(b) Seats(Nos.)	97	Seats(Nos.)	25	25	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	1	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	2500	Length(m)	10	Source	Railway Supply	Open Wells (Nos)	0
Surface	Other	Surface	Cement Concrete	Type	Piped and Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	50000		
Pay & Use Toilet	Y			Remarks	03No. Hand Pump provided		

Station Name : Begusarai

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	580	9	84	CC	12796	4	35	1		0	400	1	10	23	0	3	0	0	0	0	Y	0
2 & 3	BG	Y	626	6	84	CC	775	5	54	1		0	298	0	6	7	0	2	0	0	0	0	Y	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Begusarai

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec. norms	539	722	51.6	2	2	155			-	-
Actual	162	13570	91	3	17	845	1	See platform details	4	YES
Shortage, if any	-	-	-	3	-	-	-		-	-

Station Name : Begusarai

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	No	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	No	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	No	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	No
Public Phone Booth	Yes	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	No	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Begusarai

Summary As per Modern Station

<b>Desired Facility</b>	<b>Facility Available</b>
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	No
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

**Passenger Amenities Details As on : 31/03/2020**

Division : Sonepur

<b>Station Name</b>	<b>Lakminia</b>			<b>No. of passengers dealt with:</b>				<b>Identified as Adarsh</b>	N		
<b>Station Code</b>	LKN	<b>FOB</b>	1	(a) Per Day		1874	<b>Developed As Adarsh</b>				
<b>Station Category</b>	NSG5	<b>Subway</b>	0	(b) Max. at any time		541	<b>Identified for MFC</b>			N	
<b>Railway</b>	ECR	<b>Booking Windows</b>	2	<b>Pass. Earnings/Year(Rs. in Lac.)</b>							
<b>Division</b>	Sonepur	<b>Enquiry Office</b>	0	2011-12	16.22	2016-17	343.83	<b>Tourist Facilation Center</b>			N
<b>State</b>	Bihar	<b>Public Address Sys.</b>	Y	2017-18	339.7	2018-19	341.13	<b>Touch Screen Enquiry System</b>			N
<b>District</b>	Begusarai	<b>Clock</b>	N	2019-20	319.72						
<b>Section</b>	BJU-KIR	<b>Wheel Chairs</b>	N	<b>Length of longest stopping train(m)</b>			540	<b>Electronic Train Indication</b>			N
<b>Km.</b>	0146.03	<b>Cloak Room</b>	N	<b>MP Const.</b>	Begusarai			<b>ATMs</b>		0	
<b>Route</b>	Dspl	<b>Refreshment Room(sq.m)</b>		<b>MP Name</b>	Sri Giriraj Singh (BJP)			<b>Food Plaza</b>		N	
<b>Electrified</b>	Y			<b>MLA Const.</b>	Sahibpur Kamal			<b>Budget Hotel</b>		N	
<b>Other Items</b>	-			<b>MLA Name</b>	Parveen Umanullah			<b>Trains Halting</b>		M: 16 P : 8	
<b>Remarks for Station:</b>	-5 HAND PUMP PROVIDED										

**Resting Facility**

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	60	Area(sq.m)		0	0	Area(sq.m)	0	<b>Retiring Room</b>	0
(b) Seats(Nos.)	50	Seats(Nos.)		0	0	Seats(Nos.)	0	<b>Dormitory</b>	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

**Circulating Area and Water Supply**

Circulating Area		Approach Road		Water Supply				
<b>Area (sqm)</b>	375	<b>Length(m)</b>	5	<b>Source</b>	Railway Supply		<b>Open Wells (Nos)</b>	0
<b>Surface</b>	Cement Concrete	<b>Surface</b>	Kutchra	<b>Type</b>	Hand Pump		<b>Bore Wells (Nos)</b>	1
<b>Illumination Type</b>	Normal Lights	<b>Illumination Type</b>	N	<b>Storage Capacity(Ltr)</b>	0			
<b>Pay &amp; Use Toilet</b>				<b>Remarks</b>	12 Nos. Hand Pump provided			

Station Name : Lakminia

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	553	9	45	CC	786	12	0	3		0	168	3	1	0	14	0	0	0	0	0	N	0
2 & 3	BG	N	550	10	45	CC	640	0	0	2		0	144	0	1	0	10	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Lakminia

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	226	0	21.64	1	1	65			-	-
Actual	60	1426	5	3	2	362	1	See platform details	0	-
Shortage, if any	-	-	11	1	2	-	-		2	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Narayanpur Anant</b>			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	NRPA	FOB	1	(a) Per Day	147		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	107		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	6.50	2016-17	0.00	Tourist Facilation Center	N	
State	Bihar	Public Address Sys.	Y	2017-18	0	2018-19	6.15	Touch Screen Enquiry System	N	
District	Muzaffarpur	Clock	N	2019-20	5.35			Electronic Train Indication	N	
Section	MFP-SPJ	Wheel Chairs	N	Length of longest stopping train(m)				405	ATMs	0
Km.	0081.28	Cloak Room	N	MP Const.	Muzaffarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Ajay Nishad (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Muzaffarpur			Trains Halting	M: 2 P : 10	
				MLA Name	Sri Suresh Kumar Sharma (BJP)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	52	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	675	Length(m)	520	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	227500			
Pay & Use Toilet				Remarks	NIL			

Station Name : Narayanpur Anant

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	98	7	80	CC	0	0	1	0		0	6	0	0	0	0	0	0	0	0	0	N	0
2 & 3	BG	Y	350	9	84	CC	156	0	12	0		0	84	3	0	1	0	1	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Narayanpur Anant

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	45	0	4.28	0	0	13			-	-
Actual	52	156	13	3	0	98	1	See platform details	0	-
Shortage, if any	-	-	-	-	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonepur

<b>Station Name</b>	<b>Dumari Juara</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	DRI	FOB	0	(a) Per Day	272			Developed As Adarsh	
Station Category	HG2	Subway	0	(b) Max. at any time	54			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	5.16	2016-17	8.13	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	N	2017-18	8.56	2018-19	9.58	Touch Screen Enquiry System	N
District	Saran	Clock	N	2019-20	10.21			Electronic Train Indication	N
Section	CI-HJP	Wheel Chairs	N	Length of longest stopping train(m)		518			
Km.	0310.60	Cloak Room	N	MP Const.	Chhapra		ATMs	0	
Route	Dspl	Refreshment Room(sq		MP Name	Shri Rajiv Pratap Rudhi (BJP)		Food Plaza	N	
Electrified	Y			MLA Const.	Garkha		Budget Hotel	N	
Other Items	-			MLA Name	Sri Muneshwar Chaudhary (RJD)		Trains Halting	M: 2	P : 10
Remarks for Station:	-						Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	15	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided.			

Station Name : Dumari Juara

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	193.3	4	0	OTH	40	6	0	1		0	60	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	292	6	0	OTH	40	10	0	1		0	45	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dumari Juara

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	34	0	2.16	0	0	10			-	-
Actual	15	80	2	0	0	120	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2020

Division : Sonapur

<b>Station Name</b>	<b>Rajajan Halt</b>			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	RJJN	FOB	0	(a) Per Day	60			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	20			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	1.88	2016-17	2.28	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	N	2017-18	1.41	2018-19	1.81	Touch Screen Enquiry System	N
District	Samastipur	Clock	N	2019-20	1.98			Electronic Train Indication	N
Section	HJP-BCA	Wheel Chairs	N	Length of longest stopping train(m)		225			
Km.	0219.76	Cloak Room	N	MP Const.	Ujiarpur		ATMs	0	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Nityanand Rai (BJP)		Food Plaza	N	
Electrified	Y			MLA Const.	Mohiuddinnagar		Budget Hotel	N	
Other Items	-			MLA Name	Smt Ejya Yadav (RJD)		Trains Halting	M: 0	P : 4
Remarks for Station:	-						Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	36	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	35	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	01 No Hand Pump provided.			

Station Name : Rajajan Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	6	0	OTH	80	0	0	1		0	0	0	0	0	0	0	0	0	0	0	N	0
2	BG		480	6	0	CC	80	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Rajajan Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	13	0	0.8	0	0	4			-	-
Actual	36	160	1	0	0	35	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-