

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	AGRER HALT			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	AERH	FOB	0	(a) Per Day	5			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	5			Identified for MFC	N	
Railway	ECR	Booking Windows	0	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	0.10	2016-17	0.43	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	N	2017-18	0.22	2018-19	0.00	Touch Screen Enquiry System	N	
District	ROHTAS	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)				245	ATMs	0
Km.	0089.40	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram			Trains Halting	M: 0 P : 2	
				MLA Name	Jawahar Prasad			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : AGRER HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	296	1.5	0	OTH	0	0	1	0		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface					MOR-Moorum			OTH-Others						

Station Name : AGRER HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	3	0	0.2	0	0	1			-	-
Actual	0	0	1	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	Ankorah			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	ANH	FOB	0	(a) Per Day	574		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	27		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	12.81	2016-17	43.66	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	47.71	2018-19	0.00	Touch Screen Enquiry System	N	
District	AURANGABAD	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	BD	Wheel Chairs	N	Length of longest stopping train(m)				380	ATMs	0
Km.	0395.90	Cloak Room	N	MP Const.	Karakat			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Upendra Kushwaha			Budget Hotel	N	
Electrified	Y	Room(sq		MLA Const.	Nabinagar			Trains Halting	M: 6 P : 4	
				MLA Name				Station IInd Entry	N	
Other Items	-									
Remarks for Station:	Needs to be improved by pucca surfacing.									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	60	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	400	Length(m)	20	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	Required low capacity tube well with tank.			

Station Name : Ankorah

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	350	7	0	MOR	120	5	2	1		0	112	2	2		12	0	0	0	0	0	N	0
UP	BG	Y	350	9	0	MOR	45	3	2	1		0	110	0	2	1	20	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Ankorah

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	11	0	1.08	0	0	3			-	-
Actual	60	165	6	4	6	262	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	Anugrah Narayan Road			No. of passengers dealt with:		Identified as Adarsh	Y	
Station Code	AUBR	FOB	1	(a) Per Day	2920	Developed As Adarsh	Y	
Station Category	NSG4	Subway	0	(b) Max. at any time	312	Identified for MFC	N	
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)				
Division	Mughalsarai	Enquiry Office	1	2011-12	981.88	2016-17	1643.69	
State	BIHAR	Public Address Sys.	Y	2017-18	1703.05	2018-19	0.00	
District	AURANGABAD	Clock	Y	2019-20	0	2020-21	0	
Section	GC	Wheel Chairs	Y	Length of longest stopping train(m)		560		
Km.	0538.34	Cloak Room	N	MP Const.	Aurangabad		ATMs	0
Route	A	Refreshment Room(sq.m)		MP Name	Sushil Kumar Singh		Food Plaza	N
Electrified	Y			MLA Const.	Aurangabad		Budget Hotel	N
Other Items	-			MLA Name	Sri Anand Shankar Singh		Trains Halting	M: 15 P : 6
Remarks for Station:	--						Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	94	Area(sq.m)	75	35	Area(sq.m)	75	Retiring Room	0
(b) Seats(Nos.)	35	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	1	1	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	1	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	2	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	4000	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	59020			
Pay & Use Toilet				Remarks	6 Nos hand pump on PF			

Station Name : Anugrah Narayan Road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	560	16	75	OPS	912	8	51	0		0	324	4	6	30	84	0	0	0	0	0	N	0
UP	BG	Y	595	25	75	OPS	420	14	53	0		0	324	6	2	10	62	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Anugrah Narayan Road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec. norms	130	175	12.48	0	0	37			-	-
Actual	94	1332	104	15	9	683	1	See platform details	2	-
Shortage, if any	-	-	-	-	-	-	-		2	YES

Station Name : Anugrah Narayan Road

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with light		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Toilets on end platform & circulating area	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	BAIRY HALT			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	BRIH	FOB	0	(a) Per Day	50			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	9			Identified for MFC	N
Railway	ECR	Booking Windows	0	Pass. Earnings/Year(Rs. in Lac.)					
Division	Mughalsarai	Enquiry Office	0	2011-12	0.95	2016-17	0.00	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	N	2017-18	0	2018-19	0.00	Touch Screen Enquiry System	N
District	ROHTAS	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)			300	ATMs	0
Km.	0065.55	Cloak Room	N	MP Const.	Sasaram		Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Chhedi Paswan		Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram		Trains Halting	M: 0 P : 2	
				MLA Name	Jawahar Prasad		Station IInd Entry	N	
Other Items	-								
Remarks for Station:	--								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : BAIRY HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	296	2	0	OTH	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : BAIRY HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	6	0	0.36	0	0	2			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	BARAON MORE HALT			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	BNST1	FOB	0	(a) Per Day	26		Developed As Adarsh		
Station Category		Subway	0	(b) Max. at any time	14		Identified for MFC	N	
Railway	ECR	Booking Windows	0	Pass. Earnings/Year(Rs. in Lac.)					
Division	Mughalsarai	Enquiry Office	0	2011-12	2.56	2016-17	1.11	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	N	2017-18	1.62	2018-19	0.00	Touch Screen Enquiry System	N
District	ROHTAS	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)			245	ATMs	0
Km.	0085.42	Cloak Room	N	MP Const.	Sasaram		Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Chhedi Paswan		Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram		Trains Halting	M: 0 P : 2	
				MLA Name	Jawahar Prasad		Station IInd Entry	N	
Other Items	-								
Remarks for Station:	--								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	8	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : **BARAON MORE HALT**

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	296	1.5	0	OTH	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete	PS-Polished Stone	OPS-Other Pucca Surface	MOR-Moorum	OTH-Others																	

Station Name : **BARAON MORE HALT**

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	0 sqm	0	0	0	0	0	-	0	-
As per Rec. norms	9	0	0.56	0	0	3			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	BHOJPUR ROHTAS BORDER HALT			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BRBH	FOB	0	(a) Per Day		0		Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time		0		Identified for MFC	N	
Railway	ECR	Booking Windows	0	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	0.10	2016-17	0.00	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	N	2017-18	0	2018-19	0.00	Touch Screen Enquiry System	N	
District	BHOJPUR	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)				298	ATMs	0
Km.	0049.40	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	Y			MLA Const.	Agiaon			Trains Halting	M: 0 P : 2	
				MLA Name	Sri Manoj Manzil (CPI ML)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : BHOJPUR ROHTAS BORDER

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	296	3	0	OTH	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : BHOJPUR ROHTAS BORDER HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	0	0	0	0	0	0			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	BIKRAMGANJ			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BKJ	FOB	0	(a) Per Day	824			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	250			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	31.03	2016-17	154.76	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	160.24	2018-19	0.00	Touch Screen Enquiry System	N	
District	ROHTAS	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	ARA-SSM	Wheel Chairs	Y	Length of longest stopping train(m)				300	ATMs	0
Km.	0056.32	Cloak Room	N	MP Const.	Karakat			Food Plaza	N	
Route	Espl	Refreshment Room(sq	Y	MP Name	Upendra Kushwaha			Budget Hotel	N	
Electrified	Y	Room(sq	Y	MLA Const.	Karakat			Trains Halting	M: 1 P : 3	
				MLA Name				Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	20	Area(sq		112	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		36	36	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		2	2	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	1600	Length(m)	600	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	4000			
Pay & Use Toilet				Remarks	-			

Station Name : BIKRAMGANJ

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	6.8	0	OPS	61	12	24	2		0	30	3	2		15	1	0	0	0	0	N	0
2	BG	N	650	11.7	0	OTH	0	2	16	1		0	0	0	0	5	34	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : BIKRAMGANJ

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	105	0	10	0	0	30			-	-
Actual	20	61	43	5	6	112	0	See platform details	0	-
Shortage, if any	-	39	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	Bagha Bishumpur			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BCJ	FOB	0	(a) Per Day	119		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	14		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	2.45	2016-17	5.65	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	5.57	2018-19	0.00	Touch Screen Enquiry System	N	
District	AURANGABAD	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	BD	Wheel Chairs	N	Length of longest stopping train(m)				290	ATMs	0
Km.	0403.90	Cloak Room	N	MP Const.		Aurangabad		Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name		Sushil Kumar Singh		Budget Hotel	N	
Electrified	Y	Room(sq		MLA Const.		Nabinagar		Trains Halting	M: 4 P : 4	
				MLA Name				Station IInd Entry	N	
Other Items	-									
Remarks for Station:										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	21	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	20	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		0		
Pay & Use Toilet				Remarks	Required low capacity tube well with storage tank.			

Station Name : Bagha Bishumpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
UP	BG	N	353	7	150	CC	54	9	1	1		0	34	0	0	0	10	0	0	0	0	0	N	0
DN	BG	N	345	7.5	0	CC	21	9	1	1		0	10	2	2	0	9	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bagha Bishumpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	6	0	0.56	0	0	2			-	-
Actual	21	75	4	2	2	54	0	See platform details	0	-
Shortage, if any	-	25	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	Bagohi kusa			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BHKH	FOB	0	(a) Per Day	111		Developed As Adarsh			
Station Category	F	Subway	0	(b) Max. at any time	28		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	3.71	2016-17	6.68	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	6.65	2018-19	0.00	Touch Screen Enquiry System	N	
District	AURANGABAD	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				358	ATMs	0
Km.	0524.70	Cloak Room	N	MP Const.	Aurangabad			Food Plaza	N	
Route	A	Refreshment Room(sq		MP Name	Sushil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Aurangabad			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Anand Shankar Singh			Station IInd Entry	N	
Other Items	--									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	4 hand pump on PF			

Station Name : Bagohi kusa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	246	4	0	OTH	0	2	0	1		0	0	0	3	0	5	0	0	0	0	0	N	0
UP	BG	N	245	4	0	OTH	0	6	0	1		0	0	0	0	0	5	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bagohi kusa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	0 sqm	0	0	0	0	0	-	0	-
As per Rec. norms	18	0	1.12	0	0	5			-	-
Actual	0	0	2	0	3	0	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	Barki Salaiya			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BSYA	FOB	0	(a) Per Day	292		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	25		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	9.62	2016-17	19.78	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	19.06	2018-19	0.00	Touch Screen Enquiry System	N	
District	AURANGABAD	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				313	ATMs	0
Km.	0389.23	Cloak Room	N	MP Const.	Karakat			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Upendra Kushwaha			Budget Hotel	N	
Electrified	Y	Room(sq		MLA Const.	Nabinagar			Trains Halting	M: 5 P : 4	
				MLA Name				Station IInd Entry	N	
Other Items	--									
Remarks for Station:	Needs to be improved by pucca surfacing.									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	22	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	4 hand pump on PF			

Station Name : Barki Salaiya

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	350	7	0	MOR	21	5	0	2		0	30	2	2		6	0	0	0	0	0	N	0
UP	BG	Y	352	9	0	MOR	0	5	0	2		0	24	0	0	1	13	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete	PS-Polished Stone	OPS-Other Pucca Surface	MOR-Moorum	OTH-Others																	

Station Name : Barki Salaiya

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	10	0	1	0	0	3			-	-
Actual	22	21	4	2	2	64	0	See platform details	0	-
Shortage, if any	-	79	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	Bhabhua Road			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	BBU	FOB	1	(a) Per Day	3273			Developed As Adarsh	
Station Category	NSG4	Subway	0	(b) Max. at any time	240			Identified for MFC	N
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)					
Division	Mughalsarai	Enquiry Office	1	2011-12	850.44	2016-17	1531.47	Tourist Facilitation Center	N
State	BIHAR	Public Address Sys.	Y	2017-18	1643.96	2018-19	0.00	Touch Screen Enquiry System	N
District	KAIMUR	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N
Section	(Bhabhua) GC	Wheel Chairs	Y	Length of longest stopping train(m)			560	ATMs	0
Km.	0620.14	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N
Route	A	Refreshment Room(sqm)		MP Name	Chhedi Paswan			Budget Hotel	N
Electrified	Y			MLA Const.	Bhabua			Trains Halting	M: 22 P : 8
				MLA Name				Station IInd Entry	N
Other Items	-								
Remarks for Station:	--								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	363	Area(sqm)		17	16	Area(sqm)	33	Retiring Room	2
(b) Seats(Nos.)	38	Seats(Nos.)		12	12	Seats(Nos.)	24	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		1	1	Lav.(Nos.)	2		
(d) Urinals(Nos.)	1	Urinals(Nos.)		1	1	Urinals(Nos.)	2		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	2		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	924	Length(m)	40	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	2
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	225000			
Pay & Use Toilet				Remarks	-			

Station Name : Bhabhua Road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	586	10.75	75	OPS	480	8	31	0		0	150	0	2	0	50	0	0	0	0	0	N	0
UP	BG	Y	585	19	90	OPS	270	6	29	0		0	160	4	5	2	76	1	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bhabhua Road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec. norms	100	134	9.6	0	0	29			-	-
Actual	363	750	60	9	12	396	1	See platform details	2	YES
Shortage, if any	-	-	-	-	-	-	-		2	-

Station Name : Bhabhua Road

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with light		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Toilets on end platform & circulating area	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Desired Facility	Facility Available
Improvement in the facade of the station building Improvement in the circulating area so as to ensure proper entry and exit of A lighting tower at an appropriate place to be installed for proper illumination Improved modern, cost effective lighting arrangements at the platforms, Renovated water booths Renovated, modern, Pay & Use toilets Good Waiting and Retiring Rooms with modern furniture Good passenger guidance system including signages and coach indication Improvement to the passenger service Improvement of booking and enquiry offices to give them a facelift Lighting of booking offices, the queuing area in front of booking windows Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	CHANKA HALT			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	CKHT	FOB	0	(a) Per Day	0		Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time	0		Identified for MFC	N		
Railway	ECR	Booking Windows	0	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	0.95	2016-17	0.09	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	N	2017-18	0	2018-19	0.00	Touch Screen Enquiry System	N	
District	ROHTAS	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)				298	ATMs	0
Km.	0083.60	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N	
Route	Espl	Refreshment Room(sq		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram			Trains Halting	M: 0 P : 2	
				MLA Name	Jawahar Prasad			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq	0	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : CHANKA HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	296	1.5	0	OTH	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface					MOR-Moorum			OTH-Others						

Station Name : CHANKA HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	0	0	0	0	0	0			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	CHARPOKHARI HALT			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	CRQ	FOB	0	(a) Per Day	77		Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	18		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Mughalsarai	Enquiry Office	0	2011-12	2.95	2016-17	3.34	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	N	2017-18	3.66	2018-19	0.00	Touch Screen Enquiry System	N
District	BHOJPUR	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)			300	ATMs	0
Km.	0029.60	Cloak Room	N	MP Const.	Sasaram		Food Plaza	N	
Route	Espl	Refreshment Room(sq.m)		MP Name	Chhedi Paswan		Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram		Trains Halting	M: 0 P : 3	
				MLA Name	Jawahar Prasad		Station IInd Entry	N	
Other Items	--								
Remarks for Station:	--								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	15	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : CHARPOKHARI HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	5	0	OTH	121	0	0	1		0	84	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : CHARPOKHARI HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	11	0	0.72	0	0	3			-	-
Actual	16	121	1	0	0	94	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	CHIRAILA POUTHU			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	CPBH	FOB	0	(a) Per Day	73			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	20			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	3.06	2016-17	4.69	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	4.09	2018-19	0.00	Touch Screen Enquiry System	N	
District	AURANGABAD	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				358	ATMs	0
Km.	0543.79	Cloak Room	N	MP Const.	Aurangabad			Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Sushil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Aurangabad			Trains Halting	M: 0 P : 6	
				MLA Name	Sri Anand Shankar Singh			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	78	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	48	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : CHIRAILA POUTHU

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	351	6	0	CC	0	3	0	1		0	48	0	3	2	18	0	0	0	0	0	N	0
UP	BG	N	341	6	0	CC	0	7	0	1		0	48	0	0		5	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete	PS-Polished Stone	OPS-Other Pucca Surface	MOR-Moorum	OTH-Others																	

Station Name : CHIRAILA POUTHU

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	13	0	0.8	0	0	4			-	-
Actual	78	0	2	0	3	144	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	Chandauli Manjhwar			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	CDMR	FOB	2	(a) Per Day	523		Developed As Adarsh	Y		
Station Category	NSG6	Subway	0	(b) Max. at any time	126		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	59.00	2016-17	349.97	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	Y	2017-18	359.57	2018-19	0.00	Touch Screen Enquiry System	N	
District	UPPRADESH CHANDAULI	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	Y	Length of longest stopping train(m)				450	ATMs	0
Km.	0657.45	Cloak Room	N	MP Const.	Chandauli			Food Plaza	N	
Route	A	Refreshment Room(sqm)		MP Name	Mahendra Nath Pandey			Budget Hotel	N	
Electrified	Y			MLA Const.	Chandausi			Trains Halting	M: 3 P : 4	
				MLA Name	Smt. Gulab Devi			Station IInd Entry	Y	
Other Items	-									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	54	Area(sqm)		0	0	Area(sqm)	30	Retiring Room	0
(b) Seats(Nos.)	14	Seats(Nos.)		0	0	Seats(Nos.)	15	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	100	Length(m)	100	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	5000			
Pay & Use Toilet				Remarks	-			

Station Name : Chandauli Manjhar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	472	10	75	OTH	320	5	16	2		0	10	3	2	4	14	0	0	0	0	0	N	0
2 & 3	BG	Y	251	7	75	OTH	0	2	7	1		0	40	0	0	4	12	0	0	0	0	0	N	0
3&4	BG	N	590	7	75	OTH	240	11	3	1		0	220	4	4	3	10	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Chandauli Manjhar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	150 sqm	6 tap/HP at stn	1	1	30	1	High level	0	-
As per Rec. norms	53	0	5.04	0	0	15			-	-
Actual	54	560	30	8	7	299	2	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Desired Facility	Facility Available
Improvement in the facade of the station building Improvement in the circulating area so as to ensure proper entry and exit of A lighting tower at an appropriate place to be installed for proper illumination Improved modern, cost effective lighting arrangements at the platforms, Renovated water booths Renovated, modern, Pay & Use toilets Good Waiting and Retiring Rooms with modern furniture Good passenger guidance system including signages and coach indication Improvement to the passanger service Improvement of booking and enquiry offices to give them a facelift Lighting of booking offices, the queuing area in front of booking windows Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	DEHRI ON SONE			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DOS	FOB	2	(a) Per Day	7647		Developed As Adarsh			
Station Category	NSG3	Subway	0	(b) Max. at any time	368		Identified for MFC	N		
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	1	2011-12	1632.17	2016-17	2825.61	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	3051.71	2018-19	0.00	Touch Screen Enquiry System	N	
District	ROHTAS	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	Y	
Section	GC	Wheel Chairs	Y	Length of longest stopping train(m)				560	ATMs	0
Km.	0554.80	Cloak Room	Y	MP Const.	Karakat			Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Upendra Kushwaha			Budget Hotel	N	
Electrified	Y			MLA Const.	Dehri			Trains Halting	M: 28 P : 11	
				MLA Name	Ms Jyoti Rashmi			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	223	Area(sq.m)		24	25	Area(sq.m)	49	Retiring Room 1
(b) Seats(Nos.)	70	Seats(Nos.)		15	15	Seats(Nos.)	30	Dormitory 1
(c) Lav.(Nos.)	8	Lav.(Nos.)		1	1	Lav.(Nos.)	2	
(d) Urinals(Nos.)	4	Urinals(Nos.)		1	1	Urinals(Nos.)	2	
(e) Bathing Cubicals(Nos.)	3	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	2	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	3000	Length(m)	400	Source	Railway Supply		Open Wells (Nos)	0
Surface	WBM	Surface	Other	Type	Piped		Bore Wells (Nos)	3
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	317800			
Pay & Use Toilet	Y			Remarks	-			

Station Name : DEHRI ON SONE

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	298	8	840	OPS	0	7	15	0		0	55	2	2	0	56	1	0	0	0	0	N	2		
2 & 3	BG	Y	588	18	48	OPS	522	12	40	0		0	480	5	5	24	134	2	0	0	0	0	N	0		
4 & 5	BG	Y	570	9	480	OPS	1035	3	48	0		0	314	4	2	16	146	3	0	0	0	0	N	0		
6	BG	N	265	4	75	OTH	210	0	6	0		264	115	0	2	2	46	0	0	0	0	0	N	0		
*Surface Type		: CC-Cement Concrete					PS-Polished Stone					OPS-Other Pucca Surface					MOR-Moorum					OTH-Others				

Station Name : DEHRI ON SONE

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	1600 sqm	80	10	10	500	1 With Cover	High level	8	YES
As per Rec. norms	154	412	14.72	1	1	44			-	-
Actual	223	1767	109	23	19	1094	2	See platform details	4	-
Shortage, if any	-	-	-	-	-	-	-		4	YES

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with light		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Toilets on end platform & circulating area	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	DEO ROAD			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	DRD1	FOB	0	(a) Per Day	48		Developed As Adarsh		
Station Category	F	Subway	0	(b) Max. at any time	18		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Mughalsarai	Enquiry Office	0	2011-12	1.59	2016-17	2.71	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2017-18	2.75	2018-19	0.00	Touch Screen Enquiry System	N
District	AURANGABAD	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)			358	ATMs	0
Km.	0514.00	Cloak Room	N	MP Const.	Aurangabad		Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Sushil Kumar Singh		Budget Hotel	N	
Electrified	Y			MLA Const.	Rafiganj		Trains Halting	M: 0 P : 7	
				MLA Name	Ashok Kumar Slng		Station IInd Entry	N	
Other Items	--								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	21	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room 0
(b) Seats(Nos.)	22	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	15	Source	Railway Supply		Open Wells (Nos) 0
Surface	WBM	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos) 1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	--		

Station Name : DEO ROAD

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	176	6.5	0	OTH	36	2	0	0		0	72	0	0	4	26	0	0	0	0	0	N	0
UP	BG	N	336	7	0	OTH	60	0	0	1		0	72	0	0	0	12	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : DEO ROAD

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	0 sqm	0	0	0	0	0	-	0	-
As per Rec. norms	11	0	0.72	0	0	3			-	-
Actual	21	96	1	0	0	166	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	DEORIA KURMAHA NARESH HALT			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DKNH	FOB	0	(a) Per Day	40		Developed As Adarsh			
Station Category	F	Subway	0	(b) Max. at any time	14		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	1.15	2016-17	2.64	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	1.82	2018-19	0.00	Touch Screen Enquiry System	N	
District	AURANGABAD	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				358	ATMs	0
Km.	0533.48	Cloak Room	N	MP Const.	Aurangabad			Food Plaza	N	
Route	A	Refreshment Room(sq		MP Name	Sushil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Aurangabad			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Anand Shankar Singh			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : DEORIA KURMAHA NARESH

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	364	5	0	OTH	12	0	0	1		0	10	0	1	0	0	0	0	0	0	0	N	0
UP	BG	N	364	5	0	OTH	0	0	0	0		0	10	1	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete		PS-Polished Stone		OPS-Other Pucca Surface		MOR-Moorum		OTH-Others														

Station Name : DEORIA KURMAHA NARESH HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	0 sqm	0	0	0	0	0	-	0	-
As per Rec. norms	9	0	0.56	0	0	3			-	-
Actual	0	12	1	1	1	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	DHANAICHHA			No. of passengers dealt with:				Identified as Adarsh		N
Station Code	DCX	FOB	0	(a) Per Day		113		Developed As Adarsh		
Station Category	HG2	Subway	0	(b) Max. at any time		46		Identified for MFC		N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	4.75	2016-17	5.19	Tourist Facilation Center		N
State	BIHAR	Public Address Sys.	Y	2017-18	5.28	2018-19	0.00	Touch Screen Enquiry System		N
District	KAIMUR	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication		N
Section	(BHABUA) GC	Wheel Chairs	N	Length of longest stopping train(m)			358	ATMs		0
Km.	0634.40	Cloak Room	N	MP Const.	Sasaram		Food Plaza		N	
Route	A	Refreshment Room(sqm)		MP Name	Chhedi Paswan		Budget Hotel		N	
Electrified	Y			MLA Const.	Sasaram		Trains Halting		M: 0	P : 4
				MLA Name	Jawahar Prasad		Station IInd Entry		N	
Other Items	-									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	30	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : DHANAICHHA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	275	8	0	OPS	58	16	16	1		0	100	0	0	1	4	0	0	0	0	0	N	0
UP	BG	N	305	8	0	OPS	49	5	16	3		0	170	0	0	0	4	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : DHANAICHHA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	29	0	1.84	0	0	8			-	-
Actual	30	107	36	0	0	290	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	DURGAUTI			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	DGO	FOB	1	(a) Per Day	470		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	108		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Mughalsarai	Enquiry Office	0	2011-12	38.00	2016-17	42.66	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2017-18	41.41	2018-19	0.00	Touch Screen Enquiry System	N
District	KAIMUR	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N
Section	(BHABUA) GC	Wheel Chairs	N	Length of longest stopping train(m)			448	ATMs	0
Km.	0629.20	Cloak Room	N	MP Const.	Sasaram		Food Plaza	N	
Route	A	Refreshment Room(sqm)		MP Name	Chhedi Paswan		Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram		Trains Halting	M: 5 P : 5	
				MLA Name	Jawahar Prasad		Station IInd Entry	N	
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	81	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	80	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	3	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	100	Length(m)	15	Source	Railway Supply		Open Wells (Nos)	0
Surface	WBM	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : DURGAUTI

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	246	7	750	OPS	300	4	20	1		0	130	0	2		14	0	0	0	0	0	N	0
UP	BG	Y	416	18	750	OTH	150	2	20	2		0	80	4	3	2	36	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : DURGAUTI

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	45	0	4.32	0	0	13			-	-
Actual	81	450	43	4	8	290	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	Flyover Cabin			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	FLYCN	FOB	0	(a) Per Day	0		Developed As Adarsh			
Station Category	F	Subway	0	(b) Max. at any time	0		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	N	2017-18	0	2018-19	0.00	Touch Screen Enquiry System	N	
District	UPPRADESH CHANDAULI	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				245	ATMs	0
Km.	0673.20	Cloak Room	N	MP Const.	Salempur			Food Plaza	N	
Route	A	Refreshment Room(sqm)		MP Name	Ravindra Kushawaha			Budget Hotel	N	
Electrified	Y			MLA Const.	Chandausi			Trains Halting	M: P : null	
				MLA Name	Smt. Gulab Devi			Station IInd Entry	N	
Other Items	0									
Remarks for Station:	-----									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	0			

Station Name : Flyover Cabin

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	396	7	0	OTH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Flyover Cabin

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	0 sqm	0	0	0	0	0	-	0	-
As per Rec. norms	0	0	0	0	0	0			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	GANJKHAWJA			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	GAQ	FOB	0	(a) Per Day	31			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	10			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	1.31	2016-17	1.62	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	Y	2017-18	1.65	2018-19	0.00	Touch Screen Enquiry System	N	
District	UPPRADESH CHANDAULI	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				220	ATMs	0
Km.	0666.00	Cloak Room	N	MP Const.	Chandauli			Food Plaza	N	
Route	A	Refreshment Room(sqm)		MP Name	Mahendra Nath Pandey			Budget Hotel	Y	
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 5	
				MLA Name				Station IInd Entry	N	
Other Items	-									
Remarks for Station:	..									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	6	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : GANJKHAWJA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	443	5.3	0	OTH	168	8	8	1		0	40	1	1	2	6	0	0	0	0	0	N	0
2&3	BG	Y	351	6	0	OTH	36	0	8	0		0	20	0	0		11	0	0	0	0	0	N	0
4&5	BG	Y	245	10.75	0	OTH	24	1	8	1		0	100	0	0	0	10	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : GANJKHAWJA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5 Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	150 sqm	6 tap/HP at stn	1	1	30	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	15	228	26	1	1	166	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	GANJKHAWJA			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	GAQ	FOB	0	(a) Per Day	31		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	10		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	1.31	2016-17	1.62	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	Y	2017-18	1.65	2018-19	0.00	Touch Screen Enquiry System	N	
District	UPPRADESH CHANDAULI	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				220	ATMs	0
Km.	0666.00	Cloak Room	N	MP Const.	Chandauli			Food Plaza	N	
Route	A	Refreshment Room(sqm)		MP Name	Mahendra Nath Pandey			Budget Hotel	Y	
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 5	
				MLA Name				Station IInd Entry	N	
Other Items	-									
Remarks for Station:	..									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	6	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : GANJKHAWJA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	443	5.3	0	OTH	168	8	8	1		0	40	1	1	2	6	0	0	0	0	0	N	0	
2&3	BG	Y	351	6	0	OTH	36	0	8	0		0	20	0	0		11	0	0	0	0	0	N	0	
4&5	BG	Y	245	10.75	0	OTH	24	1	8	1		0	100	0	0	0	10	0	0	0	0	0	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : GANJKHAWJA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	150 sqm	6 tap/HP at stn	1	1	30	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	15	228	26	1	1	166	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	GARHKOKHA			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	GNK	FOB	0	(a) Per Day	331		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	74		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	15.74	2016-17	44.48	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	37.59	2018-19	0.00	Touch Screen Enquiry System	N	
District	ROHTAS	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)				301	ATMs	0
Km.	0077.52	Cloak Room	N	MP Const.	Karakat			Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Upendra Kushwaha			Budget Hotel	N	
Electrified	Y			MLA Const.	Nokha			Trains Halting	M: 1 P : 3	
				MLA Name				Station IInd Entry	N	
Other Items	-									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	20	Area(sq		113	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		35	35	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		2	2	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	926	Length(m)	55	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	4000			
Pay & Use Toilet				Remarks	-			

Station Name : GARHKOKHA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	301	6.3	0	OPS	73	22	24	3		0	36	3	2	5	34	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : GARHKOKHA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	31	0	2.96	0	0	9			-	-
Actual	20	73	27	5	6	116	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	GAYA JN			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	GYA	FOB	3	(a) Per Day		24710		Developed As Adarsh		
Station Category		Subway	0	(b) Max. at any time		1068		Identified for MFC	Y	
Railway	ECR	Booking Windows	13	Pass. Earnings/Year(Rs. in Lac.)				MFC Developed	N	
Division	Mughalsarai	Enquiry Office	3	2011-12	6015.38	2016-17	12086.60	Tourist Facilitation Center	Y	
State	BIHAR	Public Address Sys.	Y	2017-18	12980.12	2018-19	0.00	Touch Screen Enquiry System	Y	
District	GAYA	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	Y	
Section	GC	Wheel Chairs	Y	Length of longest stopping train(m)				560	ATMs	2
Km.	0469.64	Cloak Room	Y	MP Const.		Gaya		Food Plaza	Y	
Route	A	Refreshment Room(sq.m)	71	MP Name		Vijay Manjhi		Budget Hotel	N	
Electrified	Y			MLA Const.		Gaya Town		Trains Halting	M: 45 P : 29	
				MLA Name				Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	555	Area(sq.m)		140	120	Area(sq.m)	145	Retiring Room	7
(b) Seats(Nos.)	250	Seats(Nos.)		95	60	Seats(Nos.)	35	Dormitory	2
(c) Lav.(Nos.)	10	Lav.(Nos.)		4	3	Lav.(Nos.)	1		
(d) Urinals(Nos.)	6	Urinals(Nos.)		2	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	6	Bathing Cubicals(Nos.)		2	2	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	7500	Length(m)	50	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump	Bore Wells (Nos)	2
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	93495		
Pay & Use Toilet	Y			Remarks	-		

Station Name : GAYA JN

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1/1A	BG	N	660.5	12.3	80	PS	4114	2	65	0	625	0	559	0	4	87	340	10	0	0	0	0	Y	0
2&3	BG	Y	562	9.2	84	CC	1863	1	34	0	615	0	228	4	1	14	214	6	0	0	0	0	Y	0
4&5	BG	Y	459	10.2	80	CC	1782	2	30	0		478	284	4	5	21	177	5	0	0	0	0	Y	0
6/7	BG	N	341	12.3	80	CC	390	0	0	0		307	0	0	0	26	151	0	0	0	0	0	N	0
7	BG	N	327	5.2	0	CC	165	1	0	0		307	110	0	3	5	14	0	0	0	0	0	N	0
8&9	BG	Y	610	11.3	84	CC	196	1	18	0		0	108	0	0	8	19	4	0	0	0	0	N	0
COACHING	BG	Y	51.5	6.3	81	OTH	10	0	0	0		58	0	0	0	0	0	0	0	0	0	0	N	0
PILGRIM	BG	N	307	13.1	76	OTH	10	1	0	0		132	50	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : GAYA JN

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	0 sqm	0	0	0	0	0	-	0	-
As per Rec. norms	670	0	42.72	2	2	192			-	-
Actual	555	8530	147	26	22	1779	3	See platform details	6	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : GAYA JN

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with light		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Toilets on end platform & circulating area	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	GHOSIA HALT			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	GAHJ	FOB	0	(a) Per Day	0		Developed As Adarsh			
Station Category		Subway	0	(b) Max. at any time	0		Identified for MFC	N		
Railway	ECR	Booking Windows	0	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	0.08	2016-17	0.00	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	N	2017-18	0	2018-19	0.00	Touch Screen Enquiry System	N	
District	ROHTAS	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)				298	ATMs	0
Km.	0059.90	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N	
Route	Espl	Refreshment Room(sq		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram			Trains Halting	M: 0 P : 2	
				MLA Name	Jawahar Prasad			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : GHOSIA HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	296	1.5	0	OTH	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : GHOSIA HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	0 sqm	0	0	0	0	0	-	0	-
As per Rec. norms	0	0	0	0	0	0			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	GHOSIA KALAN HALT			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	GSK	FOB	0	(a) Per Day	32			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	21			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	2.46	2016-17	1.07	Tourist Flacation Center	N	
State	BIHAR	Public Address Sys.	N	2017-18	1.48	2018-19	0.00	Touch Screen Enquiry System	N	
District	ROHTAS	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)				298	ATMs	0
Km.	0061.70	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram			Trains Halting	M: 0 P : 2	
				MLA Name	Jawahar Prasad			Station IInd Entry	N	
Other Items	--									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq	0	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	--			

Station Name : GHOSIA KALAN HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	296	2	0	OTH	0	0	0	1		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : GHOSIA KALAN HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	13	0	0.84	0	0	4			-	-
Actual	0	0	1	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	GURARU			No. of passengers dealt with:		Identified as Adarsh	N	
Station Code	GRRU	FOB	1	(a) Per Day	1301	Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	118	Identified for MFC	N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)				
Division	Mughalsarai	Enquiry Office	0	2011-12	73.36	2016-17	142.92	
State	BIHAR	Public Address Sys.	Y	2017-18	163.2	2018-19	0.00	
District	GAYA	Clock	Y	2019-20	0	2020-21	0	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)		560		
Km.	0491.17	Cloak Room	N	MP Const.	Aurangabad		ATMs	0
Route	A	Refreshment Room(sq.m)		MP Name	Sushil Kumar Singh		Food Plaza	N
Electrified	Y			MLA Const.	Gurua		Budget Hotel	N
Other Items	-			MLA Name			Trains Halting	M: 6 P : 6
Remarks for Station:	-						Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	63	Area(sq.m)	63	45	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)	30	20	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	2	2	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	2	2	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)	1	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	300	Length(m)	100	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	10000			
Pay & Use Toilet				Remarks	-			

Station Name : GURARU

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	366	10.5	65	OTH	228	1	16	2		0	230	0	8	2	20	0	0	0	0	1	N	0
UP	BG	N	363	6.5	55	OTH	278	5	20	2		0	205	2	8	14	91	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : GURARU

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	49	0	4.72	0	0	14			-	-
Actual	63	506	40	6	20	510	1	See platform details	2	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	Haidar Nagar			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	HDN	FOB	1	(a) Per Day	1004		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	57		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	61.23	2016-17	160.88	Tourist Facilitation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2017-18	170.84	2018-19	0.00	Touch Screen Enquiry System	N	
District	PALAMU	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	BD	Wheel Chairs	N	Length of longest stopping train(m)				380	ATMs	0
Km.	0358.90	Cloak Room	N	MP Const.	Palamu			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram			Budget Hotel	N	
Electrified	Y			MLA Const.	Palamau			Trains Halting	M: 6 P: 4	
				MLA Name	Alok Chaurasia			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	Needs to be improve pucca surface.									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	36	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	3	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	268	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	WBM	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	10000			
Pay & Use Toilet				Remarks	.			

Station Name : Haidar Nagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	400	8	0	MOR	250	2	6	1		0	120	2	2	0	10	0	0	0	0	0	N	0
UP	BG	Y	448	10	0	OTH	70	2	6	0		0	152	0	2	2	28	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Haidar Nagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	24	0	2.28	0	0	7			-	-
Actual	36	320	13	5	4	282	1	See platform details	0	-
Shortage, if any	-	-	3	-	-	-	-		2	-

Desired Facility	Facility Available
Improvement in the facade of the station building Improvement in the circulating area so as to ensure proper entry and exit of A lighting tower at an appropriate place to be installed for proper illumination Improved modern, cost effective lighting arrangements at the platforms, Renovated water booths Renovated, modern, Pay & Use toilets Good Waiting and Retiring Rooms with modern furniture Good passenger guidance system including signages and coach indication Improvement to the passenger service Improvement of booking and enquiry offices to give them a facelift Lighting of booking offices, the queuing area in front of booking windows Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	HASAB BAZAR STATION HALT			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	HBSH	FOB	0	(a) Per Day	118		Developed As Adarsh		
Station Category	HG2	Subway	0	(b) Max. at any time	58		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)				Tourist Facilation Center	N
Division	Mughalsarai	Enquiry Office	0	2011-12	7.25	2016-17	5.69	Touch Screen Enquiry System	N
State	BIHAR	Public Address Sys.	N	2017-18	6.05	2018-19	0.00	Electronic Train Indication	N
District	BHOJPUR	Clock	N	2019-20	0	2020-21	0	ATMs	0
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)			298	Food Plaza	N
Km.	0047.25	Cloak Room	N	MP Const.	Sasaram		Budget Hotel	N	
Route	E	Refreshment Room(sq.m)		MP Name	Chhedi Paswan		Trains Halting	M: 0 P : 2	
Electrified	Y			MLA Const.	Sasaram		Station IInd Entry	N	
				MLA Name	Jawahar Prasad				
Other Items	-								
Remarks for Station:	--								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room 0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos) 0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos) 0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	-		

Station Name : HASAB BAZAR STATION HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	245	4	0	OTH	0	2	0	1		0	50	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : HASAB BAZAR STATION HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	36	0	2.32	0	0	10			-	-
Actual	0	0	1	0	0	50	0	See platform details	0	-
Shortage, if any	10	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	HASAN BAZAR HALT			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	HSB	FOB	0	(a) Per Day	20		Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	3		Identified for MFC		N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Mughalsarai	Enquiry Office	0	2011-12	0.49	2016-17	0.72	Tourist Facilation Center N	
State	BIHAR	Public Address Sys.	N	2017-18	0.42	2018-19	0.00	Touch Screen Enquiry System N	
District	BHOJPUR	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication N	
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)			298	ATMs 0	
Km.	0044.96	Cloak Room	N	MP Const.	Sasaram		Food Plaza N		
Route	E	Refreshment Room(sq		MP Name	Chhedi Paswan		Budget Hotel N		
Electrified	Y			MLA Const.	Mohania		Trains Halting M: 0 P : 3		
				MLA Name	Chedi Paswad		Station IInd Entry N		
Other Items	-								
Remarks for Station:	--								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	16	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	150	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : HASAN BAZAR HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	298	5.3	0	OTH	75	4	0	1		0	80	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : HASAN BAZAR HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	2	0	0.12	0	0	1			-	-
Actual	16	75	1	0	0	80	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	ISHWAR CHWDHURY HALT			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SICY	FOB	0	(a) Per Day	97			Developed As Adarsh		
Station Category	F	Subway	0	(b) Max. at any time	20			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	6.82	2016-17	10.22	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	10.16	2018-19	0.00	Touch Screen Enquiry System	N	
District	GAYA	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				358	ATMs	0
Km.	0466.18	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N	
Route	Espl	Refreshment Room(sq		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	N			MLA Const.	Wazirganj			Trains Halting	M: 0 P : 3	
				MLA Name	Sri Birendra Singh			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	10	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	6	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	200	Length(m)	12	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : ISHWAR CHWDHURY HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	150	2.1	0	MOR	0	0	0	1		0	0	0	0	0	5	0	0	0	0	0	N	0
UP	BG	N	150	3.6	0	MOR	0	2	0	1		0	0	0	0	0	4	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : ISHWAR CHWDHURY HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	0 sqm	0	0	0	0	0	-	0	-
As per Rec. norms	13	0	0.8	0	0	4			-	-
Actual	10	0	2	0	0	6	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	ISMAILPUR			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	IMGE	FOB	0	(a) Per Day	240			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	56			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	14.50	2016-17	20.51	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	20.43	2018-19	0.00	Touch Screen Enquiry System	N	
District	GAYA	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				358	ATMs	0
Km.	0498.06	Cloak Room	N	MP Const.	Aurangabad			Food Plaza	N	
Route	A	Refreshment Room(sq		MP Name	Sushil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Gurua			Trains Halting	M: 1 P : 6	
				MLA Name				Station IInd Entry	N	
Other Items	-									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	41	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	12	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	30	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000			
Pay & Use Toilet				Remarks	-			

Station Name : ISMAILPUR

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	300	6	0	OTH	0	0	16	1		0	54	0	0		19	0	0	0	0	0	N	0
UP	BG	Y	305	10	0	OTH	145	2	16	2		0	98	1	8	5	18	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : ISMAILPUR

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	23	0	2.24	0	0	7			-	-
Actual	41	145	35	1	8	164	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	Ishwar Choudhary Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SICH	FOB	0	(a) Per Day	110		Developed As Adarsh			
Station Category	F	Subway	0	(b) Max. at any time	33		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	6.28	2016-17	0.00	Tourist Flacation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	0	2018-19	0.00	Touch Screen Enquiry System	N	
District	GAYA	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				358	ATMs	0
Km.	0466.18	Cloak Room	N	MP Const.	Gaya			Food Plaza	N	
Route	A	Refreshment Room(sq		MP Name	Vijay Manjhi			Budget Hotel	N	
Electrified	Y			MLA Const.	Bodh Gaya			Trains Halting	M: P : null	
				MLA Name	Sri Shyam Dev Paswan			Station IInd Entry	N	
Other Items	--									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	10	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	6	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	200	Length(m)	12	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	--			

Station Name : Ishwar Choudhary Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	150	2.1	0	MOR	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0
UP	BG	N	150	3.6	0	MOR	0	2	0	1	0	0	6	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Ishwar Choudhary Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	0 sqm	0	0	0	0	0	-	0	-
As per Rec. norms	21	0	1.32	0	0	6			-	-
Actual	10	0	1	0	0	12	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	JAKHIM			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	JHN	FOB	0	(a) Per Day	446			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	92			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	27.72	2016-17	51.55	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	54.68	2018-19	0.00	Touch Screen Enquiry System	N	
District	AURANGABAD	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				448	ATMs	0
Km.	0518.30	Cloak Room	N	MP Const.	Aurangabad			Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Sushil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Aurangabad			Trains Halting	M: 2 P : 8	
				MLA Name	Sri Anand Shankar Singh			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	68	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1000	Length(m)	12	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	6
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : JAKHIM

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	324.4	12	75	OTH	270	2	16	2		0	110	1	2	2	9	0	0	0	0	0	N	0
UP	BG	N	282.7	6	75	OTH	10	1	16	2		0	100	1	2	4	57	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : JAKHIM

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	38	0	3.68	0	0	11			-	-
Actual	68	280	36	3	4	250	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	JAPLA			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	JPL	FOB	1	(a) Per Day	2262		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	200		Identified for MFC	N		
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	283.37	2016-17	427.37	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2017-18	446.4	2018-19	0.00	Touch Screen Enquiry System	N	
District	PALAMU	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	BD	Wheel Chairs	Y	Length of longest stopping train(m)				380	ATMs	0
Km.	0366.01	Cloak Room	N	MP Const.	Palamu			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Vishnu Dayal Ram			Budget Hotel	N	
Electrified	Y			MLA Const.				Trains Halting	M: 7 P : 4	
				MLA Name				Station IInd Entry	N	
Other Items	-									
Remarks for Station:										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	40	Area(sq		0	0	Area(sq	20	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	6	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	1400	Length(m)	65	Source	Railway Supply		Open Wells (Nos)	0
Surface	WBM	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	2
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	104557			
Pay & Use Toilet				Remarks	Satisfactory but needed one tube well with storage facility.			

Station Name : JAPLA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	310	9	78	CC	360	9	14	0		0	72	5	2	8	56	2	0	0	0	0	N	0
UP	BG	Y	400	7	50	OTH	196	10	12	0		0	90	0	2	2	20	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : JAPLA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	84	0	8	0	0	24			-	-
Actual	40	556	26	6	4	198	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Station Name : JAPLA

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building Improvement in the circulating area so as to ensure proper entry and exit of A lighting tower at an appropriate place to be installed for proper illumination Improved modern, cost effective lighting arrangements at the platforms, Renovated water booths Renovated, modern, Pay & Use toilets Good Waiting and Retiring Rooms with modern furniture Good passenger guidance system including signages and coach indication Improvement to the passenger service Improvement of booking and enquiry offices to give them a facelift Lighting of booking offices, the queuing area in front of booking windows Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	JHARKHAND MAHADEO HALT			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	JKMH	FOB	0	(a) Per Day	0		Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time	0		Identified for MFC	N		
Railway	ECR	Booking Windows	0	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	0.72	2016-17	0.00	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	N	2017-18	0	2018-19	0.00	Touch Screen Enquiry System	N	
District	BHOJPUR	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)				245	ATMs	0
Km.	0041.95	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 2	
				MLA Name				Station IInd Entry	N	
Other Items	--									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	--			

Station Name : JHARKHAND MAHADEO HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	215	4	0	OTH	0	2	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : JHARKHAND MAHADEO HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	0	0	0	0	0	0			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	KAJRAT NAVADIH			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KYE1	FOB	0	(a) Per Day	268		Developed As Adarsh			
Station Category		Subway	0	(b) Max. at any time	54		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	12.53	2016-17	0.00	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	0	2018-19	0.00	Touch Screen Enquiry System	N	
District	ROHTAS	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	BD	Wheel Chairs	N	Length of longest stopping train(m)				313	ATMs	0
Km.	0373.40	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram			Trains Halting	M: P : null	
				MLA Name	Jawahar Prasad			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	21	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : KAJRAT NAVADIH

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	348	7	0	CC	22	3	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0
UP	BG	N	348	9	0	CC	21	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : KAJRAT NAVADIH

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	0 sqm	0	0	0	0	0	-	0	-
As per Rec. norms	34	0	2.16	0	0	10			-	-
Actual	21	43	0	0	0	10	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	KAJRAT NAWADIH			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KYF	FOB	0	(a) Per Day	419		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	23		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	16.04	2016-17	36.99	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2017-18	34.02	2018-19	0.00	Touch Screen Enquiry System	N	
District	PALAMU	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	BD	Wheel Chairs	N	Length of longest stopping train(m)				313	ATMs	0
Km.	0373.40	Cloak Room	N	MP Const.	Palamu			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram			Budget Hotel	N	
Electrified	Y			MLA Const.				Trains Halting	M: 5 P : 4	
				MLA Name				Station IInd Entry	N	
Other Items	-									
Remarks for Station:										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	44	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	Requires low cap deep tube well store tank.			

Station Name : KAJRAT NAWADIH

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	348	7	0	OTH	21	3	0	1		0	32	2	2	0	10	0	0	0	0	0	N	0
UP	BG	Y	348	9	0	OTH	45	5	0	2		0	56	0	0	4	20	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : KAJRAT NAWADIH

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	10	0	0.92	0	0	3			-	-
Actual	44	66	3	2	2	103	0	See platform details	0	-
Shortage, if any	-	34	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	KARAMNASA			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	KMS	FOB	1	(a) Per Day	343		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	55		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Mughalsarai	Enquiry Office	0	2011-12	13.85	2016-17	26.54	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2017-18	27.86	2018-19	0.00	Touch Screen Enquiry System	N
District	KAIMUR	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N
Section	(BHABUA) GC	Wheel Chairs	N	Length of longest stopping train(m)			448	ATMs	0
Km.	0640.73	Cloak Room	N	MP Const.	Sasaram		Food Plaza	N	
Route	A	Refreshment Room(sqm)		MP Name	Chhedi Paswan		Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram		Trains Halting	M: 4 P : 5	
				MLA Name	Jawahar Prasad		Station IInd Entry	N	
Other Items	-								
Remarks for Station:	--								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	69	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	36	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	WBM	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	90800			
Pay & Use Toilet				Remarks	-			

Station Name : KARAMNASA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	448	8	75	OTH	133	4	4	1		0	240	0	2		2	0	0	0	0	0	N	0
UP	BG	Y	401	18	75	OPS	18	3	4	2		0	110	6	3		3	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : KARAMNASA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	23	0	2.2	0	0	7			-	-
Actual	69	151	11	7	5	386	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	KARKATTA			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	KRTA	FOB	0	(a) Per Day	162		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	21		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Mughalsarai	Enquiry Office	0	2011-12	3.83	2016-17	7.30	Tourist Facilation Center	N
State	JHARKHAND	Public Address Sys.	Y	2017-18	7.37	2018-19	0.00	Touch Screen Enquiry System	N
District	PALAMU	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N
Section	BD	Wheel Chairs	N	Length of longest stopping train(m)			313	ATMs	0
Km.	0329.10	Cloak Room	N	MP Const.	Palamu		Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Vishnu Dayal Ram		Budget Hotel	N	
Electrified	Y	Room(sq		MLA Const.	Bishrampur		Trains Halting	M: 0 P : 4	
				MLA Name	Sri Ramchandra Chandrawansi		Station IInd Entry	N	
Other Items	-								
Remarks for Station:	Needs to be improve by pucca surfacing.								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	15	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	Needs low cap deep tube well with storage tank.			

Station Name : KARKATTA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	350	9	0	MOR	21	7	1	1		0	65	0	0	0	9	0	0	0	0	0	N	0
UP	BG	N	350	9	0	MOR	21	1	1	2		0	60	2	2	4	19	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : KARKATTA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	9	0	0.84	0	0	3			-	-
Actual	15	42	5	2	2	135	0	See platform details	0	-
Shortage, if any	-	58	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	KARWANDIA			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KWD	FOB	0	(a) Per Day	116		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	36		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	9.79	2016-17	10.58	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	9.03	2018-19	0.00	Touch Screen Enquiry System	N	
District	ROHTAS	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				358	ATMs	0
Km.	0564.27	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N	
Route	A	Refreshment Room(sq		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram			Trains Halting	M: 0 P : 4	
				MLA Name	Jawahar Prasad			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	45	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	18	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : KARWANDIA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	250	12	0	OTH	21	3	16	0		0	92	0	2	0	8	0	0	0	0	0	N	0
UP	BG	N	462	8	0	OTH	0	0	16	1		0	126	1	0	2	15	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : KARWANDIA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	15	0	1.44	0	0	4			-	-
Actual	45	21	33	3	4	238	0	See platform details	0	-
Shortage, if any	-	79	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	KASTA			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KSTA	FOB	0	(a) Per Day	64			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	25			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	2.35	2016-17	3.15	Tourist Facilitation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	2.88	2018-19	0.00	Touch Screen Enquiry System	N	
District	GAYA	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				358	ATMs	0
Km.	0478.08	Cloak Room	N	MP Const.	Aurangabad			Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Sushil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Gurua			Trains Halting	M: 2 P : 6	
				MLA Name				Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	18	Source	Railway Supply		Open Wells (Nos)	0
Surface	WBM	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000			
Pay & Use Toilet	N			Remarks	-			

Station Name : KASTA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
UP	BG	Y	304	8	0	OTH	120	1	16	1		0	84	0	0	5	51	0	0	0	0	0	N	0
DN	BG	N	304	7	0	OTH	126	0	16	1		0	104	2	4	2	9	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : KASTA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	10	0	1	0	0	3			-	-
Actual	16	246	34	2	4	203	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	KHAIRADIH			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KABH	FOB	0	(a) Per Day	0		Developed As Adarsh			
Station Category		Subway	0	(b) Max. at any time	0		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	1.03	2016-17	0.00	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	N	2017-18	0	2018-19	0.00	Touch Screen Enquiry System	N	
District	ROHTAS	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)				245	ATMs	0
Km.	0087.09	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram			Trains Halting	M: 0 P : 2	
				MLA Name	Jawahar Prasad			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	16	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : KHAIRADIH

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	298	5	0	OPS	0	0	0	0		0	30	0	0	0	0	0	0	0	0	0	N	0		
*Surface Type		: CC-Cement Concrete					PS-Polished Stone					OPS-Other Pucca Surface					MOR-Moorum					OTH-Others				

Station Name : KHAIRADIH

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	0 sqm	0	0	0	0	0	-	0	-
As per Rec. norms	0	0	0	0	0	0			-	-
Actual	16	0	0	0	0	30	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	KHURMABAD			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KVD	FOB	0	(a) Per Day	56			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	20			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	1.86	2016-17	3.17	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	2.74	2018-19	0.00	Touch Screen Enquiry System	N	
District	ROHTAS	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				380	ATMs	0
Km.	0606.70	Cloak Room	N	MP Const.		Sasaram		Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name		Chhedi Paswan		Budget Hotel	N	
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 4	
				MLA Name				Station IInd Entry	N	
Other Items	-									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	42	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	28	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : KHURMABAD

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	303	5	0	OTH	6	0	0	1		0	10	0	0		4	0	0	0	0	0	N	0
UP	BG	N	318	5	0	OTH	40	0	0	1		0	72	0	0	1	7	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : KHURMABAD

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	13	0	0.8	0	0	4			-	-
Actual	42	46	2	1	0	110	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	KOSIARA			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KVQ	FOB	0	(a) Per Day	320			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	37			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	8.97	2016-17	18.56	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2017-18	18.85	2018-19	0.00	Touch Screen Enquiry System	N	
District	PALAMU	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				290	ATMs	0
Km.	0352.92	Cloak Room	N	MP Const.	Palamu			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram			Budget Hotel	N	
Electrified	Y			MLA Const.	Silli			Trains Halting	M: 4 P : 4	
				MLA Name	Sri Sudesh Kumar Mahto			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	.									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	40	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	45	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	Require low cap deep tube well & storage tank.			

Station Name : KOSIARA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	351	8	0	CC	0	8	0	2		0	60	3	2		9	0	0	0	0	0	N	0
UP	BG	Y	361	10	0	OTH	70	4	0	1		0	32	0	2	2	17	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : KOSIARA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	15	0	1.48	0	0	4			-	-
Actual	40	70	3	3	4	122	0	See platform details	0	-
Shortage, if any	-	30	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	KUDRA			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	KTQ	FOB	1	(a) Per Day	1550	Developed As Adarsh	
Station Category	NSG5	Subway	0	(b) Max. at any time	170	Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)			
Division	Mughalsarai	Enquiry Office	0	2011-12	137.48	2016-17	382.01
State	BIHAR	Public Address Sys.	Y	2017-18	431.67	2018-19	0.00
District	KAIMUR	Clock	Y	2019-20	0	2020-21	0
Section	(BHABUA) GC	Wheel Chairs	N	Length of longest stopping train(m)		550	
Km.	0597.91	Cloak Room	N	MP Const.	Sasaram	ATMs	0
Route	A	Refreshment Room(sqm)		MP Name	Chhedi Paswan	Food Plaza	N
Electrified	Y			MLA Const.	Bhabua	Budget Hotel	N
Other Items	--			MLA Name		Trains Halting	M: 8 P : 5
Remarks for Station:	-					Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	104	Area(sqm)		0	0	Area(sqm)	30
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	15
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	1
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1
						Retiring Room	0
						Dormitory	0

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	0
Surface	WBM	Surface	Other	Type	Piped and Hand Pump	Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	108840		
Pay & Use Toilet				Remarks	5 hand pumps on PF		

Station Name : KUDRA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	377	10	75	CC	230	4	8	1		0	96	0	2		20	0	0	0	0	0	N	0
UP	BG	Y	385	20	75	CC	350	3	8	1		0	216	4	1	3	47	1	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : KUDRA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	71	0	6.8	0	0	20			-	-
Actual	104	580	18	6	4	357	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	KUMAHU			No. of passengers dealt with:				Identified as Adarsh	N		
Station Code	KMGE	FOB	0	(a) Per Day		66		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time		23		Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Mughalsarai	Enquiry Office	0	2011-12	3.19	2016-17	5.67	Tourist Facilation Center			N
State	BIHAR	Public Address Sys.	Y	2017-18	5.38	2018-19	0.00	Touch Screen Enquiry System			N
District	KAIMUR	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication			N
Section	(BHABUA) GC	Wheel Chairs	N	Length of longest stopping train(m)				358	ATMs		0
Km.	0580.23	Cloak Room	N	MP Const.	Sasaram			Food Plaza		N	
Route	A	Refreshment Room(sqm)		MP Name	Chhedi Paswan			Budget Hotel		N	
Electrified	Y			MLA Const.	Sasaram			Trains Halting		M: 0	P : 5
				MLA Name	Jawahar Prasad			Station IInd Entry		N	
Other Items	-										
Remarks for Station:	-										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	3
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	1
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : KUMAHU

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	234	9	0	OTH	5	1	1	1		0	60	0	0		5	0	0	0	0	0	N	0
UP	BG	N	236	6	0	OTH	5	1	1	1		0	58	1	2		9	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : KUMAHU

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	10	0	0.92	0	0	3			-	-
Actual	0	10	4	1	2	118	0	See platform details	0	-
Shortage, if any	15	90	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	KUMAHU			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	KMGE	FOB	0	(a) Per Day		66		Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time		23		Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Mughalsarai	Enquiry Office	0	2011-12	3.19	2016-17	5.67	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2017-18	5.38	2018-19	0.00	Touch Screen Enquiry System	N
District	KAIMUR	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N
Section	(BHABUA) GC	Wheel Chairs	N	Length of longest stopping train(m)			358	ATMs	0
Km.	0580.23	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N
Route	A	Refreshment Room(sqm)		MP Name	Chhedi Paswan			Budget Hotel	N
Electrified	Y			MLA Const.	Sasaram			Trains Halting	M: 0 P : 5
				MLA Name	Jawahar Prasad			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	3
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	1
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : KUMAHU

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	234	9	0	OTH	5	1	1	1		0	60	0	0		5	0	0	0	0	0	N	0
UP	BG	N	236	6	0	OTH	5	1	1	1		0	58	1	2		9	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : KUMAHU

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	10	0	0.92	0	0	3			-	-
Actual	0	10	4	1	2	118	0	See platform details	0	-
Shortage, if any	15	90	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	MANPUR			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MPO	FOB	1	(a) Per Day	119		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	16		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	14.03	2016-17	15.73	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	15.18	2018-19	0.00	Touch Screen Enquiry System	N	
District	GAYA	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				358	ATMs	0
Km.	0464.40	Cloak Room	N	MP Const.	Gaya			Food Plaza	N	
Route	A	Refreshment Room(sq		MP Name	Vijay Manjhi			Budget Hotel	N	
Electrified	Y			MLA Const.	Wazirganj			Trains Halting	M: 0 P : 10	
				MLA Name	Sri Birendra Singh			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	70	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	75	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	WBM	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	20000			
Pay & Use Toilet				Remarks	-			

Station Name : MANPUR

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	395	12.5	84	MOR	80	3	12	0		0	42	0	4		31	0	0	0	0	1	N	0
UP	BG	Y	395	9	0	MOR	135	4	12	0		0	48	2	4	7	40	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : MANPUR

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	7	0	0.64	0	0	2			-	-
Actual	70	215	24	2	8	115	1	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	MOHAMMADGANJ			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MDJ	FOB	1	(a) Per Day	1127		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	49		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	60.88	2016-17	177.84	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2017-18	183.37	2018-19	0.00	Touch Screen Enquiry System	N	
District	PALAMU	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	BD	Wheel Chairs	N	Length of longest stopping train(m)				380	ATMs	0
Km.	0347.08	Cloak Room	N	MP Const.	Palamu			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Vishnu Dayal Ram			Budget Hotel	N	
Electrified	Y			MLA Const.	Palamau			Trains Halting	M: 6 P : 4	
				MLA Name	Alok Chaurasia			Station IInd Entry	N	
Other Items	-									
Remarks for Station:										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	64	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		1	1	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		1	1	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	300	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	10000			
Pay & Use Toilet				Remarks	Needs one stand by bore well.			

Station Name : MOHAMMADGANJ

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	400	15	84	OPS	240	8	2	1		0	224	0	2		20	0	0	0	0	0	N	0
UP	BG	N	400	7	76	OPS	56	6	2	2		0	96	2	2	4	34	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : MOHAMMADGANJ

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	20	0	1.96	0	0	6			-	-
Actual	64	296	7	6	6	342	1	See platform details	0	-
Shortage, if any	-	-	9	-	-	-	-		2	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	MOKAR HALT			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MKHS	FOB	0	(a) Per Day	0		Developed As Adarsh			
Station Category		Subway	0	(b) Max. at any time	0		Identified for MFC	N		
Railway	ECR	Booking Windows	0	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	0.65	2016-17	0.00	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	N	2017-18	0	2018-19	0.00	Touch Screen Enquiry System	N	
District	ROHTAS	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)				300	ATMs	0
Km.	0091.86	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N	
Route	Espl	Refreshment Room(sq		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram			Trains Halting	M: 0 P : 2	
				MLA Name	Jawahar Prasad			Station IInd Entry	N	
Other Items	--									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq	0	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	--			

Station Name : MOKAR HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	5	0	OTH	0	4	0	1		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : MOKAR HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	0 sqm	0	0	0	0	0	-	0	-
As per Rec. norms	0	0	0	0	0	0			-	-
Actual	0	0	1	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	MUTHANI			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MTGE	FOB	0	(a) Per Day		77		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		15		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	4.12	2016-17	4.80	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	4.47	2018-19	0.00	Touch Screen Enquiry System	N	
District	KAIMUR	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	(BHABUA) GC	Wheel Chairs	N	Length of longest stopping train(m)				220	ATMs	0
Km.	0614.70	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N	
Route	A	Refreshment Room(sqm)		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram			Trains Halting	M: 0 P : 4	
				MLA Name	Jawahar Prasad			Station IInd Entry	N	
Other Items	--									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	25	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	12	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	5
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	--			

Station Name : MUTHANI

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	301	7	750	OPS	6	3	16	1		0	34	0	2		6	0	0	0	0	0	N	0
UP	BG	N	294	6	50	OPS	0	3	16	1		0	92	1	0	1	6	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : MUTHANI

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	6	0	0.6	0	0	2			-	-
Actual	25	6	34	1	2	141	0	See platform details	0	-
Shortage, if any	-	94	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	NABI NAGAR ROAD			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	NBG	FOB	1	(a) Per Day	1207		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	96		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	68.13	2016-17	188.17	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	207.71	2018-19	0.00	Touch Screen Enquiry System	N	
District	AURANGABAD	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	BD	Wheel Chairs	Y	Length of longest stopping train(m)				380	ATMs	0
Km.	0381.80	Cloak Room	N	MP Const.	Karakat			Food Plaza	N	
Route	Dspl	Refreshment Room(sq	Y	MP Name	Upendra Kushwaha			Budget Hotel	N	
Electrified	Y	Room(sq	Y	MLA Const.	Nabinagar			Trains Halting	M: 5 P : 4	
				MLA Name				Station IInd Entry	N	
Other Items	--									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	41	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	348	Length(m)	12	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Kutch	Type	Piped		Bore Wells (Nos)	5
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	10000			
Pay & Use Toilet				Remarks	.			

Station Name : NABI NAGAR ROAD

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	432	8	84	OPS	72	6	0	2		0	80	2	2	1	20	0	0	0	0	0	N	0
UP	BG	Y	400	10	84	OPS	100	5	0	1		0	136	2	2	1	27	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : NABI NAGAR ROAD

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	40	0	3.84	0	0	12			-	-
Actual	41	172	3	4	4	226	1	See platform details	0	-
Shortage, if any	-	-	13	-	-	-	-		2	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	NONAR HALT			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	NON	FOB	0	(a) Per Day	30			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	29			Identified for MFC	N	
Railway	ECR	Booking Windows	0	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	0.65	2016-17	1.62	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	N	2017-18	1.36	2018-19	0.00	Touch Screen Enquiry System	N	
District	BHOJPUR	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)				245	ATMs	0
Km.	0043.35	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram			Trains Halting	M: 0 P : 2	
				MLA Name	Jawahar Prasad			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : NONAR HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	235	4	0	OTH	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : NONAR HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	18	0	1.16	0	0	5			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	PAHLEZA			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	PHE	FOB	0	(a) Per Day	82		Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time	38		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	3.27	2016-17	4.51	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	4.43	2018-19	0.00	Touch Screen Enquiry System	N	
District	ROHTAS	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				358	ATMs	0
Km.	0559.80	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N	
Route	A	Refreshment Room(sq		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram			Trains Halting	M: 0 P : 4	
				MLA Name	Jawahar Prasad			Station IInd Entry	N	
Other Items	--									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	40	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	--			

Station Name : PAHLEZA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	400	6	0	OTH	60	4	0	2		0	116	0	2	0	14	0	0	0	0	0	N	0
UP	BG	N	400	7	0	OTH	60	3	0	1		0	96	0	2	4	35	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : PAHLEZA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	24	0	1.52	0	0	7			-	-
Actual	40	120	3	0	4	212	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	PARAIYA			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	PRY	FOB	1	(a) Per Day	322		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	34		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	12.44	2016-17	18.90	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	16.14	2018-19	0.00	Touch Screen Enquiry System	N	
District	GAYA	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				358	ATMs	0
Km.	0485.22	Cloak Room	N	MP Const.	Gaya			Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Vijay Manjhi			Budget Hotel	N	
Electrified	Y			MLA Const.	Gurua			Trains Halting	M: 1 P : 6	
				MLA Name				Station IInd Entry	N	
Other Items	--									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	108	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	60	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	25	Source	Railway Supply		Open Wells (Nos)	0
Surface	WBM	Surface	WBM	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000			
Pay & Use Toilet				Remarks	--			

Station Name : PARAIYA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	300	5.75	0	OTH	120	6	8	2		0	125	2	4	2	17	0	0	0	0	1	N	0
UP	BG	Y	464	8.4	80	OTH	120	3	16	0		0	70	0	0	5	43	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : PARAIYA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	14	0	1.36	0	0	4			-	-
Actual	108	240	26	2	4	255	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	PHE SAR			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	PES	FOB	1	(a) Per Day	386		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	62		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	17.95	2016-17	43.49	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	44.13	2018-19	0.00	Touch Screen Enquiry System	N	
District	AURANGABAD	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				448	ATMs	0
Km.	0529.29	Cloak Room	N	MP Const.	Aurangabad			Food Plaza	N	
Route	A	Refreshment Room(sq		MP Name	Sushil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Aurangabad			Trains Halting	M: 2 P : 6	
				MLA Name	Sri Anand Shankar Singh			Station IInd Entry	N	
Other Items	--									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	90	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	39	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	3	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	12	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)	5
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	10000			
Pay & Use Toilet				Remarks	--			

Station Name : PHESAR

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	550	6.5	84	OTH	50	12	36	1		0	128	1	1		18	0	0	0	0	0	N	0
UP	BG	Y	308	20	0	OTH	180	15	36	1		0	120	2	2	13	47	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : PHESAR

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	26	0	2.48	0	0	7			-	-
Actual	90	230	74	6	5	287	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	PIRO			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	PIRO	FOB	0	(a) Per Day	515		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	68		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	23.38	2016-17	45.06	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	43.41	2018-19	0.00	Touch Screen Enquiry System	N	
District	BHOJPUR	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	ARA-SSM	Wheel Chairs	Y	Length of longest stopping train(m)				300	ATMs	0
Km.	0038.66	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram			Trains Halting	M: 1 P : 3	
				MLA Name	Jawahar Prasad			Station IInd Entry	N	
Other Items	--									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	20	Area(sq		111	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		35	35	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		2	2	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	910	Length(m)	300	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	4000			
Pay & Use Toilet				Remarks	--			

Station Name : PIRO

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	300	5.75	0	OPS	75	0	24	3		0	80	3	2	5	26	0	0	0	0	0	N	0		
*Surface Type		: CC-Cement Concrete					PS-Polished Stone					OPS-Other Pucca Surface					MOR-Moorum					OTH-Others				

Station Name : PIRO

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	28	0	2.72	0	0	8			-	-
Actual	20	75	27	5	6	160	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	PUSAULI			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	PSE	FOB	0	(a) Per Day	218		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	23		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Mughalsarai	Enquiry Office	0	2011-12	9.51	2016-17	20.54	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2017-18	19.91	2018-19	0.00	Touch Screen Enquiry System	N
District	KAIMUR	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N
Section	(BHABUA) GC	Wheel Chairs	N	Length of longest stopping train(m)			358	ATMs	0
Km.	0606.70	Cloak Room	N	MP Const.	Sasaram		Food Plaza	N	
Route	A	Refreshment Room(sqm)		MP Name	Chhedi Paswan		Budget Hotel	N	
Electrified	Y			MLA Const.	Bhabua		Trains Halting	M: 1 P : 4	
				MLA Name			Station IInd Entry	N	
Other Items	--								
Remarks for Station:	--								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	70	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1	Length(m)	12	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	3
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	90800			
Pay & Use Toilet				Remarks	--			

Station Name : PUSAULI

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	307	10	0	OTH	6	5	7	1		0	46	0	2		11	0	0	0	0	0	N	0
UP	BG	Y	395	19	0	OTH	120	0	8	2		0	84	0	0	2	20	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : PUSAULI

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	10	0	0.92	0	0	3			-	-
Actual	70	126	18	1	2	145	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	PUSAULI			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	PSE	FOB	0	(a) Per Day	218		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	23		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)				Tourist Facilation Center	N
Division	Mughalsarai	Enquiry Office	0	2011-12	9.51	2016-17	20.54	Touch Screen Enquiry System	N
State	BIHAR	Public Address Sys.	Y	2017-18	19.91	2018-19	0.00	Electronic Train Indication	N
District	KAIMUR	Clock	Y	2019-20	0	2020-21	0	ATMs	0
Section	(Bhabua) GC	Wheel Chairs	N	Length of longest stopping train(m)			358	Food Plaza	N
Km.	0606.70	Cloak Room	N	MP Const.	Sasaram		Budget Hotel	N	
Route	A	Refreshment Room(sqm)		MP Name	Chhedi Paswan		Trains Halting	M: 1 P : 4	
Electrified	Y			MLA Const.	Bhabua		Station IInd Entry	N	
				MLA Name					
Other Items	--								
Remarks for Station:	--								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	70	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1	Length(m)	12	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	3
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	90800			
Pay & Use Toilet				Remarks	--			

Station Name : PUSAULI

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	307	10	0	OTH	6	5	7	1		0	46	0	2		11	0	0	0	0	0	N	0
UP	BG	Y	395	19	0	OTH	120	0	8	2		0	84	0	0	2	20	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : PUSAULI

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	10	0	0.92	0	0	3			-	-
Actual	70	126	18	1	2	145	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	RAFIGANJ			No. of passengers dealt with:		Identified as Adarsh	Y	
Station Code	RFJ	FOB	1	(a) Per Day	2530	Developed As Adarsh	Y	
Station Category	NSG5	Subway	0	(b) Max. at any time	255	Identified for MFC	N	
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)				
Division	Mughalsarai	Enquiry Office	1	2011-12	273.99	2016-17	539.65	
State	BIHAR	Public Address Sys.	Y	2017-18	566.68	2018-19	0.00	
District	GAYA	Clock	Y	2019-20	0	2020-21	0	
Section	GC	Wheel Chairs	Y	Length of longest stopping train(m)		560		
Km.	0507.12	Cloak Room	N	MP Const.	Aurangabad		ATMs	0
Route	A	Refreshment Room(sq.m)		MP Name	Sushil Kumar Singh		Food Plaza	N
Electrified	Y			MLA Const.	Rafiganj		Budget Hotel	N
Other Items	--			MLA Name	Ashok Kumar Singh		Trains Halting	M: 8 P: 6
Remarks for Station:	--						Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	69	Area(sq.m)		21	21	Area(sq.m)	42
(b) Seats(Nos.)	52	Seats(Nos.)		9	9	Seats(Nos.)	9
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	1	Lav.(Nos.)	1
(d) Urinals(Nos.)	0	Urinals(Nos.)		1	1	Urinals(Nos.)	1
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	2
						Retiring Room	1
						Dormitory	1

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1064	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	90800			
Pay & Use Toilet				Remarks	-			

Station Name : RAFIGANJ

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1 & 2	BG	Y	610	14.5	84	OPS	1444	8	38	0		0	460	4	4	26	69	0	0	0	0	1	N	0
3 & 4	BG	Y	610	10.7	84	OPS	1408	7	18	0		0	282	0	8	13	46	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : RAFIGANJ

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	107	0	10.2	0	0	31			-	-
Actual	69	2852	56	7	15	821	1	See platform details	1	YES
Shortage, if any	-	-	-	-	-	-	-		1	-

Desired Facility	Facility Available
Improvement in the facade of the station building Improvement in the circulating area so as to ensure proper entry and exit of A lighting tower at an appropriate place to be installed for proper illumination Improved modern, cost effective lighting arrangements at the platforms, Renovated water booths Renovated, modern, Pay & Use toilets Good Waiting and Retiring Rooms with modern furniture Good passenger guidance system including signages and coach indication Improvement to the passenger service Improvement of booking and enquiry offices to give them a facelift Lighting of booking offices, the queuing area in front of booking windows Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	SAIDRAJA			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SYJ	FOB	2	(a) Per Day	368		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	111		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	18.22	2016-17	234.82	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	Y	2017-18	128.73	2018-19	0.00	Touch Screen Enquiry System	N	
District	UPPRADESH CHANDAULI	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				450	ATMs	0
Km.	0649.02	Cloak Room	N	MP Const.					Food Plaza	N
Route	A	Refreshment Room(sqm)		MP Name					Budget Hotel	N
Electrified	Y			MP Const. Saiyadraja					Trains Halting	M: 3 P : 4
				MP Name Manoj Kumar Singh					Station IInd Entry	N
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	60	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	200	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	3
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : SAIDRAJA

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	484	10	75	OPS	168	0	1	2		0	90	4	3	4	15	0	0	0	0	0	N	0	
2&3	BG	Y	385	7	75	OPS	32	1	1	1		0	80	1	1	4	12	0	0	0	0	0	N	0	
3&4	BG	Y	545	8	75	OPS	140	6	1	1		0	112	2	2	3	13	0	0	0	0	0	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : SAIDRAJA

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	150 sqm	6 tap/HP at stn	1	1	30	1	High level	0	-
As per Rec. norms	46	0	4.44	0	0	13			-	-
Actual	60	340	7	7	6	302	2	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	SAJAULI			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SAJU	FOB	0	(a) Per Day	254		Developed As Adarsh			
Station Category	F	Subway	0	(b) Max. at any time	52		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	6.01	2016-17	0.00	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	N	2017-18	0	2018-19	0.00	Touch Screen Enquiry System	N	
District	ROHTAS	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)				245	ATMs	0
Km.	0068.75	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N	
Route	Espl	Refreshment Room(sq		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	N			MLA Const.	Nokha			Trains Halting	M: P : null	
				MLA Name				Station IInd Entry	N	
Other Items	--									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	16	Area(sq		112	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		40	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	344	Length(m)	12	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	--			

Station Name : SAJAULI

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	312	6	0	OTH	0	0	0	1	0	0	30	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : SAJAULI

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	0 sqm	0	0	0	0	0	-	0	-
As per Rec. norms	33	0	2.08	0	0	9			-	-
Actual	16	0	1	1	1	70	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	SAMHAUTA HALT			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SAHT	FOB	0	(a) Per Day	3			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	3			Identified for MFC	N	
Railway	ECR	Booking Windows	0	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	1.45	2016-17	0.00	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	N	2017-18	0.02	2018-19	0.00	Touch Screen Enquiry System	N	
District	ROHTAS	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)				245	ATMs	0
Km.	0073.10	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram			Trains Halting	M: 0 P : 2	
				MLA Name	Jawahar Prasad			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq	0	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : SAMHAUTA HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	245	1.2	0	OTH	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : SAMHAUTA HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	2	0	0.12	0	0	1			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	SANJHAULI HALT			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	SJV	FOB	0	(a) Per Day	105		Developed As Adarsh		
Station Category	HG2	Subway	0	(b) Max. at any time	37		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Mughalsarai	Enquiry Office	0	2011-12	6.13	2016-17	5.82	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	N	2017-18	6.66	2018-19	0.00	Touch Screen Enquiry System	N
District	ROHTAS	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)			312	ATMs	0
Km.	0068.75	Cloak Room	N	MP Const.	Sasaram		Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Chhedi Paswan		Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram		Trains Halting	M: 0 P : 3	
				MLA Name	Jawahar Prasad		Station IInd Entry	N	
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	16	Area(sq		112	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		35	35	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		2	2	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	344	Length(m)	45	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : SANJHAULI HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	296	2.3	0	OTH	60	13	0	1		0	30	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : SANJHAULI HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	23	0	1.48	0	0	7			-	-
Actual	16	60	1	2	4	100	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	SASARAM			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	SSM	FOB	2	(a) Per Day	6418		Developed As Adarsh	Y		
Station Category	NSG3	Subway	0	(b) Max. at any time	452		Identified for MFC	Y		
Railway	ECR	Booking Windows	6	Pass. Earnings/Year(Rs. in Lac.)				MFC Developed	N	
Division	Mughalsarai	Enquiry Office	1	2011-12	1411.48	2016-17	2778.61	Tourist Facilitation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	2985.37	2018-19	0.00	Touch Screen Enquiry System	N	
District	ROHTAS	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	Y	
Section	GC	Wheel Chairs	Y	Length of longest stopping train(m)				560	ATMs	1
Km.	0572.64	Cloak Room	Y	MP Const.	Sasaram			Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram			Trains Halting	M: 29 P : 7	
				MLA Name	Jawahar Prasad			Station IInd Entry	N	
Other Items	--									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	166	Area(sq.m)		30	28	Area(sq.m)	58	Retiring Room	3
(b) Seats(Nos.)	72	Seats(Nos.)		25	18	Seats(Nos.)	43	Dormitory	1
(c) Lav.(Nos.)	8	Lav.(Nos.)		1	1	Lav.(Nos.)	2		
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	4	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	2		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	2500	Length(m)	89.54	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)	3
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	299640			
Pay & Use Toilet				Remarks	--			

Station Name : SASARAM

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
BKJ	BG	N	268	7	840	OPS	0	0	1	0		0	110	0	0	10	145	0	0	0	0	0	N	0
DN	BG	Y	549.4	12	84	OPS	1845	7	50	0		516	526	8	8	20	326	2	0	0	0	0	Y	1
UP	BG	Y	560	24	84	OPS	880	11	49	0		0	443	4	4	30	280	1	0	0	0	0	Y	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : SASARAM

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5 Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	1200 sqm	60	10	10	375	1 With Cover	High level	6	YES
As per Rec. norms	189	380	18.08	1	1	54			-	-
Actual	166	2725	100	24	15	1237	2	See platform details	2	-
Shortage, if any	-	-	-	-	-	-	-		4	YES

Station Name : SASARAM

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with light		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Toilets on end platform & circulating area	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	SATA BAHANI			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SZF	FOB	0	(a) Per Day	183			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	21			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	4.94	2016-17	10.02	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2017-18	10.68	2018-19	0.00	Touch Screen Enquiry System	N	
District	PALAMU	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	BD	Wheel Chairs	N	Length of longest stopping train(m)				290	ATMs	0
Km.	0340.24	Cloak Room	N	MP Const.	Palamu			Food Plaza	N	
Route	D	Refreshment Room(sq		MP Name	Vishnu Dayal Ram			Budget Hotel	N	
Electrified	Y			MLA Const.	Bishrampur			Trains Halting	M: 4 P : 4	
				MLA Name	Sri Ramchandra Chandrawansi			Station IInd Entry	N	
Other Items	--									
Remarks for Station:										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	21	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	Needs low cap deep tube well.			

Station Name : SATA BAHANI

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	352	9	0	CC	21	4	0	2		0	40	2	2	0	6	0	0	0	0	0	N	0
UP	BG	Y	352	9.6	0	OTH	21	2	0	1		0	44	0	0	1	10	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete	PS-Polished Stone	OPS-Other Pucca Surface	MOR-Moorum	OTH-Others																	

Station Name : SATA BAHANI

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	9	0	0.84	0	0	3			-	-
Actual	21	42	3	2	2	94	0	See platform details	0	-
Shortage, if any	-	58	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	SEMRAON			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	SRMN	FOB	0	(a) Per Day	3			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	3			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Mughalsarai	Enquiry Office	0	2011-12	0.35	2016-17	0.04	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	N	2017-18	0.09	2018-19	0.00	Touch Screen Enquiry System	N
District	BHOJPUR	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)			300	ATMs	0
Km.	0024.01	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N
Route	E	Refreshment Room(sq.m)		MP Name	Chhedi Paswan			Budget Hotel	N
Electrified	Y			MLA Const.	Sasaram			Trains Halting	M: 0 P : 2
				MLA Name	Jawahar Prasad			Station IInd Entry	N
Other Items	--								
Remarks for Station:	--								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	100	Length(m)	12	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	--			

Station Name : SEMRAON

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	5	0	OTH	85	3	0	0		0	72	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : SEMRAON

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	2	0	0.12	0	0	1			-	-
Actual	0	85	0	0	0	72	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	SHAHID BABA PARAW HALT			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	SBPS	FOB	0	(a) Per Day	0		Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	0		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Mughalsarai	Enquiry Office	0	2011-12	2.93	2016-17	0.00	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	N	2017-18	0	2018-19	0.00	Touch Screen Enquiry System	N
District	ROHTAS	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)			300	ATMs	0
Km.	0058.50	Cloak Room	N	MP Const.	Sasaram		Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Chhedi Paswan		Budget Hotel	N	
Electrified	Y			MLA Const.	Nokha		Trains Halting	M: 0 P : 2	
				MLA Name			Station IInd Entry	N	
Other Items	--								
Remarks for Station:	--								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	10	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	--			

Station Name : SHAHID BABA PARAW HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	170	2.75	0	CC	0	0	0	1		0	42	0	0	2	10	0	0	0	0	0	N	0
*Surface Type		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : SHAHID BABA PARAW HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	0	0	0	0	0	0			-	-
Actual	10	0	1	0	0	52	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	SHIVPUR HALT			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SVPH	FOB	0	(a) Per Day	0		Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time	0		Identified for MFC	N		
Railway	ECR	Booking Windows	0	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	1.56	2016-17	0.15	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	N	2017-18	0	2018-19	0.00	Touch Screen Enquiry System	N	
District	ROHTAS	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)				298	ATMs	0
Km.	0045.61	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram			Trains Halting	M: 0 P : 2	
				MLA Name	Jawahar Prasad			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq	0	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : SHIVPUR HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	296	2	0	OTH	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : SHIVPUR HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	0	0	0	0	0	0			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	SHIVSHAGAR ROSD			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SSG	FOB	1	(a) Per Day	203		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	68		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	6.72	2016-17	11.83	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	9.96	2018-19	0.00	Touch Screen Enquiry System	N	
District	ROHTAS	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	N	Length of longest stopping train(m)				358	ATMs	0
Km.	0586.20	Cloak Room	N	MP Const.	Sasaram			Food Plaza	N	
Route	A	Refreshment Room(sq		MP Name	Chhedi Paswan			Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram			Trains Halting	M: 0 P : 5	
				MLA Name	Jawahar Prasad			Station IInd Entry	N	
Other Items	--									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	60	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	51	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	14	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	--			

Station Name : SHIVSHAGAR ROSD

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	500	8	84	OTH	176	1	16	1		0	117	0	0		11	0	0	0	0	0	N	0
UP	BG	Y	545	8	84	OTH	48	5	16	1		0	83	1	1		16	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : SHIVSHAGAR ROSD

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	28	0	2.72	0	0	8			-	-
Actual	60	224	34	1	1	251	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	SIGSIGI			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	SQS	FOB	0	(a) Per Day	145		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	21		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Mughalsarai	Enquiry Office	0	2011-12	3.27	2016-17	6.63	Tourist Facilation Center	N
State	JHARKHAND	Public Address Sys.	Y	2017-18	6.89	2018-19	0.00	Touch Screen Enquiry System	N
District	PALAMU	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N
Section	BD	Wheel Chairs	N	Length of longest stopping train(m)			290	ATMs	0
Km.	0324.84	Cloak Room	N	MP Const.	Palamu		Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram		Budget Hotel	N	
Electrified	Y			MLA Const.	Bishrampur		Trains Halting	M: 4 P : 4	
				MLA Name	Sri Ramchandra Chandrawansi		Station IInd Entry	N	
Other Items	--								
Remarks for Station:	Needs to be improve by pucca surfacing.								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	20	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	12	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	Needs water supply by deep tube			

Station Name : SIGSIGI

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	350	9	0	OPS	27	4	0	2		0	16	2	2	0	9	0	0	0	0	0	N	0
UP	BG	Y	350	9	0	MOR	45	0	0	2		0	30	0	0	0	16	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : SIGSIGI

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	9	0	0.84	0	0	3			-	-
Actual	20	72	4	2	2	56	0	See platform details	0	-
Shortage, if any	-	28	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	SIGSIGI			No. of passengers dealt with:		Identified as Adarsh	N	
Station Code	SSQ	FOB	0	(a) Per Day	138	Developed As Adarsh		
Station Category	E	Subway	0	(b) Max. at any time	28	Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)				
Division	Mughalsarai	Enquiry Office	0	2011-12	2.64	2016-17	0.00	
State	JHARKHAND	Public Address Sys.	Y	2017-18	0	2018-19	0.00	
District	PALAMU	Clock	N	2019-20	0	2020-21	0	
Section	BD	Wheel Chairs	N	Length of longest stopping train(m)		290		
Km.	0324.80	Cloak Room	N	MP Const.	Palamu		ATMs	0
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram		Food Plaza	N
Electrified	Y			MLA Const.			Budget Hotel	N
Other Items	--			MLA Name			Trains Halting	M: P : null
Remarks for Station:	--						Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	20	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	--			

Station Name : SIGSIGI

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	350	9	0	OTH	7	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	N	0
UP	BG	N	350	9	0	OTH	21	3	0	1	0	0	15	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : SIGSIGI

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	0 sqm	0	0	0	0	0	-	0	-
As per Rec. norms	18	0	1.12	0	0	5			-	-
Actual	20	28	1	0	0	25	0	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	SONNAGAR			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SEB	FOB	1	(a) Per Day	1010			Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	96			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	123.60	2016-17	193.82	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2017-18	196.5	2018-19	0.00	Touch Screen Enquiry System	N	
District	AURANGABAD	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	GC	Wheel Chairs	Y	Length of longest stopping train(m)				448	ATMs	0
Km.	0549.30	Cloak Room	N	MP Const.	Aurangabad			Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Sushil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Aurangabad			Trains Halting	M: 7 P : 9	
				MLA Name	Sri Anand Shankar Singh			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	--									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	70	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	200	Length(m)	18	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Kutchra	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	300000			
Pay & Use Toilet				Remarks	-			

Station Name : SONNAGAR

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	Y	579	22	75	OPS	410	10	34	0		0	220	7	3	4	48	1	0	0	0	0	N	0
UP	BG	Y	563	11	75	OPS	200	6	22	1		0	170	2	0	10	64	1	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : SONNAGAR

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	40	0	3.84	0	0	12			-	-
Actual	70	610	57	10	4	430	1	See platform details	2	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	UDYANT NAGAR HALT			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	UWNR	FOB	0	(a) Per Day	0		Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	0		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Mughalsarai	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	N	2017-18	0	2018-19	0.00	Touch Screen Enquiry System	N
District	BHOJPUR	Clock	N	2019-20	0	2020-21	0	Electronic Train Indication	N
Section	ARA-SSM	Wheel Chairs	N	Length of longest stopping train(m)			296.5	ATMs	0
Km.	0005.95	Cloak Room	N	MP Const.	Sasaram		Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Chhedi Paswan		Budget Hotel	N	
Electrified	Y			MLA Const.	Sasaram		Trains Halting	M: 0 P : 2	
				MLA Name	Jawahar Prasad		Station IInd Entry	N	
Other Items	-								
Remarks for Station:	--								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	16	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	-			

Station Name : UDYANT NAGAR HALT

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	Y	300	5.5	0	OPS	72	0	0	0		0	36	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : UDYANT NAGAR HALT

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	0	0	0	0	0	0			-	-
Actual	16	72	0	0	0	36	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2021

Division : Mughalsarai

Station Name	UNTARI ROAD			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	URD	FOB	0	(a) Per Day	539		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	32		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Mughalsarai	Enquiry Office	0	2011-12	25.52	2016-17	58.27	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2017-18	56.35	2018-19	0.00	Touch Screen Enquiry System	N	
District	PALAMU	Clock	Y	2019-20	0	2020-21	0	Electronic Train Indication	N	
Section	BD	Wheel Chairs	N	Length of longest stopping train(m)				380	ATMs	0
Km.	0335.30	Cloak Room	N	MP Const.	Palamu			Food Plaza	N	
Route	Dspl	Refreshment Room(sqm)		MP Name	Vishnu Dayal Ram			Budget Hotel	N	
Electrified	Y			MLA Const.	Bishrampur			Trains Halting	M: 4 P : 4	
				MLA Name	Sri Ramchandra Chandrawansi			Station IInd Entry	N	
Other Items	--									
Remarks for Station:	.									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	36	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	4	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	236	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	3
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	--		

Station Name : **UNTARI ROAD**

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
DN	BG	N	352	8	0	MOR	30	5	0	1		0	80	2	2	0	10	0	0	0	0	0	N	0
UP	BG	N	352	8	0	MOR	48	5	0	3		0	76	2	2	4	22	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : UNTARI ROAD

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5 Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	13	0	1.28	0	0	4			-	-
Actual	36	78	4	4	4	160	0	See platform details	0	-
Shortage, if any	-	22	-	-	-	-	1		-	-