

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Sonpur			No. of passengers dealt with:		Identified as Adarsh	N	
Station Code	SEE	FOB	1	(a) Per Day	2708	Developed As Adarsh		
Station Category	NSG3	Subway	0	(b) Max. at any time	543	Identified for MFC	N	
Railway	ECR	Booking Windows	11	Pass. Earnings/Year(Rs. in Lac.)				
Division	Sonapur	Enquiry Office	1	2011-12	787.21	2016-17	776.88	
State	BIHAR	Public Address Sys.	Y	2018-19	924.01	2019-20	860.90	
District	SARAN	Clock	Y	2020-21	144.22	2021-22	0	
Section	CI-SEE	Wheel Chairs	Y	Length of longest stopping train(m)		540		
Km.	0272.54	Cloak Room	N	MP Const.	Chhapra		ATMs	2
Route	Dspl	Refreshment Room(sq.m)	178.45	MP Name	Shri Rajiv Pratap Rudhi (BJP)		Food Plaza	N
Electrified	Y			MLA Const.	Sonapur		Budget Hotel	N
Other Items	-			MLA Name	Dr. Ramanuj Prasad (RJD)		Trains Halting	M: 72 P : 18
Remarks for Station:	-						Station IInd Entry	Y

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	730	Area(sq.m)		37	41	Area(sq.m)	41
(b) Seats(Nos.)	55	Seats(Nos.)		12	12	Seats(Nos.)	0
(c) Lav.(Nos.)	4	Lav.(Nos.)		2	2	Lav.(Nos.)	1
(d) Urinals(Nos.)	9	Urinals(Nos.)		0	1	Urinals(Nos.)	0
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		1	0	Bathing Cubicals(Nos.)	1
						Retiring Room	1
						Dormitory	0

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	600	Length(m)	700	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	240000			
Pay & Use Toilet	N			Remarks	-			

Station Name : Sonpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1 & 2	BG	Y	720	24.7	72	CC	7508	0	84	0		0	375	5	2	13	0	8	0	0	0	1	Y	0
3 & 4	BG	Y	630	9.8	84	PS	2064	0	33	0	518	650	292	0	0	8	0	10	0	0	0	1	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Sonpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	800 sqm	40	10	10	250	1 With Cover	High level	4	YES
As per Rec. norms	227	304	21.72	1	1	65			-	-
Actual	730	9572	117	14	12	746	1	See platform details	4	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Sonpur

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	No	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	No	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Muzaffarpur Jn.			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	MFP	FOB	2	(a) Per Day	19299		Developed As Adarsh		
Station Category	NSG2	Subway	0	(b) Max. at any time	4039		Identified for MFC	N	
Railway	ECR	Booking Windows	24	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	1	2011-12	10157.36	2016-17	9480.66	Tourist Facilation Center	Y
State	BIHAR	Public Address Sys.	Y	2018-19	9142.93	2019-20	7948.16	Touch Screen Enquiry System	N
District	MUZAFFARPUR	Clock	Y	2020-21	1302.27	2021-22	0	Electronic Train Indication	Y
Section	MFP-SPJ	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	2
Km.	0086.51	Cloak Room	Y	MP Const.	Muzaffarpur			Food Plaza	Y
Route	Dspl	Refreshment Room(sq	114.09	MP Name	Ajay Nishad (BJP)			Budget Hotel	Y
Electrified	Y			MLA Const.	Muzaffarpur			Trains Halting	M: 120 P : 26
				MLA Name	Sri Bijender Chaudhary (Cong.)			Station IInd Entry	Y
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	857	Area(sq	42	25	Area(sq	26	Retiring Room	12	
(b) Seats(Nos.)	160	Seats(Nos.)	48	30	Seats(Nos.)	18	Dormitory	1	
(c) Lav.(Nos.)	11	Lav.(Nos.)	1	1	Lav.(Nos.)	1			
(d) Urinals(Nos.)	3	Urinals(Nos.)	2	0	Urinals(Nos.)	1			
(e) Bathing Cubicals(Nos.)	4	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	1			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	8700	Length(m)	720	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	6
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	11447686			
Pay & Use Toilet	Y			Remarks	-			

Station Name : Muzaffarpur Jn.

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	894.8	10	65	PS	4418	0	76	0	392	378	444	7	1	46	0	0	12	0	0	0	Y	0
6	BG	N	411.97	10.05	84	PS	3936	0	42	0	434	348	280	0	0	10	0	0	0	0	0	0	Y	0
2 & 3	BG	N	591.93	9.55	52	PS	4709	0	38	0	602	492	360	0	0	41	0	0	0	0	0	0	Y	0
7 & 8	BG	N	452.5	11	84	OPS	901	0	32	0		214	56	7	4	0	0	0	0	0	0	0	Y	0
4 & 5	BG						0													0	0	0		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Muzaffarpur Jn.

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	2500 sqm	100	12	12	750	1 With Cover	High level	10	YES
As per Rec. norms	1689	5655	161.56	6	6	485			-	-
Actual	857	13964	191	28	11	1396	2	See platform details	8	YES
Shortage, if any	-	-	-	-	1	-	-		2	-

Station Name : Muzaffarpur Jn.

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Muzaffarpur Jn.

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Barauni Jn			No. of passengers dealt with:				Identified as Adarsh	Y
Station Code	BJU	FOB	2	(a) Per Day	5261		Developed As Adarsh	N	
Station Category	NSG3	Subway	0	(b) Max. at any time	1086		Identified for MFC	N	
Railway	ECR	Booking Windows	11	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	1	2011-12	2709.49	2016-17	2038.13	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	2786.33	2019-20	2371.57	Touch Screen Enquiry System	N
District	BEGUSARAI	Clock	Y	2020-21	433.67	2021-22	0	Electronic Train Indication	N
Section	BJU-SPJ	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	3
Km.	0179.02	Cloak Room	Y	MP Const.	Begusarai			Food Plaza	N
Route	Dspl	Refreshment Room(sq	92.5	MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Teghra			Trains Halting	M: 118 P : 28
				MLA Name	Sri Ram Ratan Singh (CPI)			Station IInd Entry	Y
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	644	Area(sq		50	25	Area(sq	25	Retiring Room	5
(b) Seats(Nos.)	159	Seats(Nos.)		18	12	Seats(Nos.)	12	Dormitory	1
(c) Lav.(Nos.)	5	Lav.(Nos.)		2	1	Lav.(Nos.)	1		
(d) Urinals(Nos.)	2	Urinals(Nos.)		2	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	2480	Length(m)	200	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	4
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	1162800			
Pay & Use Toilet	Y			Remarks	-			

Station Name : Barauni Jn

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
2 & 3	BG	N	600	10	84	CC	6753	2	47	0	477	1050	137	0	1	4	0	2	0	0	0	0	N	0	
4 & 5	BG	N	600	24	84	OTH	67148	0	103	0	471	1050	342	14	4	40	0	11	0	0	0	0	N	0	
6 & 7	BG	N	595	15	84	CC	83467	0	66	0	450	1050	468	6	2	20	0	12	0	0	0	0	N	0	
8 & 9	BG	N	600	10	84	CC	43549	0	96	0	550	1100	260	0	2	28	0	12	0	0	0	0	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Barauni Jn

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	1600 sqm	80	10	10	500	1 With Cover	High level	8	YES
As per Rec. norms	454	1216	43.44	2	2	130			-	-
Actual	644	200917	312	29	13	1408	2	See platform details	8	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Barauni Jn

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	No	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Barauni Jn

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	No
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Hajipur			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	HJP	FOB	2	(a) Per Day	13745		Developed As Adarsh		
Station Category	NSG3	Subway	0	(b) Max. at any time	6000		Identified for MFC	N	
Railway	ECR	Booking Windows	22	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	1	2011-12	2433.84	2016-17	3058.27	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	3142.09	2019-20	2841.04	Touch Screen Enquiry System	N
District	VAISHALI	Clock	Y	2020-21	442.6	2021-22	0	Electronic Train Indication	Y
Section	CI-HJP	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	1
Km.	0266.96	Cloak Room	Y	MP Const.	Hajipur			Food Plaza	Y
Route	Dspl	Refreshment Room(sq	67.17	MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	Y
Electrified	Y			MLA Const.	Hajipur			Trains Halting	M: 102 P : 20
				MLA Name	Sri Awdesh Singh (BJP)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	204	Area(sq		36	35	Area(sq	70	Retiring Room	5
(b) Seats(Nos.)	563	Seats(Nos.)		20	20	Seats(Nos.)	0	Dormitory	1
(c) Lav.(Nos.)	8	Lav.(Nos.)		2	2	Lav.(Nos.)	4		
(d) Urinals(Nos.)	4	Urinals(Nos.)		1	1	Urinals(Nos.)	2		
(e) Bathing Cubicals(Nos.)	6	Bathing Cubicals(Nos.)		2	2	Bathing Cubicals(Nos.)	4		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	9286	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	250000			
Pay & Use Toilet	Y			Remarks	02 No. Hand Pump provided.			

Station Name : Hajipur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	640	10	75	PS	5120	2	52	1		0	624	20	20	33	320	8	0	0	0	1	Y	0
2&3	BG	Y	600	9.4	84	OTH	2880	0	57	2		0	280	14	16	12	250	7	0	0	0	1	Y	0
4&5	BG	Y	540	10	84	CC	1683	0	48	0			210		5	0	60			0	0	0	N	1
*Surface Type :		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Hajipur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	1200 sqm	60	10	10	375	1 With Cover	High level	6	YES
As per Rec. norms	2509	5040	240	9	9	720			-	-
Actual	204	9683	160	50	49	1717	2	See platform details	4	YES
Shortage, if any	-	-	-	-	-	-	-		2	-

Station Name : Hajipur

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	No
Public Phone Booth	Yes	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Hajipur

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Khagaria			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	KGG	FOB	1	(a) Per Day	9123		Developed As Adarsh		
Station Category	NSG3	Subway	0	(b) Max. at any time	1717		Identified for MFC	N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	1	2011-12	1454.96	2016-17	1757.65	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	2345.45	2019-20	2370.01	Touch Screen Enquiry System	N
District	KHAGARIA	Clock	Y	2020-21	368.6	2021-22	0	Electronic Train Indication	Y
Section	BJU-KIR	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	0
Km.	0123.50	Cloak Room	Y	MP Const.	Khagaria			Food Plaza	N
Route	Dspl	Refreshment Room(sq	24.35	MP Name	Mehboob Ali kaiser			Budget Hotel	N
Electrified	Y			MLA Const.	Khagaria			Trains Halting	M: 70 P : 18
				MLA Name	Sri Chhatrapati Yadav (Cong.)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	296	Area(sq		24	25	Area(sq	0	Retiring Room	1
(b) Seats(Nos.)	40	Seats(Nos.)		25	25	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	2	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	5758	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	309128			
Pay & Use Toilet				Remarks	01 No. Hand Pump provided			

Station Name : Khagaria

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	9	84	OPS	2248	4	24	0		0	450	6	8	6	0	4	0	0	0	0	N	0
2 & 3	BG	N	540	10	84	OPS	958	2	48	1		0	287	0	0	3	0	4	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Khagaria

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	800 sqm	40	10	10	250	1 With Cover	High level	4	YES
As per Rec. norms	718	962	68.68	3	3	206			-	-
Actual	296	3206	73	9	9	827	1	See platform details	2	YES
Shortage, if any	-	-	-	1	1	-	-		2	-

Station Name : Khagaria

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	No
Public Phone Booth	Yes	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	No	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Khagaria

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	No
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Begusarai			No. of passengers dealt with:		Identified as Adarsh	Y	
Station Code	BGS	FOB	1	(a) Per Day	6843	Developed As Adarsh	N	
Station Category	NSG4	Subway	0	(b) Max. at any time	1290	Identified for MFC	N	
Railway	ECR	Booking Windows	6	Pass. Earnings/Year(Rs. in Lac.)				
Division	Sonepur	Enquiry Office	1	2011-12	689.43	2016-17	1468.38	
State	BIHAR	Public Address Sys.	Y	2018-19	1849.89	2019-20	1936.88	
District	BEGUSARAI	Clock	Y	2020-21	327.26	2021-22	0	
Section	BJU-KIR	Wheel Chairs	Y	Length of longest stopping train(m)		540		
Km.	0164.00	Cloak Room	N	MP Const.	Begusarai		ATMs	0
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Giriraj Singh (BJP)		Food Plaza	N
Electrified	Y			MLA Const.	Begusarai		Budget Hotel	N
Other Items	-			MLA Name	Sri Kundan Kumar (BJP)		Trains Halting	M: 58 P : 8
Remarks for Station:	-						Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	162	Area(sq.m)	26	26	Area(sq.m)	0	Retiring Room	1
(b) Seats(Nos.)	97	Seats(Nos.)	25	25	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	2500	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	50000			
Pay & Use Toilet	Y			Remarks	03No. Hand Pump provided			

Station Name : Begusarai

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	580	9	84	CC	12796	4	35	1		0	400	1	10	23	0	3	0	0	0	0	Y	0
2 & 3	BG	Y	626	6	84	CC	775	5	54	1		0	298	0	6	7	0	2	0	0	0	0	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Begusarai

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec. norms	539	722	51.6	2	2	155			-	-
Actual	162	13570	91	3	17	845	1	See platform details	4	YES
Shortage, if any	-	-	-	3	-	-	-		-	-

Station Name : Begusarai

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	No	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	No	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	No	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	No
Public Phone Booth	Yes	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	No	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Begusarai

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	No
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Mansi Junction			No. of passengers dealt with:		Identified as Adarsh	Y	
Station Code	MNE	FOB	2	(a) Per Day	3750	Developed As Adarsh	N	
Station Category	NSG4	Subway	0	(b) Max. at any time	250	Identified for MFC	N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)				
Division	Sonapur	Enquiry Office	1	2011-12	650.29	2016-17	708.06	
State	BIHAR	Public Address Sys.	Y	2018-19	1056.87	2019-20	1059.23	
District	KHAGARIA	Clock	Y	2020-21	189.4	2021-22	0	
Section	BJU-KIR	Wheel Chairs	Y	Length of longest stopping train(m)		540		
Km.	0115.05	Cloak Room	N	MP Const.	Khagaria		ATMs	0
Route	Dspl	Refreshment Room(sq.m)	98	MP Name	Mehboob Ali kaiser		Food Plaza	N
Electrified	Y			MLA Const.	Khagaria		Budget Hotel	N
Other Items	-			MLA Name	Sri Chhatrapati Yadav (Cong.)		Trains Halting	M: 46 P : 18
Remarks for Station:	-						Station IInd Entry	Y

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	524	Area(sq.m)	25	25	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	112	Seats(Nos.)	23	23	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	2	2	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	2032	Length(m)	1450	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	185000			
Pay & Use Toilet	Y			Remarks				

Station Name : Mansi Junction

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	6	84	CC	441	2	16	2		0	110	0	3	3	0	1	0	0	0	0	N	0
2 & 3	BG	Y	600	29	84	CC	1749	14	42	1		0	253	6	2	17	0	2	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Mansi Junction

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec. norms	105	140	10	0	0	30			-	-
Actual	524	2190	61	10	6	521	2	See platform details	2	YES
Shortage, if any	-	-	-	-	-	-	-		2	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Naugachia			No. of passengers dealt with:		Identified as Adarsh	Y	
Station Code	NNA	FOB	1	(a) Per Day	2800	Developed As Adarsh	Y	
Station Category	NSG4	Subway	0	(b) Max. at any time	3400	Identified for MFC	N	
Railway	ECR	Booking Windows	8	Pass. Earnings/Year(Rs. in Lac.)				
Division	Sonapur	Enquiry Office	1	2011-12	486.98	2016-17	659.20	
State	BIHAR	Public Address Sys.	Y	2018-19	981.64	2019-20	987.07	
District	BHAGALPUR	Clock	Y	2020-21	201.44	2021-22	0	
Section	BJU-KIR	Wheel Chairs	Y	Length of longest stopping train(m)		540		
Km.	0056.72	Cloak Room	N	MP Const.	Bhagalpur		ATMs	0
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Ajay Kumar Mandal		Food Plaza	N
Electrified	Y			MLA Const.	Gopalpur		Budget Hotel	N
Other Items	-			MLA Name	Kumar Nagendra Bihari (JDU)		Trains Halting	M: 60 P : 8
Remarks for Station:	-						Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	538	Area(sq.m)		21	16	Area(sq.m)	0
(b) Seats(Nos.)	80	Seats(Nos.)		12	25	Seats(Nos.)	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	1	Lav.(Nos.)	0
(d) Urinals(Nos.)	0	Urinals(Nos.)		2	0	Urinals(Nos.)	0
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	0
						Retiring Room	1
						Dormitory	0

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	6000	Length(m)	3480	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	68260			
Pay & Use Toilet	Y			Remarks				

Station Name : Naugachia

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	550	11	76	CC	1165	2	21	1		0	299	5	2	7	0	7	0	0	0	1	N	0
2 & 3	BG	Y	550	10.4	84	CC	884	0	28	1		0	290	3	3	4	0	1	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Naugachia

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec. norms	1422	1904	136	5	5	408			-	-
Actual	538	2049	51	10	7	706	1	See platform details	2	YES
Shortage, if any	-	-	-	-	-	-	-		2	-

Station Name : Naugachia

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Desari			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	DES	FOB	1	(a) Per Day		799		Developed As Adarsh	
Station Category	NSG5	Subway	0	(b) Max. at any time		260		Identified for MFC	N
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	103.68	2016-17	310.13	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	299.96	2019-20	336.82	Touch Screen Enquiry System	N
District	VAISHALI	Clock	Y	2020-21	103.65	2021-22	0	Electronic Train Indication	N
Section	HJP-BCA	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	0
Km.	0246.47	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Raja Pakar			Trains Halting	M: 8 P : 12
				MLA Name	Sri Pratima Kumari (Cong.)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-5 HAND PUMP PROVIDED								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	105	Area(sq.m)		0	0	Area(sq.m)	26	Retiring Room	0
(b) Seats(Nos.)	52	Seats(Nos.)		0	0	Seats(Nos.)	23	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	2		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	241.4	Length(m)	43	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	05 Nos. Hand Pump provided			

Station Name : Desari

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	9	92	CC	675	10	0	3		0	100	3	4	4	0	1	0	0	0	1	N	0
2	BG	N	364	7	96	OTH	160	5	0	2		0	60	0	3	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Desari

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	109	0	10.4	0	0	31			-	-
Actual	105	835	5	5	7	235	1	See platform details	1	-
Shortage, if any	-	-	11	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Dalsingh Sarai			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DSS	FOB	2	(a) Per Day	894		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	396		Identified for MFC	N		
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	1	2011-12	498.95	2016-17	699.36	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	579.91	2019-20	321.04	Touch Screen Enquiry System	N	
District	SAMASTIPUR	Clock	N	2020-21	0	2021-22	0	Electronic Train Indication	N	
Section	BJU-SPJ	Wheel Chairs	Y	Length of longest stopping train(m)				540	ATMs	0
Km.	0011.27	Cloak Room	Y	MP Const.	Ujiarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Nityanand Rai (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Ujiarpur			Trains Halting	M: 36 P : 14	
				MLA Name	Sri Alok Kumar Mehta			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	75	Area(sq.m)		20	20	Area(sq.m)	45	Retiring Room	0
(b) Seats(Nos.)	24	Seats(Nos.)		0	0	Seats(Nos.)	12	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	1	Lav.(Nos.)	2		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	2		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	2		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	2450	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	4000			
Pay & Use Toilet				Remarks	-			

Station Name : Dalsingh Sarai

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10	84	CC	530	4	26	2		0	232	4	2	2	0	4	0	0	0	0	N	0
2	BG	N	600	7	84	CC	485	4	14	1		0	146	0	2	2	0	3	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dalsingh Sarai

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	166	0	15.84	1	1	48			-	-
Actual	75	1015	43	8	6	414	2	See platform details	1	YES
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Dighwara			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	DGA	FOB	1	(a) Per Day	1620		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	850		Identified for MFC	N	
Railway	ECR	Booking Windows	5	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	1	2011-12	202.93	2016-17	399.76	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	N	2018-19	487.87	2019-20	531.33	Touch Screen Enquiry System	N
District	SARAN	Clock	Y	2020-21	65.8	2021-22	0	Electronic Train Indication	N
Section	CI-HJP	Wheel Chairs	N	Length of longest stopping train(m)			518	ATMs	0
Km.	0295.77	Cloak Room	N	MP Const.	Chhapra			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Shri Rajiv Pratap Rudhi (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Sonapur			Trains Halting	M: 28 P : 10
				MLA Name	Dr. Ramanuj Prasad (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	45	Area(sq.m)		0	11	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		1	20	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)		1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1200	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	4000			
Pay & Use Toilet				Remarks	01No. Hand Pump provided.			

Station Name : Dighwara

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	548	6	0.47	OTH	405	2	4	1		0	95	4	4	3	0	1	0	0	0	1	N	0
2	BG	N	501.69	10	105	OPS	244	5	16	0		0	64	0	0	2	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dighwara

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	355	0	34	1	1	102			-	-
Actual	45	649	21	8	6	220	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Bachhwara Jn			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BCA	FOB	1	(a) Per Day	972			Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	384			Identified for MFC	N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	1	2011-12	133.53	2016-17	235.14	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	277.08	2019-20	295.18	Touch Screen Enquiry System	N	
District	BEGUSARAI	Clock	N	2020-21	62.27	2021-22	0	Electronic Train Indication	N	
Section	BJU-SPJ	Wheel Chairs	N	Length of longest stopping train(m)				428	ATMs	0
Km.	0195.62	Cloak Room	N	MP Const.	Begusarai			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Bachhwara			Trains Halting	M: 16 P : 26	
				MLA Name	Sri Surendra Mehta (BJP)			Station IInd Entry	Y	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	227	Area(sq.m)		0	0	Area(sq.m)	70	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	5		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	2		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	672	Length(m)	200	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	4000			
Pay & Use Toilet				Remarks	05 Nos. Hand Pump provided.			

Station Name : Bachhwara Jn

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	650	11.2	84	CC	863	0	0	2		0	104	0	0	16	20	0	0	0	0	0	N	0
2 & 3	BG	Y	650	18.65	84	OTH	160	10	0	2		0	76	3	1	3	8	0	0	0	0	0	N	0
4 & 5	BG		450	10	84	OTH	320	0	0	2		0	76	0	0	3	4	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Bachhwara Jn

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	150 sqm	24	4	4	150	0	High level	3	-
As per Rec. norms	161	0	15.36	1	1	46			-	-
Actual	227	1343	6	8	3	256	1	See platform details	0	-
Shortage, if any	-	-	18	-	1	-	-		3	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Dholi			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DOL	FOB	1	(a) Per Day	2408			Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	566			Identified for MFC	N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	181.82	2016-17	358.83	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	467.62	2019-20	487.12	Touch Screen Enquiry System	N	
District	MUZAFFARPUR	Clock	Y	2020-21	62.33	2021-22	0	Electronic Train Indication	N	
Section	MFP-SPJ	Wheel Chairs	Y	Length of longest stopping train(m)				495	ATMs	0
Km.	0060.95	Cloak Room	N	MP Const.	Muzaffarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Ajay Nishad (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Sakra			Trains Halting	M: 18 P : 10	
				MLA Name	Sri Ashok Kumar Choudhary			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	86	Area(sq.m)	29	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1610	Length(m)	430	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	16000			
Pay & Use Toilet				Remarks	03 Nos. Hand Pump provided.			

Station Name : Dholi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	506	10	31	CC	160	15	14	2		0	192	2	2	2	0	1	0	0	0	1	N	0
2	BG	N	432	6	52	CC	272	0	12	1		0	154	2	5	0	0	1	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dholi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	237	0	22.64	1	1	68			-	-
Actual	86	432	29	5	7	364	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Goraul			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	GRL	FOB	0	(a) Per Day	845		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	246		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	115.55	2016-17	102.08	Tourist Flacation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	151.09	2019-20	177.13	Touch Screen Enquiry System	N	
District	VAISHALI	Clock	N	2020-21	14.58	2021-22	0	Electronic Train Indication	N	
Section	HJP-MFP	Wheel Chairs	N	Length of longest stopping train(m)				518	ATMs	0
Km.	0027.90	Cloak Room	N	MP Const.	Vaishali			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Smt. Veena Devi			Budget Hotel	Y	
Electrified	Y			MLA Const.	Vaishali			Trains Halting	M: 10 P : 8	
				MLA Name	Sri Siddharth Patel (JDU)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	107	Area(sq		21	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	50	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		1	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	188.7	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided.			

Station Name : Goraul

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	519	16	84	CC	600	16	0	2		0	82	2	1	2	0	0	0	0	0	0	N	0
2	BG	N	568	11.5	75	OTH	300	0	0	0		0	76	0	1	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Goraul

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	103	0	9.84	0	0	30			-	-
Actual	107	900	2	3	2	208	0	See platform details	1	-
Shortage, if any	-	-	14	1	2	-	-		1	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Karhagola Road			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	CRR	FOB	1	(a) Per Day	1400		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	348		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	99.39	2016-17	134.35	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	188.25	2019-20	194.45	Touch Screen Enquiry System	N
District	KATIHAR	Clock	Y	2020-21	43.1	2021-22	0	Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	0
Km.	0022.12	Cloak Room	N	MP Const.	Katihar			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Dulal Chandra Goswami			Budget Hotel	N
Electrified	Y			MLA Const.	Barari			Trains Halting	M: 18 P : 8
				MLA Name	Sri Bijay Singh (JDU)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	114	Area(sq.m)	20	20	0	Area(sq.m)	0	Retiring Room 0
(b) Seats(Nos.)	70	Seats(Nos.)	15	15	0	Seats(Nos.)	0	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	1	0	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	1	1	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	640	Length(m)	1018	Source	Railway Supply		Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000			
Pay & Use Toilet				Remarks				

Station Name : Karhagola Road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	8	26	CC	760	7	12	2		0	110	2	3	3	0	1	0	0	0	0	N	0
2-3	BG	Y	540	10	55	CC	773	0	0	2		0	125	0	1	4	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Karhagola Road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	146	0	13.92	1	1	42			-	-
Actual	114	1533	16	3	4	320	1	See platform details	1	-
Shortage, if any	-	-	-	1	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Khudiram Bose Pusa			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KRBP	FOB	1	(a) Per Day	1781		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	386		Identified for MFC	N		
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	94.89	2016-17	248.96	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	295.93	2019-20	284.72	Touch Screen Enquiry System	N	
District	SAMASTIPUR	Clock	N	2020-21	44.29	2021-22	0	Electronic Train Indication	N	
Section	MFP-SPJ	Wheel Chairs	N	Length of longest stopping train(m)				473	ATMs	0
Km.	0048.28	Cloak Room	N	MP Const.	Samastipur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Prince Raj(LJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Kalyanpur			Trains Halting	M: 16 P : 10	
				MLA Name				Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	97	Area(sq.m)		13	23	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	1	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1513	Length(m)	389	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	03 Nos. hand Pump provided.			

Station Name : Khudiram Bose Pusa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	10	63	CC	160	7	0	2		0	170	2	2	3	0	1	0	0	0	1	N	0
2	BG	N	445	7	90	CC	232	0	0	1		0	150	2	3	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Khudiram Bose Pusa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	161	0	15.44	1	1	46			-	-
Actual	97	392	3	4	5	351	1	See platform details	1	-
Shortage, if any	-	-	13	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Kursela			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	KUE	FOB	1	(a) Per Day	1400		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	250		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	114.02	2016-17	143.05	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	240.13	2019-20	261.78	Touch Screen Enquiry System	N
District	KATIHAR	Clock	N	2020-21	74.73	2021-22	0	Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)			540	ATMs	0
Km.	0039.21	Cloak Room	N	MP Const.	Katihar			Food Plaza	N
Route	Dspl	Refreshment Room(sq		MP Name	Dulal Chandra Goswami			Budget Hotel	N
Electrified	Y			MLA Const.	Barari			Trains Halting	M: 16 P : 8
				MLA Name	Sri Bijay Singh (JDU)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	72	Area(sq	21	0	Area(sq	0	Retiring Room	0	
(b) Seats(Nos.)	40	Seats(Nos.)	25	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	1	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	735	Length(m)	800	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	75000			
Pay & Use Toilet	Y			Remarks				

Station Name : Kursela

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	540	7	30	CC	643	4	6	2		0	80	4	0	2	0	0	0	0	0	0	0	N	0
2 & 3	BG	Y	540	10.65	30	CC	450	1	30	2		0	50	0	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kursela

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	105	0	10	0	0	30			-	-
Actual	72	1093	40	5	1	195	1	See platform details	1	-
Shortage, if any	-	-	-	-	3	-	-		1	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Lakminia			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	LKN	FOB	1	(a) Per Day	1874		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	541		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	16.22	2016-17	172.89	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	341.13	2019-20	319.72	Touch Screen Enquiry System	N	
District	BEGUSARAI	Clock	N	2020-21	0	2021-22	0	Electronic Train Indication	N	
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)				540	ATMs	0
Km.	0146.03	Cloak Room	N	MP Const.	Begusarai			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N	
Electrified	Y	Room(sq		MLA Const.	Sahebpur Kamal			Trains Halting	M: 16 P : 8	
				MLA Name	Sri Satanand Sambuddha (RJD)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-5 HAND PUMP PROVIDED									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	60	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	50	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	375	Length(m)	5	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	12 Nos. Hand Pump provided			

Station Name : Lakminia

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	553	9	45	CC	786	12	0	3		0	168	3	1	0	14	0	0	0	0	0	N	0
2 & 3	BG	N	550	10	45	CC	640	0	0	2		0	144	0	1	0	10	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Lakminia

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	226	0	21.64	1	1	65			-	-
Actual	60	1426	5	3	2	362	1	See platform details	0	-
Shortage, if any	-	-	11	1	2	-	-		2	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Maheshkhunt			No. of passengers dealt with:				Identified as Adarsh	Y
Station Code	MSK	FOB	1	(a) Per Day	1339			Developed As Adarsh	N
Station Category	NSG5	Subway	0	(b) Max. at any time	175			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	234.86	2016-17	234.16	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	225	2019-20	298.14	Touch Screen Enquiry System	N
District	KHAGARIA	Clock	N	2020-21	48.78	2021-22	0	Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)			540	ATMs	0
Km.	0104.52	Cloak Room	N	MP Const.	Khagaria			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Mehboob Ali kaiser			Budget Hotel	N
Electrified	Y			MLA Const.	Parbatta			Trains Halting	M: 10 P : 8
				MLA Name	Sri Digambar Prasad Tiwary (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	58	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1360	Length(m)	400	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet	Y			Remarks				

Station Name : Maheshkhunt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	436	9	84	CC	490	8	0	4		0	85	6	3	5	0	2	0	0	0	0	N	0
2	BG	N	533	7	84	OPS	164	3	0	2		0	125	2	3	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Maheshkhunt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	73	0	7	0	0	21			-	-
Actual	58	654	6	8	6	210	1	See platform details	1	-
Shortage, if any	-	-	10	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Mahnar Road			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MNO	FOB	0	(a) Per Day	831		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	194		Identified for MFC	N		
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	1	2011-12	80.06	2016-17	71.80	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	N	2018-19	232.04	2019-20	251.15	Touch Screen Enquiry System	N	
District	VAISHALI	Clock	Y	2020-21	74.73	2021-22	0	Electronic Train Indication	N	
Section	BCA-HJP	Wheel Chairs	Y	Length of longest stopping train(m)				540	ATMs	0
Km.	0236.64	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Mahnar			Trains Halting	M: 6 P : 12	
				MLA Name	Sri Bina Singh (RJD)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	72	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	55	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	986	Length(m)	21.5	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided			

Station Name : Mahnar Road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	6	92	CC	720	13	0	2		0	219	3	4	3	0	1	0	0	0	0	N	0
2	BG	N	540	5	0	OTH	60	0					25							0	0	0		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Mahnar Road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	81	0	7.76	0	0	23			-	-
Actual	72	780	2	3	4	299	0	See platform details	1	-
Shortage, if any	-	-	14	1	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Mohiuddinnagar			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MOG	FOB	0	(a) Per Day	1293			Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	329			Identified for MFC	N	
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	118.57	2016-17	236.69	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	244.63	2019-20	307.68	Touch Screen Enquiry System	N	
District	SAMASTIPUR	Clock	Y	2020-21	50.9	2021-22	0	Electronic Train Indication	N	
Section	BCA-HJP	Wheel Chairs	N	Length of longest stopping train(m)				540	ATMs	0
Km.	0215.64	Cloak Room	N	MP Const.	Ujiarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Nityanand Rai (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Mohiuddinnagar			Trains Halting	M: 8 P : 12	
				MLA Name	Sri Rajesh Kumar Singh(BJP)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	200	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	80	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	650	Length(m)	290	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided			

Station Name : Mohiuddinnagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	617	11.4	84	PS	795	10	16	2		0	100	3	4	1	0	0	0	0	0	0	N	0
2	BG	N	650	11	84	PS	540	0	0	2		0	100	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Mohiuddinnagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	138	0	13.16	0	0	39			-	-
Actual	200	1335	20	3	4	280	0	See platform details	1	-
Shortage, if any	-	-	-	1	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Narayanpur			No. of passengers dealt with:				Identified as Adarsh	Y
Station Code	NNR	FOB	0	(a) Per Day		906		Developed As Adarsh	N
Station Category	NSG5	Subway	0	(b) Max. at any time		430		Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	57.11	2016-17	81.34	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	200	2019-20	183.29	Touch Screen Enquiry System	N
District	BHAGALPUR	Clock	N	2020-21	65.69	2021-22	0	Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)			540	ATMs	0
Km.	0080.50	Cloak Room	N	MP Const.	Bhagalpur			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Ajay Kumar Mandal			Budget Hotel	N
Electrified	Y			MLA Const.	Bihpur			Trains Halting	M: 10 P : 8
				MLA Name	Kumar Shailendra (BJP)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	147	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	125	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	208	Length(m)	500	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet	Y			Remarks				

Station Name : Narayanpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	612	10	84	CC	144	2	4	2		0	235	4	1	3	0	0	0	0	0	0	N	0
2	BG	N	510	8.5	0	CC	0	0	0	2		0	25	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Narayanpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	180	0	17.2	1	1	52			-	-
Actual	147	144	8	4	1	385	0	See platform details	0	-
Shortage, if any	-	-	8	-	3	-	-		2	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Pasraha			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	PSR	FOB	0	(a) Per Day	704			Developed As Adarsh	
Station Category	NSG5	Subway	0	(b) Max. at any time	145			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	53.83	2016-17	53.47	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	66	2019-20	63.11	Touch Screen Enquiry System	N
District	KHAGARIA	Clock	N	2020-21	3.83	2021-22	0	Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)			540	ATMs	0
Km.	0092.10	Cloak Room	N	MP Const.	Khagaria			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Mehboob Ali kaiser			Budget Hotel	N
Electrified	Y			MLA Const.	Parbatta			Trains Halting	M: 4 P : 8
				MLA Name	Sri Digambar Prasad Tiwary (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	171	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	125	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	462	Length(m)	670	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks				

Station Name : Pasraha

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	360	9	25	CC	188	1	0	3		0	70	2	2	0	0	0	0	0	0	0	N	0
2	BG	N	320	3	25	CC	0	0	0	2		0	15	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Pasraha

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	61	0	5.8	0	0	17			-	-
Actual	171	188	5	2	2	210	0	See platform details	0	-
Shortage, if any	-	-	11	2	2	-	-		2	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Sahebpur Kamal			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SKJ	FOB	1	(a) Per Day	941		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	357		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	39.82	2016-17	49.33	Tourist Facilitation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	103.32	2019-20	95.02	Touch Screen Enquiry System	N	
District	BEGUSARAI	Clock	N	2020-21	6.23	2021-22	0	Electronic Train Indication	N	
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)				518	ATMs	0
Km.	0136.78	Cloak Room	N	MP Const.	Begusarai			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Sahebpur Kamal			Trains Halting	M: 10 P : 8	
				MLA Name	Sri Satanand Sambuddha (RJD)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-05 HAND PUMP PROVIDED									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	120	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	80	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	300	Length(m)	100	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Other	Type	Piped and Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000		
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided		

Station Name : Sahebpur Kamal

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	546	9	84	OTH	1024	12	0	3		0	56	3	1	2	10	0	0	0	0	0	N	0
2	BG	N	550	10	84	CC	960	0	0	2		0	24	0	1	0	10	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Sahebpur Kamal

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	149	0	14.28	1	1	43			-	-
Actual	120	1984	5	3	2	160	1	See platform details	0	-
Shortage, if any	-	-	11	1	2	-	-		2	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Shahpur Patoree			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	SPP	FOB	1	(a) Per Day	2196		Developed As Adarsh	N		
Station Category	NSG5	Subway	0	(b) Max. at any time	155		Identified for MFC	N		
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	206.88	2016-17	378.94	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	470.46	2019-20	478.55	Touch Screen Enquiry System	N	
District	SAMASTIPUR	Clock	Y	2020-21	61.09	2021-22	0	Electronic Train Indication	N	
Section	BCA-HJA	Wheel Chairs	N	Length of longest stopping train(m)				540	ATMs	0
Km.	0229.18	Cloak Room	N	MP Const.	Ujiarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Nityanand Rai (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Morwa			Trains Halting	M: 12 P : 12	
				MLA Name	Sri Vidya Sagar Singh Nishad			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	334	Area(sq.m)		0	0	Area(sq.m)	21	Retiring Room	0
(b) Seats(Nos.)	45	Seats(Nos.)		0	0	Seats(Nos.)	36	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1600	Length(m)	900	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Other	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	91000			
Pay & Use Toilet	Y			Remarks	48 taps+1 hp			

Station Name : Shahpur Patoree

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	6.2	92	CC	632	1	16	1		0	190	3	4	10	0	1	0	0	0	1	N	0
2 & 3	BG	Y	600	12	84	PS	750	0	32	0		0	100	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Shahpur Patoree

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	65	0	6.2	0	0	19			-	-
Actual	334	1382	49	4	4	371	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Semapur			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	SMO	FOB	1	(a) Per Day	927		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	478		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	190.23	2016-17	85.03	Tourist Facilitation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	137.71	2019-20	144.37	Touch Screen Enquiry System	N
District	KATIHAR	Clock	N	2020-21	40.18	2021-22	0	Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)			450	ATMs	0
Km.	0011.26	Cloak Room	N	MP Const.	Katihar			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Dulal Chandra Goswami			Budget Hotel	N
Electrified	Y			MLA Const.	Katihar			Trains Halting	M: 14 P : 8
				MLA Name	Shri Tarkishore Prasad (BJP)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	99	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	86	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	234.45	Length(m)	300	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000			
Pay & Use Toilet				Remarks				

Station Name : Semapur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	335	8	20	CC	177	5	12	3		0	75	3	3	2	0	1	0	0	0	0	N	0
2	BG	N	335	3	22	OPS	110	0	0	3		0	45	0	6	0	0	1	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Semapur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	200	0	19.12	1	1	57			-	-
Actual	99	287	18	3	9	206	1	See platform details	1	-
Shortage, if any	-	-	-	1	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Thanabihpur			No. of passengers dealt with:				Identified as Adarsh	Y
Station Code	THB	FOB	1	(a) Per Day	1168		Developed As Adarsh	Y	
Station Category	NSG5	Subway	0	(b) Max. at any time	800		Identified for MFC	N	
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	1	2011-12	144.63	2016-17	247.39	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	350	2019-20	327.73	Touch Screen Enquiry System	N
District	BHAGALPUR	Clock	Y	2020-21	117.05	2021-22	0	Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	0
Km.	0072.87	Cloak Room	N	MP Const.	Bhagalpur		Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Ajay Kumar Mandal		Budget Hotel	N	
Electrified	N			MLA Const.	Bihpur		Trains Halting	M: 16 P : 8	
				MLA Name	Kumar Shailendra (BJP)		Station IInd Entry	N	
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	87	Area(sq.m)	25	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)	13	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	2	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	1	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	3480	Length(m)	3480	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	477000			
Pay & Use Toilet	Y			Remarks				

Station Name : Thanabihpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	597	15.4	84	OPS	2189	3	18	0		0	100	3	2	10	0	0	0	0	0	0	N	0
2 & 3	BG	Y	560	10	25	CC	418	0	16	0		0	40	0	0	2	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Thanabihpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	335	0	32	1	1	96			-	-
Actual	87	2607	34	5	3	193	1	See platform details	1	-
Shortage, if any	-	-	-	-	1	-	-		1	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Akshyawatrai nagar			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	AYRN	FOB	1	(a) Per Day	592		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	155		Identified for MFC	N	
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	40.89	2016-17	199.99	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	265.43	2019-20	264.06	Touch Screen Enquiry System	N
District	VAISHALI	Clock	Y	2020-21	50.6	2021-22	0	Electronic Train Indication	N
Section	HJP-BCA	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	0
Km.	0256.36	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Hajipur			Trains Halting	M: 4 P : 12
				MLA Name	Sri Awdesh Singh (BJP)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	105	Area(sq.m)		0	0	Area(sq.m)	26	Retiring Room 0
(b) Seats(Nos.)	57	Seats(Nos.)		0	0	Seats(Nos.)	12	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	2	
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	584.2	Length(m)	42	Source	Railway Supply		Open Wells (Nos) 0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos) 0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	09 Nos. Hand Pump provided.		

Station Name : Akshyawatrai nagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	9	94	CC	505	9	0	5		0	160	9	2	5	0	0	0	0	0	0	N	0
2	BG	N	540	5	80	CC	660	0	0	4		0	100	0	0	2	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Akshyawatrai nagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	65	0	6.2	0	0	19			-	-
Actual	105	1164	9	11	2	329	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Bhagwanpur			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BNR	FOB	1	(a) Per Day	1558		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	454		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	58.78	2016-17	205.66	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	238.76	2019-20	239.14	Touch Screen Enquiry System	N	
District	VAISHALI	Clock	N	2020-21	50.7	2021-22	0	Electronic Train Indication	N	
Section	HJP-MFP	Wheel Chairs	N	Length of longest stopping train(m)				518	ATMs	0
Km.	0019.79	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Lalganj			Trains Halting	M: 14 P : 8	
				MLA Name	Sri Sanjay Kumar Singh (BJP)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	24	Area(sq.m)	13	0	Area(sq.m)	0	Retiring Room	0	
(b) Seats(Nos.)	15	Seats(Nos.)	15	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	1	Lav.(Nos.)	1	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	92.4	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	04 Nos. hand Pump provided.			

Station Name : Bhagwanpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	597.35	8	56	CC	254	2	0	2		0	160	3	0	4	0	0	0	0	0	1	N	0
2 & 3	BG	Y	596	11	90	OTH	300	0	0	0		0	0	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bhagwanpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	190	0	18.16	1	1	54			-	-
Actual	24	554	2	5	0	190	1	See platform details	0	-
Shortage, if any	-	-	2	-	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Sitalpur			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	STLR	FOB	1	(a) Per Day		451		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		300		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	39.83	2016-17	32.80	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	43.03	2019-20	43.23	Touch Screen Enquiry System	N	
District	SARAN	Clock	N	2020-21	0.34	2021-22	0	Electronic Train Indication	N	
Section	CI-HJP	Wheel Chairs	N	Length of longest stopping train(m)				518	ATMs	0
Km.	0291.15	Cloak Room	N	MP Const.		Chhapra		Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name		Shri Rajiv Pratap Rudhi (BJP)		Budget Hotel	N	
Electrified	Y			MLA Const.		Sonepur		Trains Halting	M: 4 P : 10	
				MLA Name		Dr. Ramanuj Prasad (RJD)		Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	34	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	535.15	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	05Nos. Hand Pump provided			

Station Name : Sitalpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	354	8	52	OTH	77	3	0	2		0	62	2	1	1	0	0	0	0	0	1	N	0
2	BG	N	354.1	8.2	50	OTH	114	7	0	3		0	56	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Sitalpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	125	0	12	0	0	36			-	-
Actual	34	191	5	2	1	148	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Vidyapati Dham			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	VPDA	FOB	0	(a) Per Day	1052			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	250			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	36.70	2016-17	37.34	Tourist Facilitation Center	N	
State	BIHAR	Public Address Sys.	N	2018-19	143.6	2019-20	165.39	Touch Screen Enquiry System	Y	
District	SAMASTIPUR	Clock	Y	2020-21	32.51	2021-22	0	Electronic Train Indication	N	
Section	BCA-HJP	Wheel Chairs	Y	Length of longest stopping train(m)				428	ATMs	0
Km.	0206.46	Cloak Room	Y	MP Const.	Ujiarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Nityanand Rai (BJP)			Budget Hotel	N	
Electrified	N			MLA Const.	Sarairanjan			Trains Halting	M: 2 P : 12	
				MLA Name	Sri Vijay Kumar Choudhary (JDU)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	255	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	160	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	231	Length(m)	42	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	03 Nos. Hand Pump provided			

Station Name : Vidyapati Dham

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	650	11.4	0.84	PS	315	9	0	4		0	90	3	3	2	0	1	0	0	0	0	N	0
2	BG	N	650	11	0.84	PS	610	0	0	1		0	84	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Vidyapati Dham

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	105	0	10	0	0	30			-	-
Actual	255	925	5	3	3	334	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Dinkar Gram Simaria			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DKGS	FOB	0	(a) Per Day	27			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	6			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	2.15	2016-17	2.34	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	N	2018-19	2.54	2019-20	2.77	Touch Screen Enquiry System	N	
District	BEGUSARAI	Clock	N	2020-21	0	2021-22	0	Electronic Train Indication	N	
Section	BJU-SAE	Wheel Chairs	N	Length of longest stopping train(m)				405	ATMs	0
Km.	0009.90	Cloak Room	N	MP Const.	Begusarai			Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Teghra			Trains Halting	M: 4 P : 10	
				MLA Name	Sri Ram Ratan Singh (CPI)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	Halt									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	82	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	36	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	315	Length(m)	105	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	04 HP provided.		

Station Name : Dinkar Gram Simaria

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	248	5.5	84	CC	225	2	0	2		0	32	1	1	0	10	0	0	0	0	0	N	0
2 & 3	BG	Y	502	8	0	CC	30	0	0	2		0	28	0	0	0	4	1	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dinkar Gram Simaria

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	3	0	0.24	0	0	1			-	-
Actual	82	255	4	1	1	96	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Awatarnagar			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	ATNR	FOB	1	(a) Per Day	243		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	49		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	9.09	2016-17	8.34	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	N	2018-19	12.69	2019-20	11.18	Touch Screen Enquiry System	N
District	SARAN	Clock	N	2020-21	0.37	2021-22	0	Electronic Train Indication	N
Section	CI-SEE	Wheel Chairs	N	Length of longest stopping train(m)			518	ATMs	0
Km.	0301.41	Cloak Room	N	MP Const.	Chhapra			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Shri Rajiv Pratap Rudhi (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Garkha			Trains Halting	M: 2 P : 10
				MLA Name	Sri Surendra Ram (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	69	Area(sq.m)		20	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)		40	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	346.1	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided.			

Station Name : Awatarnagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	256.85	5	65	OTH	215	5	0	2		0	100	2	2	2	0	0	0	0	0	1	N	0	
2	BG	N	309	8	50	CC	114	11	0	2		0	69	2	1	0	0	0	0	0	0	1	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Awatarnagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	20	0	1.96	0	0	6			-	-
Actual	69	329	4	4	3	234	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Baragopal			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BAGL	FOB	1	(a) Per Day	222		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	44		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	10.85	2016-17	7.16	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	17.25	2019-20	17.26	Touch Screen Enquiry System	N	
District	SARAN	Clock	N	2020-21	0.5	2021-22	0	Electronic Train Indication	N	
Section	CI-SEE	Wheel Chairs	N	Length of longest stopping train(m)				518	ATMs	0
Km.	0306.33	Cloak Room	N	MP Const.	Chhapra			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Shri Rajiv Pratap Rudhi (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Garkha			Trains Halting	M: 2 P : 10	
				MLA Name	Sri Surendra Ram (RJD)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	35	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	451.1	Length(m)	400	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided.			

Station Name : Baragopal

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	379.25	8	45	OTH	191	25	0	2		0	80	3	1	0	0	0	0	0	0	1	N	0
2	BG	N	351.1	6.2	80	OPS	101	11	0	2		0	44	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Baragopal

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	18	0	1.76	0	0	5			-	-
Actual	35	292	4	3	1	144	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Bakhri					No. of passengers dealt with:	Identified as Adarsh	N		
Station Code	BKHR	FOB	0	(a) Per Day	218	Developed As Adarsh				
Station Category	NSG6	Subway	0	(b) Max. at any time	44	Identified for MFC	N			
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	4.31	2016-17	4.70	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	6.67	2019-20	7.58	Touch Screen Enquiry System	N	
District	KATIHAR	Clock	N	2020-21	0.55	2021-22	0	Electronic Train Indication	N	
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)				248	ATMs	0
Km.	0029.76	Cloak Room	N	MP Const.	Katihar			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Dulal Chandra Goswami			Budget Hotel	N	
Electrified	Y			MLA Const.	Barari			Trains Halting	M: 4 P : 4	
				MLA Name	Sri Bijay Singh (JDU)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	31	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	100	Length(m)	300	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	05 Nos. Hand Pump provided			

Station Name : Bakhri

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	6	10	CC	330	0	0	2		0	30	1	3	0	0	0	0	0	0	0	N	0
2	BG	N	350	6	0	CC	150	2	0	2		0	30	0	3	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bakhri

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	18	0	1.76	0	0	5			-	-
Actual	31	480	4	1	6	70	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Barauni Flag			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	BUJ	FOB	0	(a) Per Day	119		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	26		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	6.30	2016-17	6.72	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	N	2018-19	7.6	2019-20	7.82	Touch Screen Enquiry System	N
District	BEGUSARAI	Clock	N	2020-21	0.17	2021-22	0	Electronic Train Indication	N
Section	BJU-SPJ	Wheel Chairs	N	Length of longest stopping train(m)			270	ATMs	0
Km.	0182.05	Cloak Room	N	MP Const.	Begusarai			Food Plaza	N
Route	Dspl	Refreshment Room(sq		MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Teghra			Trains Halting	M: 0 P : 12
				MLA Name	Sri Ram Ratan Singh (CPI)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq	42	Area(sq	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	24	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	01 No. Hand Pump provided.			

Station Name : Barauni Flag

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	338	7	0	CC	100	0	0	2		0	28	2	2	0	0	2	0	0	0	0	N	0
2	BG	N	330	4	0	CC	0	0	0	0		0	36	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Barauni Flag

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	11	0	1.04	0	0	3			-	-
Actual	42	100	2	2	2	88	0	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Basudeopur Chandel			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BDDA	FOB	0	(a) Per Day	176		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	49		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	4.46	2016-17	4.70	Tourist Facilitation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	5.09	2019-20	4.12	Touch Screen Enquiry System	N	
District	VAISHALI	Clock	Y	2020-21	0	2021-22	0	Electronic Train Indication	N	
Section	BCA-HJP	Wheel Chairs	N	Length of longest stopping train(m)				270	ATMs	0
Km.	0233.16	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Mahnar			Trains Halting	M: 0 P : 12	
				MLA Name	Sri Bina Singh (RJD)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	Halt Station									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	42	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	48	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided			

Station Name : Basudeopur Chandel

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	4	0	CC	124	15	0	2		0	88	2	3	0	0	0	0	0	0	0	N	0
*Surface Type		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Basudeopur Chandel

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	20	0	1.96	0	0	6			-	-
Actual	42	124	2	2	3	128	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Bithauli Flag			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BTHL	FOB	0	(a) Per Day	19			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	23			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	1.54	2016-17	1.24	Tourist Facilitation Center	N	
State	BIHAR	Public Address Sys.	N	2018-19	0.95	2019-20	0.31	Touch Screen Enquiry System	N	
District	VAISHALI	Clock	N	2020-21	0.03	2021-22	0	Electronic Train Indication	N	
Section	HJP-MFP	Wheel Chairs	N	Length of longest stopping train(m)				270	ATMs	0
Km.	0015.28	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Lalganj			Trains Halting	M: 0 P : 8	
				MLA Name	Sri Sanjay Kumar Singh (BJP)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	47	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	35	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	55	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 Nos. Hand pump provided.			

Station Name : Bithauli Flag

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	235.6	3.3	0	CC	50	3	0	1		0	60	0	2	0	0	0	0	0	0	0	N	0
2	BG		350	4.2	0	CC	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bithauli Flag

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	10	0	0.92	0	0	3			-	-
Actual	47	50	1	0	2	95	0	See platform details	0	-
Shortage, if any	-	50	3	1	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Chaksikandar			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	CSR	FOB	1	(a) Per Day	198			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	66			Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	9.68	2016-17	9.32	Tourist Facilitation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	8.53	2019-20	8.59	Touch Screen Enquiry System	N
District	VAISHALI	Clock	Y	2020-21	0.62	2021-22	0	Electronic Train Indication	N
Section	HJP-BCA	Wheel Chairs	Y	Length of longest stopping train(m)			270	ATMs	0
Km.	0250.64	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Raghopur			Trains Halting	M: 0 P : 12
				MLA Name	Sri Tejaswi Yadav (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	15	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	162	Length(m)	25	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	03 Nos. Hand Pump provided.			

Station Name : Chaksikandar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	194	8.7	58	CC	172	3	0	2		0	56	3	0	1	0	0	0	0	0	0	N	0
2	BG	N	336	9	58	CC	60	0	0	1		0	8	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chaksikandar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	28	0	2.64	0	0	8			-	-
Actual	15	232	3	3	0	64	1	See platform details	0	-
Shortage, if any	-	-	1	-	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Chakmakrand			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	CKRD	FOB	0	(a) Per Day	176		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	53		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	4.00	2016-17	4.17	Tourist Facilitation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	4.43	2019-20	5.40	Touch Screen Enquiry System	N	
District	VAISHALI	Clock	Y	2020-21	0.39	2021-22	0	Electronic Train Indication	N	
Section	HJP-BCA	Wheel Chairs	N	Length of longest stopping train(m)				270	ATMs	0
Km.	0260.44	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Hajipur			Trains Halting	M: 0 P : 12	
				MLA Name	Sri Awdesh Singh (BJP)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	30	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room 0
(b) Seats(Nos.)	18	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos) 0
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos) 0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	03 Nos. Hand Pump provided.		

Station Name : Chakmakrand

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	8	0	OTH	60	0	0	3		0	18	0	6	0	0	0	0	0	0	0	N	0
2	BG	N	540	4	0	OTH	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chakmakrand

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	22	0	2.12	0	0	6			-	-
Actual	30	60	3	0	6	36	0	See platform details	0	-
Shortage, if any	-	40	1	1	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Danauli Phulwaria			No. of passengers dealt with:		Identified as Adarsh	N	
Station Code	DPL	FOB	0	(a) Per Day	2401	Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	115	Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)				
Division	Sonapur	Enquiry Office	0	2011-12	7.14	2016-17	10.03	
State	BIHAR	Public Address Sys.	Y	2018-19	14.98	2019-20	17.09	
District	BEGUSARAI	Clock	N	2020-21	2.18	2021-22	0	
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)		405		
Km.	0151.66	Cloak Room	N	MP Const.	Begusarai		ATMs	0
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Giriraj Singh (BJP)		Food Plaza	N
Electrified	Y			MLA Const.	Sahebpur Kamal		Budget Hotel	N
Other Items	-			MLA Name	Sri Satanand Sambuddha (RJD)		Trains Halting	M: 2 P : 8
Remarks for Station:	-						Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	152	Area(sq.m)		0	0	Area(sq.m)	0
(b) Seats(Nos.)	60	Seats(Nos.)		0	0	Seats(Nos.)	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0
						Retiring Room	0
						Dormitory	0

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	300	Length(m)	325	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided.			

Station Name : Danauli Phulwaria

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	490	8	45	CC	3072	7	6	3		0	94	2	1	0	8	1	0	0	0	0	N	0
2 & 3	BG	N	332	10	45	CC	2560	2	6	2		0	60	0	0	0	8	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Danauli Phulwaria

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	48	0	4.6	0	0	14			-	-
Actual	152	5632	17	2	1	214	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Dubaha			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DUBH	FOB	1	(a) Per Day	577		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	148		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	21.34	2016-17	22.65	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	19.26	2019-20	22.47	Touch Screen Enquiry System	N	
District	MUZAFFARPUR	Clock	N	2020-21	3.44	2021-22	0	Electronic Train Indication	N	
Section	MFP-SPJ	Wheel Chairs	N	Length of longest stopping train(m)				405	ATMs	0
Km.	0054.72	Cloak Room	N	MP Const.	Muzaffarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Ajay Nishad (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Sakra			Trains Halting	M: 2 P : 10	
				MLA Name	Sri Ashok Kumar Choudhary			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	20	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room 0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	581	Length(m)	120	Source	Railway Supply		Open Wells (Nos) 0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos) 0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	05 Nos. Hand Pump provided.		

Station Name : Dubaha

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	345	9	45	OTH	182	6	0	3		0	102	3	1	0	0	1	0	0	0	1	N	0
2	BG	N	345	6	0	OTH	0	1	0	2		0	48	2	0	0	0	1	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dubaha

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	62	0	5.92	0	0	18			-	-
Actual	20	182	5	5	1	160	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Gawchhari			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	GAI	FOB	1	(a) Per Day	238		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	55		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	10.50	2016-17	10.25	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	15	2019-20	15.03	Touch Screen Enquiry System	N	
District	KHAGARIA	Clock	N	2020-21	2.31	2021-22	0	Electronic Train Indication	N	
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)				270	ATMs	0
Km.	0100.58	Cloak Room	N	MP Const.	Khagaria			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Mehboob Ali kaiser			Budget Hotel	N	
Electrified	Y			MLA Const.	Parbatta			Trains Halting	M: 0 P : 8	
				MLA Name	Sri Digambar Prasad Tiwary (RJD)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	28	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	210	Length(m)	700	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks				

Station Name : Gawchhari

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	5	55	CC	208	0	0	1		0	50	2	1	0	0	0	0	0	0	0	N	0
2 & 3	BG	N	350	10	0	CC	0	0	0	1		0	36	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Gawchhari

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	23	0	2.2	0	0	7			-	-
Actual	28	208	2	2	1	111	1	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Goldinganj			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	GJH	FOB	1	(a) Per Day		20		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		10		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	9.12	2016-17	8.78	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	N	2018-19	19.26	2019-20	20.77	Touch Screen Enquiry System	N	
District	SARAN	Clock	N	2020-21	0.52	2021-22	0	Electronic Train Indication	N	
Section	CI-HJP	Wheel Chairs	N	Length of longest stopping train(m)				518	ATMs	0
Km.	0315.24	Cloak Room	N	MP Const.	Chhapra			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Shri Rajiv Pratap Rudhi (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Garkha			Trains Halting	M: 2 P : 10	
				MLA Name	Sri Surendra Ram (RJD)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	33	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	493	Length(m)	500	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	05 Nos. Hand Pump provided.			

Station Name : Goldinganj

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	349.6	6.8	0.54	OTH	112	0	0	2		0	100	2	1	0	0	0	0	0	0	0	N	0
2	BG	N	491.2	7.1	0.76	CC	114	2	0	2		0	50	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Goldinganj

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	33	226	4	2	1	170	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Ghoswar Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	GWH	FOB	0	(a) Per Day	8			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	687			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	0.45	2016-17	0.41	Tourist Facilitation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	0.83	2019-20	0.59	Touch Screen Enquiry System	N	
District	VAISHALI	Clock	N	2020-21	0.5	2021-22	0	Electronic Train Indication	N	
Section	HJP-MFP	Wheel Chairs	N	Length of longest stopping train(m)				270	ATMs	0
Km.	0005.36	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N	
Electrified	N			MLA Const.	Hajipur			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Awdesh Singh (BJP)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	12	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	6	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	565	Length(m)	390	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 No. Hand Pump provided.			

Station Name : Ghoswar Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	422	4.05	65	CC	28	0	6	1		0	12	1	2	0	0	0	0	0	0	0	N	0
2	BG	N	504.5	4.05	0	CC	28	35	0	1		0	12	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Ghoswar Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	431	0	27.48	2	2	124			-	-
Actual	12	56	8	2	2	30	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Karpurigram			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KPGM	FOB	1	(a) Per Day	196		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	56		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	15.87	2016-17	92.59	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	96	2019-20	97.73	Touch Screen Enquiry System	N	
District	SAMASTIPUR	Clock	N	2020-21	3.57	2021-22	0	Electronic Train Indication	N	
Section	MFP-SPJ	Wheel Chairs	N	Length of longest stopping train(m)				495	ATMs	0
Km.	0041.84	Cloak Room	N	MP Const.	Samastipur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Prince Raj(LJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Samastipur			Trains Halting	M: 10 P : 10	
				MLA Name	Sri Md. Akhtarul Islam Shaheen			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	103	Area(sq.m)		0	0	Area(sq.m)	16	Retiring Room 1
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory 0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	690	Length(m)	343	Source	Railway Supply		Open Wells (Nos) 0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos) 1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	16000		
Pay & Use Toilet				Remarks	02 No.s Hand Pump provided.		

Station Name : Karpurigram

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	376	8	84	CC	489	8	8	0		0	138	2	1	3	0	0	0	0	0	1	N	0
2	BG	N	376	9	84	CC	309	0	8	2		0	132	0	0	1	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Karpurigram

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	23	0	2.24	0	0	7			-	-
Actual	103	798	18	4	1	280	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Katareah			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	KTRH	FOB	0	(a) Per Day	319		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	87		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	14.07	2016-17	15.88	Tourist Facilitation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	21.44	2019-20	20.64	Touch Screen Enquiry System	N
District	BHAGALPUR	Clock	N	2020-21	2.18	2021-22	0	Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)			450	ATMs	0
Km.	0045.85	Cloak Room	N	MP Const.	Bhagalpur			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Ajay Kumar Mandal			Budget Hotel	N
Electrified	Y			MLA Const.	Gopalpur			Trains Halting	M: 6 P : 8
				MLA Name	Kumar Nagendra Bihari (JDU)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	115	Area(sq.m)	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	178	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks				

Station Name : Katareah

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	368	10	0	CC	100	1	0	2		0	40	2	2	0	0	0	0	0	0	0	N	0
2	BG	N	560	10	20	CC	300	0	0	2		0	114	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Katareah

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	36	0	3.48	0	0	10			-	-
Actual	115	400	4	2	2	194	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Kharik			No. of passengers dealt with:				Identified as Adarsh	Y
Station Code	KHQ	FOB	0	(a) Per Day		160		Developed As Adarsh	N
Station Category	NSG6	Subway	0	(b) Max. at any time				Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	10.00	2016-17	11.40	Tourist Facilitation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	10.36	2019-20	9.71	Touch Screen Enquiry System	N
District	BHAGALPUR	Clock	N	2020-21	1.44	2021-22	0	Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)			270	ATMs	0
Km.	0064.68	Cloak Room	N	MP Const.	Bhagalpur			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Ajay Kumar Mandal			Budget Hotel	N
Electrified	Y			MLA Const.	Bihpur			Trains Halting	M: 0 P : 8
				MLA Name	Kumar Shailendra (BJP)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	122	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	24	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	750	Length(m)	900	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	01 Nos. Hand Pump provided			

Station Name : Kharik

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	354	9	20	OPS	232	6	0	2		0	65	2	1	0	0	0	0	0	0	0	N	0
2 & 3	BG	Y	550	10.5	20	OTH	49	0	0	2		0	30	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kharik

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	0	0	0	0	0	0			-	-
Actual	122	281	4	2	1	119	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Kurhani			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KHI	FOB	0	(a) Per Day	297		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	90		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	8.68	2016-17	9.22	Tourist Facilitation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	8.27	2019-20	6.66	Touch Screen Enquiry System	N	
District	MUZAFFARPUR	Clock	N	2020-21	1.25	2021-22	0	Electronic Train Indication	N	
Section	HJP-MFP	Wheel Chairs	N	Length of longest stopping train(m)				270	ATMs	0
Km.	0033.81	Cloak Room	N	MP Const.	Muzaffarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Ajay Nishad (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Kurhani			Trains Halting	M: 0 P : 8	
				MLA Name	Sri Anil Kumar Sahni(RJD)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	27	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	372.4	Length(m)	52.7	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided.			

Station Name : Kurhani

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	340.48	8	40	OTH	139	4	0	1		0	50	3	0	0	0	0	0	0	0	0	N	0
2 & 3	BG	Y	585	10.3	0	OTH	0	0	0	1		0	60	0	0	0	50	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kurhani

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	38	0	3.6	0	0	11			-	-
Actual	27	139	2	3	0	128	0	See platform details	0	-
Shortage, if any	-	-	2	-	1	-	1		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Lakho					No. of passengers dealt with:		Identified as Adarsh	N
Station Code	LAK	FOB	0	(a) Per Day		152	Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		104	Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	111.74	2016-17	3.87	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	8.04	2019-20	9.52	Touch Screen Enquiry System	N
District	BEGUSARAI	Clock	N	2020-21	1.28	2021-22	0	Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)		248	ATMs	0	
Km.	0156.49	Cloak Room	N	MP Const.	Begusarai		Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Sri Giriraj Singh (BJP)		Budget Hotel	N	
Electrified	Y			MLA Const.	Begusarai		Trains Halting	M: 0	P : 8
				MLA Name	Sri Kundan Kumar (BJP)		Station IInd Entry	N	
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	30	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	12	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	500	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2000			
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided			

Station Name : Lakho

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	6.3	0	OTH	320	11	12	2		0	48	4	4	0	12	0	0	0	0	0	N	0
2 & 3	BG	N	350	10	45	CC	320	0	0	2		0	120	0	0	0	12	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Lakho

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	43	0	4.16	0	0	12			-	-
Actual	30	640	16	4	4	180	0	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Nandani Lagunia			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	NNNL	FOB	0	(a) Per Day	56			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	33			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	1.47	2016-17	1.36	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	N	2018-19	2.62	2019-20	3.01	Touch Screen Enquiry System	N	
District	SAMASTIPUR	Clock	N	2020-21	0.3	2021-22	0	Electronic Train Indication	N	
Section	BCA-HJP	Wheel Chairs	N	Length of longest stopping train(m)				270	ATMs	0
Km.	0223.39	Cloak Room	N	MP Const.	Ujiarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Nityanand Rai (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Mohiuddinnagar			Trains Halting	M: 0 P : 12	
				MLA Name	Sri Rajesh Kumar Singh(BJP)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	235	Area(sq.m)	0	0	Area(sq.m)	0	Retiring Room	0	
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	500	Length(m)	900	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	06 No. Hand Pump Provided			

Station Name : Nandani Lagunia

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	11	84	CC	510	3	0	3		0	36	3	3	0	0	0	0	0	0	0	N	0
2 & 3	BG	Y	600	11.3	84	CC	560			3			48							0	0	0		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Nandani Lagunia

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	14	0	1.32	0	0	4			-	-
Actual	235	1070	6	3	3	94	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Nayagoan			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	NYO	FOB	1	(a) Per Day	376		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	250		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	20.29	2016-17	17.18	Tourist Flacation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	27.7	2019-20	26.75	Touch Screen Enquiry System	N	
District	SARAN	Clock	N	2020-21	0.41	2021-22	0	Electronic Train Indication	N	
Section	CI-HJP	Wheel Chairs	N	Length of longest stopping train(m)				518	ATMs	0
Km.	0283.82	Cloak Room	Y	MP Const.	Chhapra			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Shri Rajiv Pratap Rudhi (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Sonepur			Trains Halting	M: 6 P : 10	
				MLA Name	Dr. Ramanuj Prasad (RJD)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	36	Area(sq.m)	48	48	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	40	40	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	1	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	906.25	Length(m)	95	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	03 Nos. Hand Pump provided			

Station Name : Nayagoan

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	559.6	6	70	OTH	114	11	7	2		0	100	1	4	0	0	0	0	0	0	1	N	0
2	BG	N	503	8	90	OTH	112	19	4	1		0	80	1	2	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Nayagoan

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	105	0	10	0	0	30			-	-
Actual	36	226	14	3	7	220	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Nayagoan

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	No	Waiting Room (with bathing facility)	
Cloak Room	No	Upper Class	No
Enquiry Counter	Yes	Second Class	Yes
NTES	No	For Ladies (combined upper & second class)	No
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	No	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	No
Public Phone Booth	No	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	No
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	No	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	No	Facilities of station building including facade	Yes

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Narayanpur Anant			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	NRPA	FOB	1	(a) Per Day	147		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	107		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	6.50	2016-17	7.97	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	6.15	2019-20	5.35	Touch Screen Enquiry System	N	
District	MUZAFFARPUR	Clock	N	2020-21	0.35	2021-22	0	Electronic Train Indication	N	
Section	MFP-SPJ	Wheel Chairs	N	Length of longest stopping train(m)				405	ATMs	0
Km.	0081.28	Cloak Room	N	MP Const.	Muzaffarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Ajay Nishad (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Muzaffarpur			Trains Halting	M: 2 P : 10	
				MLA Name	Sri Bijender Chaudhary (Cong.)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	52	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	675	Length(m)	520	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	227500			
Pay & Use Toilet				Remarks	NIL			

Station Name : Narayanpur Anant

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	98	7	80	CC	0	0	1	0		0	6	0	0	0	0	0	0	0	0	0	N	0
2 & 3	BG	Y	350	9	84	CC	156	0	12	0		0	84	3	0	1	0	1	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Narayanpur Anant

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	45	0	4.28	0	0	13			-	-
Actual	52	156	13	3	0	98	1	See platform details	0	-
Shortage, if any	-	-	-	-	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Nazirganj			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	NAZJ	FOB	1	(a) Per Day	121			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	121			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	16.52	2016-17	16.98	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	16.58	2019-20	16.96	Touch Screen Enquiry System	N	
District	SAMASTIPUR	Clock	N	2020-21	5.29	2021-22	0	Electronic Train Indication	N	
Section	SPJ-MFP	Wheel Chairs	N	Length of longest stopping train(m)				405	ATMs	0
Km.	0018.91	Cloak Room	N	MP Const.	Ujiarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Nityanand Rai (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Ujiarpur			Trains Halting	M: 4 P : 14	
				MLA Name	Sri Alok Kumar Mehta			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	40	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	04 Nos. hand Pump provided.			

Station Name : Nazirganj

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	9	45	CC	300	4	0	2		0	96	2	1	0	0	0	0	0	0	0	N	0
2	BG	N	340	6	0	CC	300	0	0	2		0	79	0	1	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Nazirganj

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	51	0	4.84	0	0	15			-	-
Actual	40	600	4	2	2	195	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Permanandpur			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	PMU	FOB	1	(a) Per Day	49			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	35			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	1.65	2016-17	1.60	Tourist Facilitation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	2.56	2019-20	2.65	Touch Screen Enquiry System	N	
District	SARAN	Clock	N	2020-21	0.08	2021-22	0	Electronic Train Indication	N	
Section	CI-HJP	Wheel Chairs	N	Length of longest stopping train(m)				518	ATMs	0
Km.	0279.10	Cloak Room	N	MP Const.	Chhapra			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Shri Rajiv Pratap Rudhi (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Sonepur			Trains Halting	M: 2 P : 10	
				MLA Name	Dr. Ramanuj Prasad (RJD)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	24	Area(sq.m)	24	24	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)	50	50	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1716	Length(m)	500	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided			

Station Name : Permandpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	365.3	8	52	OTH	114	0	0	2		0	20	1	3	0	0	0	0	0	0	1	N	0
2	BG	N	363	7.3	57	OPS	114	0	0	2		0	16	1	3	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Permandpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	15	0	1.4	0	0	4			-	-
Actual	24	228	4	2	6	106	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Ramdayalu Nagar			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	RD	FOB	1	(a) Per Day	249		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	59		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	9.13	2016-17	8.26	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	8.38	2019-20	9.07	Touch Screen Enquiry System	N	
District	MUZAFFARPUR	Clock	N	2020-21	1.11	2021-22	0	Electronic Train Indication	N	
Section	HJP-MFP	Wheel Chairs	N	Length of longest stopping train(m)				270	ATMs	0
Km.	0047.75	Cloak Room	N	MP Const.	Muzaffarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Ajay Nishad (BJP)			Budget Hotel	N	
Electrified	Y	Room(sq		MLA Const.	Muzaffarpur			Trains Halting	M: 0 P : 8	
				MLA Name	Sri Bijender Chaudhary (Cong.)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	55	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	42	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	78	Length(m)	609	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided			

Station Name : Ramdayalu Nagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	291	11.75	40	OTH	151	10	0	2		0	84	3	0	2	0	0	0	0	0	0	N	0
2	BG	N	350	9	84	CC	0	0	0	1		0	60	2	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Ramdayalu Nagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	25	0	2.36	0	0	7			-	-
Actual	55	151	3	5	0	186	1	See platform details	0	-
Shortage, if any	-	-	1	-	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Shahdei Bizurg			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SDG	FOB	0	(a) Per Day	465			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	156			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	19.09	2016-17	26.46	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	23.46	2019-20	24.50	Touch Screen Enquiry System	N	
District	VAISHALI	Clock	Y	2020-21	1.6	2021-22	0	Electronic Train Indication	N	
Section	HJP-BCA	Wheel Chairs	Y	Length of longest stopping train(m)				270	ATMs	0
Km.	0241.57	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N	
Route	Dspl	Refreshment Room(sqm)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Raja Pakar			Trains Halting	M: 0 P : 12	
				MLA Name	Sri Pratima Kumari (Cong.)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	30	Area(sqm)	0	0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	3	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	193.5	Length(m)	40	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	03 Nos. Hand Pump			

Station Name : Shahdei Bizurg

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	392	7	60	CC	165	11	0	2		0	80	3	3	0	0	0	0	0	0	0	N	0
2	BG	N	335	10	60	CC	69	0	0	1		0	30	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Shahdei Bizurg

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	65	0	6.24	0	0	19			-	-
Actual	30	234	3	6	3	110	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Sarai					No. of passengers dealt with:		Identified as Adarsh	N	
Station Code	SAI	FOB	0	(a) Per Day	257	Developed As Adarsh				
Station Category	NSG6	Subway	0	(b) Max. at any time	71	Identified for MFC		N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	10.39	2016-17	10.68	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	86.96	2019-20	106.81	Touch Screen Enquiry System	N	
District	VAISHALI	Clock	Y	2020-21	5.11	2021-22	0	Electronic Train Indication	N	
Section	HJP-MFP	Wheel Chairs	N	Length of longest stopping train(m)				428	ATMs	0
Km.	0010.86	Cloak Room	N	MP Const.	Hajipur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Pasupati Nath Paras (LJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Lalganj			Trains Halting	M: 2 P : 8	
				MLA Name	Sri Sanjay Kumar Singh (BJP)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	132	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	99	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	630	Length(m)	27	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Other	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	16000			
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided			

Station Name : Sarai

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	427.5	6.7	35	CC	144	8	16	2		0	135	3	2	2	0	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Sarai

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	30	0	2.84	0	0	9			-	-
Actual	132	144	18	3	2	234	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Sathajagat			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	STJT	FOB	1	(a) Per Day	47	Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	46	Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	1	2011-12	7.30	2016-17	7.73	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	8.08	2019-20	2.65	Touch Screen Enquiry System	N
District	BEGUSARAI	Clock	N	2020-21	0.52	2021-22	0	Electronic Train Indication	N
Section	SPJ-BJU	Wheel Chairs	N	Length of longest stopping train(m)			405	ATMs	0
Km.	0006.64	Cloak Room	N	MP Const.	Begusarai			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Bachhwara			Trains Halting	M: 2 P : 12
				MLA Name	Sri Surendra Mehta (BJP)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	47	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	4	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	400	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided.			

Station Name : Sathajagat

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	258	10	50	CC	100	1	0	2		0	39	3	2	0	0	0	0	0	0	0	N	0
2	BG	N	258	5	0	OTH	0	0	0	2		0	8	3	2	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Sathajagat

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	19	0	1.84	0	0	6			-	-
Actual	47	100	4	6	4	51	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	SIHO					No. of passengers dealt with:		Identified as Adarsh	N
Station Code	SSO	FOB	1	(a) Per Day	667	Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	155	Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonepur	Enquiry Office	0	2011-12	12.90	2016-17	14.60	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	10.6	2019-20	10.23	Touch Screen Enquiry System	N
District	MUZAFFARPUR	Clock	N	2020-21	0.64	2021-22	0	Electronic Train Indication	N
Section	MFP-SPJ	Wheel Chairs	N	Length of longest stopping train(m)		405	ATMs		0
Km.	0067.88	Cloak Room	N	MP Const.	Muzaffarpur		Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Ajay Nishad (BJP)		Budget Hotel	N	
Electrified	Y			MLA Const.	Sakra		Trains Halting	M: 2 P : 10	
				MLA Name	Sri Ashok Kumar Choudhary		Station IInd Entry	N	
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	46	Area(sq.m)	0	0	Area(sq.m)	0	Retiring Room	0	
(b) Seats(Nos.)	20	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	318	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	3 Nos. Hand Pump provided		

Station Name : SIHO

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	9	0	OTH	161	8	0	1		0	104	3	1	0	0	1	0	0	0	1	N	0
2	BG	N	500	9	92	OTH	309	0	0	2		0	146	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : SIHO

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	65	0	6.2	0	0	19			-	-
Actual	46	470	3	3	1	270	1	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Silaut			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SLT	FOB	1	(a) Per Day	519		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	131		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonapur	Enquiry Office	0	2011-12	23.21	2016-17	23.97	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	27.4	2019-20	20.08	Touch Screen Enquiry System	N	
District	MUZAFFARPUR	Clock	N	2020-21	0.38	2021-22	0	Electronic Train Indication	N	
Section	MFP-SPJ	Wheel Chairs	N	Length of longest stopping train(m)				405	ATMs	0
Km.	0074.20	Cloak Room	N	MP Const.	Muzaffarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Ajay Nishad (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Muzaffarpur			Trains Halting	M: 2 P : 10	
				MLA Name	Sri Bijender Chaudhary (Cong.)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	85	Area(sq.m)	33	0	Area(sq.m)	0	Retiring Room	0	
(b) Seats(Nos.)	20	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	300	Length(m)	420	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided			

Station Name : Silaut

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	353	9	45	CC	157	7	0	2		0	100	2	0	0	0	1	0	0	0	0	N	0
2	BG	N	350	8	74	OTH	320	5	0	1		0	130	2	1	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Silaut

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	55	0	5.24	0	0	16			-	-
Actual	85	477	3	5	2	250	1	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Teghra			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	TGA	FOB	1	(a) Per Day	353		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	76		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	33.42	2016-17	31.39	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	32.78	2019-20	99.86	Touch Screen Enquiry System	N
District	BEGUSARAI	Clock	N	2020-21	8.05	2021-22	0	Electronic Train Indication	N
Section	SPJ-BJU	Wheel Chairs	N	Length of longest stopping train(m)			405	ATMs	0
Km.	0186.64	Cloak Room	N	MP Const.	Begusarai			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N
Electrified	Y			MLA Const.	Teghra			Trains Halting	M: 4 P : 26
				MLA Name	Sri Ram Ratan Singh (CPI)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	146	Area(sq.m)	19	19	0	Area(sq.m)	0	Retiring Room 0
(b) Seats(Nos.)	40	Seats(Nos.)	18	18	10	Seats(Nos.)	0	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)	2	2	1	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	1	1	Urinals(Nos.)	0	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	850	Source	Railway Supply		Open Wells (Nos) 0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos) 0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided		

Station Name : Teghra

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	355	17	50	CC	136	5	1	3		0	120	3	2	0	0	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Teghra

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	32	0	3.04	0	0	9			-	-
Actual	146	136	4	6	4	188	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Tilrath			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	TIL	FOB	0	(a) Per Day	167			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	83			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	5.33	2016-17	5.78	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	20.59	2019-20	20.41	Touch Screen Enquiry System	N	
District	BEGUSARAI	Clock	N	2020-21	2.47	2021-22	0	Electronic Train Indication	N	
Section	BJU-KIR	Wheel Chairs	Y	Length of longest stopping train(m)				270	ATMs	0
Km.	0170.73	Cloak Room	N	MP Const.	Begusarai			Food Plaza	N	
Route	D	Refreshment Room(sq.m)		MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Matihani			Trains Halting	M: 0 P : 8	
				MLA Name	Sri Raj Kumar Singh (LJP)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	3 HAND PUMP PROVIDED									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	34	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	273	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	4 Nos. Hand Pump provided			

Station Name : Tiltrath

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	368	15	45	OTH	100	12	0	1		0	25	3	1	0	10	0	0	0	0	0	N	0
2	BG	N	404	8.7	45	OTH	0	0	0	2		0	25	0	0	0	8	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Tiltrath

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	35	0	3.32	0	0	10			-	-
Actual	34	100	3	3	1	70	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Turki			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	TUR	FOB	0	(a) Per Day	270		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	71		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	0	2011-12	7.00	2016-17	7.53	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	7.95	2019-20	7.46	Touch Screen Enquiry System	N	
District	MUZAFFARPUR	Clock	N	2020-21	1.08	2021-22	0	Electronic Train Indication	N	
Section	HJP-MFP	Wheel Chairs	N	Length of longest stopping train(m)				270	ATMs	0
Km.	0039.96	Cloak Room	N	MP Const.	Muzaffarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Ajay Nishad (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Kurhani			Trains Halting	M: 0 P : 8	
				MLA Name	Sri Anil Kumar Sahni(RJD)			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	38	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	6	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	240	Length(m)	308	Source	Railway Supply		Open Wells (Nos)	0
Surface	Other	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	05 Nos. Hand Pump provided			

Station Name : Turki

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	598	10.5	84	CC	161	4	0	3		0	54	3	0	2	0	0	0	0	0	0	N	0
2 & 3	BG	Y	578	10.5	0	OTH	0	0	0	1		0	60	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Turki

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	30	0	2.84	0	0	9			-	-
Actual	38	161	4	3	0	120	0	See platform details	0	-
Shortage, if any	-	-	-	-	1	-	1		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonepur

Station Name	Ujiyarpur			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	UJP	FOB	1	(a) Per Day	131			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	108			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Sonepur	Enquiry Office	1	2011-12	19.57	2016-17	29.33	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2018-19	21.4	2019-20	5.32	Touch Screen Enquiry System	N	
District	SAMASTIPUR	Clock	N	2020-21	7.5	2021-22	0	Electronic Train Indication	N	
Section	SPJ-BJU	Wheel Chairs	N	Length of longest stopping train(m)				405	ATMs	0
Km.	0025.35	Cloak Room	N	MP Const.	Ujiarpur			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Nityanand Rai (BJP)			Budget Hotel	N	
Electrified	Y			MLA Const.	Ujiarpur			Trains Halting	M: 5 P : 14	
				MLA Name	Sri Alok Kumar Mehta			Station IInd Entry	N	
Other Items	-									
Remarks for Station:	-									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	42	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	40	Length(m)	1200	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	02 Nos. Hand Pump provided.			

Station Name : Ujyarpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1 & 2	BG	Y	538	8	47	OTH	143	10	0	2		0	60	2	1	2	0	1	0	0	0	0	N	0
3	BG	N	358	8	60	OTH	0	8	0	1		0	60	2	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Ujyarpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	45	0	4.32	0	0	13			-	-
Actual	42	143	3	4	1	138	1	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	Umesh Nagar			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	UMNR	FOB	0	(a) Per Day	126		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	95		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	2.30	2016-17	2.92	Tourist Facilitation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	5.28	2019-20	5.66	Touch Screen Enquiry System	N
District	KHAGARIA	Clock	N	2020-21	1.41	2021-22	0	Electronic Train Indication	N
Section	BJU-KIR	Wheel Chairs	N	Length of longest stopping train(m)			270	ATMs	0
Km.	0130.74	Cloak Room	N	MP Const.	Khagaria			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Mehboob Ali kaiser			Budget Hotel	N
Electrified	Y			MLA Const.	Sahebpur Kamal			Trains Halting	M: 0 P : 8
				MLA Name	Sri Satanand Sambuddha (RJD)			Station IInd Entry	N
Other Items	-								
Remarks for Station:	-								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	72	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	04 Nos. Hand Pump provided			

Station Name : Umesh Nagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	282	7	0	CC	487	5	0	2		0	54	2	1	0	0	0	0	0	0	0	N	0
2 & 3	BG	N	350	10	0	CC	331	0	0	2		0	44	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Umesh Nagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	40	0	3.8	0	0	11			-	-
Actual	72	818	4	2	1	123	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2022

Division : Sonapur

Station Name	SABDALPUR			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	SBDP	FOB	1	(a) Per Day	300		Developed As Adarsh		
Station Category		Subway	0	(b) Max. at any time	400		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Sonapur	Enquiry Office	0	2011-12	0.00	2016-17	0.00	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2018-19	20.62	2019-20	21.56	Touch Screen Enquiry System	N
District	BEGUSARAI	Clock	Y	2020-21	3.6	2021-22	0	Electronic Train Indication	N
Section	BJU-JMP	Wheel Chairs	N	Length of longest stopping train(m)			154	ATMs	0
Km.	0014.50	Cloak Room	N	MP Const.	Begusarai			Food Plaza	N
Route	Dspl	Refreshment Room(sq		MP Name	Sri Giriraj Singh (BJP)			Budget Hotel	N
Electrified	N			MLA Const.	Sahebpur Kamal			Trains Halting	M: P : null
				MLA Name	Sri Satanand Sambuddha (RJD)			Station IInd Entry	
Other Items									
Remarks for Station:									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	110	Area(sq		35	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	50	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		1	1	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface		Surface		Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type		Illumination Type		Storage Capacity(Ltr)	20000			
Pay & Use Toilet				Remarks	WATER STOREGE SINTAX ON ROOFCAPACITY 20000 LITER			

Station Name : SABDALPUR

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	472	12	84	OTH	400	0	8	0		0	110	3	6			0	0	0	0	0	N	0
2&3	BG	Y	472	12.8	84	OTH	400	0	8	0		0	110	0	0			0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : SABDALPUR

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	0 sqm	0	0	0	0	0	-	0	-
As per Rec. norms	251	0	16	1	1	72			-	-
Actual	110	800	16	4	8	270	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-