

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Amlu B.H.			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	AMLO	FOB	0	(a) Per Day	155			Developed As Adarsh		
Station Category	HG2	Subway	0	(b) Max. at any time	30			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	12.05	2018-19	12.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	9.47	2020-21	0.35	Touch Screen Enquiry System	N	
District	BOKARO	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	GMO-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				400	ATMs	0
Km.	0031.08	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	D	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	Bermo			Trains Halting	M: 0 P : 3	
				MLA Name	Sri Rajendra Prasad Singh			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	11	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	5	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	15	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchu	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Amlo B.H.

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	243	2.5	0	CC	9	0	0	1		0	30	2	2	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Amlo B.H.

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	19	0	1.2	0	0	5			-	-
Actual	11	9	1	2	2	35	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Anpara			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	ANPR	FOB	0	(a) Per Day		158		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time		45		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	153.53	2018-19	153.04	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	Y	2019-20	108.63	2020-21	21.62	Touch Screen Enquiry System	N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	CPU-OBRA	Wheel Chairs	Y	Length of longest stopping train(m)				242	ATMs	0
Km.	0060.50	Cloak Room	N	MP Const.	Robertsganj	Food Plaza				N
Route	E	Refreshment Room(sq.m)		MP Name	Shri Pakauri Lal Kol	Budget Hotel				N
Electrified	N			MLA Const.	Obra	Trains Halting				M: 4 P : 2
				MLA Name	Shri Sanjeev Gond	Station IInd Entry				N
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	37	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	24	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1657.5	Length(m)	250	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	15300			
Pay & Use Toilet				Remarks	NA			

Station Name : Anpara

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	470	8	76	CC	51	6	11	1		0	148	4	4	0	25	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Anpara

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	50 sqm	8	4	4	50	0	High level	1	-
As per Rec. norms	19	0	1.8	0	0	5			-	-
Actual	37	51	12	4	4	172	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Arigada			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	ARGD	FOB	1	(a) Per Day		85	Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time		30	Identified for MFC			
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	3.33	2018-19	2.27	Tourist Facilation Center		
State	JHARKHAND	Public Address Sys.	Y	2019-20	5.41	2020-21	0.14	Touch Screen Enquiry System		
District	RAMGARH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication		
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				176	ATMs	
Km.	0133.38	Cloak Room	N	MP Const.	Hazaribagh			Food Plaza		
Route	E	Refreshment Room(sq.m)		MP Name	Jayant Sinha			Budget Hotel		
Electrified	N			MLA Const.	Barkagaon			Trains Halting		
Other Items	NA			MLA Name	Sri Amba Prasad			M: 0	P : 8	
Remarks for Station:	NA							N		

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	8	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	105	Length(m)	35	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutcha	Surface	Kutcha	Type	Piped		Bore Wells (Nos)	1
Illumination Type		Illumination Type	Y	Storage Capacity(Ltr)	15000			
Pay & Use Toilet				Remarks	NA			

Station Name : Arigada

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	11	840	MOR	0	6	0	2		0	28	3	1	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Arigada

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	19	0	1.2	0	0	5			-	-
Actual	8	0	2	3	1	28	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	BES			No. of passengers dealt with:				Identified as Adarsh	N						
Station Code	BES	FOB	1	(a) Per Day		37		Developed As Adarsh							
Station Category	NSG6	Subway	0	(b) Max. at any time		10		Identified for MFC	N						
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)											
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N						
State	JHARKHAND	Public Address Sys.	Y	2019-20	1.53	2020-21	0.00	Touch Screen Enquiry System	N						
District		Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N						
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				135	ATMs	0					
Km.	0089.69	Cloak Room	N	<table border="1"> <tr><td>MP Const.</td></tr> <tr><td>MP Name</td></tr> <tr><td>MLA Const.</td></tr> <tr><td>MLA Name</td></tr> </table>						MP Const.	MP Name	MLA Const.	MLA Name	Food Plaza	N
MP Const.															
MP Name															
MLA Const.															
MLA Name															
Route	Dspl	Refreshment Room(sqm)		Budget Hotel	N										
Electrified	Y			Trains Halting	M: 0	P : 4									
Other Items	NA			Station IInd Entry	N										
Remarks for Station:	DHANBAD DIVISION .														

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	50	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	1
Illumination Type		Illumination Type	Y	Storage Capacity(Ltr)	15000		
Pay & Use Toilet				Remarks	NA		

Station Name : BES

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	340	11	840	MOR	0	0	0	2		0	32	0	0	0	0	0	0	0	0	0	1	N	0
2	BG	N	340	10	455	MOR	0	0	0	2		0	28	0	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : BES

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	0	0	4	0	0	60	1	See platform details	0	-
Shortage, if any	15	100	-	1	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Bhurkunda			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	BHKD	FOB	2	(a) Per Day		415		Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time		200		Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	35.10	2018-19	37.61	Tourist Facilation Center	N
State	JHARKHAND	Public Address Sys.	Y	2019-20	44.71	2020-21	1.67	Touch Screen Enquiry System	N
District	RAMGARH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N
Section	BRKA-GHD	Wheel Chairs	Y	Length of longest stopping train(m)				264	
Km.	0112.53	Cloak Room	N	MP Const.	Hazaribagh			ATMs	0
Route	Dspl	Refreshment Room(sq.m)		MP Name	Jayant Sinha			Food Plaza	N
Electrified	Y			MLA Const.	Barkagaon			Budget Hotel	N
Other Items	NA			MLA Name	Sri Amba Prasad			Trains Halting	M: 2 P : 8
Remarks for Station:	NA							Station IInd Entry	Y

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	20	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	230	Length(m)	74	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Bhurkunda

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	550	9	84	CC	84	7	0	2		0	32	2	2	1	5	0	0	0	0	1	N	0
2	BG	Y	385	10.5	84	CC	0	0		1			24	2	2					0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bhurkunda

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	84	0	8	0	0	24			-	-
Actual	20	84	3	4	4	66	2	See platform details	0	-
Shortage, if any	-	16	1	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Bhandaridah			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	BHME	FOB	0	(a) Per Day		57		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		20		Identified for MFC		N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	5.69	2018-19	5.16	Tourist Facilitation Center		N
State	JHARKHAND	Public Address Sys.	N	2019-20	3.93	2020-21	0.12	Touch Screen Enquiry System		N
District	BOKARO	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication		N
Section	GMO-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)			300	ATMs		0
Km.	0023.56	Cloak Room	N	MP Const.	Giridih		Food Plaza		N	
Route	D	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary		Budget Hotel		N	
Electrified	Y			MLA Const.	Bermo		Trains Halting		M: 1 P : 3	
				MLA Name	Sri Rajendra Prasad Singh		Station IInd Entry		N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	76	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	2500	Length(m)	30	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	30000			
Pay & Use Toilet	N			Remarks	Na			

Station Name : Bhandaridah

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	296	6	34	CC	384	10	32	0		0	60	1	0	0	5	0	0	0	0	0	N	0
2	BG	N	244	6.8	0	CC	0	0	0	1		0	52	1	0	0	10	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bhandaridah

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	8	0	0.8	0	0	2			-	-
Actual	76	384	33	3	0	132	0	See platform details	1	YES
Shortage, if any	-	-	-	-	1	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Bokaro Thermal			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	BKRO	FOB	1	(a) Per Day	608		Developed As Adarsh	N		
Station Category	NSG5	Subway	0	(b) Max. at any time	150		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	193.99	2018-19	198.65	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	213.86	2020-21	41.00	Touch Screen Enquiry System	N	
District	BOKARO	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	GMO-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)				525	ATMs	0
Km.	0042.93	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	D	Refreshment Room(sq		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	Gomia			Trains Halting	M: 2 P : 2	
				MLA Name	Sri Lambodar Mahto			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	51	Area(sq		0	0	Area(sq	36	Retiring Room	0
(b) Seats(Nos.)	35	Seats(Nos.)		0	0	Seats(Nos.)	15	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	250	Length(m)	10	Source	Municipal Supply		Open Wells (Nos)	0
Surface	WBM	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	5000			
Pay & Use Toilet				Remarks	NA			

Station Name : Bokaro Thermal

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	351	8	84	CC	146	6	12	0		0	60	4	4	1	16	0	0	0	0	1	N	0
2	BG	N	351	8	84	CC	0	4	16	1		0	60	0	0	0	14	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bokaro Thermal

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	63	0	6	0	0	18			-	-
Actual	51	146	29	5	4	170	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		2	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Bhuli			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BLI	FOB	0	(a) Per Day	375			Developed As Adarsh		
Station Category	HG2	Subway	0	(b) Max. at any time	100			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	16.80	2018-19	162.67	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	21.35	2020-21	1.21	Touch Screen Enquiry System	N	
District	DHANBAD	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				354	ATMs	0
Km.	0274.50	Cloak Room	N	MP Const.	Dhanbad			Food Plaza	N	
Route	A	Refreshment Room(sq		MP Name	Pashupati Nath Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Dhanbad			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Raj Sinha			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	12	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	16	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	30	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Bhuli

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	10	0	MOR	36	0	0	1		0	20	1	1	0	5	0	0	0	0	0	N	0
2	BG	N	300	6	0	MOR	18	0	0	1		0	20	0	0	0	4	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bhuli

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	63	0	4	0	0	18			-	-
Actual	12	54	2	1	1	56	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Bholidih Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BLME	FOB	0	(a) Per Day	47			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	25			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilitation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	1.89	2020-21	0.05	Touch Screen Enquiry System	N	
District	GIRIDIH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				0	ATMs	0
Km.		Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	N			MLA Const.	Dumri			Trains Halting	M: 0 P : 2	
				MLA Name	Sri Jagarnath Mahto			Station IInd Entry	N	
Other Items									
Remarks for Station:										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface		Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type		Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks			

Station Name : Bholdih Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	295	6.5	0	CC	9	0	0	1		0	5	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	295	5.4	0	MOR	0	0	0	1		0	10	0	0			0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bholdih Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	16	0	1	0	0	5			-	-
Actual	0	9	2	0	0	15	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Bandhua			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BNF	FOB	0	(a) Per Day		45	Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time		20	Identified for MFC			N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	5.58	2018-19	3.77	Tourist Facilation Center		N
State	BIHAR	Public Address Sys.	Y	2019-20	5.71	2020-21	0.10	Touch Screen Enquiry System		N
District	GAYA	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication		N
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)			195	ATMs		0
Km.	0457.35	Cloak Room	N	MP Const.	Gaya		Food Plaza		N	
Route	A	Refreshment Room(sq.m)		MP Name	Vijay Manjhi		Budget Hotel		N	
Electrified	Y			MLA Const.	Wazirganj		Trains Halting		M: 0	P : 4
				MLA Name	Sri Birendra Singh		Station IInd Entry		Y	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	56	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	500	Length(m)	66	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)		0		
Pay & Use Toilet				Remarks	NA			

Station Name : Bandhua

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	244	12	0	MOR	40	10	0	1		0	60	2	2	2	5	0	0	0	0	0	N	0
3&4	BG	Y	244	8	0	MOR	40	9	0	1		0	50	1	5	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bandhua

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	8	0	0.8	0	0	2			-	-
Actual	56	80	2	3	7	120	0	See platform details	0	-
Shortage, if any	-	20	2	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Bansinallah Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BNSL	FOB	0	(a) Per Day	30			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	10			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	3.17	2018-19	0.45	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2019-20	3.6	2020-21	0.06	Touch Screen Enquiry System	N	
District	GAYA	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				195	ATMs	0
Km.	0443.86	Cloak Room	N	MP Const.	Gaya			Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Vijay Manjhi			Budget Hotel	N	
Electrified	Y			MLA Const.	Bodh Gaya			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Shyam Dev Paswan			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	300	Length(m)	40	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Bansinallah Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	366	3	0	MOR	8	0	0	1		0	20	1	3	0	0	0	0	0	0	0	N	0
2	BG	N	279	3	0	MOR	8	0	0	0		0	20	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bansinallah Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	6	0	0.4	0	0	2			-	-
Actual	0	15	1	1	3	40	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Barhi					No. of passengers dealt with:		Identified as Adarsh	N
Station Code	BRHI	FOB	1	(a) Per Day	120	Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	30	Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N
State	JHARKHAND	Public Address Sys.	N	2019-20	5.51	2020-21	0.00	Touch Screen Enquiry System	N
District	KODERMA	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)		135	ATMs		0
Km.	0022.50	Cloak Room	N	MP Const.		Food Plaza		N	
Route	Dspl	Refreshment Room(sq		MP Name		Budget Hotel		Y	
Electrified	Y			MLA Const.		Trains Halting		M: 0 P : 4	
				MLA Name		Station IInd Entry		N	
Other Items									
Remarks for Station:									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq	0	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area			Approach Road			Water Supply			
Area (sq		Length(m)	800	Source	Railway Supply	Open Wells (Nos)	0		
Surface	Kutch	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	1		
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	15000				
Pay & Use Toilet				Remarks					

Station Name : Barhi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	340	10	840	MOR	208	0	0	2		0	40	0	0	2	30	0	0	0	0	0	N	0
2	BG	Y	340	10	840	MOR	144	0	0	2		0	20	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Barhi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	13	0	1.2	0	0	4			-	-
Actual	0	352	4	0	0	60	1	See platform details	0	-
Shortage, if any	15	-	-	1	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Barkakana			No. of passengers dealt with:		Identified as Adarsh	N	
Station Code	BRKA	FOB	3	(a) Per Day	1780	Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time	650	Identified for MFC	N	
Railway	ECR	Booking Windows	6	Pass. Earnings/Year(Rs. in Lac.)				
Division	Dhanbad	Enquiry Office	1	2011-12	709.09	2018-19	745.04	
State	JHARKHAND	Public Address Sys.	Y	2019-20	589.25	2020-21	57.46	
District	RAMGARH	Clock	Y	2021-22	0	2022-23	0	
Section	LTHR-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)		380		
Km.	0100.62	Cloak Room	Y	MP Const.	Hazaribagh		ATMs	1
Route	Dspl	Refreshment Room(sq.m)	43	MP Name	Jayant Sinha		Food Plaza	N
Electrified	Y			MLA Const.	Ramgarh		Budget Hotel	N
Other Items	NA			MLA Name	Smt. Mamta Devi		Trains Halting	M: 28 P : 14
Remarks for Station:	NA						Station IInd Entry	Y

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	68	Area(sq.m)		21	21	Area(sq.m)	41	Retiring Room	1
(b) Seats(Nos.)	25	Seats(Nos.)		22	15	Seats(Nos.)	24	Dormitory	0
(c) Lav.(Nos.)	3	Lav.(Nos.)		0	1	Lav.(Nos.)	2		
(d) Urinals(Nos.)	4	Urinals(Nos.)		0	1	Urinals(Nos.)	2		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	1	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	2250	Length(m)	400	Source	Railway Supply		Open Wells (Nos)	0
Surface	WBM	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	100000			
Pay & Use Toilet	Y			Remarks	NA			

Station Name : Barkakana

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	Y	195	10	0	CC	8	0	4	0		115	75	0	2	0	31	3	0	0	0	3	Y	0	
2&3	BG	Y	609.57	14.5	84	CC	608	0	42	0		550	554	9	11	12	99	3	0	0	0	3	Y	1	
4&5	BG	Y	550	12	84	CC	948	0	38	0		500	231	0	0	0	80	0	0	0	0	3	N	1	
1/A	BG	N	87	6	57	CC	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Barkakana

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	200 sqm	32	4	4	200	0	High level	4	-
As per Rec. norms	272	0	26	1	1	78			-	-
Actual	68	1564	84	15	20	946	3	See platform details	3	YES
Shortage, if any	-	-	-	-	-	-	-		1	-

Station Name : Barkakana

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	No	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	No
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Bermo			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BRMO	FOB	1	(a) Per Day		160		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		40		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	32.22	2018-19	26.19	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	18	2020-21	0.26	Touch Screen Enquiry System	N	
District	BOKARO	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	GMO-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)				525	ATMs	0
Km.	0034.11	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	D	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	Bermo			Trains Halting	M: 1 P : 3	
				MLA Name	Sri Rajendra Prasad Singh			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	40	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	25	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	NA				

Station Name : Bermo

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	295	2.5	0	CC	158	2	1	1		0	25	2	1	1	2	0	0	0	0	1	N	0	
2	BG	N	540	7	0	CC	12	0	0	0		0	30	1	1	0	2	0	0	0	0	1	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Bermo

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	17	0	1.6	0	0	5			-	-
Actual	40	170	2	3	2	63	1	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Barwadih			No. of passengers dealt with:				Identified as Adarsh	Y
Station Code	BRWD	FOB	2	(a) Per Day		850	Developed As Adarsh	Y	
Station Category	NSG5	Subway	0	(b) Max. at any time		150	Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	104.13	2018-19	120.20	Tourist Facilation Center	N
State	JHARKHAND	Public Address Sys.	Y	2019-20	178.35	2020-21	21.21	Touch Screen Enquiry System	N
District		Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	Y
Section	BRKA-CPU	Wheel Chairs	Y	Length of longest stopping train(m)			500	ATMs	0
Km.	0258.00	Cloak Room	N	MP Const.	Chatra	Food Plaza	N		
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sunil Kumar Singh	Budget Hotel	N		
Electrified	Y			MLA Const.	Manika	Trains Halting	M: 12	P : 7	
				MLA Name	Sri Ramchandra Singh	Station IInd Entry	N		
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	50	Area(sq.m)		0	0	Area(sq.m)	65	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)		0	0	Seats(Nos.)	50	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	154	Length(m)	500	Source	Railway Supply	Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	189270		
Pay & Use Toilet				Remarks	NA		

Station Name : Barwadih

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	557	8	84	CC	341	11	14	1		0	70	1	1	18	30	1	0	0	0	2	N	0
2&3	BG	Y	557	11	78	CC	950	2	34	0		1	90	0	4	4	15	2	0	0	0	2	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Barwadih

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	63	0	6	0	0	18			-	-
Actual	50	1291	49	2	5	235	2	See platform details	0	YES
Shortage, if any	-	-	-	2	-	-	-		2	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Billi Jn					No. of passengers dealt with:		Identified as Adarsh	N
Station Code	BXLL	FOB	0	(a) Per Day	200	Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	50	Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	19.25	2018-19	15.42	Tourist Facilation Center	N
State	UTTAR	Public Address Sys.	Y	2019-20	15.64	2020-21	0.00	Touch Screen Enquiry System	N
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N
Section	CPU-GHD	Wheel Chairs	Y	Length of longest stopping train(m)		310		ATMs	0
Km.	0135.00	Cloak Room	N	MP Const.	Robertsganj		Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Shri Pakauri Lal Kol		Budget Hotel	N	
Electrified	N			MLA Const.	Obra		Trains Halting	M: 0 P : 8	
				MLA Name	Shri Sanjeev Gond		Station IInd Entry	N	
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	78	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	98	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	44.5	Length(m)	55	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Kutchra	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	10800			
Pay & Use Toilet	Y			Remarks	NA			

Station Name : Billi Jn

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	338	7	0	OPS	121	0	0	2		0	60	2	2	3	15	0	0	0	0	0	N	0
2	BG	N	182	7	0	OPS	63	0	0	2		0	20	0	0	0	6	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Billi Jn

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	21	0	2	0	0	6			-	-
Actual	78	184	4	2	2	178	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Baseriya Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BZE	FOB	0	(a) Per Day	10			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	5			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	3.17	2018-19	2.21	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	0.32	2020-21	0.00	Touch Screen Enquiry System	N	
District	DHANBAD	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	DHN-KTH-CRP	Wheel Chairs	N	Length of longest stopping train(m)				250	ATMs	0
Km.	0005.40	Cloak Room	N	MP Const.	Dhanbad			Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Pashupati Nath Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Dhanbad			Trains Halting	M: 0 P : 1	
				MLA Name	Sri Raj Sinha			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	25	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	16	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Baseriya Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	77	6	30	CC	24	0	0	0		0	16	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	77	13	30	CC	0	1	0	0		0	4	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Baseriya Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	3	0	0.2	0	0	1			-	-
Actual	25	24	0	0	0	36	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Bansjora			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	BZS	FOB	0	(a) Per Day	10			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	5			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	3.10	2018-19	3.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	0.8	2020-21	0.00	Touch Screen Enquiry System	N	
District	DHANBAD	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	DHN-KTH-CRP	Wheel Chairs	N	Length of longest stopping train(m)				250	ATMs	0
Km.	0007.67	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	Dhanbad			Trains Halting	M: 0 P : 1	
				MLA Name	Sri Raj Sinha			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	30	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	6500			
Pay & Use Toilet				Remarks	NA			

Station Name : Bansjora

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	110	9	0	MOR	43	2	0	0		0	30	2	2	0	10	0	0	0	0	0	N	0
2	BG	N	110	9	0	MOR	43	0	0	0		0	30	2	2	0	10	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bansjora

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	2	0	0.2	0	0	1			-	-
Actual	30	86	0	6	6	70	0	See platform details	0	-
Shortage, if any	-	14	4	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Choube			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	CBH	FOB	1	(a) Per Day	318			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	80			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	17.34	2018-19	19.24	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	20.07	2020-21	0.49	Touch Screen Enquiry System	N	
District	HAZARIBAGH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				298	ATMs	0
Km.	0355.17	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	Y			MLA Const.	Barkatha			Trains Halting	M: 2 P : 4	
				MLA Name	Sri Amit Kumar Yadav			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	90	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Choube

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	N	423	9.5	0	MOR	18	4	0	1		0	24	1	1	1	9	0	0	0	0	0	N	0
3&4	BG	N	350	15	0	MOR	81	3	0	2		0	27	2	3	2	14	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Choube

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	33	0	3.2	0	0	10			-	-
Actual	0	99	3	3	4	51	1	See platform details	0	-
Shortage, if any	15	1	1	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Chichaki			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	CCK	FOB	1	(a) Per Day	530		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	150		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	19.03	2018-19	20.12	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	29.6	2020-21	1.03	Touch Screen Enquiry System	N	
District	GIRIDIH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				354	ATMs	0
Km.	0335.43	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	Y			MLA Const.	Bagodar			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Vinod Kumar singh			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	80	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	3
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Chichaki

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	244	15	6.5	CC	139	5	0	2		0	24	2	1	2	19	0	0	0	0	0	N	0
3&4	BG	Y	244	9	6.5	CC	171	3	0	2		0	36	0	0	0	19	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chichaki

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	63	0	6	0	0	18			-	-
Actual	0	310	4	2	1	60	1	See platform details	0	-
Shortage, if any	15	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Chowdharibandh			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	CDB	FOB	0	(a) Per Day	65		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	20		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	3.45	2018-19	3.48	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	3.82	2020-21	0.13	Touch Screen Enquiry System	N	
District	GIRIDIH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				354	ATMs	0
Km.	0327.34	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	A	Refreshment Room(sq		MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	Y			MLA Const.	Bagodar			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Vinod Kumar singh			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Chowdharibandh

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	344	15	0	MOR	139	2	0	2		0	12	2	2	2	8	0	0	0	0	0	N	0
3&4	BG	Y	264	12	0	CC	15	4	0	2		0	16	0	0	0	6	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chowdharibandh

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	8	0	0.8	0	0	2			-	-
Actual	0	154	4	2	2	28	0	See platform details	0	-
Shortage, if any	15	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Charhi			No. of passengers dealt with:				Identified as Adarsh	N						
Station Code	CHRI	FOB	1	(a) Per Day		22		Developed As Adarsh							
Station Category	NSG6	Subway	0	(b) Max. at any time		10		Identified for MFC	N						
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)											
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilitation Center	N						
State	JHARKHAND	Public Address Sys.	N	2019-20	1.45	2020-21	0.00	Touch Screen Enquiry System	N						
District		Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N						
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				135	ATMs	0					
Km.	0101.11	Cloak Room	N	<table border="1"> <tr><td>MP Const.</td></tr> <tr><td>MP Name</td></tr> <tr><td>MLA Const.</td></tr> <tr><td>MLA Name</td></tr> </table>						MP Const.	MP Name	MLA Const.	MLA Name	Food Plaza	N
MP Const.															
MP Name															
MLA Const.															
MLA Name															
Route	Dspl	Refreshment Room(sq.m)		Budget Hotel	N										
Electrified	Y			Trains Halting	M: 0	P : 4									
Other Items	NA			Station IInd Entry	N										
Remarks for Station:															

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	40	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Piped		Bore Wells (Nos)	1
Illumination Type		Illumination Type	Y	Storage Capacity(Ltr)	15000			
Pay & Use Toilet				Remarks	NA			

Station Name : Charhi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	11	84	MOR	0	0	0	2		0	32	2	0	0	0	0	0	0	0	0	N	0
2	BG	N	600	10	84	MOR	0	0	0	2		0	28	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Charhi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	0	0	4	2	0	60	1	See platform details	0	-
Shortage, if any	15	100	-	-	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Churki			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	CHRK	FOB	1	(a) Per Day		50	Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time		20	Identified for MFC			
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		
State	MADHYA	Public Address Sys.	N	2019-20	0	2020-21	0.00	Touch Screen Enquiry System		
District	PRADESH SIDHI	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication		
Section	CPU-MHDA	Wheel Chairs	N	Length of longest stopping train(m)				285	ATMs	
Km.	0180.75	Cloak Room	N	MP Const.		Sidhi	Food Plaza			
Route	E	Refreshment Room(sq.m)		MP Name		Smt. Riti Pathak	Budget Hotel			
Electrified	N			MLA Const.		Chitrangi	Trains Halting		M: 0 P : 4	
				MLA Name			Station IInd Entry		N	
Other Items	NA									
Remarks for Station:	New station									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	16	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	NA				

Station Name : Churki

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	260	9	0	OTH	0	0	0	2		0	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface					MOR-Moorum			OTH-Others						

Station Name : Churki

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	8	0	0.8	0	0	2			-	-
Actual	16	0	2	1	1	16	1	See platform details	0	-
Shortage, if any	-	50	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Chianki			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	CNF	FOB	0	(a) Per Day		80	Developed As Adarsh		
Station Category	HG2	Subway	0	(b) Max. at any time		15	Identified for MFC		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	3.97	2018-19	4.36	Tourist Facilation Center	
State	JHARKHAND	Public Address Sys.	N	2019-20	4.77	2020-21	0.40	Touch Screen Enquiry System	
District	PALAMU	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)			270	ATMs	
Km.	0278.26	Cloak Room	N	MP Const.	Palamu			Food Plaza	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram			Budget Hotel	
Electrified	Y			MLA Const.	Daltonganj			Trains Halting	
Other Items	NA			MLA Name	Sri Alok Chaurasiya			M: 0	P : 12
Remarks for Station:	NA							Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	21	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	170	Length(m)	74	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station Name : Chianki

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	307	6	0.84	MOR	0	0	0	1		0	10	3	0	0	6	0	0	0	0	0	N	0
2	BG	N	303	7	0.62	MOR	0	2	0	1		0	20	0	0	0	6	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chianki

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.6	0	0	3			-	-
Actual	21	0	2	3	0	40	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Chainpur			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	CNPR	FOB	1	(a) Per Day		105	Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		35	Identified for MFC		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	7.30	2018-19	7.71	Tourist Facilation Center	
State	JHARKHAND	Public Address Sys.	N	2019-20	8.66	2020-21	0.12	Touch Screen Enquiry System	
District	HAZARIBAGH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	
Section	GMO-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)			525	ATMs	
Km.	0079.40	Cloak Room	N	MP Const.		Hazaribagh	Food Plaza		
Route	D	Refreshment Room(sq.m)		MP Name		Jayant Sinha	Budget Hotel		
Electrified	Y			MLA Const.			Trains Halting		
Other Items	NA			MLA Name			M: 1	P : 3	
Remarks for Station:	NA						Station IInd Entry		
							N		

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	50	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	250	Length(m)	20	Source	Railway Supply	Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	5000		
Pay & Use Toilet				Remarks	NA		

Station Name : Chainpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	268	5	0	CC	16	0	1	1		0	50	1	1	2	22	1	0	0	0	1	N	0
2	BG	N	500	10	84	CC	150		30	1			135						0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chainpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	15	0	1.4	0	0	4			-	-
Actual	50	166	33	2	1	205	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Chhipadohar			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	CPDR	FOB	0	(a) Per Day		170	Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		50	Identified for MFC		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	14.72	2018-19	16.74	Tourist Facilation Center	
State	JHARKHAND	Public Address Sys.	Y	2019-20	17.12	2020-21	0.74	Touch Screen Enquiry System	
District		Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)			400	ATMs	
Km.	0248.00	Cloak Room	N	MP Const.	Chatra			Food Plaza	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sunil Kumar Singh			Budget Hotel	
Electrified	Y			MLA Const.	Manika			Trains Halting	
Other Items	NA			MLA Name	Sri Ramchandra Singh			M: 2	P : 4
Remarks for Station:	NA							Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	37	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	14	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	110	Length(m)	100	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station Name : Chhipadohar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	220	6	0	CC	80	1	0	1		0	12	2	2	2	8	0	0	0	0	0	N	0
2	BG	N	350	6	80	OPS	36	4	0	1		0	37	0	0	0	2	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chhipadohar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	21	0	2	0	0	6			-	-
Actual	37	116	2	3	3	63	0	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Chopan			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	CPU	FOB	2	(a) Per Day		1385		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time		200		Identified for MFC	N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	1	2011-12	385.63	2018-19	403.39	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	Y	2019-20	509.45	2020-21	40.87	Touch Screen Enquiry System	N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	Y	
Section	GHD-CPU	Wheel Chairs	Y	Length of longest stopping train(m)				540	ATMs	0
Km.	0141.43	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	D	Refreshment Room(sqm)		MP Name	Shri Pakauri Lal Kol			Budget Hotel	N	
Electrified	N			MLA Const.	Obra			Trains Halting	M: 24 P : 14	
				MLA Name	Shri Sanjeev Gond			Station IInd Entry	Y	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	78	Area(sqm)		1	20	Area(sqm)	20	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	25	Seats(Nos.)	25	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	1	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	1	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	1	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	681.2	Length(m)	415	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	50000			
Pay & Use Toilet	Y			Remarks	NA			

Station Name : Chopan

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	380	6	76	PS	295	8	20	0		150	168	6	6	5	30	2	0	0	0	1	Y	0
2&3	BG	Y	540	10	82	CC	480	4	44	0		389	162	2	2	11	50	3	0	0	0	1	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chopan

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	84	0	8	0	0	24			-	-
Actual	78	775	64	11	11	410	2	See platform details	2	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Chandrapura			No. of passengers dealt with:		Identified as Adarsh	Y
Station Code	CRP	FOB	1	(a) Per Day	2230	Developed As Adarsh	N
Station Category	NSG5	Subway	0	(b) Max. at any time	500	Identified for MFC	N
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)			
Division	Dhanbad	Enquiry Office	1	2011-12	411.71	2018-19	478.87
State	JHARKHAND	Public Address Sys.	Y	2019-20	552.41	2020-21	60.64
District	BOKARO	Clock	Y	2021-22	0	2022-23	0
Section	GMO-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)		525	
Km.	0016.92	Cloak Room	N	MP Const.	Giridih	ATMs	1
Route	D	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary	Food Plaza	Y
Electrified	Y			MLA Const.	Bermo	Budget Hotel	N
Other Items	NA			MLA Name	Sri Rajendra Prasad Singh	Trains Halting	M: 48 P : 10
Remarks for Station:	NA					Station IInd Entry	Y

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	67	Area(sq.m)		0	0	Area(sq.m)	25
(b) Seats(Nos.)	50	Seats(Nos.)		0	0	Seats(Nos.)	12
(c) Lav.(Nos.)	6	Lav.(Nos.)		0	0	Lav.(Nos.)	1
(d) Urinals(Nos.)	6	Urinals(Nos.)		0	0	Urinals(Nos.)	0
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1
						Retiring Room	0
						Dormitory	0

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	4732.62	Length(m)	134	Source	Railway Supply		Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	130000			
Pay & Use Toilet	Y			Remarks	NA			

Station Name : Chandrapura

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	8.5	84	CC	360	10	40	0		0	185	1	0	5	46	1	0	0	0	1	Y	0
2&3	BG	Y	540	10	84	CC	292	0	43	0		0	160	1	0	2	45	0	0	0	0	1	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chandrapura

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	209	0	20	1	1	60			-	-
Actual	67	652	84	9	6	407	1	See platform details	2	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Dhanbad			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	DHN	FOB	3	(a) Per Day	19093		Developed As Adarsh	N		
Station Category	NSG2	Subway	0	(b) Max. at any time	5000		Identified for MFC	N		
Railway	ECR	Booking Windows	21	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	2	2011-12	6800.00	2018-19	6800.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	5415.51	2020-21	485.02	Touch Screen Enquiry System	N	
District	DHANBAD	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	Y	
Section	PKA-MPO	Wheel Chairs	Y	Length of longest stopping train(m)				532	ATMs	2
Km.	0270.88	Cloak Room	Y	MP Const.	Dhanbad			Food Plaza	Y	
Route	A	Refreshment Room(sq	228	MP Name	Pashupati Nath Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Dhanbad			Trains Halting	M: 10 P : 8	
				MLA Name	Sri Raj Sinha			Station IInd Entry	Y	
Other Items	NA									
Remarks for Station:	Earning increased. Now A-1 category									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	930	Area(sq	73	47	Area(sq	94	Retiring Room	12	
(b) Seats(Nos.)	104	Seats(Nos.)	25	12	Seats(Nos.)	15	Dormitory	3	
(c) Lav.(Nos.)	5	Lav.(Nos.)	3	1	Lav.(Nos.)	3			
(d) Urinals(Nos.)	6	Urinals(Nos.)	3	0	Urinals(Nos.)	2			
(e) Bathing Cubicals(Nos.)	4	Bathing Cubicals(Nos.)	2	1	Bathing Cubicals(Nos.)	3			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	999	Length(m)	500	Source	Railway Supply		Open Wells (Nos)	1
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	4
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	456000			
Pay & Use Toilet	Y			Remarks	NA			

Station Name : Dhanbad

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	606	10	80	OPS	2944	0	31	0	560	520	388	1	6	11	300	10	2	1	0	2	Y	1
2&3	BG	Y	602	15	74	OPS	4080	0	56	0	600	580	498	2	8	20	350	6	0	1	1	2	Y	1
4&5	BG	Y	422	12	76	OPS	1812	0	20	0	400	444	310	0	2	14	95	6	0	0	0	2	Y	1
6&7	BG	Y	575	14	82	OPS	1268	5	14	0		540	102	1	2	4	105	0	0	0	0	2	N	0
8	BG	N	531	10	76	CC	600	4	7	0		0	48	0	2	10	16	0	0	0	0	1	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dhanbad

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	2500 sqm	100	12	12	750	1 With Cover	High level	10	YES
As per Rec. norms	2091	7000	200	8	8	600			-	-
Actual	930	10704	128	16	31	1502	3	See platform details	7	YES
Shortage, if any	-	-	-	-	-	-	-		3	-

Station Name : Dhanbad

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Dhanbad

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Digwar			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	DIWR	FOB	0	(a) Per Day		40	Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time		20	Identified for MFC		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilitation Center	
State	JHARKHAND	Public Address Sys.	N	2019-20	2.24	2020-21	0.13	Touch Screen Enquiry System	
District	RAMGARH	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)			176	ATMs	
Km.	0087.10	Cloak Room	N	MP Const.		Food Plaza			
Route	E	Refreshment Room(sq.m)		MP Name		Budget Hotel			
Electrified	Y			MLA Const.		Trains Halting		M: 0	P : 6
				MLA Name		Station IInd Entry		N	
Other Items	NA								
Remarks for Station:									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	11	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	15	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Digwar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	251	7	0	CC	81	1	0	0		0	30	0	0	0	10	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Digwar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	13	0	0.8	0	0	4			-	-
Actual	11	81	0	0	0	30	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Dilwa			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DLW	FOB	0	(a) Per Day	22			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	10			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.55	2018-19	0.58	Tourist Facilation Center	N	
State	BIHAR	Public Address Sys.	Y	2019-20	1.02	2020-21	0.03	Touch Screen Enquiry System	N	
District	NAWADA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				195	ATMs	0
Km.	0410.14	Cloak Room	N	MP Const.	Nawada			Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Chandan Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Rajauli			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Kanhaiya Kumar			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)	15	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)	30	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	200	Length(m)	98	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Dilwa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	200	12	0	MOR	48	0	0	2		0	24	1	0	0	3	0	0	0	0	0	N	0
3	BG	Y	200	18	0	MOR	40	1	0	1		0	50	0	0	0	2	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dilwa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	16	88	3	2	1	122	0	See platform details	0	-
Shortage, if any	-	12	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Dumari Bihar			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DMBR	FOB	1	(a) Per Day	30			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	15			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.96	2018-19	1.01	Tourist Facilitation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	1.46	2020-21	0.06	Touch Screen Enquiry System	N	
District	BOKARO	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	GMO-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)				300	ATMs	0
Km.	0055.44	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	D	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	Gomia			Trains Halting	M: 0 P : 3	
				MLA Name	Sri Lambodar Mahto			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	12	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	25	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Dumari Bihar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	450	8	84	CC	160	5	0	1		0	45	1	1	0	3	0	0	0	0	1	N	0
2&3	BG	N	364	10	0	OTH	9	15	0	2		0	42	0	1	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dumari Bihar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	6	0	0.6	0	0	2			-	-
Actual	12	169	3	2	2	112	1	See platform details	0	-
Shortage, if any	3	-	1	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Demu					No. of passengers dealt with:	Identified as Adarsh	N			
Station Code	DMX	FOB	0		(a) Per Day	45	Developed As Adarsh				
Station Category	HG3	Subway	0		(b) Max. at any time	10	Identified for MFC	N			
Railway	ECR	Booking Windows	1		Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0		2011-12	3.70	2018-19	4.26	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y		2019-20	3.85	2020-21	0.46	Touch Screen Enquiry System	N	
District	PALAMU	Clock	Y		2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	BRKA-GHD	Wheel Chairs	N		Length of longest stopping train(m)				275	ATMs	0
Km.	0211.02	Cloak Room	N		MP Const.	Chatra				Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)			MP Name	Sunil Kumar Singh				Budget Hotel	N
Electrified	Y				MLA Const.	Latehar				Trains Halting	M: 0 P : 8
					MLA Name	Sri Baidyanath Ram				Station IInd Entry	N
Other Items	NA										
Remarks for Station:	NA										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	105	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Demu

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	180	8.2	0	MOR	0	1	0	1		0	20	0	0	0	8	0	0	0	0	0	N	0	
2	BG	N	180	4.7	0	MOR	0	0	0	1		0	20	0	0	0	8	0	0	0	0	0	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Demu

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	6	0	0.4	0	0	2			-	-
Actual	0	0	2	0	0	40	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Danea			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DNEA	FOB	1	(a) Per Day		67		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		25		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	2.62	2018-19	2.91	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	3.48	2020-21	0.11	Touch Screen Enquiry System	N	
District	BOKARO	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	GMO-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)				300	ATMs	0
Km.	0066.42	Cloak Room	Y	MP Const.	Giridih					
Route	D	Refreshment Room(sqm)		MP Name	Chandra Prakash Choudhary	Food Plaza				
Electrified	Y			MLA Const.	Gumla	Budget Hotel				
Other Items	NA			MLA Name	Sri Bhusan Tirkey	Trains Halting		M: 0	P : 3	
Remarks for Station:	NA					Station IInd Entry		N		

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	50	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	80	Length(m)	10	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station Name : Danae

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	180	5	0	CC	16	23	3	1		0	132	1	1	0	5	1	0	0	0	1	N	0	
2	BG	N	366	8	84	CC	160	18	0	2		0	130	0	0	0	0	0	1	0	0	1	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Danae

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	10	0	1	0	0	3			-	-
Actual	50	176	6	2	1	282	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Deonagar			No. of passengers dealt with:				Identified as Adarsh	N					
Station Code	DNH	FOB	0	(a) Per Day	30			Developed As Adarsh						
Station Category	HG2	Subway	0	(b) Max. at any time	15			Identified for MFC	N					
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)										
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N					
State	JHARKHAND	Public Address Sys.	N	2019-20	2.71	2020-21	0.00	Touch Screen Enquiry System	N					
District		Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N					
Section	DHN-CRP	Wheel Chairs	N	Length of longest stopping train(m)				ATMs						
Km.	0000.00	Cloak Room	N	<table border="1"> <tr><td>MP Const.</td></tr> <tr><td>MP Name</td></tr> <tr><td>MLA Const.</td></tr> <tr><td>MLA Name</td></tr> </table>				MP Const.	MP Name	MLA Const.	MLA Name	Food Plaza		N
MP Const.														
MP Name														
MLA Const.														
MLA Name														
Route	E	Refreshment Room(sq	m)	Budget Hotel		N								
Electrified	Y			Trains Halting		M:	P : null							
Other Items								Station IInd Entry						
Remarks for Station:														

Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sq	m.)	0	Area(sq	m)	0	0	Area(sq	m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0			
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0					
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0					
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0					

Circulating Area and Water Supply									
Circulating Area		Approach Road				Water Supply			
Area (sq	m)	0	Length(m)	0	Source		Open Wells (Nos)		
Surface	Kutch	Surface	Kutch	Type		Bore Wells (Nos)			
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)					
Pay & Use Toilet					Remarks				

Station Name : Deonagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.6	0	0	3			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	10	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Dhanwar			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DNWR	FOB	1	(a) Per Day		120		Developed As Adarsh		
Station Category	HG2	Subway	0	(b) Max. at any time		14		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	3.94	2020-21	0.00	Touch Screen Enquiry System	N	
District	GIRIDIH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	KQR-GRD	Wheel Chairs	N	Length of longest stopping train(m)				155	ATMs	0
Km.	0048.84	Cloak Room	N	MP Const.		Kodarma		Food Plaza	N	
Route	E	Refreshment Room(sq	m)	MP Name		Annapurna Debi		Budget Hotel	N	
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 4	
				MLA Name				Station IInd Entry	N	
Other Items									
Remarks for Station:										

Resting Facility											
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM					
(a) Area(sq	m.)	15	Area(sq	m)	0	0	Area(sq	m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0			
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0					
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0					
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0					

Circulating Area and Water Supply									
Circulating Area		Approach Road				Water Supply			
Area (sq	m)	100	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	4	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks				

Station Name : Dhanwar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	14	84	OPS	36	0	0	2		0	24	0	0	0	0	0	0	0	0	1	N	0
2&3	BG	Y	330	14	84	OPS	36	0	0	3		0	10	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dhanwar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.56	0	0	3			-	-
Actual	15	72	5	0	0	44	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Dokra					No. of passengers dealt with:	Identified as Adarsh	N		
Station Code	DOKM	FOB	0	(a) Per Day	121	Developed As Adarsh				
Station Category	HG3	Subway	0	(b) Max. at any time	30	Identified for MFC	N			
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	1.65	2018-19	1.74	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	4.67	2020-21	0.42	Touch Screen Enquiry System	N	
District	DHANBAD	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPQ	Wheel Chairs	N	Length of longest stopping train(m)				131	ATMs	0
Km.	0265.80	Cloak Room	N	MP Const.	Dhanbad			Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Pashupati Nath Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Dhanbad			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Raj Sinha			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	18	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	22	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	160	Length(m)	35	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Dokra

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	120	6	0	MOR	0	0	0	1		0	6	0	0	0	4	0	0	0	0	0	N	0
2	BG	N	125	6	0	MOR	0	0	0	1		0	6	0	0	0	4	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dokra

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	19	0	1.2	0	0	5			-	-
Actual	18	0	2	0	0	34	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Dasarah			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DSME	FOB	0	(a) Per Day	127			Developed As Adarsh		
Station Category	HG2	Subway	0	(b) Max. at any time	30			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	4.76	2018-19	4.84	Tourist Falcation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	6.82	2020-21	0.35	Touch Screen Enquiry System	N	
District	KODERMA	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				280	ATMs	0
Km.	0360.61	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	A	Refreshment Room(sq		MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	Y			MLA Const.	Barkatha			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Amit Kumar Yadav			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq	0	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	43	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Dasarah

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	3	0	MOR	19	0	0	1		0	22	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	350	3	0	MOR	19	0	0	0		0	22	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dasarah

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	19	0	1.2	0	0	5			-	-
Actual	0	39	1	0	0	44	0	See platform details	0	-
Shortage, if any	10	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Daltonganj			No. of passengers dealt with:				Identified as Adarsh	Y
Station Code	DTO	FOB	1	(a) Per Day	6000			Developed As Adarsh	Y
Station Category	NSG4	Subway	0	(b) Max. at any time	1500			Identified for MFC	N
Railway	ECR	Booking Windows	8	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	1	2011-12	1274.74	2018-19	1361.74	Tourist Facilation Center	N
State	JHARKHAND	Public Address Sys.	Y	2019-20	1692.45	2020-21	188.77	Touch Screen Enquiry System	N
District	PALAMU	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	Y
Section	BRKA-GHD	Wheel Chairs	Y	Length of longest stopping train(m)			540	ATMs	1
Km.	0285.69	Cloak Room	N	MP Const.	Palamu			Food Plaza	Y
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram			Budget Hotel	N
Electrified	Y			MLA Const.	Daltonganj			Trains Halting	M: 28 P : 12
				MLA Name	Sri Alok Chaurasiya			Station IInd Entry	Y
Other Items	50000 Gallon RCC Under Ground Water tank.								
Remarks for Station:									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	171	Area(sq.m)		33	15	Area(sq.m)	280	Retiring Room	2
(b) Seats(Nos.)	182	Seats(Nos.)		20	12	Seats(Nos.)	24	Dormitory	0
(c) Lav.(Nos.)	3	Lav.(Nos.)		6	1	Lav.(Nos.)	2		
(d) Urinals(Nos.)	2	Urinals(Nos.)		3	1	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	2	Bathing Cubicals(Nos.)		2	1	Bathing Cubicals(Nos.)	2		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1400	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	1
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	50000			
Pay & Use Toilet	Y			Remarks	NA			

Station Name : Daltonganj

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	550	9	65	CC	728	2	36	1		0	288	3	7	7	49	4	2	0	0	1	Y	0
2&3	BG	Y	550	10	65	CC	595	1	36	2		0	266	3	3	4	49	2	2	0	0	1	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Daltonganj

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec. norms	627	840	60	2	2	180			-	-
Actual	171	1323	75	18	17	792	1	See platform details	4	-
Shortage, if any	-	-	-	-	-	-	-		-	YES

Station Name : **Daltonganj**

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	
Enquiry Counter	Yes	Second Class	
NTES	Yes	For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with light		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers	Yes	Signage (standardized)	No
Modular Catering Stall		Automatic Vending Machines	
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System	Yes	CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Desired Facility	Facility Available
Improvement in the facade of the station building Improvement in the circulating area so as to ensure proper entry and exit of A lighting tower at an appropriate place to be installed for proper illumination Improved modern, cost effective lighting arrangements at the platforms, Renovated water booths Renovated, modern, Pay & Use toilets Good Waiting and Retiring Rooms with modern furniture Good passenger guidance system including signages and coach indication Improvement to the passanger service Improvement of booking and enquiry offices to give them a facelift Lighting of booking offices, the queuing area in front of booking windows Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Duriatnar Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DUTR	FOB	0	(a) Per Day		50	Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time		10	Identified for MFC			
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center		
State	JHARKHAND	Public Address Sys.	Y	2019-20	1.94	2020-21	0.00	Touch Screen Enquiry System		
District	GIRIDIH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication		
Section	Koderma-Giridih	Wheel Chairs	N	Length of longest stopping train(m)				155	ATMs	
Km.	0062.50	Cloak Room	N	MP Const.		Kodarma	Food Plaza		N	
Route	E	Refreshment Room(sqm)		MP Name		Annapurna Debi	Budget Hotel		N	
Electrified	Y			MLA Const.			Trains Halting		M: 0 P : 4	
				MLA Name			Station IInd Entry		N	
Other Items									
Remarks for Station:										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	100	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	0		
Surface	Kutchra	Surface	Other	Type	Hand Pump	Bore Wells (Nos)	1		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks				

Station Name : Duriatnar Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	330	14	0	MOR	18	0	0	1		0	10	0	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others								

Station Name : Duriatnar Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	6	0	0.4	0	0	2			-	-
Actual	10	18	1	0	0	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Dudhinagar			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	DXN	FOB	1	(a) Per Day		370		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time		100		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	59.82	2018-19	59.99	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	Y	2019-20	188.87	2020-21	34.48	Touch Screen Enquiry System	N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				309	ATMs	0
Km.	0078.31	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Shri Pakauri Lal Kol			Budget Hotel	N	
Electrified	Y			MLA Const.	Dudhi			Trains Halting	M: 5 P : 2	
				MLA Name	Smt. Rubi Prasad			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	80	Area(sq.m)		28	0	Area(sq.m)	20	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)		15	0	Seats(Nos.)	16	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	100	Length(m)	165	Source	Railway Supply		Open Wells (Nos)	1
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	94280			
Pay & Use Toilet				Remarks	NA			

Station Name : Dudhinagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	480	6	84	CC	432	6	13	1		0	88	2	2	0	15	0	0	0	0	0	N	0
2&3	BG	N	600	10	84	CC	48	0	12	1		0	32	2	0	0	5	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Dudhinagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	42	0	4	0	0	12			-	-
Actual	80	480	27	6	4	169	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		2	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Gurpa			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	GAP	FOB	0	(a) Per Day	140			Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	15			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	12.33	2018-19	12.54	Tourist Facilation Center	N
State	BIHAR	Public Address Sys.	Y	2019-20	16.15	2020-21	0.17	Touch Screen Enquiry System	N
District	GAYA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)			540	ATMs	0
Km.	0425.54	Cloak Room	N	MP Const.	Gaya			Food Plaza	N
Route	A	Refreshment Room(sq.m)		MP Name	Vijay Manjhi			Budget Hotel	N
Electrified	Y			MLA Const.	Bodh Gaya			Trains Halting	M: 4 P : 4
				MLA Name	Sri Shyam Dev Paswan			Station IInd Entry	Y
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	150	Length(m)	30	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	113500			
Pay & Use Toilet				Remarks	NA			

Station Name : Gurpa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	342	15	0	MOR	160	6	0	1		0	52	2	0	2	20	0	0	0	0	0	N	0
3&4	BG	Y	352	10	0	MOR	96	5	0	1		0	46	5	3	1	18	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Gurpa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	6	0	0.6	0	0	2			-	-
Actual	16	256	2	7	3	116	0	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Garhwa Road			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	GHD	FOB	1	(a) Per Day	3305			Developed As Adarsh		
Station Category	NSG4	Subway	0	(b) Max. at any time	1200			Identified for MFC	N	
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	1	2011-12	631.00	2018-19	680.17	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	937.22	2020-21	94.99	Touch Screen Enquiry System	N	
District	PALAMU	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	Y	
Section	BRKA-GHD	Wheel Chairs	Y	Length of longest stopping train(m)				540	ATMs	0
Km.	0318.45	Cloak Room	N	MP Const.	Palamu			Food Plaza	N	
Route	Dspl	Refreshment Room(sq	Y	MP Name	Vishnu Dayal Ram			Budget Hotel	N	
Electrified	Y	Room(sq	Y	MLA Const.	Bishrampur			Trains Halting	M: 30 P : 12	
Other Items	NA			MLA Name	Sri Ramchandra Chandrawansi			Station IInd Entry	N	
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	75	Area(sq	55	18	Area(sq	35	Retiring Room	1	
(b) Seats(Nos.)	50	Seats(Nos.)	60	20	Seats(Nos.)	18	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	2	1	Lav.(Nos.)	2			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	2	0	Bathing Cubicals(Nos.)	1			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	350	Length(m)	25	Source	Railway Supply		Open Wells (Nos)	1
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	450000			
Pay & Use Toilet	Y			Remarks	NA			

Station Name : Garhwa Road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	490	10	83	CC	192	0	11	1		0	75	7	9	7	108	3	7	0	0	1	N	0
2&3	BG	Y	555	12.5	80	CC	960	6	10	0		0	65	1	2	4	112	2	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Garhwa Road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec. norms	502	672	48	2	2	144			-	-
Actual	75	1152	22	13	11	288	1	See platform details	2	YES
Shortage, if any	-	-	18	-	-	-	-		2	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Garhwa					No. of passengers dealt with:		Identified as Adarsh	N
Station Code	GHQ	FOB	1	(a) Per Day	1125	Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	400	Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	374.00	2018-19	411.55	Tourist Facilation Center	N
State	JHARKHAND	Public Address Sys.	Y	2019-20	517.9	2020-21	63.68	Touch Screen Enquiry System	N
District	GARHWA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)		376	ATMs		0
Km.	0010.01	Cloak Room	N	MP Const.	Palamu		Food Plaza		N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram		Budget Hotel		N
Electrified	N			MLA Const.	Garhwa		Trains Halting		M: 8 P : 2
				MLA Name	Sri Mithlesh Thakur		Station IInd Entry		N
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	88	Area(sq.m)	0	0	Area(sq.m)	21	Retiring Room	0	
(b) Seats(Nos.)	12	Seats(Nos.)	0	0	Seats(Nos.)	20	Dormitory	0	
(c) Lav.(Nos.)	3	Lav.(Nos.)	0	0	Lav.(Nos.)	1			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	1			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	100	Length(m)	35	Source	Railway Supply	Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	4000		
Pay & Use Toilet				Remarks	NA		

Station Name : Garhwa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	561	6.5	85	CC	158	2	8	4		0	152	2	2	4	35	0	0	0	0	0	N	0
2	BG	N	600	10.9	84	CC	588		10	1		0	56	0	0	0	12	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Garhwa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	167	0	16	1	1	48			-	-
Actual	88	746	23	6	3	240	1	See platform details	1	YES
Shortage, if any	-	-	-	-	1	-	-		1	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Gujhandi			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	GJD	FOB	1	(a) Per Day		35		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		10		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	2.06	2018-19	2.07	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	3.2	2020-21	0.07	Touch Screen Enquiry System	N	
District	KODERMA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				540	ATMs	0
Km.	0403.45	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	Y			MLA Const.	Kodarma			Trains Halting	M: 6 P : 4	
				MLA Name	Neera Yadav			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	15	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply					
Area (sqm)	500	Length(m)	90	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)	1	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	139912				
Pay & Use Toilet				Remarks	NA				

Station Name : Gujhandi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	N	422	10	0	MOR	94	11	10	1		0	32	2	1	1	20	0	0	0	0	1	N	1
3&4	BG	N	422	15	0	MOR	160	13	12	1		0	68	1	2	1	25	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Gujhandi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	15	254	24	3	3	100	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Gomia			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	GMIA	FOB	1	(a) Per Day	720			Developed As Adarsh	
Station Category	NSG5	Subway	0	(b) Max. at any time	150			Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	155.52	2018-19	183.06	Tourist Facilation Center	N
State	JHARKHAND	Public Address Sys.	N	2019-20	221.82	2020-21	44.47	Touch Screen Enquiry System	N
District	BOKARO	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N
Section	GMO-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)			550	ATMs	0
Km.	0048.59	Cloak Room	N	MP Const.	Giridih			Food Plaza	N
Route	D	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Budget Hotel	N
Electrified	Y			MLA Const.	Gomia			Trains Halting	M: 2 P : 3
				MLA Name	Sri Lambodar Mahto			Station IInd Entry	N
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	63	Area(sq.m)		0	0	Area(sq.m)	25	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	30	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	230	Length(m)	650	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	WBM	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	20000			
Pay & Use Toilet				Remarks	NA			

Station Name : Gomia

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	550	10	84	CC	157	8	30	2		0	80	2	1	0	7	1	0	0	0	1	N	0
3	BG	N	351	7	42	CC	0		10				60	1	2			2		0	0	1		0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Gomia

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	63	0	6	0	0	18			-	-
Actual	63	157	42	5	5	190	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	N.S.C.B. Gomoh			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	GMO	FOB	3	(a) Per Day		4545		Developed As Adarsh	Y	
Station Category	NSG5	Subway	0	(b) Max. at any time		300		Identified for MFC	N	
Railway	ECR	Booking Windows	7	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	1	2011-12	850.00	2018-19	850.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	615.16	2020-21	56.10	Touch Screen Enquiry System	N	
District	DHANBAD	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	Y	
Section	PKA-MPO	Wheel Chairs	Y	Length of longest stopping train(m)				580	ATMs	1
Km.	0300.15	Cloak Room	N	MP Const.	Giridih					
Route	A	Refreshment Room(sqm)	120	MP Name	Chandra Prakash Choudhary	Food Plaza				
Electrified	Y				MLA Const.	Tundi	Budget Hotel			
Other Items			NA	MLA Name	Sri Mathura Prasad Mahato	Trains Halting		M: 8	P : 8	
Remarks for Station:			NA			Station IInd Entry		Y		

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	82	Area(sq.m)	34	34	34	Area(sq.m)	69	Retiring Room	1
(b) Seats(Nos.)	60	Seats(Nos.)	15	10	10	Seats(Nos.)	25	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	2	2	2	Lav.(Nos.)	4		
(d) Urinals(Nos.)	0	Urinals(Nos.)	3	0	0	Urinals(Nos.)	3		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	1	1	1	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	400	Length(m)	100	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	225000		
Pay & Use Toilet	Y				Remarks	NA	

Station Name : N.S.C.B. Gomoh

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1&2	BG	Y	600	14	45	CC	707	0	36	0	585	400	120	4	6	7	156	2	1	0	0	1	Y	0	
3&4	BG	Y	585	15	84	CC	1310	4	22	0	572	600	338	3	6	11	170	4	1	0	0	2	Y	2	
5&6	BG	Y	337	10	84	CC	225	6	10	0		600	260	0	0	1	94	4	0	0	0	2	Y	2	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : N.S.C.B. Gomoh

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	150 sqm	24	4	4	150	0	High level	3	-
As per Rec. norms	125	0	12	0	0	36			-	-
Actual	82	2242	68	15	18	828	3	See platform details	3	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Gurmura			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	GMX	FOB	0	(a) Per Day		23		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		10		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.86	2018-19	1.04	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	N	2019-20	1.16	2020-21	0.00	Touch Screen Enquiry System	N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				180	ATMs	0
Km.	0119.16	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Shri Pakauri Lal Kol			Budget Hotel	N	
Electrified	N			MLA Const.	Obra			Trains Halting	M: 0 P : 2	
				MLA Name	Shri Sanjeev Gond			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	Na									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutchra	Surface	Kutchra	Type	Piped and Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	18547			
Pay & Use Toilet				Remarks	NA			

Station Name : Gurmura

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	170	5	0	MOR	36	27	8	2		0	32	2	2	0	0	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete	PS-Polished Stone	OPS-Other Pucca Surface	MOR-Moorum	OTH-Others																	

Station Name : Gurmura

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	16	36	10	2	2	32	0	See platform details	0	-
Shortage, if any	-	14	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Hehegara			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	HHG	FOB	0	(a) Per Day	65			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	15			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	2.70	2018-19	3.01	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	3.01	2020-21	0.27	Touch Screen Enquiry System	N	
District	PALAMU	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)				176	ATMs	0
Km.	0241.00	Cloak Room	N	MP Const.	Chatra			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sunil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Manika			Trains Halting	M: 0 P : 8	
				MLA Name	Sri Ramchandra Singh			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	37	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	105	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Hehegara

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	360	3	0	CC	0	4	0	1		0	20	0	0	2	4	0	0	0	0	0	N	0
2	BG	N	220	5	0	MOR	0	10	0	2		0	20	0	0	0	2	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Hehegara

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.6	0	0	3			-	-
Actual	37	0	3	1	0	48	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Hendigir			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	HNDR	FOB	0	(a) Per Day		153		Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time		40		Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	3.70	2018-19	3.97	Tourist Facilation Center	N
State	JHARKHAND	Public Address Sys.	Y	2019-20	7.03	2020-21	0.30	Touch Screen Enquiry System	N
District	HAZARIBAGH	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N
Section	BRKA-GHD	Wheel Chairs	Y	Length of longest stopping train(m)				286	
Km.	0136.62	Cloak Room	N	MP Const.	Hazaribagh			ATMs	0
Route	Dspl	Refreshment Room(sq.m)		MP Name	Jayant Sinha			Food Plaza	N
Electrified	Y			MLA Const.	Barkagaon			Budget Hotel	N
Other Items	NA			MLA Name	Sri Amba Prasad			Trains Halting	M: 0 P : 5
Remarks for Station:	NA							Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	22	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	6	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	15	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	90921.84			
Pay & Use Toilet	Y			Remarks	NA			

Station Name : Hendigir

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	222	7	0	MOR	48	2	2	1		0	72	1	2	0	10	0	0	0	0	0	N	0
2&3	BG	Y	500.7	10.5	0	OPS	63	1	4	0		0	80	0	2	0	12	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Hendigir

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	17	0	1.6	0	0	5			-	-
Actual	22	111	7	2	4	158	0	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Herodih			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	HRE	FOB	1	(a) Per Day		195		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		60		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	12.31	2018-19	12.38	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	14.12	2020-21	0.37	Touch Screen Enquiry System	N	
District	KODERMA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				298	ATMs	0
Km.	0384.29	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	A	Refreshment Room(sq	m)	MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	Y			MLA Const.	Barkatha			Trains Halting	M: 2 P : 4	
				MLA Name	Sri Amit Kumar Yadav			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM				
(a) Area(sq	m.) 54	Area(sq	m)	0	0	Area(sq	m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1	Length(m)	25	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Herodih

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	394	15	0	MOR	330	1	0	1		0	36	0	0	2	6	0	0	0	0	0	N	0
3&4	BG	Y	350	9.2	0	MOR	138	1	0	1		0	6	1	3	0	6	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Herodih

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	25	0	2.4	0	0	7			-	-
Actual	54	468	2	3	4	62	1	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Hazaribagh Town			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	HZBN	FOB	1	(a) Per Day	210			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	100			Identified for MFC	N	
Railway	ECR	Booking Windows	5	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	1	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	13.69	2020-21	0.00	Touch Screen Enquiry System	N	
District	HAZARIBAGH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	KQR-HZBN	Wheel Chairs	N	Length of longest stopping train(m)				340	ATMs	0
Km.	0079.60	Cloak Room	N	MP Const.	Hazaribagh			Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Jayant Sinha			Budget Hotel	N	
Electrified	N			MLA Const.	Hazaribagh			Trains Halting	M: 2 P : 4	
				MLA Name	Sri Manish Jaiswal			Station IInd Entry	N	
Other Items	No									
Remarks for Station:	New line station in DHANBAD division .									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	930	Area(sq		0	0	Area(sq	29	Retiring Room	2
(b) Seats(Nos.)	24	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	1
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	3500	Length(m)	800	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	4
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	100000			
Pay & Use Toilet				Remarks	No			

Station Name : Hazaribagh Town

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	591	11	840	CC	144	0	10	1		250	40	2	1	12	45	0	0	0	0	0	N	0
2	BG	Y	616	10	840	CC	144	0	6	1		0	20	1	1	6	45	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Hazaribagh Town

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	42	0	4	0	0	12			-	-
Actual	930	288	18	5	4	84	1	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Hazaribagh Road			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	HZD	FOB	1	(a) Per Day	1965	Developed As Adarsh	
Station Category	NSG5	Subway	0	(b) Max. at any time	300	Identified for MFC	N
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)			
Division	Dhanbad	Enquiry Office	1	2011-12	400.00	2018-19	460.00
State	JHARKHAND	Public Address Sys.	Y	2019-20	794.47	2020-21	76.40
District	GIRIDIH	Clock	Y	2021-22	0	2022-23	0
Section	PKA-MPO	Wheel Chairs	Y	Length of longest stopping train(m)		686	
Km.	0345.17	Cloak Room	N	MP Const.	Kodarma	ATMs	1
Route	A	Refreshment Room(sq.m)		MP Name	Annapurna Debi	Food Plaza	N
Electrified	Y			MLA Const.	Bagodar	Budget Hotel	N
Other Items	NA			MLA Name	Sri Vinod Kumar singh	Trains Halting	M: 28 P : 4
Remarks for Station:	NA					Station IInd Entry	Y

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	265	Area(sq.m)		35	35	Area(sq.m)	35	Retiring Room 1
(b) Seats(Nos.)	28	Seats(Nos.)		12	16	Seats(Nos.)	12	Dormitory 0
(c) Lav.(Nos.)	4	Lav.(Nos.)		2	1	Lav.(Nos.)	2	
(d) Urinals(Nos.)	2	Urinals(Nos.)		1	0	Urinals(Nos.)	2	
(e) Bathing Cubicals(Nos.)	2	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	2	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	1250	Length(m)	30	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	25500		
Pay & Use Toilet	Y			Remarks	NA		

Station Name : Hazaribagh Road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	605	12.25	84	OPS	246	9	20	0		0	461	2	0	4	53	3	0	0	0	1	N	0
3&4	BG	Y	600	15	84	OPS	755	17	18	1		0	342	2	3	5	44	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Hazaribagh Road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	125	0	12	0	0	36			-	-
Actual	265	1001	39	13	8	871	1	See platform details	1	YES
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Jarangdih			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	JAN	FOB	1	(a) Per Day		185		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		30		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	14.94	2018-19	15.72	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	11.54	2020-21	0.46	Touch Screen Enquiry System	N	
District	BOKARO	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	GMO-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)				300	ATMs	0
Km.	0037.21	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	D	Refreshment Room(sqm)		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	Bermo			Trains Halting	M: 2 P : 6	
				MLA Name	Sri Rajendra Prasad Singh			Station IInd Entry	Y	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	50	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	45	Source	Railway Supply		Open Wells (Nos)	1
Surface	Cement Concrete	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Jarangdih

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	351	12	84	CC	160	4	12	0		0	48	2	1	0	6	0	0	0	0	1	N	0
3	BG	N	351	8	84	CC	160	4	12	2		0	52	1	1	0	6	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Jarangdih

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	13	0	1.2	0	0	4			-	-
Actual	50	320	26	4	3	120	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Jorashank			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	JASH	FOB	0	(a) Per Day		0		Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time		10		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	0	2020-21	0.00	Touch Screen Enquiry System	N	
District	GIRIDIH	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	Koderma-Giridih	Wheel Chairs	N	Length of longest stopping train(m)				155	ATMs	0
Km.	0079.20	Cloak Room	N	MP Const.		Kodarma		Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name		Annapurna Debi		Budget Hotel	N	
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 4	
				MLA Name				Station IInd Entry	N	
Other Items									
Remarks for Station:										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	10	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area		Approach Road			Water Supply				
Area (sqm)	100	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	1	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks				

Station Name : Jorashank

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	15	0	MOR	18	0	0	1		0	10	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Jorashank

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	6	0	0.4	0	0	2			-	-
Actual	10	18	1	0	0	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Jamua			No. of passengers dealt with:				Identified as Adarsh	N				
Station Code	JAUUA	FOB	1	(a) Per Day		136		Developed As Adarsh					
Station Category	HG2	Subway	0	(b) Max. at any time		15		Identified for MFC	N				
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)									
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N				
State	JHARKHAND	Public Address Sys.	Y	2019-20	6.73	2020-21	0.00	Touch Screen Enquiry System	N				
District	GIRIDIH	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N				
Section	Koderma-Giridih	Wheel Chairs	N	Length of longest stopping train(m)				ATMs	0				
Km.	0063.20	Cloak Room	N	<table border="1"> <tr><td>MP Const.</td></tr> <tr><td>MP Name</td></tr> <tr><td>MLA Const.</td></tr> <tr><td>MLA Name</td></tr> </table>				MP Const.	MP Name	MLA Const.	MLA Name	Food Plaza	N
MP Const.													
MP Name													
MLA Const.													
MLA Name													
Route	E	Refreshment Room(sq.m)		Budget Hotel	N								
Electrified	Y			Trains Halting	M:	P : null							
Other Items			Station IInd Entry	N								
Remarks for Station:													

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks				

Station Name : Jamua

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.6	0	0	3			-	-
Actual	0	0	0	0	0	0	1	See platform details	0	-
Shortage, if any	10	-	1	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Jogeshwar Bihar			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	JGBR	FOB	1	(a) Per Day	65		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	25		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	3.13	2018-19	3.26	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	3.87	2020-21	0.22	Touch Screen Enquiry System	N	
District	BOKARO	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	GMO-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)				300	ATMs	0
Km.	0074.61	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	D	Refreshment Room(sq		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	Gomia			Trains Halting	M: 0 P : 3	
				MLA Name	Sri Lambodar Mahto			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	50	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Jogeshwar Bihar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	360	9	84	CC	16	10	0	1		0	118	1	1	0	8	0	0	0	0	1	N	0
2	BG	N	360	12	84	CC	192	0	0	2		0	120	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Jogeshwar Bihar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	10	0	1	0	0	3			-	-
Actual	50	208	3	2	1	258	1	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Jogidih			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	JGF	FOB	0	(a) Per Day		22		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		10		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.86	2018-19	0.65	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	N	2019-20	1.12	2020-21	0.00	Touch Screen Enquiry System	N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				180	ATMs	0
Km.	0110.19	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Shri Pakauri Lal Kol			Budget Hotel	N	
Electrified	N			MLA Const.	Obra			Trains Halting	M: 0 P : 2	
				MLA Name	Shri Sanjeev Gond			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	Na									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutchra	Surface	Kutchra	Type	Piped and Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	6000			
Pay & Use Toilet				Remarks	NA			

Station Name : Jogidih

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	180	5.6	0	MOR	48	3	1	1		0	48	2	2	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Jogidih

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	16	48	2	2	2	48	0	See platform details	0	-
Shortage, if any	-	2	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Jamuniatand			No. of passengers dealt with:				Identified as Adarsh	N					
Station Code	JNN	FOB	0	(a) Per Day				Developed As Adarsh						
Station Category	HG3	Subway	0	(b) Max. at any time				Identified for MFC	N					
Railway	ECR	Booking Windows		Pass. Earnings/Year(Rs. in Lac.)										
Division	Dhanbad	Enquiry Office		2011-12	0.24	2018-19	0.22	Tourist Facilation Center	N					
State	JHARKHAND	Public Address Sys.	N	2019-20	0.17	2020-21	0.00	Touch Screen Enquiry System	N					
District	BOKARO	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N					
Section	DHN-CRP	Wheel Chairs		Length of longest stopping train(m)				ATMs						
Km.		Cloak Room	N	<table border="1"> <tr><td>MP Const.</td></tr> <tr><td>MP Name</td></tr> <tr><td>MLA Const.</td></tr> <tr><td>MLA Name</td></tr> </table>				MP Const.	MP Name	MLA Const.	MLA Name	Food Plaza	N	
MP Const.														
MP Name														
MLA Const.														
MLA Name														
Route		Refreshment Room(sq.m)		Budget Hotel										
Electrified	Y			Trains Halting	M:	P : null								
Other Items				Station IInd Entry										
Remarks for Station:														

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)		Area(sq.m)				Area(sqm)	Retiring Room 0
(b) Seats(Nos.)		Seats(Nos.)				Seats(Nos.)	Dormitory 0
(c) Lav.(Nos.)		Lav.(Nos.)				Lav.(Nos.)	
(d) Urinals(Nos.)		Urinals(Nos.)				Urinals(Nos.)	
(e) Bathing Cubicals(Nos.)		Bathing Cubicals(Nos.)				Bathing Cubicals(Nos.)	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply	
Area (sqm)		Length(m)		Source	Open Wells (Nos)
Surface		Surface		Type	Bore Wells (Nos)
Illumination Type		Illumination Type		Storage Capacity(Ltr)	
Pay & Use Toilet				Remarks	

Station Name : Jamuniatand

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	0	0	0	0	0	0			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Jharokhas			No. of passengers dealt with:				Identified as Adarsh	N		
Station Code	JRQ	FOB	0	(a) Per Day		30	Developed As Adarsh				
Station Category	NSG6	Subway	0	(b) Max. at any time		20	Identified for MFC			N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)							
Division	Dhanbad	Enquiry Office	0	2011-12	2.52	2018-19	2.64	Tourist Facilation Center		N	
State	UTTAR	Public Address Sys.	N	2019-20	2.2	2020-21	0.00	Touch Screen Enquiry System		N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication		N	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				176	ATMs		0
Km.	0085.16	Cloak Room	N	MP Const.	Robertsganj			Food Plaza		N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Shri Pakauri Lal Kol			Budget Hotel		N	
Electrified	Y			MLA Const.	Dudhi			Trains Halting		M: 0 P : 4	
				MLA Name	Smt. Rubi Prasad			Station IInd Entry		N	
Other Items	NA										
Remarks for Station:	NA										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	66	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	35	Source	Railway Supply		Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Jharokhas

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	184.25	5.6	45	CC	72	3	0	1		0	76	2	2	0	6	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Jharokhas

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	8	0	0.8	0	0	2			-	-
Actual	66	72	1	2	2	96	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Kurhagada			No. of passengers dealt with:				Identified as Adarsh	N										
Station Code	KAGA	FOB	1	(a) Per Day		58	Developed As Adarsh												
Station Category	NSG6	Subway	0	(b) Max. at any time		10	Identified for MFC			N									
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)															
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilitation Center			N								
State	JHARKHAND	Public Address Sys.	N	2019-20	1.95	2020-21	0.00	Touch Screen Enquiry System			N								
District		Clock	N	2021-22	0	2022-23	0	Electronic Train Indication			N								
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				135	ATMs			0							
Km.	0042.30	Cloak Room	N	<table border="1"> <tr><td>MP Const.</td></tr> <tr><td>MP Name</td></tr> <tr><td>MLA Const.</td></tr> <tr><td>MLA Name</td></tr> </table>								MP Const.	MP Name	MLA Const.	MLA Name	Food Plaza			N
MP Const.																			
MP Name																			
MLA Const.																			
MLA Name																			
Route	Dspl	Refreshment Room(sq.m)		Budget Hotel			N												
Electrified	Y			Trains Halting			M: 0	P : 4											
Other Items	NA			Station IInd Entry			N												
Remarks for Station:																			

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area		Approach Road			Water Supply				
Area (sqm)	0	Length(m)	100	Source	Railway Supply	Open Wells (Nos)	0		
Surface	Kutchra	Surface	Kutchra	Type	Piped	Bore Wells (Nos)	1		
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	15000				
Pay & Use Toilet				Remarks	NA				

Station Name : Kurhagada

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	440	10	84	MOR	144	0	0	2		0	40	0	0	2	30	0	0	0	0	0	N	0
2	BG	N	440	10	84	MOR	144	0	0	1		0	20	0	0	0	30	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kurhagada

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	0	288	3	0	0	60	1	See platform details	0	-
Shortage, if any	15	-	1	1	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Kathautiya halt			No. of passengers dealt with:				Identified as Adarsh	N						
Station Code	KAUA	FOB	0	(a) Per Day		50	Developed As Adarsh								
Station Category	HG3	Subway	0	(b) Max. at any time		15	Identified for MFC			N					
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)											
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center			N				
State	JHARKHAND	Public Address Sys.	N	2019-20	1.6	2020-21	0.00	Touch Screen Enquiry System			N				
District		Clock	N	2021-22	0	2022-23	0	Electronic Train Indication			N				
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				135	ATMs			0			
Km.	0049.70	Cloak Room	N	<table border="1"> <tr><td>MP Const.</td></tr> <tr><td>MP Name</td></tr> <tr><td>MLA Const.</td></tr> <tr><td>MLA Name</td></tr> </table>				MP Const.	MP Name	MLA Const.	MLA Name	Food Plaza			N
MP Const.															
MP Name															
MLA Const.															
MLA Name															
Route	Dspl	Refreshment Room(sq.m)		Budget Hotel											
Electrified	Y			Trains Halting			M: 0	P : 4							
				Station IInd Entry			N								
Other Items															
Remarks for Station:															

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area			Approach Road			Water Supply			
Area (sqm)		Length(m)	300	Source	Railway Supply	Open Wells (Nos)	0		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0		
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)					
Pay & Use Toilet		Remarks							

Station Name : Kathautiya halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	340	11	150	MOR	0	0	0	2		0	20	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Kathautiya halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.6	0	0	3			-	-
Actual	0	0	2	0	0	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Kechki			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KCKI	FOB	0	(a) Per Day		160		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		25		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	8.11	2018-19	8.61	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	12.46	2020-21	0.57	Touch Screen Enquiry System	N	
District	PALAMU	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)				382.5	ATMs	0
Km.	0270.99	Cloak Room	N	MP Const.	Chatra			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sunil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Manika			Trains Halting	M: 1 P : 12	
				MLA Name	Sri Ramchandra Singh			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	54	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1000	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Kechki

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	236	8.25	0.21	MOR	0	1	0	2		0	34	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	259	9	0.25	MOR	0	13	0	0		0	24	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kechki

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	10	0	1	0	0	3			-	-
Actual	54	0	2	0	0	73	0	See platform details	0	-
Shortage, if any	-	100	2	1	1	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Khuldil Road			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KDRD	FOB	0	(a) Per Day		93		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		20		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	3.52	2018-19	3.53	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	Y	2019-20	3.52	2020-21	0.00	Touch Screen Enquiry System	N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	CPU-MHD	Wheel Chairs	N	Length of longest stopping train(m)				310	ATMs	0
Km.	0157.38	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Shri Pakauri Lal Kol			Budget Hotel	N	
Electrified	N			MLA Const.	Obra			Trains Halting	M: 0 P : 6	
				MLA Name	Shri Sanjeev Gond			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	42	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	24	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	45	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Khuldil Road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	304	4	0.84	MOR	54	8	0	2		0	32	1	1	0	3	0	0	0	0	0	N	0
2	BG	N	304	4	0.8	MOR	48	4	0	2		0	32	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Khuldil Road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	8	0	0.8	0	0	2			-	-
Actual	42	102	4	1	1	88	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Kusanda			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KDS	FOB	0	(a) Per Day		20	Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time		10	Identified for MFC			
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	2.67	2018-19	2.97	Tourist Facilation Center		
State	JHARKHAND	Public Address Sys.	Y	2019-20	1.06	2020-21	0.00	Touch Screen Enquiry System		
District	DHANBAD	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication		
Section	DHN-CRP	Wheel Chairs	N	Length of longest stopping train(m)				250	ATMs	
Km.	0003.38	Cloak Room	N	MP Const.		Dhanbad	Food Plaza		N	
Route	E	Refreshment Room(sq.m)		MP Name		Pashupati Nath Singh	Budget Hotel		N	
Electrified	Y			MLA Const.		Dhanbad	Trains Halting		M: 0 P : 1	
				MLA Name		Sri Raj Sinha	Station IInd Entry		N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	48	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	6	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	100	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	1000		
Pay & Use Toilet				Remarks	NA		

Station Name : Kusanda

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	184	8	72	CC	36	14	1	0		0	33	0	1	0	5	0	0	0	0	0	N	0
2	BG	N	192	10	63	CC	36	6	0	0		0	32	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kusanda

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	48	72	1	0	1	71	0	See platform details	0	-
Shortage, if any	-	28	3	1	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Kajri Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KFT	FOB	0	(a) Per Day	170		Developed As Adarsh			
Station Category	HG2	Subway	0	(b) Max. at any time	45		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	10.96	2018-19	11.45	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	16.63	2020-21	0.46	Touch Screen Enquiry System	N	
District	PALAMU	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)				176	ATMs	0
Km.	0296.16	Cloak Room	N	MP Const.	Palamu			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram			Budget Hotel	N	
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 12	
				MLA Name				Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	21	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	9	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Kajri Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	7	0.3	MOR	0	4	0	1		0	20	0	0	0	6	0	0	0	0	0	N	0
2	BG	N	300	5	0.2	CC	0	1	0	0		0	18	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kajri Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	28	0	1.8	0	0	8			-	-
Actual	21	0	1	0	0	47	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Katkamsandi			No. of passengers dealt with:				Identified as Adarsh	N						
Station Code	KKAS	FOB	1	(a) Per Day		145	Developed As Adarsh								
Station Category	NSG6	Subway	0	(b) Max. at any time		35	Identified for MFC			N					
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)											
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center			N				
State	JHARKHAND	Public Address Sys.	Y	2019-20	0	2020-21	6.34	Touch Screen Enquiry System			N				
District		Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication			N				
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				135	ATMs			0			
Km.	0055.10	Cloak Room	N	<table border="1"> <tr><td>MP Const.</td></tr> <tr><td>MP Name</td></tr> <tr><td>MLA Const.</td></tr> <tr><td>MLA Name</td></tr> </table>				MP Const.	MP Name	MLA Const.	MLA Name	Food Plaza			N
MP Const.															
MP Name															
MLA Const.															
MLA Name															
Route	Dspl	Refreshment Room(sq	N	Budget Hotel			N								
Electrified	Y			Trains Halting			M: 0	P : 4							
				Station IInd Entry			N								
Other Items															
Remarks for Station:															

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq	0	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply										
Circulating Area			Approach Road			Water Supply				
Area (sq			Length(m)	600	Source	Railway Supply	Open Wells (Nos)	0		
Surface	Kutch		Surface	WBM	Type	Piped	Bore Wells (Nos)	1		
Illumination Type	Normal Lights		Illumination Type	Y	Storage Capacity(Ltr)	15000				
Pay & Use Toilet					Remarks					

Station Name : Katkamsandi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	380	10	840	MOR	144	0	0	2		0	30	0	0	2	30	0	0	0	0	1	N	0
2	BG	Y	380	10	840	MOR	144	0	0	2		0	20	0	0	0	30	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Katkamsandi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	15	0	1.4	0	0	4			-	-
Actual	0	288	4	0	0	50	1	See platform details	0	-
Shortage, if any	15	-	-	1	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Khalari			No. of passengers dealt with:				Identified as Adarsh	N			
Station Code	KLRE	FOB	1	(a) Per Day		850	Developed As Adarsh					
Station Category	NSG5	Subway	0	(b) Max. at any time		350	Identified for MFC			N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	100.51	2018-19	124.75	Tourist Facilitation Center			N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	174.5	2020-21	33.72	Touch Screen Enquiry System			N	
District	RANCHI	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication			N	
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)				309	ATMs			0
Km.	0156.14	Cloak Room	N	MP Const.	Ranchi	Food Plaza			N			
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sanjay Seth	Budget Hotel			N			
Electrified	Y			MLA Const.	Kanke	Trains Halting			M: 6	P : 4		
				MLA Name	Sri Samri Lal	Station IInd Entry			N			
Other Items	NA											
Remarks for Station:	NA											

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	25	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	408	Length(m)	90	Source	Railway Supply	Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	25000		
Pay & Use Toilet				Remarks	NA		

Station Name : Khalari

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	367	8.5	84	OPS	484	3	12	2		0	64	2	1	4	0	1	0	0	0	1	N	0
3&4	BG	Y	367	8.5	84	OPS	352	3	12	1		0	64	3	2	4	25	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Khalari

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	146	0	14	1	1	42			-	-
Actual	25	836	27	6	4	136	1	See platform details	0	-
Shortage, if any	5	-	-	-	-	-	-		2	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Karma halt			No. of passengers dealt with:				Identified as Adarsh	N			
Station Code	KMHT	FOB	1	(a) Per Day		10	Developed As Adarsh					
Station Category	NSG6	Subway	0	(b) Max. at any time		5	Identified for MFC			N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	0.36	2018-19	0.39	Tourist Facilitation Center			N	
State	JHARKHAND	Public Address Sys.	N	2019-20	0.4	2020-21	0.02	Touch Screen Enquiry System			N	
District	HAZARIBAGH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication			N	
Section	GMO-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)				300	ATMs			0
Km.	0084.20	Cloak Room	N	MP Const.	Hazaribagh			Food Plaza			N	
Route	D	Refreshment Room(sq.m)		MP Name	Jayant Sinha			Budget Hotel			N	
Electrified	Y			MLA Const.	Ramgarh			Trains Halting			M: 0 P : 6	
				MLA Name	Smt. Mamta Devi			Station IInd Entry			N	
Other Items	NA											
Remarks for Station:	NA											

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	50	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	15	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	35	Source	Railway Supply		Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	2000			
Pay & Use Toilet				Remarks	NA			

Station Name : Karma halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	550	9	84	CC	160	5	15	1		0	80	1	1	0	1	0	0	0	0	1	N	0
2	BG	N	550	9	84	CC	160	0	8	1		0	60	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Karma halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	2	0	0.2	0	0	1			-	-
Actual	50	320	25	2	1	155	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Kumandi			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KMND	FOB	0	(a) Per Day	35			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	10			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	2.10	2018-19	2.31	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	3.47	2020-21	0.23	Touch Screen Enquiry System	N	
District	PALAMU	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)				176	ATMs	0
Km.	0230.44	Cloak Room	N	MP Const.	Chatra			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sunil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Manika			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Ramchandra Singh			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	18	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	210	Length(m)	125	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Kumandi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	253	8.5	0	MOR	9	9	0	1		0	47	0	1	0	6	0	0	0	0	0	N	0
2	BG	Y	343	8.6	84	OPS	36	2	0	3		0	24	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kumandi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	18	45	4	2	3	71	0	See platform details	0	-
Shortage, if any	-	55	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Koderma			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KQR	FOB	2	(a) Per Day		5850		Developed As Adarsh		
Station Category	NSG3	Subway	0	(b) Max. at any time		1000		Identified for MFC	N	
Railway	ECR	Booking Windows	7	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	1	2011-12	1957.81	2018-19	2054.17	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	2763.7	2020-21	228.74	Touch Screen Enquiry System	N	
District	KODERMA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	Y	
Section	KQR-MPO	Wheel Chairs	Y	Length of longest stopping train(m)				572	ATMs	1
Km.	0393.55	Cloak Room	Y	MP Const.	Kodarma			Food Plaza	Y	
Route	A	Refreshment Room(sqm)		MP Name	Annapurna Debi			Budget Hotel	Y	
Electrified	Y			MLA Const.	Kodarma			Trains Halting	M: 38 P : 16	
				MLA Name	Neera Yadav			Station IInd Entry	Y	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	100	Area(sq.m)	27	50	Area(sq.m)	75	Retiring Room	3
(b) Seats(Nos.)	100	Seats(Nos.)	24	20	Seats(Nos.)	18	Dormitory	1
(c) Lav.(Nos.)	3	Lav.(Nos.)	2	3	Lav.(Nos.)	3		
(d) Urinals(Nos.)	2	Urinals(Nos.)	1	1	Urinals(Nos.)	2		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)	1	2	Bathing Cubicals(Nos.)	2		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	129	Length(m)	40	Source	Railway Supply		Open Wells (Nos)	3
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	49056			
Pay & Use Toilet	N			Remarks	A pipe line work has been sanctioned for supply of water at			

Station Name : Koderma

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	440	12.5	84	CC	1938	0	36	2		0	150	6	2	18	85	1	0	1	0	2	Y	0	
2&3	BG	Y	607	15	84	CC	1260	6	32	5		0	268	4	2	12	50	2	0	0	0	2	Y	0	
4&5	BG	Y	607	10	84	CC	954	8	29	4		0	332	1	7	10	70	4	0	0	0	2	Y	1	
6&7	BG	Y	500	13	84	OTH	832	0	8	3		0	68	0	0	8	20	0	0	0	0	1	Y	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Koderma

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	1600 sqm	80	10	10	500	1 With Cover	High level	8	YES
As per Rec. norms	418	1120	40	2	2	120			-	-
Actual	100	4984	119	22	17	980	2	See platform details	3	YES
Shortage, if any	25	-	-	-	-	-	-		5	-

Station Name : Koderma

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Desired Facility	Facility Available
Improvement in the facade of the station building Improvement in the circulating area so as to ensure proper entry and exit of A lighting tower at an appropriate place to be installed for proper illumination Improved modern, cost effective lighting arrangements at the platforms, Renovated water booths Renovated, modern, Pay & Use toilets Good Waiting and Retiring Rooms with modern furniture Good passenger guidance system including signages and coach indication Improvement to the passenger service Improvement of booking and enquiry offices to give them a facelift Lighting of booking offices, the queuing area in front of booking windows Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Koderma Town Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KQRT	FOB	1	(a) Per Day	43		Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time	10		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	1.76	2020-21	0.00	Touch Screen Enquiry System	N	
District	KODERMA	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	Koderma-Giridih	Wheel Chairs	N	Length of longest stopping train(m)				155	ATMs	0
Km.	0010.45	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	E	Refreshment Room(sqm)		MP Name	Annapurna Debi			Budget Hotel		
Electrified	Y			MLA Const.	Kodarma			Trains Halting	M: 0 P : 4	
				MLA Name	Neera Yadav			Station IInd Entry	N	
Other Items										
Remarks for Station:										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area		Approach Road			Water Supply				
Area (sqm)	100	Length(m)	350	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	2	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks					

Station Name : Koderma Town Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	14	0	MOR	18	0	0	1		0	10	1	0	0	0	0	0	0	0	1	N	0
2&3	BG	N	330	15	0.84	MOR	18	0	0	1		0	20	0	0	0	0	0	0	0	0	1	N	0
4&5	BG	N	330	14	0	MOR	0	0	0	0		0	10	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Koderma Town Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	6	0	0.4	0	0	2			-	-
Actual	15	36	2	1	0	50	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Karaila Road			No. of passengers dealt with:				Identified as Adarsh	N			
Station Code	KRLR	FOB	1	(a) Per Day		55	Developed As Adarsh					
Station Category	NSG6	Subway	0	(b) Max. at any time		12	Identified for MFC			N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	1.98	2018-19	1.85	Tourist Facilation Center			N	
State	MADHYA	Public Address Sys.	Y	2019-20	3.18	2020-21	0.00	Touch Screen Enquiry System			N	
District	PRADESH SIDHI	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication			N	
Section	KRLR-SKTN	Wheel Chairs	N	Length of longest stopping train(m)				310	ATMs			0
Km.	0175.47	Cloak Room	N	MP Const.		Sidhi	Food Plaza		N			
Route	E	Refreshment Room(sq.m)		MP Name		Smt. Riti Pathak	Budget Hotel		N			
Electrified	N			MLA Const.		Singrauli	Trains Halting		M: 0	P : 6		
				MLA Name			Station IInd Entry		N			
Other Items	NA											
Remarks for Station:	NA											

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	20	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	600	Length(m)	50	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	WBM	Type	Piped	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	68100		
Pay & Use Toilet				Remarks	NA		

Station Name : Karaila Road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	182	6	0	CC	54	6	8	1		0	36	2	2	0	20	0	0	0	0	0	N	0
*Surface Type		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Karaila Road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	5	0	0.48	0	0	1			-	-
Actual	20	54	9	2	2	36	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Krishnashila			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KRSL	FOB	1	(a) Per Day	20		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	10		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	10.54	2018-19	8.29	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	Y	2019-20	4.51	2020-21	0.00	Touch Screen Enquiry System	N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	KRLE-SKTN	Wheel Chairs	N	Length of longest stopping train(m)				234	ATMs	0
Km.	0021.43	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Shri Pakauri Lal Kol			Budget Hotel	N	
Electrified	N			MLA Const.	Dudhi			Trains Halting	M: 4 P : 2	
				MLA Name	Smt. Rubi Prasad			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	27	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	392	Length(m)	96	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	15000			
Pay & Use Toilet				Remarks	NA			

Station Name : Krishnashila

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	276	9	0	MOR	60	15	5	1		0	56	3	1	0	15	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Krishnashila

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	27	60	6	3	1	76	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Keshwari Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KSHR	FOB	0	(a) Per Day	50			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	15			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	2.81	2018-19	2.73	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	2.86	2020-21	0.11	Touch Screen Enquiry System	N	
District	GIRIDIH	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				280	ATMs	0
Km.	0350.19	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	A	Refreshment Room(sq		MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	Y			MLA Const.	Bagodar			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Vinod Kumar singh			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	25	Source	Railway Supply		Open Wells (Nos)	0
Surface		Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Keshwari Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	2	0	OPS	0	2	0	1		0	5	1	3	0	0	0	0	0	0	0	N	0
2	BG	N	350	2	0	OTH	6	0	0	0		0	8	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Keshwari Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.6	0	0	3			-	-
Actual	0	6	1	1	3	13	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Kansar Nawada			No. of passengers dealt with:				Identified as Adarsh	N					
Station Code	KSNA	FOB	1	(a) Per Day	32			Developed As Adarsh						
Station Category	NSG6	Subway	0	(b) Max. at any time	10			Identified for MFC	N					
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)										
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilitation Center	N					
State	JHARKHAND	Public Address Sys.	N	2019-20	1.76	2020-21	0.00	Touch Screen Enquiry System	N					
District		Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N					
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				135	ATMs	0				
Km.	0072.80	Cloak Room	N	<table border="1"> <tr><td>MP Const.</td></tr> <tr><td>MP Name</td></tr> <tr><td>MLA Const.</td></tr> <tr><td>MLA Name</td></tr> </table>				MP Const.	MP Name	MLA Const.	MLA Name	Food Plaza	N	
MP Const.														
MP Name														
MLA Const.														
MLA Name														
Route	Dspl	Refreshment Room(sq.m)		Budget Hotel	N									
Electrified	Y			Trains Halting	M: 0	P : 4								
Other Items	NA			Station IInd Entry	N									
Remarks for Station:														

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	400	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	15000			
Pay & Use Toilet				Remarks	NA			

Station Name : Kansar Nawada

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	360	11	84	OPS	208		0	2		0	30	0	0	2	30	0	0	0	0	1	N	0
2	BG	N	360	10	84	MOR	144	0	0	2		0	15	0	0	0	30	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kansar Nawada

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	0	352	4	0	0	45	1	See platform details	0	-
Shortage, if any	15	-	-	1	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Katrasgarh			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	KTH	FOB	0	(a) Per Day	220			Developed As Adarsh	N	
Station Category	NSG5	Subway	0	(b) Max. at any time	60			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	383.00	2018-19	385.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	368.28	2020-21	92.74	Touch Screen Enquiry System	N	
District	DHANBAD	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	DHN-CRP	Wheel Chairs	Y	Length of longest stopping train(m)				450	ATMs	0
Km.	0013.19	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	baghmara			Trains Halting	M: 16 P : 2	
				MLA Name	Sri Dhulu Mahto			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	34	Area(sq	29	16	Area(sq	0	Retiring Room	0	
(b) Seats(Nos.)	0	Seats(Nos.)	20	10	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	1	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	1	1	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sq	454	Length(m)	100	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	10000		
Pay & Use Toilet	Y			Remarks	NA		

Station Name : Katrasgarh

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	450	12	80	CC	340	1	4	0		0	100	2	1	7	30	1	0	0	0	0	N	0
2&3	BG	Y	450	14	76	MOR	160	0	0	0		0	28	2	1	8	10	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Katrasgarh

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	25	0	2.4	0	0	7			-	-
Actual	34	500	4	6	4	158	0	See platform details	1	-
Shortage, if any	-	-	12	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Kuju					No. of passengers dealt with:		Identified as Adarsh	N	
Station Code	KUJU	FOB	1	(a) Per Day	60	Developed As Adarsh				
Station Category	NSG6	Subway	0	(b) Max. at any time	40	Identified for MFC		N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	3.83	2020-21	0.00	Touch Screen Enquiry System	N	
District		Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				135	ATMs	0
Km.	0122.20	Cloak Room	N	MP Const.					Food Plaza	N
Route	Dspl	Refreshment Room(sq		MP Name					Budget Hotel	
Electrified	Y	Room(sq		MLA Const.					Trains Halting	M: 0 P : 4
				MLA Name					Station IInd Entry	N
Other Items	NA									
Remarks for Station:										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sq	0	Length(m)	1000	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutch	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	15000		
Pay & Use Toilet				Remarks	NA		

Station Name : Kuju

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	340	11	840	OPS	0			2		0	32						0	0	0	0	N	0
2	BG	N	340	10	840	OPS	144			2		0	28						0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kuju

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	17	0	1.6	0	0	5			-	-
Actual	0	144	4	0	0	60	1	See platform details	0	-
Shortage, if any	15	-	-	1	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Kawar Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	KWAR	FOB	1	(a) Per Day	115		Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time	10		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	2.11	2020-21	0.00	Touch Screen Enquiry System	N	
District	GIRIDIH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	Koderma-Giridih	Wheel Chairs	N	Length of longest stopping train(m)				155	ATMs	0
Km.	0086.50	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	E	Refreshment Room(sqm)		MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 4	
				MLA Name				Station IInd Entry	N	
Other Items										
Remarks for Station:										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	100	Length(m)	350	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks				

Station Name : Kawar Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	15	84	OPS	12	0	0	1		0	10	0	0			0	0	0	0	1	N	0
2	BG	N	330	15	84	MOR	12	0	0	1		0	10	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kawar Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	6	0	0.4	0	0	2			-	-
Actual	15	24	2	0	0	30	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Lalgarh Bihar			No. of passengers dealt with:		Identified as Adarsh	N	
Station Code	LBT	FOB	0	(a) Per Day	287	Developed As Adarsh		
Station Category	HG2	Subway	0	(b) Max. at any time	50	Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)				
Division	Dhanbad	Enquiry Office	0	2011-12	2018-19	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	2020-21 0.77	Touch Screen Enquiry System	N	
District	PALAMU	Clock	Y	2021-22 0	2022-23 0	Electronic Train Indication	N	
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)		382.5	ATMs	0
Km.	0308.29	Cloak Room	N	MP Const.	Palamu		Food Plaza	N
Route	A	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram		Budget Hotel	N
Electrified	Y			MLA Const.	Bishrampur		Trains Halting	M: 0 P : 6
				MLA Name	Sri Ramchandra Chandrawansi		Station IInd Entry	N
Other Items	NA							
Remarks for Station:	NA							

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	0	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room 0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos) 0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos) 0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0		
Pay & Use Toilet	N			Remarks	NA		

Station Name : Lalgarh Bihar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	Y	350	1.8	0	CC	0	5	0	1		0	10	3	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	250	1.8	0	CC	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Lalgarh Bihar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	31	0	2	0	0	9			-	-
Actual	0	0	1	3	0	10	0	See platform details	0	-
Shortage, if any	10	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Latehar			No. of passengers dealt with:				Identified as Adarsh	Y
Station Code	LTHR	FOB	1	(a) Per Day	758		Developed As Adarsh	N	
Station Category	NSG5	Subway	0	(b) Max. at any time	150		Identified for MFC	N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	174.00	2018-19	209.08	Tourist Facilation Center	N
State	JHARKHAND	Public Address Sys.	Y	2019-20	298.15	2020-21	45.85	Touch Screen Enquiry System	N
District		Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N
Section	BRKA-GHD	Wheel Chairs	Y	Length of longest stopping train(m)			308	ATMs	0
Km.	0217.82	Cloak Room	N	MP Const.	Chatra		Food Plaza	N	
Route	Dspl	Refreshment Room(sq		MP Name	Sunil Kumar Singh		Budget Hotel	N	
Electrified	Y			MLA Const.	Latehar		Trains Halting	M: 22 P : 8	
				MLA Name	Sri Baidyanath Ram		Station IInd Entry	N	
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	30	Area(sq		0	0	Area(sq	12	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	8	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	2500	Length(m)	95	Source	Railway Supply		Open Wells (Nos)	1
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	100000			
Pay & Use Toilet	Y			Remarks	NA			

Station Name : Latehar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	560	6	84	CC	273	3	10	2		0	78	3	2	2	16	1	0	0	0	1	N	0
2&3	BG	Y	560	6.5	84	MOR	407	9	10	2		0	90	0	0	2	10	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete	PS-Polished Stone	OPS-Other Pucca Surface	MOR-Moorum	OTH-Others																	

Station Name : Latehar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	63	0	6	0	0	18			-	-
Actual	30	680	25	5	4	184	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Mangra Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MAZ	FOB	0	(a) Per Day	65			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	15			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.98	2018-19	1.51	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	2.18	2020-21	0.09	Touch Screen Enquiry System	N	
District	PALAMU	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	MAZ	Wheel Chairs	N	Length of longest stopping train(m)				250	ATMs	0
Km.	0264.00	Cloak Room	N	MP Const.	Chatra			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sunil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Manika			Trains Halting	M: 0 P : 0	
				MLA Name	Sri Ramchandra Singh			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	15	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	25	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Mangra Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	6	80	MOR	0	8	0	1		0	20	0	1	1	6	0	0	0	0	0	N	0
2	BG	N	220	2	0	MOR	0	0	0	1		0	20	2	0	0	10	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Mangra Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.6	0	0	3			-	-
Actual	15	0	2	2	1	50	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Mirchadhuri			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MCQ	FOB	1	(a) Per Day		125		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		30		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	5.04	2018-19	4.82	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	Y	2019-20	6.65	2020-21	0.00	Touch Screen Enquiry System	N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	CPU-MHD	Wheel Chairs	N	Length of longest stopping train(m)				310	ATMs	0
Km.	0167.61	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	D	Refreshment Room(sq.m)		MP Name	Shri Pakauri Lal Kol			Budget Hotel	N	
Electrified	N			MLA Const.	Obra			Trains Halting	M: 0 P : 6	
				MLA Name	Shri Sanjeev Gond			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	18	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	100	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Mirchadhuri

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	183	6	0	OPS	54	8	0	2		0	36	2	1	0	0	0	0	0	0	0	N	0
2	BG	N	183	6	0	MOR	54	14	0	2		0	30	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Mirchadhuri

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	13	0	1.2	0	0	4			-	-
Actual	18	108	4	2	1	66	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	McCluskieganj			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MGME	FOB	1	(a) Per Day		138		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		50		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	9.95	2018-19	10.47	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	14.63	2020-21	0.81	Touch Screen Enquiry System	N	
District	RANCHI	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)				309	ATMs	0
Km.	0163.40	Cloak Room	N	MP Const.	Ranchi					
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sanjay Seth	Food Plaza				
Electrified	Y			MLA Const.	Kanke	Budget Hotel				
Other Items	NA			MLA Name	Sri Samri Lal	Trains Halting		M: 3	P : 4	
Remarks for Station:	NA					Station IInd Entry		N		

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	108	Area(sq.m)		0	0	Area(sq.m)	12	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	2	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply					
Area (sqm)	0	Length(m)	15	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	0	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	100000				
Pay & Use Toilet				Remarks	NA				

Station Name : McCluskieganj

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	244	9	0	MOR	308	7	0	2		0	50	2	1	2	5	1	0	0	0	1	N	0
2&3	BG	Y	460	9	84	MOR	308	5	3	2		0	40	2	0	2	7	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : McCluskieganj

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	21	0	2	0	0	6			-	-
Actual	108	616	7	6	3	130	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Mahadiya			No. of passengers dealt with:				Identified as Adarsh	N			
Station Code	MHDA	FOB	0	(a) Per Day		45	Developed As Adarsh					
Station Category	NSG6	Subway	0	(b) Max. at any time		10	Identified for MFC			N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	0.84	2018-19	0.63	Tourist Facilation Center			N	
State	MADHYA	Public Address Sys.	Y	2019-20	3.22	2020-21	0.00	Touch Screen Enquiry System			N	
District	PRADESH SIDHI	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication			N	
Section	CPU-MHD	Wheel Chairs	N	Length of longest stopping train(m)				131	ATMs			0
Km.	0197.19	Cloak Room	N	MP Const.	Sidhi	Food Plaza			N			
Route	E	Refreshment Room(sq.m)		MP Name	Smt. Riti Pathak	Budget Hotel			N			
Electrified	N			MLA Const.	Singrauli	Trains Halting			M: 0	P : 4		
				MLA Name		Station IInd Entry			N			
Other Items	NA											
Remarks for Station:	NA											

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	41	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	2250	Length(m)	75	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	2500		
Pay & Use Toilet				Remarks	NA		

Station Name : Mahadiya

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	179	9	8.4	MOR	51	0	2	1		0	26	2	1	0	20	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Mahadiya

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	41	51	3	3	2	66	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Maheshpur Halt			No. of passengers dealt with:				Identified as Adarsh	N			
Station Code	MHSA	FOB	0	(a) Per Day		51	Developed As Adarsh					
Station Category	HG3	Subway	0	(b) Max. at any time		10	Identified for MFC			N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center			N	
State	JHARKHAND	Public Address Sys.	N	2019-20	2.13	2020-21	0.00	Touch Screen Enquiry System			N	
District	KODERMA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication			N	
Section	Koderma-Giridih	Wheel Chairs	N	Length of longest stopping train(m)				155	ATMs			0
Km.	0019.70	Cloak Room	N	MP Const.	Kodarma			Food Plaza			N	
Route	E	Refreshment Room(sqm)		MP Name	Annapurna Debi			Budget Hotel			N	
Electrified	Y			MLA Const.	Kodarma			Trains Halting			M: 0 P : 4	
				MLA Name	Neera Yadav			Station IInd Entry			N	
Other Items											
Remarks for Station:												

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area			Approach Road			Water Supply			
Area (sqm)		Length(m)	200	Source	Railway Supply	Open Wells (Nos)	0		
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump	Bore Wells (Nos)	1		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks				

Station Name : Maheshpur Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	340	15	0	MOR	9	0	0	1		0	10	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Maheshpur Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	6	0	0.4	0	0	2			-	-
Actual	10	9	1	0	0	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Mahuamilan			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MMLN	FOB	1	(a) Per Day	37			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	10			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	2.21	2018-19	2.30	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	3.24	2020-21	0.35	Touch Screen Enquiry System	N	
District	PALAMU	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)				176	ATMs	0
Km.	0178.16	Cloak Room	N	MP Const.	Chatra			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sunil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Latehar			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Baidyanath Ram			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	54	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	10	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Mahuamilan

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	600	8.5	84	MOR	84	6	0	2		0	98	1	1	0	0	0	0	0	0	1	N	0	
2&3	BG	Y	600	10	84	MOR	84	3	0	2		0	98	0	0	0	0	0	0	0	0	1	N	0	
4&5	BG	Y	600	7	84	MOR	48	3	0	2		0	66	0	0	0	0	0	0	0	0	1	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Mahuamilan

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	150 sqm	6 tap/HP at stn	1	1	30	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	54	216	6	3	1	270	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Mandu Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MNDU	FOB	0	(a) Per Day	10			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	5			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	0.05	2020-21	0.00	Touch Screen Enquiry System	N	
District		Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				135	ATMs	0
Km.	0112.50	Cloak Room	N	MP Const.						
Route	Dspl	Refreshment Room(sq		MP Name				Food Plaza		N
Electrified	Y			MLA Const.				Budget Hotel		
Other Items				MLA Name				Trains Halting		M: 0 P : 4
Remarks for Station:								Station IInd Entry		

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq	0	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area			Approach Road			Water Supply			
Area (sq		Length(m)	500	Source	Railway Supply	Open Wells (Nos)	0		
Surface	Kutch	Surface	Black Topped	Type	Hand Pump	Bore Wells (Nos)	0		
Illumination Type		Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	Railway supply water .				

Station Name : Mandu Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	11	840	MOR	0	0		1		0	20			0			0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Mandu Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	3	0	0.2	0	0	1			-	-
Actual	0	0	1	0	0	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Muirpur Road			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MPF	FOB	0	(a) Per Day	67		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	25		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	3.98	2018-19	4.48	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	N	2019-20	4.7	2020-21	0.00	Touch Screen Enquiry System	N	
District	UPRADESH SONBHADRA	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				176	ATMs	0
Km.	0093.81	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	Dspl	Refreshment Room(sqm)		MP Name	Shri Pakauri Lal Kol			Budget Hotel	N	
Electrified	Y			MLA Const.	Duddhi			Trains Halting	M: 0 P : 2	
				MLA Name	Shri Hari Ram			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	55	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Muirpur Road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	183.7	6.2	0	MOR	72	40	0	1		0	68	2	2	0	6	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Muirpur Road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5 Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	10	0	1	0	0	3			-	-
Actual	15	72	1	2	2	68	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Meralgram			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MQX	FOB	1	(a) Per Day	190			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	100			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	16.27	2018-19	19.85	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	29.32	2020-21	0.00	Touch Screen Enquiry System	N	
District	GARHWA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	Y	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				180	ATMs	0
Km.	0021.16	Cloak Room	N	MP Const.	Palamu			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram			Budget Hotel	N	
Electrified	Y			MLA Const.	Garhwa			Trains Halting	M: 1 P : 2	
				MLA Name	Sri Mithlesh Thakur			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	15	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	12	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	100	Length(m)	35	Source	Railway Supply		Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Meralgram

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	6	84	CC	588	3	0	2		0	56	2	2	2	10	0	0	0	0	1	N	0
2	BG	N	600	10.9	84	CC	588	0	0	2		0	56	0	0	0	12	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Meralgram

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	42	0	4	0	0	12			-	-
Actual	15	1176	4	4	3	124	1	See platform details	0	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Matari			No. of passengers dealt with:				Identified as Adarsh	N			
Station Code	MRQ	FOB	1	(a) Per Day		510	Developed As Adarsh					
Station Category	NSG6	Subway	0	(b) Max. at any time		150	Identified for MFC			N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	10.37	2018-19	10.06	Tourist Facilation Center			N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	14.88	2020-21	1.11	Touch Screen Enquiry System			N	
District	DHANBAD	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication			N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				354	ATMs			0
Km.	0290.20	Cloak Room	N	MP Const.	Dhanbad			Food Plaza			N	
Route	A	Refreshment Room(sq.m)		MP Name	Pashupati Nath Singh			Budget Hotel			N	
Electrified	Y			MLA Const.	Tundi			Trains Halting			M: 4 P : 6	
				MLA Name	Sri Mathura Prasad Mahato			Station IInd Entry			N	
Other Items	NA											
Remarks for Station:	NA											

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	15	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	100	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Matari

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	404	13	0	CC	247	2	0	2		0	50	2	1	2	16	0	0	0	0	0	N	0
3&4	BG	Y	388	13	0	MOR	63	3	0	2		0	43	0	0	0	16	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Matari

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	63	0	6	0	0	18			-	-
Actual	15	310	4	2	1	123	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Magardaha			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MWF	FOB	1	(a) Per Day		25		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		8		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.65	2018-19	0.59	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	Y	2019-20	0.69	2020-21	0.00	Touch Screen Enquiry System	N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	OBRA-MHDA	Wheel Chairs	N	Length of longest stopping train(m)				310	ATMs	0
Km.	0151.05	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Shri Pakauri Lal Kol			Budget Hotel	N	
Electrified	N			MLA Const.	Obra			Trains Halting	M: 0 P : 6	
				MLA Name	Shri Sanjeev Gond			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Magardaha

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	184	6.1	0	OTH	51	0	0	2		0	30	2	2	0	0	0	0	0	0	0	0	N	0
2&3	BG	Y	650	4.7	76	CC	51	0	0	2		0	30	0	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Magardaha

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	3	0	0.32	0	0	1			-	-
Actual	16	102	4	2	2	78	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Mahuariya			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	MXY	FOB	1	(a) Per Day	90		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	50		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	5.61	2018-19	5.82	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	Y	2019-20	6.35	2020-21	0.00	Touch Screen Enquiry System	N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				176	ATMs	0
Km.	0066.28	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	Dspl	Refreshment Room(sqm)		MP Name	Shri Pakauri Lal Kol			Budget Hotel	N	
Electrified	Y			MLA Const.	Dudhi			Trains Halting	M: 0 P : 2	
				MLA Name	Smt. Rubi Prasad			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	56	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	65	Source	Railway Supply		Open Wells (Nos)	2
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Mahuariya

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	183.4	7.7	0	MOR	768	3	0	2		0	72	2	2	0	5	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Mahuariya

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	21	0	2	0	0	6			-	-
Actual	56	768	2	2	2	102	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	New giridih			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	NGRH	FOB	0	(a) Per Day				Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time				Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	1	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N
State	JHARKHAND	Public Address Sys.	N	2019-20	0	2020-21	0.00	Touch Screen Enquiry System	N
District	GIRIDIH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N
Section	KQR-MMD	Wheel Chairs		Length of longest stopping train(m)				ATMs	0
Km.	0103.53	Cloak Room	N	MP Const.	Giridih			Food Plaza	N
Route	D	Refreshment Room(sqm)		MP Name	Chandra Prakash Choudhary				Budget Hotel
Electrified	Y			MLA Const.	Giridih			Trains Halting	M: P : null
				MLA Name	Sri Sudivya Kumar				Station IInd Entry
Other Items									
Remarks for Station:									

Resting Facility					
WAITING HALL	WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	Area(sqm)			Retiring Room	0
(b) Seats(Nos.)	Seats(Nos.)			Dormitory	0
(c) Lav.(Nos.)	Lav.(Nos.)				
(d) Urinals(Nos.)	Urinals(Nos.)				
(e) Bathing Cubicals(Nos.)	Bathing Cubicals(Nos.)				

Circulating Area and Water Supply			
Circulating Area	Approach Road	Water Supply	
Area (sqm)	Length(m)	Source	Open Wells (Nos)
Surface	Surface	Type	Bore Wells (Nos)
Illumination Type	Illumination Type	Storage Capacity(Ltr)	
Pay & Use Toilet		Remarks	

Station Name : New giridih

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	0	0	0	0	0	0			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Nimiaghat			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	NMG	FOB	1	(a) Per Day	200		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	35		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	4.17	2018-19	5.38	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	10.08	2020-21	0.20	Touch Screen Enquiry System	N	
District	GIRIDIH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				354	ATMs	0
Km.	0310.51	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	A	Refreshment Room(sq		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	Dumri			Trains Halting	M: 2 P : 6	
				MLA Name	Sri Jagarnath Mahto			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq	0	0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Nimiaghat

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	356	15	0	MOR	170	4	0	2		0	24	2	1	1	12	0	0	0	0	0	N	0
3&4	BG	Y	256	9.3	0	MOR	27	1	0	2		0	24	0	0	0	5	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Nimiaghat

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	15	0	1.4	0	0	4			-	-
Actual	0	197	5	2	1	48	1	See platform details	0	-
Shortage, if any	15	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Nichitpur Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	NPJE	FOB	0	(a) Per Day	582			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	250			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	19.52	2018-19	19.91	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	33.47	2020-21	2.23	Touch Screen Enquiry System	N	
District	DHANBAD	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				354		
Km.	0285.30	Cloak Room	N	MP Const.	Dhanbad			ATMs	0	
Route	A	Refreshment Room(sq		MP Name	Pashupati Nath Singh			Food Plaza	N	
Electrified	Y			MLA Const.	baghmara			Budget Hotel	N	
Other Items	NA			MLA Name	Sri Dhulu Mahto			Trains Halting	M: 2 P : 6	
Remarks for Station:	NA							Station IInd Entry	N	

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	10	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	70	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Nichitpur Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	6	0	CC	432	0	0	1		0	25	0	0	0	0	0	0	0	0	0	N	0
2	BG	N	330	6	0	CC	432	0	0	1		0	25	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete		PS-Polished Stone		OPS-Other Pucca Surface		MOR-Moorum		OTH-Others														

Station Name : Nichitpur Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	157	0	10	1	1	45			-	-
Actual	10	864	2	0	0	80	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Nagaruntari			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	NUQ	FOB	1	(a) Per Day		1180		Developed As Adarsh	
Station Category	NSG5	Subway	0	(b) Max. at any time		500		Identified for MFC	N
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	205.73	2018-19	220.30	Tourist Falcation Center	N
State	JHARKHAND	Public Address Sys.	Y	2019-20	504.45	2020-21	71.14	Touch Screen Enquiry System	N
District	GARHWA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N
Section	GHD-CPU	Wheel Chairs	Y	Length of longest stopping train(m)				309	
Km.	0040.50	Cloak Room	N	MP Const.	Palamu			ATMs	0
Route	Dspl	Refreshment Room(sqm)		MP Name	Vishnu Dayal Ram			Food Plaza	N
Electrified	Y			MLA Const.	Bhawnathpur			Budget Hotel	N
Other Items	NA			MLA Name	Sri Bhanu Pratap Sahi			Trains Halting	M: 5 P : 2
Remarks for Station:	NA							Station IInd Entry	Y

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	90	Area(sq.m)		6	0	Area(sq.m)	21	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	6	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		1	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	200	Length(m)	65	Source	Railway Supply		Open Wells (Nos)	1
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	87168			
Pay & Use Toilet				Remarks	NA			

Station Name : Nagaruntari

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	561	7	84	CC	520	5	14	4		0	148	2	0	2	20	1	0	0	0	1	N	0
2	BG	N	650	10.9	84	CC	1728	0	16	0		0	96	0	0			0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Nagaruntari

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	209	0	20	1	1	60			-	-
Actual	90	2248	34	5	2	280	1	See platform details	0	-
Shortage, if any	-	-	-	-	2	-	-		2	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Nawadih Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	NWDH	FOB	1	(a) Per Day	120			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	15			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	2.68	2020-21	0.00	Touch Screen Enquiry System	N	
District	KODERMA	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	Koderma-Giridih	Wheel Chairs	N	Length of longest stopping train(m)				155	ATMs	0
Km.	0033.50	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	E	Refreshment Room(sqm)		MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	N			MLA Const.	Kodarma			Trains Halting	M: 0 P : 4	
				MLA Name	Neera Yadav			Station IInd Entry	N	
Other Items										
Remarks for Station:										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	100	Length(m)	400	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	2	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks					

Station Name : Nawadih Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	330	14	84	MOR	36	0	0	1		0	0	0	0	0	0	0	0	0	0	1	N	0
2	BG	N	330	14	0	MOR	36	0	0	1		0	10	0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Nawadih Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	9	0	0.6	0	0	3			-	-
Actual	15	72	2	0	0	20	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Obra Dam			No. of passengers dealt with:				Identified as Adarsh	N			
Station Code	OBRA	FOB	1	(a) Per Day		132	Developed As Adarsh					
Station Category	NSG6	Subway	0	(b) Max. at any time		30	Identified for MFC			N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	27.09	2018-19	25.30	Tourist Facilation Center			N	
State	UTTAR	Public Address Sys.	Y	2019-20	23.39	2020-21	0.00	Touch Screen Enquiry System			N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication			N	
Section	CPU-MHDA	Wheel Chairs	N	Length of longest stopping train(m)				422	ATMs			0
Km.	0138.16	Cloak Room	N	MP Const.	Robertsganj			Food Plaza			N	
Route	E	Refreshment Room(sq.m)		MP Name	Shri Pakauri Lal Kol			Budget Hotel			N	
Electrified	N			MLA Const.	Obra			Trains Halting			M: 10 P : 6	
				MLA Name	Shri Sanjeev Gond			Station IInd Entry			N	
Other Items	NA											
Remarks for Station:	NA											

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	83	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	375	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	112500			
Pay & Use Toilet	Y			Remarks	NA			

Station Name : Obra Dam

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	360	12	0	CC	51	3	12	1		0	136	2	2	2	25	1	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Obra Dam

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	13	0	1.2	0	0	4			-	-
Actual	83	51	13	4	2	176	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Pipradih			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	PADH	FOB	1	(a) Per Day	40		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	15		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	1.87	2020-21	0.00	Touch Screen Enquiry System	N	
District	KODERMA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				135	ATMs	0
Km.	0007.80	Cloak Room	N	MP Const.				Food Plaza	N	
Route	Dspl	Refreshment Room(sqm)		MP Name				Budget Hotel	N	
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 4	
				MLA Name				Station IInd Entry	N	
Other Items	NA									
Remarks for Station:										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	400	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	15000			
Pay & Use Toilet				Remarks	NA			

Station Name : Pipradih

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	11	84	MOR	144	0	0	2		0	40	2	0	2	82	0	0	0	0	0	N	0
2&3	BG	N	600	10	84	MOR	144	0	0	2		0		0	0	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Pipradih

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	6	0	0.6	0	0	2			-	-
Actual	0	288	4	2	0	40	1	See platform details	0	-
Shortage, if any	15	-	-	-	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Patherdih Bazar			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	PBQ	FOB	1	(a) Per Day	232			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	125			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	33.73	2018-19	37.41	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	40.53	2020-21	0.00	Touch Screen Enquiry System	N	
District	DHANBAD	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	DHN-PEH	Wheel Chairs	N	Length of longest stopping train(m)				250	ATMs	0
Km.	0014.00	Cloak Room	N	MP Const.	Dhanbad			Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Pashupati Nath Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Dhanbad			Trains Halting	M: 1 P : 2	
				MLA Name	Sri Raj Sinha			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	29	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	290	Length(m)	55	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Patherdih Bazar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	76	4	8	MOR	0	2	0	2		0	0	0	0	1	9	0	0	0	0	1	N	0
2	BG	N	320	6	32	MOR	15	2	0	0		0	56	0	1	0	0	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Patherdih Bazar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	78	0	5	0	0	23			-	-
Actual	29	15	2	2	1	76	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Padma			No. of passengers dealt with:				Identified as Adarsh	N						
Station Code	PDMA	FOB	1	(a) Per Day		65		Developed As Adarsh							
Station Category	NSG6	Subway	0	(b) Max. at any time		10		Identified for MFC	N						
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)											
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N						
State	JHARKHAND	Public Address Sys.	N	2019-20	2.54	2020-21	0.00	Touch Screen Enquiry System	N						
District		Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N						
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				135	ATMs	0					
Km.	0033.80	Cloak Room	N	<table border="1"> <tr><td>MP Const.</td></tr> <tr><td>MP Name</td></tr> <tr><td>MLA Const.</td></tr> <tr><td>MLA Name</td></tr> </table>						MP Const.	MP Name	MLA Const.	MLA Name	Food Plaza	N
MP Const.															
MP Name															
MLA Const.															
MLA Name															
Route	Dspl	Refreshment Room(sq.m)		Budget Hotel	N										
Electrified	Y			Trains Halting	M: 0	P : 4									
Other Items	NA			Station IInd Entry	N										
Remarks for Station:															

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	50	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	15000			
Pay & Use Toilet				Remarks	NA			

Station Name : Padma

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	608	9	84	MOR	144	0	0	2		0	40	0	0	2	35	0	0	0	0	0	N	0
2	BG	N	608	9	84	MOR	144	0	0	2		0	20	0	0	0	35	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Padma

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	0	288	4	0	0	60	1	See platform details	0	-
Shortage, if any	15	-	-	1	1	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Pathardih			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	PEH	FOB	1	(a) Per Day	245		Developed As Adarsh			
Station Category	HG2	Subway	0	(b) Max. at any time	125		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	0	2020-21	0.00	Touch Screen Enquiry System	N	
District	DHANBAD	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	DHN-PEH	Wheel Chairs	N	Length of longest stopping train(m)				222	ATMs	0
Km.	0030.15	Cloak Room	N	MP Const.	Dhanbad			Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Pashupati Nath Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Dhanbad			Trains Halting	M: 1 P : 2	
				MLA Name	Sri Raj Sinha			Station IInd Entry		
Other Items										
Remarks for Station:										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	26	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	4	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	150	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	50000			
Pay & Use Toilet	Y			Remarks				

Station Name : Pathardih

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	322.7	8.5	7	CC	15	0	0	1		0	3	2	0	0	8	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Pathardih

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	78	0	5	0	0	23			-	-
Actual	26	15	1	3	1	7	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Pradhankhanta			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	PKA	FOB	1	(a) Per Day	1489			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	450			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	18.25	2018-19	19.05	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	30.82	2020-21	2.44	Touch Screen Enquiry System	N	
District	DHANBAD	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				354	ATMs	0
Km.	0261.13	Cloak Room	N	MP Const.	Dhanbad			Food Plaza	N	
Route	A	Refreshment Room(sq	7	MP Name	Pashupati Nath Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Dhanbad			Trains Halting	M: 2 P : 4	
				MLA Name	Sri Raj Sinha			Station IInd Entry	Y	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	36	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	44	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	200	Length(m)	430	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutch	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	5000			
Pay & Use Toilet				Remarks	NA			

Station Name : Pradhankhanta

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1&2	BG	Y	244	12	40	MOR	36	7	4	1		0	34	0	0	0	10	0	0	0	0	1	N	0	
3&4	BG	Y	250	25	45	MOR	112	10	4	1		0	30	2	2	4	12	0	0	0	0	0	N	0	
5	BG	N	146	6	0	MOR	30	2	0	1		0	14	0	0	0	5	0	0	0	0	1	N	0	
6	BG	N	139	6	45	MOR	20	10	0	1		0	12	0	0	0	5	0	0	0	0	1	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Pradhankhanta

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	200 sqm	8 tap/HP at stn	1	1	40	1	High level	0	-
As per Rec. norms	188	0	18	1	1	54			-	-
Actual	36	198	12	2	2	134	1	See platform details	0	-
Shortage, if any	-	2	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Phularitand			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	PLJE	FOB	1	(a) Per Day		90		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		25		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	24.49	2018-19	26.82	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	15.5	2020-21	0.00	Touch Screen Enquiry System	N	
District	DHANBAD	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	DHN-CRP	Wheel Chairs	N	Length of longest stopping train(m)				350	ATMs	0
Km.	0021.62	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	baghmara			Trains Halting	M: 6 P : 2	
				MLA Name	Sri Dhulu Mahto			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	85	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	56	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	40	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	BCCL Water			

Station Name : Phularitand

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	214	3	30.5	CC	102	4	0	0		0	30	1	0	0	14	0	0	0	0	0	N	0
2	BG	N	214	8	75	CC	170	0	0	1		0	20	1	0	0	6	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Phularitand

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	10	0	1	0	0	3			-	-
Actual	85	272	1	4	2	106	1	See platform details	0	-
Shortage, if any	-	-	3	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Parashnath			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	PNME	FOB	2	(a) Per Day	1405		Developed As Adarsh	Y		
Station Category	NSG4	Subway	0	(b) Max. at any time	300		Identified for MFC	N		
Railway	ECR	Booking Windows	7	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	1	2011-12	820.00	2018-19	820.00	Tourist Facilation Center	Y	
State	JHARKHAND	Public Address Sys.	Y	2019-20	862.42	2020-21	142.80	Touch Screen Enquiry System	N	
District	GIRIDIH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	Y	
Section	PKA-MPO	Wheel Chairs	Y	Length of longest stopping train(m)				487	ATMs	1
Km.	0318.10	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	A	Refreshment Room(sq	23.4	MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	Dumri			Trains Halting	M: 6 P : 8	
				MLA Name	Sri Jagarnath Mahto			Station IInd Entry	Y	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	132	Area(sq	49	49	Area(sq	98	Retiring Room	1	
(b) Seats(Nos.)	50	Seats(Nos.)	15	15	Seats(Nos.)	30	Dormitory	0	
(c) Lav.(Nos.)	10	Lav.(Nos.)	2	2	Lav.(Nos.)	4			
(d) Urinals(Nos.)	5	Urinals(Nos.)	2	2	Urinals(Nos.)	4			
(e) Bathing Cubicals(Nos.)	5	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	2			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	800	Length(m)	90	Source	Railway Supply		Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	53000			
Pay & Use Toilet				Remarks	NA			

Station Name : Parashnath

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	585	10	84	CC	800	6	49	0		0	300	0	2	10	100	1	0	0	0	0	Y	0
3&4	BG	Y	585	15	84	CC	912	7	50	1		0	262	2	3	12	110	0	0	0	0	0	Y	0
5	BG	N	480	6	84	CC	570	0	32	0		0	60	4	4	9	90	0	0	0	0	0	Y	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Parashnath

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	600 sqm	60	6	6	300	1	High level	6	YES
As per Rec. norms	125	252	12	0	0	36			-	-
Actual	132	2282	132	24	22	732	2	See platform details	3	YES
Shortage, if any	-	-	-	-	-	-	-		3	-

Station Name : Parashnath

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	No	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	No
Refreshment Room	Yes	Book stall/other stalls of essential goods	No
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	No
Public Phone Booth	No	Electronic Train Indicator Board	No
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	No	Automatic Vending Machines	No
UTS		Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Desired Facility	Facility Available
Improvement in the facade of the station building Improvement in the circulating area so as to ensure proper entry and exit of A lighting tower at an appropriate place to be installed for proper illumination Improved modern, cost effective lighting arrangements at the platforms, Renovated water booths Renovated, modern, Pay & Use toilets Good Waiting and Retiring Rooms with modern furniture Good passenger guidance system including signages and coach indication Improvement to the passenger service Improvement of booking and enquiry offices to give them a facelift Lighting of booking offices, the queuing area in front of booking windows Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Phaprakund			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	PPKD	FOB	1	(a) Per Day		37		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		10		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	1.24	2018-19	1.55	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	Y	2019-20	1.67	2020-21	0.00	Touch Screen Enquiry System	N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	OBRA-MHDA	Wheel Chairs	N	Length of longest stopping train(m)				310	ATMs	0
Km.	0144.80	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Shri Pakauri Lal Kol			Budget Hotel	N	
Electrified	N			MLA Const.	Obra			Trains Halting	M: 0 P : 6	
				MLA Name	Shri Sanjeev Gond			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	92	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	105	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Phaprakund

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	4	84	CC	48	6	0	1		0	34	1	1	0	0	0	0	0	0	0	N	0
2&3	BG	N	650	4	84	CC	54	0	0	0		0	24	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Phaprakund

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	4	0	0.4	0	0	1			-	-
Actual	92	102	1	1	1	78	1	See platform details	0	-
Shortage, if any	-	-	3	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Paharpur			No. of passengers dealt with:				Identified as Adarsh	N			
Station Code	PRP	FOB	1	(a) Per Day		1245	Developed As Adarsh					
Station Category	NSG5	Subway	0	(b) Max. at any time		100	Identified for MFC			N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	296.66	2018-19	252.76	Tourist Facilation Center			N	
State	BIHAR	Public Address Sys.	Y	2019-20	440.06	2020-21	63.42	Touch Screen Enquiry System			N	
District	GAYA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication			N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				540	ATMs			0
Km.	0437.30	Cloak Room	N	MP Const.	Gaya	Food Plaza			N			
Route	A	Refreshment Room(sq.m)		MP Name	Vijay Manjhi	Budget Hotel			N			
Electrified	Y			MLA Const.	Bodh Gaya	Trains Halting			M: 10	P : 4		
Other Items	NA			MLA Name	Sri Shyam Dev Paswan	Station IInd Entry			Y			
Remarks for Station:	NA											

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	75	Area(sq.m)		18	22	Area(sq.m)	50	Retiring Room	0
(b) Seats(Nos.)	12	Seats(Nos.)		10	10	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		1	1	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		1	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area		Approach Road			Water Supply				
Area (sqm)	1000	Length(m)	50	Source	Railway Supply	Open Wells (Nos)	1		
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped and Hand Pump	Bore Wells (Nos)	2		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	74456				
Pay & Use Toilet				Remarks	NA				

Station Name : Paharpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	540	20	84	MOR	140	6	13	2		0	88	2	5	1	12	1	0	0	0	1	N	0
3&4	BG	Y	420	15	84	MOR	280	8	15	2		0	88	0	2	1	10	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Paharpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	42	0	4	0	0	12			-	-
Actual	75	420	32	4	10	208	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Parsabad			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	PSB	FOB	1	(a) Per Day	685		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	70		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	61.20	2018-19	68.78	Tourist Facilitation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	93.89	2020-21	0.69	Touch Screen Enquiry System	N	
District	KODERMA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				690	ATMs	0
Km.	0367.71	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	Y			MLA Const.	Barkatha			Trains Halting	M: 2 P: 4	
				MLA Name	Sri Amit Kumar Yadav			Station IInd Entry	Y	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	50	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	40	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	190	Length(m)	45	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Parsabad

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	539	15	84	MOR	173	4	16	2		0	60	1	5	1	13	0	0	0	0	1	N	0
3&4	BG	Y	448	9.5	84	MOR	160	3	16	1		0	56	1	2	1	16	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Parsabad

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	29	0	2.8	0	0	8			-	-
Actual	50	333	35	2	7	156	1	See platform details	0	-
Shortage, if any	-	-	-	2	-	-	-		2	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Patratu			No. of passengers dealt with:				Identified as Adarsh	N			
Station Code	PTRU	FOB	1	(a) Per Day		780	Developed As Adarsh					
Station Category	NSG5	Subway	0	(b) Max. at any time		150	Identified for MFC			N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	1	2011-12	131.38	2018-19	148.27	Tourist Facilation Center			N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	259.27	2020-21	47.16	Touch Screen Enquiry System			N	
District	RAMGARH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication			N	
Section	BRKA-GHD	Wheel Chairs	Y	Length of longest stopping train(m)				600	ATMs			0
Km.	0120.83	Cloak Room	N	MP Const.	Hazaribagh			Food Plaza			N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Jayant Sinha			Budget Hotel			N	
Electrified	Y			MLA Const.	Barkagaon			Trains Halting			M: 7 P : 4	
				MLA Name	Sri Amba Prasad			Station IInd Entry			N	
Other Items	NA											
Remarks for Station:	NA											

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	144	Area(sq.m)		0	0	Area(sq.m)	27	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	5	Dormitory	0
(c) Lav.(Nos.)	3	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	3	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	525	Length(m)	15	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	54553.1			
Pay & Use Toilet				Remarks	NA			

Station Name : Patratu

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	418	7.25	46	OPS	1194	10	17	0		0	148	2	2	5	28	0	0	0	0	1	Y	0	
2&3	BG	Y	417	10	46	OPS	387	14	15	0		0	86	0	0	2	17	0	0	0	0	1	Y	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Patratu

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	63	0	6	0	0	18			-	-
Actual	144	1581	32	6	6	269	1	See platform details	3	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Phusro			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	PUS	FOB	0	(a) Per Day		455	Developed As Adarsh		N	
Station Category	NSG6	Subway	0	(b) Max. at any time		100	Identified for MFC		N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	175.89	2018-19	191.09	Tourist Facilation Center		N
State	JHARKHAND	Public Address Sys.	Y	2019-20	180.48	2020-21	46.73	Touch Screen Enquiry System		N
District	BOKARO	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication		N
Section	GMO-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)			525	ATMs		0
Km.	0029.06	Cloak Room	N	MP Const.	Giridih			Food Plaza		N
Route	D	Refreshment Room(sqm)		MP Name	Chandra Prakash Choudhary			Budget Hotel		N
Electrified	Y			MLA Const.	Bermo			Trains Halting		M: 6 P : 6
				MLA Name	Sri Rajendra Prasad Singh			Station IInd Entry		N
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	76	Area(sqm)		0	0	Area(sqm)	50	Retiring Room	0
(b) Seats(Nos.)	20	Seats(Nos.)		0	0	Seats(Nos.)	20	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	2500	Length(m)	30	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	30000		
Pay & Use Toilet				Remarks	NA		

Station Name : Phusro

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	296	6	84	CC	384	10	32	1		0	60	1	2	4	20	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Phusro

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	42	0	4	0	0	12			-	-
Actual	76	384	33	3	3	100	0	See platform details	1	YES
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	RAY			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	RAY	FOB	1	(a) Per Day		700		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		300		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	47.14	2018-19	65.66	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	130.6	2020-21	31.90	Touch Screen Enquiry System	N	
District	HAZARIBAGH	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)				309	ATMs	0
Km.	0150.10	Cloak Room	N	MP Const.	Ranchi			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sanjay Seth			Budget Hotel	N	
Electrified	Y			MLA Const.	Kanke			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Samri Lal			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	225	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	60	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	4	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	2	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	20	Source	Railway Supply		Open Wells (Nos)	1
Surface	Black Topped	Surface	WBM	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	100000			
Pay & Use Toilet				Remarks	NA			

Station Name : RAY

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	304	8.1	84	OPS	308	4	4	2		0	78	2	2	2	22	1	0	0	0	1	N	0
2&3	BG	Y	301	15	0	MOR	308	2	4	1		0	68	0	0	2	17	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : RAY

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	125	0	12	0	0	36			-	-
Actual	225	616	11	6	4	206	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Richughuta			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	RCGT	FOB	0	(a) Per Day		60	Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time		15	Identified for MFC			
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	3.90	2018-19	4.80	Tourist Facilation Center		
State	JHARKHAND	Public Address Sys.	Y	2019-20	5.88	2020-21	0.49	Touch Screen Enquiry System		
District	LATEHAR	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication		
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)				176	ATMs	
Km.	0203.00	Cloak Room	N	MP Const.	Chatra			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sunil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Latehar			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Baidyanath Ram			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	85	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station Name : Richughuta

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	180	7	0	MOR	20	12	0	2		0	20	1	1	0	8	0	0	0	0	0	N	0
2	BG	N	237	17.6	0	MOR	60	2	0	2		0	24	1	0	0	10	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Richughuta

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	6	0	0.6	0	0	2			-	-
Actual	0	80	4	2	1	44	0	See platform details	0	-
Shortage, if any	15	20	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Rema			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	REMA	FOB	1	(a) Per Day	53		Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time	10		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	1.33	2020-21	0.00	Touch Screen Enquiry System	N	
District	GIRIDIH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	Koderma-Giridih	Wheel Chairs	N	Length of longest stopping train(m)				155	ATMs	0
Km.	0055.30	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	E	Refreshment Room(sqm)		MP Name	Annapurna Debi			Budget Hotel	Y	
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 4	
				MLA Name				Station IInd Entry	N	
Other Items										
Remarks for Station:										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	15	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area		Approach Road		Water Supply					
Area (sqm)	100	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	2	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks					

Station Name : Rema

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1	BG	N	330	14	84	MOR	50	0	0	1		0	10	0	0	0	0	0	0	0	0	1	N	0	
2	BG	N	330	14	84	MOR	50	0	0	1		0	12	0	0	0	0	0	0	0	0	1	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Rema

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	6	0	0.4	0	0	2			-	-
Actual	15	100	2	0	0	32	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Rakeshbag Halt			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	RHBH	FOB	0	(a) Per Day		158		Developed As Adarsh		
Station Category	HG2	Subway	0	(b) Max. at any time		20		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	4.08	2020-21	0.00	Touch Screen Enquiry System	N	
District	KODERMA	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	Koderma-Giridih	Wheel Chairs	N	Length of longest stopping train(m)				155	ATMs	0
Km.	0033.80	Cloak Room	N	MP Const.		Kodarma		Food Plaza	N	
Route	E	Refreshment Room(sqm)		MP Name		Annapurna Debi		Budget Hotel	N	
Electrified	Y			MLA Const.				Trains Halting	M: 0 P : 4	
				MLA Name				Station IInd Entry	N	
Other Items										
Remarks for Station:										

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	10	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area		Approach Road			Water Supply				
Area (sqm)	100	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0	
Surface	Kutchra	Surface	Other	Type	Hand Pump		Bore Wells (Nos)	1	
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks					

Station Name : Rakeshbag Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	340	15	0	MOR	10	0	0	1		0	10	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Rakeshbag Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	13	0	0.8	0	0	4			-	-
Actual	10	10	1	0	0	20	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Rajhura					No. of passengers dealt with:	Identified as Adarsh	N	
Station Code	RHR	FOB	0		(a) Per Day	192	Developed As Adarsh		
Station Category	NSG6	Subway	0		(b) Max. at any time	60	Identified for MFC	N	
Railway	ECR	Booking Windows	1		Pass. Earnings/Year(Rs. in Lac.)				
Division	Dhanbad	Enquiry Office	0	2011-12	4.87	2018-19	4.98	Tourist Facilation Center	N
State	JHARKHAND	Public Address Sys.	Y	2019-20	9.92	2020-21	0.57	Touch Screen Enquiry System	N
District	PALAMU	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N
Section	BRKA-GHD	Wheel Chairs	Y	Length of longest stopping train(m)			176	ATMs	0
Km.	0303.15	Cloak Room	N	MP Const.	Palamu			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram			Budget Hotel	N
Electrified	Y			MLA Const.	Daltonganj			Trains Halting	M: 0 P : 6
				MLA Name	Sri Alok Chaurasiya			Station IInd Entry	N
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	30	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	35	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet	N			Remarks	NA			

Station Name : Rajhura

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	300	1.8	15	CC	54	0	0	2		0	24	5	0	1	6	0	0	0	0	0	N	0
2&3	BG	N	350	10.5	15	MOR	108	3	0	2	2	0	12	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Rajhura

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	25	0	2.4	0	0	7			-	-
Actual	30	162	4	5	0	66	0	See platform details	0	-
Shortage, if any	-	-	-	-	1	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Ramakunda			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	RIBP	FOB	0	(a) Per Day	12			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	5			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	0.53	2020-21	0.00	Touch Screen Enquiry System	N	
District		Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				250	ATMs	0
Km.	0000.00	Cloak Room	N	<div style="border: 1px solid black; padding: 2px;"> MP Const. MP Name MLA Const. MLA Name </div>				Food Plaza	N	
Route	A	Refreshment Room(sq	m)					Budget Hotel	N	
Electrified	Y							Trains Halting	M: 0	P : 2
Other Items	NA							Station IInd Entry	N	
Remarks for Station:										

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	m.) 0	Area(sq	m) 0	0	0	Area(sq	m) 0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	m) 0	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutch	Surface	Kutch	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet					Remarks	NA		

Station Name : Ramakunda

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	3	0	0.2	0	0	1			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Rakhitpur			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	RKJE	FOB	0	(a) Per Day		191		Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time		60		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	2.66	2018-19	2.85	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	5.67	2020-21	0.00	Touch Screen Enquiry System	N	
District	DHANBAD	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				131	ATMs	0
Km.	0021.00	Cloak Room	N	MP Const.	Dhanbad			Food Plaza	N	
Route	E	Refreshment Room(sqm)		MP Name	Pashupati Nath Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Sindri			Trains Halting	M: 0 P : 2	
				MLA Name	Sri Indrajit Mahto			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	15	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	14	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	280	Length(m)	800	Source	Railway Supply		Open Wells (Nos)	2
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Rakhitpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	130	5	7	CC	15	3	0	3		0	14	4	2	4	5	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Rakhitpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	25	0	2.4	0	0	7			-	-
Actual	15	15	3	6	2	28	0	See platform details	0	-
Shortage, if any	-	35	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Ramna			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	RMF	FOB	1	(a) Per Day	354		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	125		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	25.84	2018-19	37.38	Tourist Facilitation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	51	2020-21	0.00	Touch Screen Enquiry System	N	
District	GARHWA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				176	ATMs	0
Km.	0032.27	Cloak Room	N	MP Const.	Palamu			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram			Budget Hotel	N	
Electrified	Y			MLA Const.	Bhawnathpur			Trains Halting	M: 2 P : 2	
				MLA Name	Sri Bhanu Pratap Sahi			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	15	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	12	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	1	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	100	Length(m)	35	Source	Railway Supply		Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Ramna

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	178	6	84	MOR	432	0	0	2		0	68	2	2	0	8	0	0	0	0	1	N	0
2	BG	N	572	10.9	84	CC	588	0	0	0		0	56	0	0	0	12	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Ramna

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	52	0	5	0	0	15			-	-
Actual	15	1020	2	4	3	136	1	See platform details	0	YES
Shortage, if any	-	-	2	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Renukoot			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	RNQ	FOB	1	(a) Per Day		1229		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time		450		Identified for MFC	N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	1	2011-12	503.46	2018-19	510.46	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	Y	2019-20	433.73	2020-21	47.49	Touch Screen Enquiry System	N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	Y	
Section	GHD-CPU	Wheel Chairs	Y	Length of longest stopping train(m)				473	ATMs	0
Km.	0099.45	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Shri Pakauri Lal Kol			Budget Hotel	N	
Electrified	N			MLA Const.	Obra			Trains Halting	M: 8 P : 2	
				MLA Name	Shri Sanjeev Gond			Station IInd Entry	Y	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	90	Area(sq.m)		20	20	Area(sq.m)	63	Retiring Room	1
(b) Seats(Nos.)	20	Seats(Nos.)		10	10	Seats(Nos.)	16	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		2	1	Lav.(Nos.)	1		
(d) Urinals(Nos.)	2	Urinals(Nos.)		2	1	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	2	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1350	Length(m)	240	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	278100			
Pay & Use Toilet	Y			Remarks	NA			

Station Name : Renukoot

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	521.82	7	84	CC	632	7	30	1		0	120	3	5	10	47	1	0	0	0	1	Y	0
2	BG	N	558	10.59	84	CC	348	0	18	3		0	176	2	2	2	33	1	0	0	0	1	N	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Renukoot

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	188	0	18	1	1	54			-	-
Actual	90	980	52	11	13	352	1	See platform details	1	YES
Shortage, if any	-	-	-	-	-	-	-		1	-

Station Name : Renukoot

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with light		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Toilets on end platform & circulating area	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Ranchi Road			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	RRME	FOB	1	(a) Per Day	695		Developed As Adarsh			
Station Category	NSG5	Subway	0	(b) Max. at any time	200		Identified for MFC	N		
Railway	ECR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	61.00	2018-19	61.00	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	131.42	2020-21	40.94	Touch Screen Enquiry System	N	
District	RAMGARH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	GMO-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)				418	ATMs	0
Km.	0091.62	Cloak Room	N	MP Const.	Hazaribagh			Food Plaza	N	
Route	D	Refreshment Room(sq		MP Name	Jayant Sinha			Budget Hotel	N	
Electrified	Y			MLA Const.	Ramgarh			Trains Halting	M: 2 P : 6	
				MLA Name	Smt. Mamta Devi			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	33	Area(sq		0	17	Area(sq	29	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	5	Seats(Nos.)	7	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	2	Lav.(Nos.)	2		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	1	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	1470	Length(m)	65	Source	Railway Supply		Open Wells (Nos)	1
Surface	WBM	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	17028			
Pay & Use Toilet				Remarks	NA			

Station Name : Ranchi Road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	575	12	84	CC	1472	0	22	3		0	60	4	4	4	22	2	0	0	0	1	N	0
2	BG	N	525	12	84	CC	0	4	8	3		0	54	0	1	0	19	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Ranchi Road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	84	0	8	0	0	24			-	-
Actual	33	1472	36	8	5	126	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Sindri					No. of passengers dealt with:		Identified as Adarsh	N
Station Code	SDBH	FOB	1	(a) Per Day	51	Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	20	Identified for MFC		N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	34.76	2018-19	6.80	Tourist Facilation Center	N
State	JHARKHAND	Public Address Sys.	Y	2019-20	3.5	2020-21	0.00	Touch Screen Enquiry System	N
District	DHANBAD	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N
Section	DHN-SNDT	Wheel Chairs	N	Length of longest stopping train(m)		222	ATMs		0
Km.	0022.67	Cloak Room	N	MP Const.	Dhanbad		Food Plaza		N
Route	E	Refreshment Room(sq.m)		MP Name	Pashupati Nath Singh		Budget Hotel		N
Electrified	Y			MLA Const.	Sindri		Trains Halting		M: 0 P : 2
				MLA Name	Sri Indrajit Mahto		Station IInd Entry		N
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)	0	0	Area(sq.m)	0	Retiring Room	0	
(b) Seats(Nos.)	2	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0	
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	Lav.(Nos.)	0			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	100	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet	Y			Remarks	NA			

Station Name : Sindri

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	128.7	6.4	7	CC	60	5	0	1		0	18	2	1	4	2	0	0	0	0	1	N	0
2	BG	N	118	6.4	7	CC	0	0	0	1		0	3	0	0		2	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Sindri

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	8	0	0.8	0	0	2			-	-
Actual	16	60	2	2	1	23	1	See platform details	0	-
Shortage, if any	-	40	2	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Singrauli			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	SGRL	FOB	1	(a) Per Day		1230		Developed As Adarsh	Y	
Station Category	NSG4	Subway	0	(b) Max. at any time		200		Identified for MFC	N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	1	2011-12	880.00	2018-19	880.00	Tourist Facilation Center	N	
State	MADHYA	Public Address Sys.	Y	2019-20	584.43	2020-21	68.10	Touch Screen Enquiry System	N	
District	PRADESH SIDHI	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	Y	
Section	CPU-MHD	Wheel Chairs	Y	Length of longest stopping train(m)				309	ATMs	0
Km.	0188.97	Cloak Room	Y	MP Const.		Sidhi		Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name		Smt. Riti Pathak		Budget Hotel	N	
Electrified	N			MLA Const.		Singrauli		Trains Halting	M: 14 P : 4	
				MLA Name				Station IInd Entry	Y	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	110	Area(sq.m)		120	0	Area(sq.m)	48	Retiring Room	0
(b) Seats(Nos.)	54	Seats(Nos.)		30	0	Seats(Nos.)	27	Dormitory	0
(c) Lav.(Nos.)	5	Lav.(Nos.)		1	0	Lav.(Nos.)	2		
(d) Urinals(Nos.)	2	Urinals(Nos.)		1	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	5	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	2		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1332	Length(m)	75	Source	Railway Supply		Open Wells (Nos)	0
Surface	WBM	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	3
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)		163440		
Pay & Use Toilet	Y			Remarks		NA		

Station Name : Singrauli

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	420	9	78	CC	604	5	34	0		235	240	12	2	6	30	1	0	0	0	1	N	0
2&3	BG	Y	540	10.05	76	CC	210	0	90	0		0	120	0	0	3	50	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Singrauli

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec. norms	84	112	8	0	0	24			-	-
Actual	110	814	124	20	5	471	1	See platform details	2	-
Shortage, if any	-	-	-	-	1	-	-		2	YES

Station Name : Singrauli

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with light		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Toilets on end platform & circulating area	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Sijua			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SJA	FOB	1	(a) Per Day	10		Developed As Adarsh			
Station Category		Subway	0	(b) Max. at any time	5		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	5.09	2018-19	5.65	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	1.71	2020-21	0.00	Touch Screen Enquiry System	N	
District	DHANBAD	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	DHN-KTH-CRP	Wheel Chairs	N	Length of longest stopping train(m)				250	ATMs	0
Km.	0010.24	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	E	Refreshment Room(sqm)		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	baghmara			Trains Halting	M: 0 P : 2	
				MLA Name	Sri Dhulu Mahto			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	87	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	24	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	2	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	150	Length(m)	150	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	1000			
Pay & Use Toilet				Remarks	NA			

Station Name : Sijua

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	173	13	75	MOR	42	6	2	0		0	0	2	2	0	7	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Sijua

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	0 sqm	0	0	0	0	0	-	0	-
As per Rec. norms	3	0	0.2	0	0	1			-	-
Actual	87	42	2	4	4	24	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Shaktinagar			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SKTN	FOB	1	(a) Per Day		365		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time		80		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	350.13	2018-19	210.00	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	Y	2019-20	285.52	2020-21	39.10	Touch Screen Enquiry System	N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	KRLR-SKTN	Wheel Chairs	N	Length of longest stopping train(m)				132	ATMs	0
Km.	0081.58	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Shri Pakauri Lal Kol			Budget Hotel	N	
Electrified	N			MLA Const.	Dudhi			Trains Halting	M: 4 P : 2	
				MLA Name	Smt. Rubi Prasad			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	8	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1000	Length(m)	250	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutchra	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	136935			
Pay & Use Toilet				Remarks	NA			

Station Name : Shaktinagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	321	9	84	CC	51	0	10	0		0	123	4	4	3	35	0	0	0	0	0	N	0
*Surface Type		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Shaktinagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	50 sqm	8	4	4	50	0	High level	1	-
As per Rec. norms	33	0	3.2	0	0	10			-	-
Actual	16	51	11	4	4	131	1	See platform details	1	-
Shortage, if any	14	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Salaibanwa			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SLBN	FOB	0	(a) Per Day		17	Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time		8	Identified for MFC			
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	0.86	2018-19	0.82	Tourist Facilation Center		
State	UTTAR	Public Address Sys.	Y	2019-20	1.51	2020-21	0.00	Touch Screen Enquiry System		
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication		
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				180	ATMs	
Km.	0134.27	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Shri Pakauri Lal Kol			Budget Hotel	N	
Electrified	N			MLA Const.	Obra			Trains Halting	M: 0 P : 2	
				MLA Name	Shri Sanjeev Gond			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	15	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area		Approach Road			Water Supply				
Area (sqm)	0	Length(m)	105	Source	Railway Supply	Open Wells (Nos)	1		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0		
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0				
Pay & Use Toilet				Remarks	NA				

Station Name : Salaibanwa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	182	5.6	84	CC	24	5	0	3		0	34	2	2	0	6	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Salaibanwa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	3	0	0.32	0	0	1			-	-
Actual	15	24	3	2	2	34	0	See platform details	0	-
Shortage, if any	-	26	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Salaiya			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	SLIA	FOB	0	(a) Per Day				Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time				Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	1	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N
State	JHARKHAND	Public Address Sys.	N	2019-20	0	2020-21	0.00	Touch Screen Enquiry System	N
District	GIRIDIH	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N
Section	KQR-MMD	Wheel Chairs		Length of longest stopping train(m)				ATMs	0
Km.	0096.10	Cloak Room	N	MP Const.	Giridih			Food Plaza	N
Route	D	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary				Budget Hotel
Electrified	Y			MLA Const.	Giridih			Trains Halting	M: P : null
				MLA Name	Sri Sudivya Kumar				Station IInd Entry
Other Items									
Remarks for Station:									

Resting Facility

WAITING HALL	WAITING ROOM	GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	Area(sq.m)			Area(sq.m)	Retiring Room 0
(b) Seats(Nos.)	Seats(Nos.)			Seats(Nos.)	Dormitory 0
(c) Lav.(Nos.)	Lav.(Nos.)			Lav.(Nos.)	
(d) Urinals(Nos.)	Urinals(Nos.)			Urinals(Nos.)	
(e) Bathing Cubicals(Nos.)	Bathing Cubicals(Nos.)			Bathing Cubicals(Nos.)	

Circulating Area and Water Supply

Circulating Area	Approach Road	Water Supply	
Area (sqm)	Length(m)	Source	Open Wells (Nos)
Surface	Surface	Type	Bore Wells (Nos)
Illumination Type	Illumination Type	Storage Capacity(Ltr)	
Pay & Use Toilet		Remarks	

Station Name : Salaiya

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	0	0	0	0	0	0			-	-
Actual	0	0	0	0	0	0	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Sarmatand			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SMND	FOB	1	(a) Per Day	395			Developed As Adarsh		
Station Category	NSG6	Subway	0	(b) Max. at any time	50			Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	15.47	2018-19	16.46	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	25.28	2020-21	0.50	Touch Screen Enquiry System	N	
District	KODERMA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				298	ATMs	0
Km.	0376.54	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	A	Refreshment Room(sq.m)		MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	Y			MLA Const.	Barkatha			Trains Halting	M: 0 P : 6	
				MLA Name	Sri Amit Kumar Yadav			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	50	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	6	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	120	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Cement Concrete	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	11600			
Pay & Use Toilet				Remarks	NA			

Station Name : Sarmatand

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	N	352	7.8	0	MOR	121	2	0	1		0	11	0	1	1	6	0	0	0	0	0	N	0
3&4	BG	N	433	15	0	MOR	75	4	0	1		0	12	2	3	1	6	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Sarmatand

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	21	0	2	0	0	6			-	-
Actual	50	196	2	2	4	29	1	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Sindri Town			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SNDT	FOB	0	(a) Per Day	310		Developed As Adarsh			
Station Category	NSG6	Subway	0	(b) Max. at any time	220		Identified for MFC	N		
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	46.59	2018-19	45.88	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	229.34	2020-21	62.36	Touch Screen Enquiry System	N	
District	DHANBAD	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	DHN-SNDT	Wheel Chairs	N	Length of longest stopping train(m)				132	ATMs	0
Km.	0027.59	Cloak Room	N	MP Const.	Dhanbad			Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Pashupati Nath Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Sindri			Trains Halting	M: 0 P : 1	
				MLA Name	Sri Indrajit Mahto			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	37	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	2	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	2	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	180	Length(m)	450	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Sindri Town

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	179.4	11.8	21	CC	183	10	0	1		0	50	1	1	1	8	1	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Sindri Town

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	50 sqm	2 tap/HP at stn	1	1	10	1	High level	0	-
As per Rec. norms	92	0	8.8	0	0	26			-	-
Actual	37	183	1	3	1	52	0	See platform details	0	-
Shortage, if any	-	-	1	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Sindri Marshalling Yard			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SNMY	FOB	0	(a) Per Day	72		Developed As Adarsh			
Station Category	HG3	Subway	0	(b) Max. at any time	35		Identified for MFC	N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	2.31	2018-19	2.72	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	2.47	2020-21	0.00	Touch Screen Enquiry System	N	
District	DHANBAD	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	DHN-SNDT	Wheel Chairs	N	Length of longest stopping train(m)				132	ATMs	0
Km.	0025.67	Cloak Room	N	MP Const.	Dhanbad			Food Plaza	N	
Route	E	Refreshment Room(sq		MP Name	Pashupati Nath Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Sindri			Trains Halting	M: 0 P : 1	
				MLA Name	Sri Indrajit Mahto			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	0	Area(sq		0	0	Area(sq	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	0	Length(m)	100	Source	Railway Supply		Open Wells (Nos)	1
Surface	Kutch	Surface	WBM	Type	Hand Pump		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Sindri Marshalling Yard

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	121.35	7.1	7	CC	8	2	0	3		0	5	0	0	5	5	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Sindri Marshalling Yard

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	22	0	1.4	0	0	6			-	-
Actual	0	8	3	0	0	5	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Sonardih			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	SZE	FOB	0	(a) Per Day		65	Developed As Adarsh			
Station Category	HG2	Subway	0	(b) Max. at any time		20	Identified for MFC			
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	4.08	2018-19	4.80	Tourist Facilitation Center		
State	JHARKHAND	Public Address Sys.	N	2019-20	2.7	2020-21	0.00	Touch Screen Enquiry System		
District	DHANBAD	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication		
Section	DHN-CRP	Wheel Chairs	N	Length of longest stopping train(m)				250	ATMs	
Km.	0017.15	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	E	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	baghmara			Trains Halting	M: 0 P : 2	
				MLA Name	Sri Dhulu Mahto			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	16	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	256	Length(m)	40	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	WBM	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	BCCL Water & MADA Water is given in colony & station.		

Station Name : Sonardih

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	340	5.3	84	OTH	9	3	0	1		0	30	1	0	1	4	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Sonardih

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	13	0	0.8	0	0	4			-	-
Actual	16	9	1	1	0	30	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Telo			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	TELO	FOB	1	(a) Per Day	315	Developed As Adarsh	
Station Category	NSG6	Subway	0	(b) Max. at any time	150	Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)			
Division	Dhanbad	Enquiry Office	0	2011-12	12.80	2018-19	16.88
State	JHARKHAND	Public Address Sys.	N	2019-20	22.21	2020-21	1.54
District	BOKARO	Clock	Y	2021-22	0	2022-23	0
Section	GMO-BRKA	Wheel Chairs	Y	Length of longest stopping train(m)		300	
Km.	0009.25	Cloak Room	N	MP Const.	Giridih	ATMs	0
Route	A	Refreshment Room(sq.m)		MP Name	Chandra Prakash Choudhary	Food Plaza	N
Electrified	Y			MLA Const.	Bermo	Budget Hotel	N
Other Items	NA			MLA Name	Sri Rajendra Prasad Singh	Trains Halting	M: 2 P : 3
Remarks for Station:	NA					Station IInd Entry	N

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	88	Area(sq.m)		0	0	Area(sq.m)	0
(b) Seats(Nos.)	10	Seats(Nos.)		0	0	Seats(Nos.)	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0
						Retiring Room	0
						Dormitory	0

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	0	Length(m)	40	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	WBM	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet	Y			Remarks	NA		

Station Name : Telo

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	244	6	0	CC	48	20	0	1		0	48	2	1	0	10	0	0	0	0	1	N	0
2&3	BG	N	244	6	0	MOR	60	12	0	1		0	52	0	0	0	6	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Telo

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	63	0	6	0	0	18			-	-
Actual	88	108	2	2	1	110	1	See platform details	0	-
Shortage, if any	-	-	2	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Tetulmari			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	TET	FOB	1	(a) Per Day		1625		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time		150		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	82.96	2018-19	86.63	Tourist Flacation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	117.38	2020-21	1.90	Touch Screen Enquiry System	N	
District	DHANBAD	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				354	ATMs	0
Km.	0280.01	Cloak Room	N	MP Const.	Giridih			Food Plaza	N	
Route	A	Refreshment Room(sq.m)	5.4	MP Name	Chandra Prakash Choudhary			Budget Hotel	N	
Electrified	Y			MLA Const.	baghmara			Trains Halting	M: 4 P : 4	
				MLA Name	Sri Dhulu Mahto			Station IInd Entry	Y	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	36	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	160	Length(m)	170	Source	Railway Supply		Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Black Topped	Type	Piped and Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	27648			
Pay & Use Toilet				Remarks	NA			

Station Name : Tetulmari

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	330	14	84	CC	214	1	8	2		0	60	4	4	3	19	2	0	0	0	1	N	0
*Surface Type :		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Tetulmari

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	50 sqm	8	4	4	50	0	High level	1	-
As per Rec. norms	63	0	6	0	0	18			-	-
Actual	36	214	10	4	4	70	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Tankuppa			No. of passengers dealt with:				Identified as Adarsh	N			
Station Code	TKN	FOB	1	(a) Per Day		365	Developed As Adarsh					
Station Category	NSG6	Subway	0	(b) Max. at any time		100	Identified for MFC			N		
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)								
Division	Dhanbad	Enquiry Office	0	2011-12	20.44	2018-19	24.63	Tourist Facilation Center			N	
State	BIHAR	Public Address Sys.	Y	2019-20	25.38	2020-21	0.12	Touch Screen Enquiry System			N	
District	GAYA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication			N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				590	ATMs			0
Km.	0449.72	Cloak Room	N	MP Const.		Gaya	Food Plaza		N			
Route	A	Refreshment Room(sq.m)		MP Name		Vijay Manjhi	Budget Hotel		N			
Electrified	Y			MLA Const.		Bodh Gaya	Trains Halting		M: 8	P : 4		
				MLA Name		Sri Shyam Dev Paswan	Station IInd Entry		N			
Other Items	NA											
Remarks for Station:	NA											

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	20	Area(sq.m)		0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	600	Length(m)	40	Source	Railway Supply	Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0		
Pay & Use Toilet				Remarks	NA		

Station Name : Tankuppa

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	421	9	0	MOR	160	3	0	1		0	60	0	2	1	22	0	0	0	0	0	N	0
3&4	BG	Y	421	24	0	MOR	168	9	0	1		0	60	3	2	1	11	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Tankuppa

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	15	100 sqm	4 tap/HP at stn	1	1	20	1	High level	0	-
As per Rec. norms	42	0	4	0	0	12			-	-
Actual	20	328	4	3	4	120	1	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Tokisud			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	TKS	FOB	0	(a) Per Day	65			Developed As Adarsh		
Station Category	HG3	Subway	0	(b) Max. at any time	20			Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	1.75	2018-19	1.87	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	N	2019-20	2.74	2020-21	0.20	Touch Screen Enquiry System	N	
District	RAMGARH	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)				286	ATMs	0
Km.	0128.00	Cloak Room	N	MP Const.	Hazaribagh			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Jayant Sinha			Budget Hotel	N	
Electrified	Y			MLA Const.	Barkagaon			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Amba Prasad			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	10	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	0	Length(m)	55.5	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet	Y			Remarks	NA			

Station Name : Tokisud

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	170	6.1	0	MOR	12	3	0	2		0	28	1	2	0	12	0	0	0	0	0	N	0
2	BG	N	170	6.1	0	OPS	12	3	0	1		0	20	2	2	0	12	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Tokisud

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	13	0	0.8	0	0	4			-	-
Actual	10	25	3	3	4	48	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Tori			No. of passengers dealt with:				Identified as Adarsh	Y	
Station Code	TORI	FOB	1	(a) Per Day	1225			Developed As Adarsh	N	
Station Category	NSG5	Subway	0	(b) Max. at any time	350			Identified for MFC	N	
Railway	ECR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	330.53	2018-19	336.22	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	387.8	2020-21	59.39	Touch Screen Enquiry System	N	
District		Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	Y	
Section	BRKA-GHD	Wheel Chairs	Y	Length of longest stopping train(m)				540	ATMs	0
Km.	0185.00	Cloak Room	N	MP Const.	Chatra			Food Plaza	N	
Route	Dspl	Refreshment Room(sq.m)		MP Name	Sunil Kumar Singh			Budget Hotel	N	
Electrified	Y			MLA Const.	Latehar			Trains Halting	M: 13 P : 4	
				MLA Name	Sri Baidyanath Ram			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	81	Area(sq.m)	28	15	Area(sq.m)	34	Retiring Room	0	
(b) Seats(Nos.)	25	Seats(Nos.)	12	9	Seats(Nos.)	15	Dormitory	0	
(c) Lav.(Nos.)	1	Lav.(Nos.)	1	1	Lav.(Nos.)	1			
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	1	Urinals(Nos.)	0			
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	1			

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	1000	Length(m)	80	Source	Railway Supply	Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	225000		
Pay & Use Toilet	Y			Remarks	NA		

Station Name : Tori

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	600	10.5	84	CC	792	4	8	3		0	196	4	3	4	18	1	0	0	0	1	Y	0
2&3	BG	Y	600	11.2	84	CC	484	13	4	3		0	106	2	0	2	8	0	0	0	0	1	Y	0
4&5	BG	Y	440	7.5	7	MOR	462	3	6	2		0	112	3	0	0	0	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Tori

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	150 sqm	24	4	4	150	0	High level	3	-
As per Rec. norms	146	0	14	1	1	42			-	-
Actual	81	1738	28	13	4	475	1	See platform details	2	-
Shortage, if any	-	-	-	-	-	-	-		1	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Tolra			No. of passengers dealt with:				Identified as Adarsh	N
Station Code	TRZ	FOB	0	(a) Per Day	87			Developed As Adarsh	
Station Category	HG3	Subway	0	(b) Max. at any time	20			Identified for MFC	N
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)					
Division	Dhanbad	Enquiry Office	0	2011-12	2.07	2018-19	2.67	Tourist Facilation Center	N
State	JHARKHAND	Public Address Sys.	N	2019-20	2.5	2020-21	0.08	Touch Screen Enquiry System	N
District	PALAMU	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N
Section	BRKA-GHD	Wheel Chairs	N	Length of longest stopping train(m)			176	ATMs	0
Km.	0313.22	Cloak Room	N	MP Const.	Palamu			Food Plaza	N
Route	Dspl	Refreshment Room(sq.m)		MP Name	Vishnu Dayal Ram			Budget Hotel	N
Electrified	Y			MLA Const.	Bishrampur			Trains Halting	M: 0 P : 6
				MLA Name	Sri Ramchandra Chandrawansi			Station IInd Entry	N
Other Items	NA								
Remarks for Station:	NA								

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	40	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	30	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	50	Length(m)	60	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	2
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Tolra

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	1.8	0	CC	0	3	0	1		0	50	5	0	0	5	0	0	0	0	0	N	0
2	BG	N	350	1.8	0	CC	0	0	0	3		0	50	0	0	0	3	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Tolra

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	13	0	0.8	0	0	4			-	-
Actual	40	0	4	5	0	130	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Urwan Halt			No. of passengers dealt with:				Identified as Adarsh	N						
Station Code	UWAN	FOB	0	(a) Per Day	20			Developed As Adarsh							
Station Category	HG3	Subway	0	(b) Max. at any time	5			Identified for MFC	N						
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)											
Division	Dhanbad	Enquiry Office	0	2011-12	0.00	2018-19	0.00	Tourist Facilation Center	N						
State	JHARKHAND	Public Address Sys.	N	2019-20	0.63	2020-21	0.00	Touch Screen Enquiry System	N						
District		Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N						
Section	KQR-BRKA	Wheel Chairs	N	Length of longest stopping train(m)				135	ATMs						
Km.	0013.70	Cloak Room	N	<table border="1"> <tr><td>MP Const.</td></tr> <tr><td>MP Name</td></tr> <tr><td>MLA Const.</td></tr> <tr><td>MLA Name</td></tr> </table>				MP Const.	MP Name	MLA Const.	MLA Name	Food Plaza		N	
MP Const.															
MP Name															
MLA Const.															
MLA Name															
Route	Dspl	Refreshment Room(sqm)		Budget Hotel		N									
Electrified	Y			Trains Halting		M: 0	P : 4								
Other Items				Station IInd Entry											
Remarks for Station:															

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sq.m)	0	0	0	Area(sq.m)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)	0	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)	0	0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply									
Circulating Area			Approach Road			Water Supply			
Area (sqm)		Length(m)	300	Source	Railway Supply	Open Wells (Nos)	0		
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump	Bore Wells (Nos)	0		
Illumination Type		Illumination Type	N	Storage Capacity(Ltr)	0				
Pay & Use Toilet					Remarks				

Station Name : Urwan Halt

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	340	9	0	MOR	0	0	0	1		0	8	0	0	0	0	0	0	0	0	0	N	0
*Surface Type		: CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Urwan Halt

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	0	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	3	0	0.2	0	0	1			-	-
Actual	0	0	1	0	0	8	0	See platform details	0	-
Shortage, if any	-	-	-	-	-	-	1		-	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Wyndhamganj			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	WDM	FOB	1	(a) Per Day		434		Developed As Adarsh		
Station Category	NSG5	Subway	0	(b) Max. at any time		250		Identified for MFC	N	
Railway	ECR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	64.55	2018-19	87.22	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	Y	2019-20	115.94	2020-21	0.00	Touch Screen Enquiry System	N	
District	UPRADESH SONBHADRA	Clock	Y	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	GHD-CPU	Wheel Chairs	N	Length of longest stopping train(m)				309	ATMs	0
Km.	0055.86	Cloak Room	N	MP Const.	Robertsganj			Food Plaza	N	
Route	Dspl	Refreshment Room(sqm)		MP Name	Shri Pakauri Lal Kol			Budget Hotel	N	
Electrified	Y			MLA Const.	Dudhi			Trains Halting	M: 3 P : 2	
				MLA Name	Smt. Rubi Prasad			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	21	Area(sqm)		28	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	6	Seats(Nos.)		15	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	50.17	Length(m)	55	Source	Railway Supply		Open Wells (Nos)	1
Surface	Black Topped	Surface	Black Topped	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Wyndhamganj

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	650	6	84	CC	460	5	1	3		0	88	2	2	1	10	0	0	0	0	1	N	0
2	BG	N	650	10.9	84	CC	432		0	2		0	48	0	0	0	12	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Wyndhamganj

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	High level	2	-
As per Rec. norms	105	0	10	0	0	30			-	-
Actual	21	892	6	2	2	157	1	See platform details	0	-
Shortage, if any	9	-	10	2	2	-	-		2	-

Passenger Amenities Details As on : 31/03/2023

Division : Dhanbad

Station Name	Yadudih			No. of passengers dealt with:				Identified as Adarsh	N	
Station Code	YDD	FOB	0	(a) Per Day		190		Developed As Adarsh		
Station Category	HG2	Subway	0	(b) Max. at any time		40		Identified for MFC	N	
Railway	ECR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)						
Division	Dhanbad	Enquiry Office	0	2011-12	8.77	2018-19	8.95	Tourist Facilation Center	N	
State	JHARKHAND	Public Address Sys.	Y	2019-20	11.38	2020-21	0.62	Touch Screen Enquiry System	N	
District	KODERMA	Clock	N	2021-22	0	2022-23	0	Electronic Train Indication	N	
Section	PKA-MPO	Wheel Chairs	N	Length of longest stopping train(m)				280	ATMs	0
Km.	0371.81	Cloak Room	N	MP Const.	Kodarma			Food Plaza	N	
Route	A	Refreshment Room(sqm)		MP Name	Annapurna Debi			Budget Hotel	N	
Electrified	Y			MLA Const.	Barkatha			Trains Halting	M: 0 P : 4	
				MLA Name	Sri Amit Kumar Yadav			Station IInd Entry	N	
Other Items	NA									
Remarks for Station:	NA									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	0	Area(sqm)		0	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	130	Length(m)	72	Source	Railway Supply		Open Wells (Nos)	0
Surface	Kutchra	Surface	Kutchra	Type	Hand Pump		Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	N	Storage Capacity(Ltr)	0			
Pay & Use Toilet				Remarks	NA			

Station Name : Yadudih

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	350	3	0	OPS	54	1	0	1		0	8	0	3	0	0	0	0	0	0	0	N	0
2	BG	N	350	3	0	OPS	14	2	0	1		0	4	0	0	0	2	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Yadudih

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	10	Shady Trees	1 HP at stn	0	0	0	1	High level	0	-
As per Rec. norms	25	0	1.6	0	0	7			-	-
Actual	0	68	2	0	3	12	0	See platform details	0	-
Shortage, if any	10	-	-	-	-	-	1		-	-