

(98)

EAST CENTRAL RAILWAY
STORES INSTRUCTION No.93

No.ECR/SMM/Store-Instruction

Dt.26.12.2018

A Stores cell is functioning at MHX for procurement of Signaling Cables and Electrical Cables the detailed list is enclosed vide L. No. ECR/SMM/Store-Instruction dt.14.08.2017.

Cases with value above Rs.10 cr. are CMM level TC. It is noted that after demand registration for processing the files are to be brought to HQ at HJP & sent back to MHX again & again and significant time and resources are lost in such meaningless activity.

Therefore, it is decided that henceforth case with estimated value above Rs.10 cr. i.e. CMM level TC will be directly received at HQ/HJP and dealt by purchase section of HQ/HJP to avoid delay. At HQ/HJP Signaling Cable cases will be dealt by P-06 section and Electrical Cable cases will be deal by P-14.

1/1/14
(D.K.Sinha)
Secy. to PCMM

Copy for kind information and n/a please.

1. Secy. to GM/ECR for kind information of GM.
2. Secy. to CAO/ South & North/ECR/MHX/Patna for kind information to CAO/C/ South & North.
3. PHOD of ECR, All DRMs of ECR, All HOD/PHOD of Construction/ECR/MHX/ Patna.
4. CMM/E & Sale /ECR/HJP
5. Dy.CMM/Con./ECR/MHX/Patna. → 26/01/19
6. All Dy.CMMs/ECR/HJP
7. Demand receipt & iMMS section.

1/1/14
Secy. to PCMM

O/c
26/12/18