(B)

East Central Railway

STORES -INSTRUCTION No. 92

No. ECR/ SMM/Stores-Instruction

Dt. 29.11.2018

<u>Sub</u>:- For procurement of all types of Lead Acid Batteries

Ref: CMM(Elect.)/ECR/HJP's No. ECR/SMM/CMM-E/Misc. Dtd. 29.11.2018 (Photocopy attached)

In reference to above, it has been decided that now all types of Batteries against Stock & Non-Stock demands will be dealt by P-06 Section instead of different purchase sections (i.e. P-01, P-03, P-06, P-09, P-14, P-17 etc. if any) of Hq. office/HJP.

All concerns are requested to take necessary action immediately in this regard.

(D. K. Sinha) Secy. to PCMM

Copy for kind information & n/a please:-

- 1) All PHOD
- 2) CMM/Elect., CMM/Mech. & CMM/Sale/ECR/HJP
- 3) Dy.CMM/C&W, Dy.CMM/Elect., Dy.CMM/DSL & Dy.CMM/IC/ECR/HJP
- 4) Dy.CMM/CON/ECR/MHX/Patna -> Daluli
- 5) All Depot & Division officers
- 6) SMM/Elect I & II., SMM/C&W I & II, SMM/DSL, & SMM/sale/ECR/HJP
- 7) All S.I. of Purchase section of PCMM office/HJP

