पूर्व मध्य रेल East Central Railway

कार्यालय प्रमुसाप्र, पूमरे, मुख्यालय, हाजीपुर, वैशाली (बिहार)

No. ईसीआर / एसएमएम / मुसाप्र-IV / निरीक्षण रिपोर्ट

दिनांक . 18.10.2024

विषयः श्री संजय दयाल , मुख्य सामग्री प्रबंधक - IV /पू म रे/हाजीपुर और श्री सुनील गाँधी, उप मुख्य सामग्री प्रबंधक -III /पू म रे/हाजीपुर के दिनांक 15/10/2024 को डीजल लोको शेड डिपो, समस्तीपुर का निरीक्षण रिपोर्ट।

निरीक्षण के दौरान निम्नलिखित अधिकारी उपस्थित थे:-

1 Shri Rajesh Kumar Masih : AMM/DSL/Depot/SPJ

2 Shri Anil Kumar Singh : AMM/DSD/SPJ

S. No	Observation	Action by
1	AMM/DSL/SPJ stated that DRR of 40 old Cases are pending on the account that the items have yet not been located in depot. Stocksheets have already been generated & enquiry is being conducted by AMM/DSD/SPJ. However it was informed by AMM/DSL that the concerned staff is superannuating on 31/10/2024. Accordingly, AMM/DSD/SPJ was asked to submit inquiry report at the earliest.	Sr.DMM/SPJ AMM/DSD/SPJ
2	AMM/DSL/SPJ was instructed to ensure timely follow up with Sr. DMM/SPJ on the matter of the above stock sheets since the concerned employee is superannuating on 31.10.2024 itself. Sr.DMM/SPJ needs to ensure finalization of the matter before that.	Sr. DMM/SPJ AMM/DSL/SPJ
3.	AMM/DSD/SPJ was instructed to ensure that balance ALCO LOCO items of SPJ/DSL Depot (about 850 Nos.) are also transferred on priority basis to DSD/SPJ Depot as already instructed by PCMM.	AMM/DSL/SPJ AMM/DSD/SPJ
4.	AMM/DSL/SPJ was instructed to ensure that transfer of ALCO LOCO items from PTRU and DDU Depot is accomplished on top priority basis.	AMM/DSL/SPJ AMM/DSD/SPJ AMM/TRS/DDU AMM/PTRU
5.	AMM/DSD/SPJ was also instructed to ensure that the transfer the left over items of HSP LOCO at SPJ Diesel Depot to PTRU Depot is completed within a week.	AMM/DSL/SPJ AMM/DSD/SPJ AMM/PTRU

6.		g critical items were reported by PJ which are pending at Hqr./HJP for	
	coverage and	d require immediate coverage at Hqr	
	Level without	any further delay:	
	PL No.	ltem	
	33592044	Speed Sensor	DyCMM-V
	73031379	Hexagonal Bolt-Nut 16X50	
	50540324	Lead Acid cell of 2V, 80AH	DyCMM-I
	79331129	Pillow Cover Handloom	DyCMM-II
	79330538	Soft Blanket	
7.	डिपो में राजभा	षा हिंदी का प्रयोग संतोषजनक पाया गया	

(Sanjay Dayal) CMM-IV/ECR/HJP

Copy to:

- 1. PCMM/ECR/HJP: for kind information please.
- 2. CMM-I, II & III : for kind information & necessary action please
- 3. Dy.CMM-I,II,III & V: for necessary action.
- 4. Sr. DMM/SPJ: for necessary action .
- 5. AMMs at DSD/SPJ,DSL/SPJ,TRS/DDU & PTRU: for necessary action .