## East Central Railway (Construction Organization)

Office Order No NG/87/2025

In the light of GM(P)/ECR/HJP's Office Order No. 123/2025 dated 28.05.2025, the following posting order is issued on administrative ground with immediate effect:

S. N.	Name of staff (S/Sri)	Present Designation and Station	Transferred/Posted under	Waiting for Posting	Remarks
1	Anant Kumar	SSE/Gen/ECR/SEE /Power House	SSE/Electrical/C/KQR Under Dy. CEE/C/South/MHX	12.08.2025 to 21.08.2025	HQ will be at KQR & salary will be charged from MHX

- They/He should ensure that his/their e-office ID associated with the handed over/relinquished post are de-mapped by Admin of e-office of the concerned department & the confirmation of same should be endorsed in the charge relinquishing/handing over report.
- They/he should vacate the Rly. Qtr., if any, under their/his possession while proceeding on transfer. Permission for retention of Railway Qtr. as admissible under extant rule may be given, provided that they/he make/s a request and their/his request are/is considered, failing which demurrage rent will be recovered from his salary for un-authorised occupation of Rly. Qtr. and they/he will be liable to be taken up under D&A rules.
- As above transfer order is on administrative ground, admissible benefits, as per extant rule, may be extended to them/him.

This is issued with the approval of CAO/Con/MHX Photograph, Specimen signature and LTI is as under:

n.) Sr. Personnel Officer (Con. East Central Railway,

Mahendrughat, Patna

Mahendrughat, Patna

(Saurabh Sawarn) Sr. Personnel Officer/Con for CAO/Con/ECR/MHX. Patna Date-21.08.2025

No. ECR-HQ0CONS(ESTT)/1678/2020(Comp.No-90211)

Copy forwarded for kind information & necessary action to:

- GM(P)/ECR/HJP.
- PCEE/ECR/HJP.
- CEE/Con/N & S/MHX
- Secy. to CAO/Con/North/MHX- for kind information of CAO/Con/North.
- Secy. to CAO/Con/South/MHX- for kind information of CAO/Con/South
- FA&CAO/C/MHX.
- Dy. CEE/C/S/MHX
- OS/Pass & Pay Bill/Con/MHX
- Branch Secy. ECREU/HQ/Con/MHX/Patna.
- Staff Concerned.

for CAO/Con/ECR/MHX/Patna